

Large differences in community COVID-19 testing across geographic areas in a Swedish region with 385,000 inhabitants

Beatrice Kennedy ^{1*}, Mats Martinell ^{2,3*}, Ulf Hammar ¹, Vera van Zoest ⁴, Robert S Kristiansson ^{2,3}, Hugo Fitipaldi ⁵, Neli Tsereteli ⁵, Georgios Varotsis ¹, Koen F Dekkers ¹, Jonas Björk ^{6,7}, Tove Fall ¹

Affiliations

1. Department of Medical Sciences, Molecular Epidemiology, and Science for Life Laboratory, Uppsala University, Sweden
2. Department of Public Health and Caring Sciences, Health Services Research, Uppsala University, Sweden
3. Primary Care and Health, Uppsala County Council, Sweden
4. Department of Information Technology, Uppsala University, Sweden
5. Genetic and Molecular Epidemiology Unit, Department of Clinical Sciences Malmö, Lund University Diabetes Centre, Skåne University Hospital, Malmö, Sweden
6. Division of Occupational and Environmental Medicine, Lund University, Lund, Sweden
7. Clinical Studies Sweden, Forum South, Skåne University Hospital, Lund, Sweden


*Shared first authorship

Corresponding author

Tove Fall, Department of Medical Sciences, Molecular Epidemiology and Science for Life Laboratory, Uppsala University, 751 85 Uppsala, Sweden

Supplementary Material

Supplementary Figure 1. Correlation matrices for the control and the exposure variables in postal code areas within Uppsala City and Uppsala County (excluding Uppsala City). Correlations are weighted by the size of the population (≥ 18 years) for each postal code. The darker colors indicate stronger correlation.



Supplementary Table 1. Testing rates and testing positivity in Uppsala City and Uppsala County. Values are presented as median (first and third quartile) unless stated otherwise.

	Uppsala City (postal code 75)	Uppsala County* (postal codes 74 and 81)
Postal code areas	N = 146	N = 200
Average testing rate per 100,000 inhabitants ≥ 18 years ¹	793 (702-901)	690 (583-799)
Average number of weekly positive tests per 100,000 inhabitants aged ≥ 18 years ¹	38 (25-56)	18 (0-36)
Average test positivity ¹ , %	4.61 (3.26-6.94)	2.72 (0.00-5.10)

*Excluding Uppsala City

¹During the study period 24 June to 12 October 2020

Supplementary Table 2. Univariable analysis of the association of area characteristics with COVID-19 testing rates in Uppsala City and Uppsala County.


	Uppsala City		Uppsala County*	
	B (95% CI)	p-value	B (95% CI)	p-value
Distance to closest test station, km	-5.95 (-11.47, -0.44)	0.035	-6.22 (-7.51, -4.92)	<0.001
Neighbourhood deprivation index	55.94 (31.32, 80.56)	<0.001	39.36 (16.38, 62.35)	0.001
Proportion foreign background, %	-3.25 (-4.72, -1.78)	<0.001	-2.03 (-4.18, 0.13)	0.065
Average daily number of hospitalized patients per 100,000 inhabitants ¹	-0.34 (-2.52, 1.83)	0.755	-0.30 (-2.44, 1.84)	0.782

*Excluding Uppsala City


¹During the study period 24 June to 12 October 2020

B: beta; CI: confidence interval

Supplementary Figure 2. Univariate association of area characteristics with area testing rates across the 146 postal code areas in Uppsala City. Means and confidence intervals predicted from a population weighted linear regression model. The range of the x-axis is from the 10th to the 90th percentile of the distribution of the variable in the Uppsala City data set. The ticks represent individual postal code values.



Supplementary Figure 3. Univariate association of area characteristics with area testing rates across 200 postal code areas in Uppsala County, excluding Uppsala City. Means and confidence intervals are predicted from a population weighted linear regression model. The range of the x-axis is from the 10th to the 90th percentile of the distribution of the variable in the Uppsala County data set. The ticks represent individual postal code values.



Supplementary Table 3. Multivariable regression model estimates on the association of area characteristics with area testing rates across 146 postal code areas in Uppsala City and 200 postal code areas in Uppsala County. The multivariable analyses were performed on all four exposure variables simultaneously and further included the control variables mean age and proportion of women.

	Uppsala City		Uppsala County*	
	B (95% CI)	p-value	B (95% CI)	p-value
Distance to closest test station, km	-8.02 (-13.02, -3.02)	0.002	-6.47 (-7.66, -5.27)	<0.001
Neighbourhood deprivation index	-10.89 (-49.68, 27.90)	0.580	-13.21 (-38.86, 12.43)	0.311
Proportion foreign background, %	-6.21 (-8.90, -3.51)	<0.001	-6.43 (-8.88, -3.99)	<0.001
Average daily number of hospitalized patients per 100,000 inhabitants ¹	-0.00 (-1.76, 1.75)	0.998	1.05 (-0.54, 2.65)	0.193

*Excluding Uppsala City

¹During the study period 24 June to 12 October 2020

B: beta; CI: confidence interval

Supplementary Table 4. Multivariable regression model estimates on the association of postal code area characteristics with testing rates across 146 postal code areas in Uppsala City and 200 postal code areas in Uppsala County, including only the 28,556 tests conducted at the four main test stations (Uppsala, Tierp, Enköping, Östhammar).

	Uppsala City		Uppsala County*	
	B (95% CI)	p-value	B (95% CI)	p-value
Distance to closest test station, km	-10.46 (-14.89, -6.03)	<0.001	-7.52 (-8.55, -6.48)	<0.001
Neighbourhood deprivation index	-8.87 (-43.27, 25.53)	0.611	-6.24 (-28.48, 16.01)	0.581
Proportion foreign background, %	-7.69 (-10.09, -5.30)	<0.001	-7.15 (-9.27, -5.03)	<0.001
Average daily number of hospitalized patients per 100,000 inhabitants ¹	0.10 (-1.46, 1.66)	0.899	0.66 (-0.72, 2.04)	0.346

*Excluding Uppsala City

¹During the study period 24 June to 12 October 2020

B: beta; CI: confidence interval