

eSupplement

Table of Contents, page 1

eTables

eTable 1. Changes in mental well-being (No. = 7445), page 2

eTable 2. Onset of low mental well-being (No. = 6537), page 3

eTable 3. Changes in quality of life (No. = 7445), page 4

eTable 4. Onset of low quality of life (No. = 6283), page 5

eTable 5. Onset of loneliness (No. = 6418), page 6

eTable 6. Changes in mental well-being, quality of life and loneliness, stratified by sex (No. = 7445), page 7

eTable 7. Joint effects of housing conditions and quarantine on changes in mental well-being, quality of life and loneliness (No. = 7418), page 8

eTable 8. Changes in quality of life, stratified by psychiatric illnesses (No. = 7418), page 9

eTable 9. Changes in category of mental well-being (No. = 7445), page 10

eTable 10. Changes in category of quality of life (No. = 7445), page 11

eTable 11. Changes in category of loneliness (No. = 7445), page 12

eFigures

eFigure 1. Flow of participation, page 13

eTable 1. Changes in mental well-being (No. = 7445)

	no.	Mean difference (95 % CI)		
		Crude Model	Adjusted model 1	Adjusted model 2
Direct access to outdoor spaces				
None	286	-0.68 [-1.03,-0.33]	-0.91 [-1.24,-0.59]	-0.83 [-1.19,-0.48]
Common yard	464	0.15 [-0.13,0.44]	-0.14 [-0.41,0.12]	-0.12 [-0.40,0.17]
Balcony	459	0.17 [-0.11,0.45]	-0.07 [-0.33,0.20]	-0.04 [-0.32,0.24]
Garden	4346	0.00 [0.00,0.00]	0.00 [0.00,0.00]	0.00 [0.00,0.00]
Multiple outdoor spaces	1889	0.09 [-0.07,0.25]	-0.00 [-0.15,0.14]	0.00 [-0.15,0.15]
Urban				
Urban	2698	-0.05 [-0.21,0.10]	-0.16 [-0.32,0.00]	-0.13 [-0.30,0.03]
Semi-urban	1602	-0.08 [-0.25,0.10]	-0.16 [-0.33,0.02]	-0.15 [-0.32,0.02]
Rural	3145	0.00 [0.00,0.00]	0.00 [0.00,0.00]	0.00 [0.00,0.00]
Household density				
Below median	3988	0.00 [0.00,0.00]	0.00 [0.00,0.00]	0.00 [0.00,0.00]
Above median	3457	-0.18 [-0.32,-0.05]	-0.29 [-0.41,-0.16]	-0.30 [-0.43,-0.18]
Household composition				
Alone	436	-0.17 [-0.47,0.12]	-0.49 [-0.76,-0.21]	-0.25 [-0.56,0.05]
Roomies/friends	410	0.12 [-0.18,0.43]	-0.02 [-0.31,0.26]	0.14 [-0.17,0.45]
Partner	835	0.30 [0.07,0.53]	0.11 [-0.10,0.33]	0.23 [0.00,0.46]
Parents only	2884	0.00 [0.00,0.00]	0.00 [0.00,0.00]	0.00 [0.00,0.00]
Parents and siblings/children	2880	0.06 [-0.09,0.21]	0.11 [-0.03,0.25]	0.11 [-0.03,0.24]

CI: Confidence Intervals.

Mean difference and 95 % CI presented.

Adjusted Model 1. Adjusted for age, sex, current education, part-time work, mental well-being at baseline, moving, and geographical region.

Adjusted Model 2. Adjusted model 1, additionally mutually adjusted for other housing conditions

eTable 2. Onset of low mental well-being (No. = 6537)

	no.	OR (95% CI)		
		Crude Model	Adjusted model 1	Adjusted model 2
Direct access to outdoor spaces				
None	56/246	1.97 [1.44,2.70]	2.17 [1.54,3.05]	1.68 [1.15,2.47]
Common yard	75/402	1.54 [1.18,2.01]	1.60 [1.20,2.15]	1.35 [0.98,1.86]
Balcony	64/390	1.32 [0.99,1.75]	1.39 [1.03,1.89]	1.19 [0.86,1.65]
Garden	499/3842	1.00 [1.00,1.00]	1.00 [1.00,1.00]	1.00 [1.00,1.00]
Multiple outdoor spaces	218/1657	1.01 [0.86,1.20]	1.07 [0.89,1.27]	1.00 [0.83,1.21]
Urban				
Urban	348/2392	1.15 [0.98,1.35]	1.27 [1.05,1.54]	1.16 [0.95,1.41]
Semi-urban	210/1394	1.20 [1.00,1.44]	1.20 [0.97,1.47]	1.19 [0.97,1.46]
Rural	354/2751	1.00 [1.00,1.00]	1.00 [1.00,1.00]	1.00 [1.00,1.00]
Household density				
Below median	445/3528	1.00 [1.00,1.00]	1.00 [1.00,1.00]	1.00 [1.00,1.00]
Above median	467/3009	1.27 [1.11,1.46]	1.25 [1.08,1.45]	1.23 [1.05,1.43]
Household composition				
Alone	79/369	1.70 [1.29,2.23]	1.83 [1.35,2.47]	1.47 [1.05,2.07]
Roomies/friends	64/366	1.32 [0.98,1.77]	1.57 [1.14,2.15]	1.26 [0.88,1.80]
Partner	106/710	1.09 [0.86,1.38]	1.11 [0.86,1.43]	0.98 [0.74,1.28]
Parents only	351/2535	1.00 [1.00,1.00]	1.00 [1.00,1.00]	1.00 [1.00,1.00]
Parents and siblings/children	312/2557	0.86 [0.73,1.02]	0.84 [0.71,1.00]	0.85 [0.72,1.01]

OR: Odds Ratio, CI: Confidence Intervals.

OR and 95 % CI presented.

Adjusted Model 1. Adjusted for age, sex, current education, part-time work, mental well-being at baseline, moving, and geographical region.

Adjusted Model 2. Adjusted model 1, additionally mutually adjusted for other housing conditions

Participants with low mental well-being scores at baseline excluded (no. = 912).

Mental well-being scores ≤ 20 points on the SWEMWBS indicate possible or probable depression or anxiety.

eTable 3. Changes in QoL (No. = 7445)

	no.	Mean differenc (95 % CI)		
		Crude Model	Adjusted model 1	Adjusted model 2
Direct access to outdoor spaces				
None	286	0.19 [-0.06,0.45]	-0.19 [-0.43,0.04]	-0.18 [-0.43,0.07]
Common yard	464	0.28 [0.08,0.49]	0.13 [-0.06,0.32]	0.11 [-0.10,0.31]
Balcony	459	0.07 [-0.14,0.28]	-0.09 [-0.28,0.10]	-0.12 [-0.32,0.08]
Garden	4346	0.00 [0.00,0.00]	0.00 [0.00,0.00]	0.00 [0.00,0.00]
Multiple outdoor spaces	1889	0.21 [0.09,0.32]	0.11 [0.00,0.21]	0.10 [-0.01,0.20]
Urban				
Urban	2698	0.03 [-0.08,0.14]	-0.06 [-0.17,0.06]	-0.07 [-0.19,0.04]
Semi-urban	1602	0.02 [-0.11,0.15]	-0.02 [-0.14,0.10]	-0.01 [-0.13,0.11]
Rural	3145	0.00 [0.00,0.00]	0.00 [0.00,0.00]	0.00 [0.00,0.00]
Household density				
Below median	3988	0.00 [0.00,0.00]	0.00 [0.00,0.00]	0.00 [0.00,0.00]
Above median	3457	-0.05 [-0.15,0.04]	-0.18 [-0.26,-0.09]	-0.21 [-0.30,-0.12]
Household composition				
Alone	436	0.04 [-0.17,0.26]	-0.26 [-0.45,-0.06]	-0.22 [-0.43,-0.00]
Roomies/friends	410	0.08 [-0.14,0.31]	-0.02 [-0.22,0.19]	0.06 [-0.16,0.29]
Partner	835	0.36 [0.20,0.53]	0.32 [0.17,0.47]	0.35 [0.18,0.51]
Parents only	2884	0.00 [0.00,0.00]	0.00 [0.00,0.00]	0.00 [0.00,0.00]
Parents and siblings/children	2880	-0.06 [-0.17,0.05]	0.01 [-0.09,0.11]	0.01 [-0.09,0.10]

QoL: Quality of Life, CI: Confidence Intervals.
Mean difference and 95 % CI.
Adjusted Model 1. Adjusted for age, sex, current education, part-time work, QoL at baseline, moving, and geographical region.
Adjusted Model 2. Adjusted model 1, additionally mutually adjusted for other housing conditions

eTable 4. Onset of low QoL (No. = 6283)

	no.	OR (95 % CI)		
		Crude Model	Adjusted model 1	Adjusted model 2
Direct access to outdoor spaces				
None	78/218	1.10 [0.83,1.46]	1.25 [0.92,1.69]	1.13 [0.81,1.58]
Common yard	113/385	0.82 [0.65,1.03]	0.88 [0.69,1.12]	0.84 [0.64,1.09]
Balcony	131/379	1.04 [0.83,1.30]	1.10 [0.87,1.39]	1.06 [0.83,1.37]
Garden	1250/3716	1.00 [1.00,1.00]	1.00 [1.00,1.00]	1.00 [1.00,1.00]
Multiple outdoor spaces	437/1585	0.75 [0.66,0.85]	0.81 [0.71,0.92]	0.80 [0.69,0.92]
Urban				
Urban	706/2273	0.93 [0.82,1.05]	1.02 [0.88,1.18]	1.03 [0.88,1.19]
Semi-urban	433/1345	0.98 [0.85,1.13]	0.99 [0.84,1.15]	0.98 [0.84,1.14]
Rural	870/2665	1.00 [1.00,1.00]	1.00 [1.00,1.00]	1.00 [1.00,1.00]
Household density				
Below median	1056/3424	1.00 [1.00,1.00]	1.00 [1.00,1.00]	1.00 [1.00,1.00]
Above median	953/2859	1.12 [1.01,1.25]	1.14 [1.02,1.28]	1.16 [1.03,1.30]
Household composition				
Alone	121/338	1.17 [0.93,1.49]	1.37 [1.06,1.78]	1.38 [1.04,1.83]
Roomies/friends	106/340	0.95 [0.75,1.22]	1.08 [0.83,1.41]	1.08 [0.81,1.45]
Partner	195/677	0.85 [0.71,1.03]	0.85 [0.69,1.04]	0.86 [0.70,1.07]
Parents only	786/2442	1.00 [1.00,1.00]	1.00 [1.00,1.00]	1.00 [1.00,1.00]
Parents and siblings/children	801/2486	1.00 [0.89,1.13]	1.00 [0.88,1.13]	1.00 [0.88,1.14]
<p>QoL: Quality of Life, OR: Odds Ratios, CI: Confidence Intervals. OR and 95 % CI presented. Adjusted model 1. Adjusted for age, sex, current education, part-time work, QoL at baseline, moving, and geographical region. Adjusted model 2. Adjusted model 1, additionally mutually adjusted for other housing conditions Participants with low quality of life at baseline excluded (no. =1162)</p>				

eTable 5. Onset of loneliness (No. = 6418)

	no. cases/no.	OR (95 % CI)		
		Crude Model	Adjusted model 1	Adjusted model 2
Direct access to outdoor spaces				
None	64/234	1.56 [1.16,2.11]	1.82 [1.34,2.48]	1.44 [1.01,2.04]
Common yard	74/394	0.96 [0.74,1.25]	1.05 [0.80,1.38]	0.98 [0.73,1.34]
Balcony	89/378	1.28 [1.00,1.64]	1.41 [1.09,1.83]	1.37 [1.04,1.82]
Garden	736/3793	1.00 [1.00,1.00]	1.00 [1.00,1.00]	1.00 [1.00,1.00]
Multiple outdoor spaces	295/1619	0.93 [0.80,1.07]	0.99 [0.85,1.15]	0.97 [0.83,1.13]
Urban				
Urban	454/2315	1.01 [0.88,1.16]	1.04 [0.88,1.22]	1.00 [0.85,1.19]
Semi-urban	276/1383	1.04 [0.88,1.22]	1.04 [0.87,1.24]	1.02 [0.85,1.21]
Rural	528/2720	1.00 [1.00,1.00]	1.00 [1.00,1.00]	1.00 [1.00,1.00]
Household density				
Below median	638/3473	1.00 [1.00,1.00]	1.00 [1.00,1.00]	1.00 [1.00,1.00]
Above median	620/2945	1.18 [1.05,1.34]	1.21 [1.07,1.37]	1.30 [1.14,1.48]
Household composition				
Alone	121/362	1.94 [1.53,2.46]	2.37 [1.84,3.06]	2.12 [1.59,2.82]
Roomies/friends	51/352	0.65 [0.48,0.89]	0.74 [0.54,1.03]	0.66 [0.47,0.94]
Partner	111/698	0.73 [0.58,0.91]	0.77 [0.61,0.98]	0.72 [0.56,0.92]
Parents only	514/2498	1.00 [1.00,1.00]	1.00 [1.00,1.00]	1.00 [1.00,1.00]
Parents and siblings/children	461/2508	0.87 [0.76,1.00]	0.85 [0.74,0.98]	0.86 [0.74,0.99]

OR: Odds Ratios, CI: Confidence Intervals.

OR and 95 % CI presented.

Adjusted Model 1. Adjusted for age, sex, current education, part-time work, loneliness at baseline, moving, and geographical region.

Adjusted Model 2. Adjusted model 1, additionally mutually adjusted for other housing conditions

Participants with loneliness at baseline excluded (no. = 1027)

eTable 6. Changes in mental well-being, quality of life and loneliness, stratified by sex (No.= 7445)

	Female		Male	
	no.	Mean difference (95 % CI)	no.	Mean difference (95 % CI)
Mental well-being				
Household density				
Below median	2816	0.00 [0.00,0.00]	1171	0.00 [0.00,0.00]
Above median	2397	-0.27 [-0.42,-0.12]	1060	-0.36 [-0.60,-0.13]
Household composition				
Alone	278	-0.02 [-0.39,0.35]	158	-0.63 [-1.15,-0.10]
Roomies/friends	267	0.40 [0.02,0.78]	143	-0.32 [-0.87,0.23]
Partner	655	0.24 [-0.02,0.50]	180	0.29 [-0.18,0.76]
Parents only	1971	0.00 [0.00,0.00]	913	0.00 [0.00,0.00]
Parents and siblings/children	2042	0.21 [0.05,0.38]	838	-0.13 [-0.39,0.12]
QoL	no.	Mean difference (95 % CI)	no.	Mean difference (95 % CI)
Household composition				
Alone	278	-0.35 [-0.62,-0.08]	158	0.07 [-0.28,0.42]
Roomies/friends	267	0.17 [-0.11,0.44]	143	-0.11 [-0.48,0.25]
Partner	655	0.38 [0.19,0.57]	180	0.19 [-0.12,0.51]
Parents only	1971	0.00 [0.00,0.00]	913	0.00 [0.00,0.00]
Parents and siblings/children	2042	-0.01 [-0.13,0.11]	838	0.05 [-0.12,0.22]
Loneliness^a	no. cases/no.	OR (95 % CI)	no. cases/no.	OR (95 % CI)
Household composition				
Alone	116/278	1.81 [1.28,2.56]	48/158	3.15 [1.85,5.36]
Roomies/friends	61/267	0.68 [0.45,1.02]	19/143	0.60 [0.28,1.29]
Partner	137/655	0.74 [0.56,0.97]	12/180	0.52 [0.26,1.04]
Parents only	563/1971	1.00 [1.00,1.00]	125/913	1.00 [1.00,1.00]
Parents and siblings/children	490/2042	0.74 [0.62,0.87]	150/838	1.40 [1.04,1.87]

CI: Confidence Interval, OR: Odds Ratio, QoL: Quality of Life.

Mean difference and 95 % CI and OR and 95 % CI presented.

Results displayed for interaction terms for which the likelihood ratio test indicated interaction ($p < 0.2$).

Adjusted Model 2: Adjusted for age, sex, current education, part-time work, mental well-being/QoL/loneliness at baseline, moving, and geographical region, and additionally mutually adjusted for housing conditions.

^aParticipants with loneliness at baseline excluded (no. = 1023)

eTable 7. Joint effects of housing conditions and quarantine on changes in mental well-being, quality of life and loneliness (No. = 7418)

	no.	Mean difference (95 % CI)	
		Mental well-being	QoL
Direct access to outdoor spaces			
No access, NQ	<i>b</i>	-0.98 [-1.38,-0.58]	N/A
No access, Q	<i>b</i>	-0.48 [-1.12,0.16]	N/A
Common yard, NQ	<i>b</i>	-0.00 [-0.32,0.32]	N/A
Common yard, Q	<i>b</i>	-0.57 [-1.08,-0.06]	N/A
Balcony, NQ	<i>b</i>	0.02 [-0.29,0.33]	N/A
Balcony, Q	<i>b</i>	-0.42 [-0.96,0.11]	N/A
Garden, NQ	<i>b</i>	0.00 [0.00,0.00]	N/A
Garden, Q	<i>b</i>	-0.07 [-0.26,0.12]	N/A
Multiple outdoor spaces, NQ	<i>b</i>	0.02 [-0.15,0.19]	N/A
Multiple outdoor spaces, Q	<i>b</i>	-0.13 [-0.40,0.14]	N/A
Urbanity			
Urban, NQ	2073	N/A	-0.03 [-0.16,0.10]
Urban, Q	615	N/A	-0.21 [-0.40,-0.03]
Semi-urban, NQ	1223	N/A	0.05 [-0.09,0.19]
Semi-urban, Q	373	N/A	-0.19 [-0.40,0.02]
Rural, NQ (referent)	2355	N/A	0.00 [0.00,0.00]
Rural, Q	779	N/A	0.01 [-0.14,0.17]
Household density			
Below median, NQ (reference)	3050	N/A	N/A
Below median, Q	927	N/A	N/A
Above median, NQ	2601	N/A	N/A
Above median, Q	840	N/A	N/A
Household composition			
Alone, NQ	<i>b</i>	-0.26 [-0.60,0.09]	N/A
Alone, Q	<i>b</i>	-0.28 [-0.81,0.25]	N/A
Roomies/friends, NQ	<i>b</i>	0.05 [-0.30,0.41]	N/A
Roomies/friends, Q	<i>b</i>	0.35 [-0.17,0.88]	N/A
Partner, NQ	<i>b</i>	0.31 [0.06,0.57]	N/A
Partner, Q	<i>b</i>	-0.10 [-0.51,0.30]	N/A
Parents only, NQ (referent)	<i>b</i>	0.00 [0.00,0.00]	N/A
Parents only, Q	<i>b</i>	-0.09 [-0.32,0.15]	N/A
Parents and siblings/children, NQ	<i>b</i>	0.13 [-0.03,0.29]	N/A
Parents and siblings/children, Q	<i>b</i>	-0.03 [-0.25,0.20]	N/A
Total	7418 ^a		

CI: Confidence Interval, OR: Odds Ratio, QoL: Quality of Life, Q: Quarantined, NQ: Not Quarantined, N/A: Not applicable. Mean difference and 95 % CI and OR and 95 % CI presented.

Results displayed for interaction terms for which the likelihood ratio test indicated interaction ($p < 0.2$), otherwise N/A is displayed

Adjusted for age, sex, current education, part-time work, mental well-being/QoL, moving, and geographical region, and additionally mutually adjusted for housing conditions

^a27 observations omitted due to lacking data on quarantine status

^bCells clouded to secure non-identifiability of participants

eTable 8. Changes in QoL, stratified by psychiatric illnesses (No. = 7418)^a

	No psychiatric illness		Psychiatric illness	
	no.	Mean difference (95 % CI)	no.	Mean difference (95 % CI)
Household composition				
Alone	341	-0.06 [-0.30,0.18]	95	-0.09 [-0.80,0.62]
Roomies/friends	350	0.11 [-0.12,0.35]	60	-0.40 [-1.26,0.45]
Partner	^b	0.38 [0.20,0.55]	^b	0.46 [-0.17,1.10]
Parents only	2494	0.00 [0.00,0.00]	377	0.00 [0.00,0.00]
Parents and siblings/children	^b	-0.01 [-0.11,0.10]	^b	0.08 [-0.35,0.50]
Total	6450		968	

QoL: Quality of Life, CI: Confidence Interval.

Mean difference and 95 % CI presented.

Results displayed for interaction terms for which the likelihood ratio test indicated interaction ($p < 0.2$).

Adjusted Model 2: Adjusted for age, sex, current education, part-time work, QoL at baseline, moving, and geographical region, and additionally mutually adjusted for housing conditions

^a27 observations omitted due to missing data on psychiatric illnesses.

^bCells clouded to secure non-identifiability of participants

eTable 9. Changes in category of mental well-being (No. = 7445)

	no. cases, (ref.normal to normal) low to low/low to normal/normal to low	RRR (95 % CI)		
		Low to low (6.9 %)	Low to normal (5.3 %)	Normal to low (12.3 %)
Outdoor spaces				
No access	(ref. 190)24/16/56	1.46 [0.88,2.40]	1.11 [0.62,1.99]	1.71 [1.19,2.45]
Common yard	(ref. 327)31/32/74	1.22 [0.79,1.89]	1.36 [0.87,2.13]	1.44 [1.05,1.96]
Balcony	(ref. 326)40/29/64	1.53 [1.04,2.26]	1.25 [0.80,1.94]	1.23 [0.90,1.68]
Garden	(ref. 3343)295/209/499	1.00 [1.00,1.00]	1.00 [1.00,1.00]	1.00 [1.00,1.00]
Multiple facilities/other	(ref. 1439)121/111/218	1.03 [0.81,1.29]	1.27 [0.99,1.63]	1.03 [0.86,1.24]
Urbanicity				
Urban	(ref. 2044)160/146/348	0.73 [0.56,0.94]	0.95 [0.72,1.26]	1.14 [0.94,1.38]
Semi-urban	(ref. 1184)116/92/210	0.98 [0.76,1.27]	1.13 [0.84,1.50]	1.22 [1.00,1.49]
Rural	(ref. 2397)235/159/354	1.00 [1.00,1.00]	1.00 [1.00,1.00]	1.00 [1.00,1.00]
Household density				
Above median	(ref. 3083)244/216/445	1.00 [1.00,1.00]	1.00 [1.00,1.00]	1.00 [1.00,1.00]
Below median	(ref. 2542)267/181/467	1.37 [1.14,1.66]	1.01 [0.82,1.26]	1.26 [1.09,1.46]
Household composition				
Alone	(ref. 290)35/32/79	1.48 [0.96,2.29]	1.44 [0.91,2.28]	1.58 [1.15,2.19]
Friends/roommates	(ref. 302)25/19/64	1.02 [0.62,1.68]	0.85 [0.49,1.46]	1.23 [0.87,1.73]
Partner	(ref. 604)64/61/106	1.28 [0.92,1.78]	1.28 [0.90,1.82]	1.02 [0.78,1.33]
Parents only	(ref. 2184)193/156/351	1.00 [1.00,1.00]	1.00 [1.00,1.00]	1.00 [1.00,1.00]
Parents and children/siblings	(ref. 2245)194/129//312	0.97 [0.79,1.20]	0.81 [0.64,1.04]	0.84 [0.71,0.99]
Total (no.)	(ref.5625)511/397/912			

RRR: Relative Risk Ratios, CI: Confidence Intervals.

RRR and 95 % CI presented.

Adjusted Model 2: Adjusted for age, sex, current education, part-time work, moving, geographical region, and mutual adjustment for housing conditions. Mental well-being at baseline omitted from model due to collinearity.

eTable 10. Changes in category of QoL (No. = 7445)

	no. cases, (ref.normal to normal) low to low/low to normal/normal to low	RRR (95 % CI)		
		Low to low (9.5 %)	Low to normal (6.1 %)	Normal to low (27.1 %)
Outdoor spaces				
No access	(ref. 140)37/31/78	1.41 [0.91,2.18]	1.87 [1.17,3.00]	1.16 [0.84,1.60]
Common yard	(ref. 272)45/35/113	0.95 [0.65,1.38]	1.11 [0.72,1.71]	0.86 [0.66,1.12]
Balcony	(ref. 248)46/34/131	1.09 [0.76,1.58]	1.21 [0.80,1.85]	1.11 [0.87,1.42]
Garden	(ref. 2466)395/235/1250	1.00 [1.00,1.00]	1.00 [1.00,1.00]	1.00 [1.00,1.00]
Multiple facilities/other	(ref. 1148)189/115/437	1.06 [0.87,1.30]	1.03 [0.81,1.32]	0.81 [0.71,0.93]
Urbanicity				
Urban	(ref. 1567)253/172/706	0.88 [0.71,1.10]	1.05 [0.80,1.37]	1.04 [0.90,1.21]
Semi-urban	(ref. 912)158/99/433	0.98 [0.78,1.23]	1.10 [0.83,1.44]	0.99 [0.85,1.15]
Rural	(ref. 1795)301/179/870	1.00 [1.00,1.00]	1.00 [1.00,1.00]	1.00 [1.00,1.00]
Household density				
Above median	(ref. 2368)334/230/1056	1.00 [1.00,1.00]	1.00 [1.00,1.00]	1.00 [1.00,1.00]
Below median	(ref. 1906)378/220/953	1.51 [1.28,1.79]	1.12 [0.91,1.37]	1.18 [1.06,1.32]
Household composition				
Alone	(ref. 217)64/34/121	2.14 [1.49,3.08]	1.49 [0.95,2.35]	1.39 [1.06,1.83]
Friends/roommates	(ref. 234)40/30/106	1.15 [0.76,1.73]	1.38 [0.87,2.20]	1.05 [0.79,1.40]
Partner	(ref. 482)81/77/195	1.05 [0.78,1.42]	1.54 [1.11,2.14]	0.84 [0.68,1.04]
Parents only	(ref. 1656)281/161/786	1.00 [1.00,1.00]	1.00 [1.00,1.00]	1.00 [1.00,1.00]
Parents and children/siblings	(ref. 1685)246/148/801	0.84 [0.70,1.01]	0.90 [0.72,1.14]	0.98 [0.87,1.11]
Total (no.)	(ref. 4274)712/450/2009			

QoL: Quality of Life, RRR: Relative Risk Ratios, CI: Confidence Intervals.

RRR and 95 % CI presented.

Adjusted model 2: Adjusted for age, sex, current education, part-time work, moving, geographical region, and mutual adjustment for housing conditions. QoL at baseline omitted from model due to collinearity.

eTable 11. Changes in category of loneliness (No. = 7445)

no. cases, (ref.not lonely to not lonely) lonely to lonely/lonely to not lonely/not lonely to lonely	RRR (95 % CI)		
	Lonely to lonely (16.9 %)	Lonely to not lonely (7.6 %)	Not lonely to lonely (6.1 %)
Outdoor spaces			
No access (ref. 170)26/26/64	1.91 [1.16,3.16]	1.41 [0.87,2.27]	1.44 [1.02,2.03]
Common yard (ref. 320)39/32/74	1.63 [1.08,2.48]	0.94 [0.62,1.44]	0.98 [0.73,1.33]
Balcony (ref. 289)28/53/89	1.31 [0.84,2.04]	1.75 [1.23,2.48]	1.35 [1.02,1.78]
Garden (ref. 3057)255/298/736	1.00 [1.00,1.00]	1.00 [1.00,1.00]	1.00 [1.00,1.00]
Multiple facilities/other (ref. 1324)115/155/295	1.15 [0.90,1.46]	1.21 [0.98,1.51]	0.97 [0.83,1.13]
Urbanicity			
Urban (ref. 1861)169/214/454	1.00 [0.77,1.30]	0.96 [0.76,1.23]	1.01 [0.85,1.20]
Semi-urban (ref.1107)99/120/276	1.01 [0.77,1.33]	0.98 [0.76,1.26]	1.02 [0.85,1.21]
Rural (ref.2192)195/230/528	1.00 [1.00,1.00]	1.00 [1.00,1.00]	1.00 [1.00,1.00]
Household density			
Above median (ref. 2835)238/277/638	1.00 [1.00,1.00]	1.00 [1.00,1.00]	1.00 [1.00,1.00]
Below median (ref. 2325)225/287/620	1.19 [0.98,1.46]	1.23 [1.03,1.48]	1.29 [1.13,1.46]
Household composition			
Alone (ref. 241)43/31/121	1.88 [1.23,2.89]	1.23 [0.79,1.92]	2.10 [1.58,2.79]
Friends/roommates (ref. 301)29/29/51	1.01 [0.63,1.61]	0.83 [0.52,1.31]	0.66 [0.47,0.94]
Partner (ref. 587)38/99/111	0.63 [0.42,0.94]	1.48 [1.11,1.97]	0.72 [0.56,0.92]
Parents only (ref. 1984)174/212//514	1.00 [1.00,1.00]	1.00 [1.00,1.00]	1.00 [1.00,1.00]
Parents and children/siblings (ref. 2047)179/193/461	0.99 [0.79,1.23]	0.89 [0.72,1.09]	0.86 [0.74,0.99]
Total (no.) (ref. 5160)463/564/1258			

RRR: Relative Risk Ratios, CI: Confidence Intervals.

RRR and 95 % CI presented.

Adjusted model 2: Adjusted for age, sex, current education, part-time work, moving, geographical region, and mutual adjustment for housing conditions. Loneliness at baseline omitted from model due to collinearity.

eFigure 1. Flow of participation

