

Supplement Table 2. Demographic, Health-Related Behaviors and General Health Characteristics of Participants Stratified by Retinopathy Severity.

Characteristics	No Retinopathy, n=4993 (%)	Minimal-to-Mild NPR, n=573 (%)	Moderate-to-Severe NPR/PR, n=137 (%)	Unadjusted P Value <sup>a</sup>
Age (SE), yrs	56.1 (0.37)	60.0 (0.85)	60.4 (1.03)	<0.001
Gender				
Male	2466 (46.6)	324 (55.7)	65 (50.6)	<0.001
Female	2527 (53.4)	249 (44.3)	72 (49.4)	
Race				
Non-Hispanic white	2761 (78.1)	266 (70.4)	32 (51.6)	<0.001
Non-Hispanic black	963 (9.00)	150 (13.3)	61 (31.2)	
Mexican American	757 (5.24)	94 (6.34)	33 (12.5)	
Other	512 (7.68)	63 (9.96)	11 (4.76)	
Education				
Less than high school	1405 (17.3)	214 (24.5)	63 (34.1)	<0.001
High school and over	3588 (82.7)	359 (75.5)	74 (65.9)	
Marital status				
Unmarried and other	1804 (30.9)	208 (31.6)	59 (37.5)	0.370
Married/with a partner	3186 (69.1)	365 (68.4)	78 (62.5)	
Poverty income ratio (PIR)				
Below poverty (<1)	729 (9.21)	83 (8.80)	29 (18.0)	0.049
At or above poverty ( $\geq 1$ )	3914 (90.8)	453 (91.2)	93 (82.0)	
Smoking status				
Never	2347 (48.4)	264 (45.4)	76 (61.9)	0.045
Former/Current	2642 (51.6)	309 (54.6)	61 (38.1)	
Alcohol consumption				
Lifetime abstainer/former drinker	1158 (19.4)	172 (30.7)	50 (33.7)	<0.001

Current drinker	3710 (80.6)	386 (69.3)	85 (66.3)	
Hypercholesterolaemia				
No	2326 (48.9)	237 (45.9)	43 (30.5)	<b>0.021</b>
Yes	2530 (51.1)	325 (54.1)	85 (69.5)	
BMI (SE), kg/m <sup>2</sup>	29.0 (0.15)	29.4 (0.29)	33.4 (1.01)	<b>&lt;0.001</b>
High C-reactive protein				
No	4282 (89.4)	495 (91.0)	99 (77.1)	<b>0.008</b>
Yes	547 (10.6)	60 (9.02)	27 (22.9)	
Walking disability				
No	4491 (92.4)	495 (87.6)	102 (76.0)	<b>&lt;0.001</b>
Yes	502 (7.64)	78 (12.4)	35 (24.0)	
Self-rated health				
Poor/Fair	1191 (17.4)	199 (29.3)	76 (49.9)	<b>&lt;0.001</b>
Good/Excellent	3692 (82.6)	360 (70.7)	59 (50.1)	
DM				
No	4091 (88.6)	331 (66.5)	10 (7.55)	<b>&lt;0.001</b>
Yes	772 (11.4)	231 (33.5)	126 (92.5)	
Diabetes duration (SE), yrs	0.88 (0.06)	4.59 (0.40)	16.0 (1.21)	<b>&lt;0.001</b>
HBP				
No	2565 (57.8)	190 (43.3)	29 (27.8)	<b>&lt;0.001</b>
Yes	2356 (42.2)	366 (56.7)	102 (72.2)	
CKD				
No	3704 (82.2)	338 (69.0)	46 (38.8)	<b>&lt;0.001</b>
Yes	1113 (17.8)	218 (31.0)	82 (61.2)	
CVD				
No	4285 (89.0)	429 (77.7)	82 (66.6)	<b>&lt;0.001</b>
Yes	708 (11.0)	144 (22.3)	55 (33.4)	

---

Abbreviations: SE, standard error; BMI, body mass index; DM, diabetes mellitus; HBP, high blood pressure; CKD, chronic kidney disease; CVD, cardiovascular disease. Boldface indicates statistical significance.

All proportions are weighted estimates of the US population characteristics, taking into account the complex sampling design of the National Health and Nutrition Examination Survey.

<sup>a</sup> All P values were calculated using t-test for continuous variables and the design-adjusted Rao-Scott Pearson  $\chi^2$  test for categorical variables.

---