

Supplementary Materials

Table S1. Scanning parameters in OATS.

T1-weighted MRI								
Scan site	Manufacturer	Scanner	Acquisition matrix size (mm ³)	Voxel size (mm ³)	TR (ms)	TE (ms)	TI (ms)	FA (degree)
New South Wales	Philips – 1.5T	Scanner 1	256×256×190	1×1×1	5.7	2.6	780	8
New South Wales	Philips - 3T	Scanner 2	256×190×256	1×1×1	5.8	2.6	780	8
Victoria	Siemens - 1.5T	Scanner 3	176×216×256	1×1.5×1	1530	3.2	780	8
Queensland	Siemens - 3T	Scanner 4	208×240×256	1×1×1	2300	3.0	900	9
Victoria	Siemens - 3T	Scanner 5	208×240×256	1×1×1	2300	3.0	900	9
T2-weighted FLAIR								
New South Wales	Philips – 1.5T	Scanner 1	256×256×133	0.5×0.5×3.5	11000	110	2800	90
New South Wales	Philips - 3T	Scanner 2	198×256×256	0.6×1×1	4800	278.9	1650	90
Victoria	Siemens - 1.5T	Scanner 3	184×230×150	0.9×0.9×3	10000	99	2500	120
Queensland	Siemens - 3T	Scanner 4	182×224×165	0.7×0.7×3.3	9000	87	2500	150
Victoria	Siemens - 3T	Scanner 5	208×256×132	0.4×0.4×3.3	9000	84	2500	150

Notes. TR: repetition time; TE: echo time; TI: inversion time; FA: flip angle.

Table S2. Maternal and paternal lifespan associations with brain metrics volumes.

Cohorts		Phenotypes	Maternal lifespan				Paternal lifespan			
			β	SE	P	P _{adj}	β	SE	P	P _{adj}
UK Biobank (discovery sample)	Cortex	0.0131	0.0047	0.0053*	0.0212*	0.0072	0.0042	0.0864	0.1383	
	Total Gray matter	0.0139	0.0044	0.0017	0.0137*	0.0090	0.0040	0.0233*	0.0465*	
	Brain soft tissue	0.0057	0.0038	0.1356	0.1809	0.0051	0.0034	0.1335	0.1780	
	Hippocampus	0.0094	0.0072	0.1888	0.2157	0.0002	0.0064	0.9701	0.9849	
	Cerebral WM	-0.0036	0.0047	0.4412	0.4412	0.0001	0.0043	0.9849	0.9849	
	Whole WMH	-0.0171	0.0087	0.0511	0.1022	-0.0347	0.0078	8.51E-06*	0.0001*	
	PVWMH	-0.0151	0.0088	0.0850	0.1359	-0.0330	0.0078	2.50E-05*	0.0001*	
	DWMH	-0.0187	0.0090	0.0379*	0.1011	-0.0289	0.0080	0.0003*	0.0009*	
MAS & OATS (replication sample)	Cortex	-0.0052	0.0281	0.8541	0.8541	0.0343	0.0282	0.2248	0.4939	
	Total Gray matter	-0.0068	0.0260	0.7949	0.8541	0.0264	0.0261	0.3124	0.4939	
	Brain soft tissue	-0.0126	0.0229	0.5823	0.8541	0.0326	0.0229	0.1559	0.4939	
	Hippocampus	0.0130	0.0322	0.6872	0.8541	-0.0248	0.0322	0.4411	0.4939	
	Cerebral WM	-0.0075	0.0233	0.7468	0.8541	0.0338	0.0233	0.1466	0.4939	
	Whole WMH	-0.0775	0.0322	0.0164*	0.0654	-0.0279	0.0322	0.3858	0.4939	
	PVWMH	-0.0856	0.0322	0.0081*	0.0645	-0.0220	0.0322	0.4939	0.4939	
	DWMH	-0.0478	0.0342	0.1623	0.4329	-0.0365	0.0341	0.2852	0.4939	

Notes. Brain soft tissue (labelled as BrainSegVolNotVent in FreeSurfer); WM: white matter; WMH: white matter hyperintensity; PVWMH: periventricular WMH; DWMH: deep WMH. Asterisks represent statistical significance when using linear mixed models ($P < 0.05$). SE: standard error. P_{adj}: corrected for False Discovery Rate. MAS: Sydney Memory and Ageing Study; OATS: Older Australian Twins Study.

Table S3. Quartile analyses.

Cohorts	Phenotypes	Quartiles: lowest PRS group VS highest PRS group			
		β	SE	P	P_{adj}
UK Biobank (discovery sample)	Whole WMH	0.0571	0.0204	0.0052*	0.0157*
	PVWMH	0.0436	0.0206	0.0342*	0.0494*
	DWMH	0.0761	0.0211	0.0003*	0.0056*
	Whole WMH (no <i>APOE</i>)	0.0452	0.0205	0.0275*	0.0494*
	PVWMH (no <i>APOE</i>)	0.0330	0.0207	0.1106	0.1106
	DWMH (no <i>APOE</i>)	0.0640	0.0212	0.0025*	0.0157*

Notes. WMH: white matter hyperintensity; PVWMH: periventricular WMH; DWMH: deep WMH. Asterisks represent statistical significance when using linear mixed models ($P < 0.05$). SE: standard error. P_{adj} : corrected for False Discovery Rate.

Table S4. Associations between brain metrics volumes and interaction of age and sex (age \times sex) in the longevity-PRS analysis.

Phenotypes	UK Biobank (discovery sample)						P_{adj} (with/no <i>APOE</i>)
	β (with/no <i>APOE</i>)	SE (with/no <i>APOE</i>)	P (with/no <i>APOE</i>)				
Cortex	-0.0901	-0.0901	0.0077	0.0077	2.28E-31*	2.29E-31*	6.11E-31*
Total grey matter	-0.0972	-0.0973	0.0072	0.0072	5.89E-41*	5.77E-41*	2.36E-40*
Brain soft tissue	-0.0971	-0.0971	0.0062	0.0062	1.46E-54*	1.45E-54*	1.17E-53*
Hippocampus	-0.0906	-0.0869	0.0118	0.0078	1.95E-14*	6.93E-29*	3.14E-14*
Cerebral WM	-0.069	-0.0905	0.0078	0.0118	6.94E-29*	1.96E-14*	1.39E-28*
Whole WMH	-0.0600	-0.0602	0.0142	0.0142	2.27E-05*	2.16E-05*	3.03E-05*
PVWMH	-0.0581	-0.0583	0.0143	0.0143	4.65E-05*	4.47E-05*	5.31E-05*
DWMH	-0.0591	-0.0592	0.0146	0.0146	5.31E-05*	5.05E-05*	5.31E-05*


Notes. Values of β , SE, P, P_{adj} in the analysis with and no *APOE* were presented in the table. Brain soft tissue (labelled as BrainSegVolNotVent in FreeSurfer); WM: white matter; WMH: white matter hyperintensity; PVWMH: periventricular WMH, DWMH: deep WMH. Asterisks represent statistical significance when using linear mixed models ($P < 0.05$). SE: standard error. P_{adj} : corrected for False Discovery Rate.

Table S5. Age and sex differences in associations between brain volumes and longevity-PRS in the UK Biobank sample.

Cohorts	Phenotypes	Male (with/no <i>APOE</i>)								Female (with/no <i>APOE</i>)							
		β		SE		P		P_{adj}		β		SE		P		P_{adj}	
All UK Biobank participants	Cortex	0.0202	0.0233	0.0086	0.0086	0.0183*	0.0066*	0.0915	0.0656	-0.0105	-0.0095	0.0075	0.0075	0.1613	0.2066	0.6438	0.6438
	Total Gray matter	0.0108	0.0136	0.0082	0.0083	0.1916	0.1004	0.3624	0.3346	-0.0097	-0.0082	0.0072	0.0072	0.1772	0.2575	0.6438	0.6438
	Brain soft tissue	0.0088	0.0103	0.0072	0.0072	0.2174	0.1526	0.3624	0.3624	-0.0045	-0.0028	0.0062	0.0062	0.4675	0.6474	0.9351	0.9425
	Hippocampus	0.0050	0.0064	0.0120	0.0120	0.6787	0.5941	0.6787	0.6601	0.0034	0.0048	0.0109	0.0109	0.7547	0.6597	0.9425	0.9425
	Cerebral WM	0.0056	0.0060	0.0087	0.0087	0.5155	0.4893	0.6444	0.6444	-0.0003	0.0015	0.0077	0.0077	0.9663	0.8483	0.9663	0.9425
Over 63 age group in UK Biobank	Cortex	0.0135	0.0160	0.0101	0.0101	0.1789	0.1124	0.6773	0.6773	-0.0013	0.0003	0.0102	0.0102	0.8980	0.9796	0.9796	0.9796
	Total Gray matter	0.0040	0.0064	0.0097	0.0097	0.6773	0.5094	0.6773	0.6773	0.0015	0.0018	0.0097	0.0097	0.8798	0.8523	0.9796	0.9796
	Brain soft tissue	0.0050	0.0070	0.0084	0.0084	0.5531	0.4054	0.6773	0.6773	0.0052	0.0054	0.0083	0.0083	0.5335	0.5158	0.9796	0.9796
	Hippocampus	0.0088	0.0120	0.0141	0.0142	0.5354	0.3969	0.6773	0.6773	0.0169	0.0175	0.0143	0.0143	0.2371	0.2210	0.9796	0.9796
	Cerebral WM	0.0050	0.0068	0.0101	0.0101	0.6205	0.5023	0.6773	0.6773	0.0045	0.0046	0.0103	0.0103	0.6626	0.6513	0.9796	0.9796
Under 63 age group in UK Biobank	Cortex	0.0319	0.0366	0.0159	0.0159	0.0443*	0.0214*	0.2215	0.2141	-0.0207	-0.0203	0.0115	0.0116	0.0728	0.0794	0.2213	0.2213
	Total Gray matter	0.0234	0.0271	0.0153	0.0153	0.1264	0.0770	0.3160	0.2566	-0.0219	-0.0189	0.0111	0.0111	0.0478*	0.0885	0.2213	0.2213
	Brain soft tissue	0.0157	0.0161	0.0131	0.0132	0.2308	0.2205	0.3846	0.3846	-0.0148	-0.0115	0.0095	0.0096	0.1192	0.2305	0.2384	0.3841
	Hippocampus	-0.0031	-0.0051	0.0225	0.0226	0.8916	0.8228	0.8916	0.8916	-0.0119	-0.0095	0.0172	0.0173	0.4898	0.5813	0.6678	0.6678
	Cerebral WM	0.0072	0.0049	0.0154	0.0155	0.6417	0.7529	0.8916	0.8916	-0.0061	-0.0024	0.0117	0.0117	0.6010	0.8404	0.6678	0.8404

Notes. Values of β , SE, P, P_{adj} in the analysis with and no *APOE* were presented in the table. Brain soft tissue (labelled as BrainSegVolNotVent in FreeSurfer). Asterisks represent statistical significance when using linear mixed models ($P < 0.05$). SE: standard error. P_{adj} : corrected for False Discovery Rate. MAS: Sydney Memory and Ageing Study; OATS: Older Australian Twins Study.

(A) Discovery sample (UK Biobank)



(B) Replication sample (MAS & OATS)




Figure S1. Analytic sample derivation of discovery sample and replication sample. In each dataset, there were two analyses undertaken: parental lifespan analysis and longevity-PRS analysis. In each analysis, association tests were performed with brain volumes and WMH. (A) Discovery sample. In the parental lifespan analysis, only participants having their parental age at death data and brain volume (or WMH) data were included. After excluding brain metrics outliers ($\text{scale}(\text{metrics}) > 3$), the final analysis included 16796 participants. Similarly, in the longevity-PRS analysis, only participants having longevity-PRS data and brain volume (or WMH) data were included. After excluding brain metrics outliers ($\text{scale}(\text{metrics}) > 3$), the final analysis included 18606 participants. (B) Replication sample. Using the same procedure as used in the discovery sample, the final analysis included 768 participants in the parental lifespan analysis and 773 participants in the longevity-PRS analysis.

MAS: Sydney Memory and Ageing Study; OATS: Older Australian Twins Study.