



Figure 1. Flow chart of the study sample, depicting exclusion criteria and sample size.

Table 1. Characteristics of the study population comparing respondents to non-respondents.

	Total Eligible Sample (n=5737)	Respondents (n = 1377)	Non- respondents (n = 4360)	p-trend
	N	%	%	
Gender				<.0001
Male	2506	36.5	43.7	
Female	3230	63.5	56.3	
Current Age (in years)				0.3788
18-39	1144	18.6	20.4	
40-59	2005	35.3	35.1	
60-94	2572	46.1	44.5	
Race				<.0001
White (non-Hispanic)	4508	86.7	76.2	
AA (non-Hispanic)	726	7.6	14.3	
Hispanic	202	2.3	3.9	
Other (non-Hispanic)	289	3.4	5.6	
Education				<.0001
H.S./GED or less	502	2.3	10.8	
Some college	3373	48.9	61.9	
Bachelors or higher	1861	48.9	27.3	
Household Income				<.0001
< \$25,000	846	13.5	29.2	
\$25,000 - \$49,999	829	22.3	24.7	
\$50,000 - \$99,999	1096	35.7	30.0	
>\$99,999	685	28.6	16.1	
Household size				<.0001
1	810	16.6	26.7	
2	1393	46.6	37.8	
3-4	885	26.7	25.4	
5+	348	10.1	10.1	
Urbanicity				0.5117
Urban	3480	68.5	67.6	
Rural	1845	31.5	32.4	
Self-reported Health				<.0001
Excellent	443	12.2	8.6	
Very Good	1922	48.3	38.8	
Good	1708	31.8	38.6	
Fair	476	6.7	11.5	
Poor	94	0.9	2.5	
Chronic Health Condition				
Asthma and/or COPD	698	11.4	12.4	0.3658
Cardiovascular disease	2048	34.1	36.1	0.2289
Diabetes (any type)	548	6.6	10.5	<.0001

AA: African American; N: number; H.S.: high school; GED: General Education Development test; COPD: Chronic Obstructive Pulmonary Disease

p-trend: statistically significant difference of demographics by response to COVID-19 survey using Chi-square test

Urbanicity: considered rural if residence located in rural census block group defined by the U.S. Census Bureau as having fewer than 2,500 people

Cardiovascular disease: if reported history of heart failure, heart attack, angina, stroke, high cholesterol, or transient ischemic attack

Asthma/COPD: self-reported current asthma, asthma episode(s) in last 12 months, or current asthma treatment

Supplementary Table 2. Percentage of respondents who have done the following mitigation behaviors by education level.

	Survey Sample (n = 1377) n (%)	White (n=944) n (%)	Non-White (n=433) n (%)	P-trend
Do you think you may have had COVID-19 at any time since COVID-19 began?				0.0003
Yes	128 (11.0)	97 (9.6)	31 (20)	
No	1036 (89.0)	912 (90.4)	124 (80)	
Have you been told by a health care professional that you have or had COVID-19?				0.022
Yes	9 (1)	5 (0.42)	4 (2.2)	
No	1361 (99)	1183 (99.6)	178 (97.8)	
Have you ever been tested for COVID-19?				<0.0001
Yes	94 (6.8)	68 (5.7)	26 (14.2)	
No	1280 (93.2)	1123 (94.3)	157 (85.8)	
What were the test results?				0.58
Positive	4 (4.3)	2 (2.9)	2 (7.7)	
Negative	70 (74.5)	51 (75)	19 (73)	
Still waiting for results	20 (21.3)	15 (22.1)	5 (19.2)	
Did you try to get tested but were turned away?				0.016
Yes	28 (2.2)	20 (1.8)	8 (5.1)	
No	1248 (97.8)	1099 (98.2)	149 (94.9)	
Contacted by health professional about potential exposure to COVID-19				<0.0001
Yes	50 (3.7)	33 (2.8)	17 (9.6)	
No	1310 (96.3)	1149 (97.2)	161 (90.4)	
If you were diagnosed with COVID-19, or believe you had COVID-19, were you afraid or embarrassed to disclose this information to your friends or employer?				<0.0001
Yes	32 (2.3)	22 (1.9)	10 (5.7)	
No	617 (45.7)	518 (44.1)	99 (55.9)	
N/A	702 (52.0)	634 (54)	68 (38.4)	
During the COVID-19 outbreak, do or did you experience stigma or discrimination from other people because of your identity, having symptoms or other factors related to COVID-19?				0.005
Yes	80 (6.3)	61 (5.5)	19 (11.5)	
No	1192 (93.7)	1045 (94.5)	147 (88.5)	

Column percents shown.

p-trend: statistically significant difference of demographics by race using Chi-square test

Supplementary Table 3. (a) Percentage of respondents who perceive the following as “Somewhat effective or “Very effective” at keeping them safe from COVID-19. (b) Percentage of respondents who self-reported having done the following mitigation behaviors by highest education level attained.

(a) How effective are the following actions are at preventing you from getting COVID-19? <i>(select all that apply)</i>	Survey Sample (n = 1377) %	<= H.S. / G.E.D/ Some College (n=680) %	Bachelor’s, Graduate or Professional (n=697) %
Doing nothing	17%	21%	12%
Avoiding outside exercise	19%	23%	15%
Praying	48%	57%	39%
Getting tested for COVID19	53%	49%	56%
Wearing a facemask	84%	84%	85%
Social distancing	94%	93%	94%
Avoiding public spaces & gatherings	94%	93%	96%
Washing hands	98%	98%	99%
(b) Have you done any of the following because of COVID-19? <i>(select all that apply)</i>	Survey Sample (n = 1377)	<= H.S. / G.E.D/ Some College (n=680)	Bachelor’s, Graduate or Professional (n=697)
Doing nothing	17%	21%	12%
Avoiding outside exercise	19%	23%	15%
Praying	48%	57%	39%
Getting tested for COVID19	53%	49%	56%
Wearing a facemask	84%	84%	85%
Social distancing	94%	93%	94%
Avoiding public spaces & gatherings	94%	93%	96%
Washing hands	98%	98%	99%
Self-quarantined	32%	29%	33%
Stayed at home most of the time	89%	83%	91%
Practiced social distancing (6 ft)	93%	88%	95%
Routinely washed hands (>= 20 secs.)	88%	84%	89%
Worn a mask	89%	86%	90%
Avoided shaking hands	89%	83%	91%
Visited elderly relatives	10%	9%	10%
Visited friends or relatives	23%	22%	23%
Bought food for elderly relatives	14%	13%	13%
Bought food for friends and family	17%	17%	17%
Taken your temperature regularly	20%	23%	16%
Took public transportation to work	1%	1%	0%
Cancelled a social gathering	57%	50%	63%
Cancelled travel plans	54%	43%	62%
None of these	1%	0%	1%
Other	4%	2%	5%

Supplementary Table 4. Current employment status (n=1377) by employment or school status prior to COVID-19.

What is your job or employment status right now? (May/June 2020)	Total (n=1377) n (%)	Did you have a paid job and/or were you in school before COVID-19?	
		Yes (n=821) n (%)	No (n=556) n (%)
Working full-time for pay	543 (39)	519 (96)	24 (4)
Retired and not looking for a job	463 (33)	31 (7)	432 (93)
Working part-time for pay	150 (11)	144 (96)	6 (4)
Other	98 (7)	62 (63)	36 (37)
Not working for pay and not looking for a job	85 (6)	39 (46)	46 (54)
Not working for pay and looking for a job	39 (2.8)	25 (64)	14 (35.9)
Student	13 (0.9)	10 (77)	3 (23)

Supplementary Table 5. (a) Percent who delayed getting care for the following reasons (n= 1377), (b) Among those who experienced delay in care (n=603), the percent who reported the type of appointments and/or procedures missed. (c) Percent who indicated there was a time when they needed the following but could not get it because of COVID-19 (n=1377), (d) The percent who received telemedicine or telehealth since COVID-19 began (n=1377). Participant is considered to reside in rural location if residence is located in rural census block group defined by the U.S. Census Bureau as having fewer than 2,500 people.

(a) Have you delayed getting care of any of the following reasons due to COVID-19? <i>(select all that apply)</i>	Survey Sample (n = 1377) %	Urban (n=944) %	Rural (n=433) %
No Delay in care	56%	54.6%	59.1%
Postponed or cancelled due to COVID-19	34%	34.4%	34.4%
Afraid to get care because of COVID-19	8.9%	8.8%	9.0%
Could not get an appointment soon enough	5.1%	5.0%	5.3%
Clinic/office not open when arrived	2.4%	2.5%	2.1%
Could not get through on the telephone	1.2%	1.2%	1.4%
Did not have transportation	0.7%	0.9%	0.2%
Went, but wait was too long	0.6%	0.7%	0.2%
Other	2.5%	2.7%	2.3%
Don't know	1.9%	2.2%	1.2%
(b) Those who experienced delay in care, Which of the following types of healthcare appointments were delayed or canceled due to the COVID-19? <i>(select all that apply)</i>	Survey Sample (n = 603) %	Urban (n=429) %	Rural (n=177) %
Eye doc/optometrist	18%	19%	17%
Mammogram ^a	18%	14%	27%
Blood draw	11%	10%	14%
Pap smear/cervical cancer screening ^a	7%	7%	8%
Skin mole/skin cancer screening	6%	7%	6%
PT/occupational Therapy	6%	7%	5%
Colonoscopy	5%	3%	7%
Chiropractor	5%	6%	3%
Allergy	2%	2%	2%
Asthma or COPD	1%	2%	1%
Cardiac rehab	0%	1%	0%
Lung cancer screening/CT/chest x-ray	0%	1%	0%
(c) Was there any time when you needed any of the following but could not get it because of COVID-19? <i>(select all that apply)</i>	Survey Sample (n = 1377) %	Urban (n=944) %	Rural (n=433) %
Regular Health Care	22%	23%	20%
Dental Care	35%	34%	36%
Eyeglasses	13%	13%	12%
Mental Health care	3%	3%	2%
Prescription Medication	3%	3%	2%

	None of These Don't know	49% 1%	48% 1%	52% 0%
(d) Since COVID-19 began, did you receive telemedicine or telehealth?		Survey Sample (n = 1377)	Urban (n=944)	Rural (n=433)
		%	%	%
	Yes	22	22	21
	No	78	78	79

^aOnly asked among those self-identified as female and reported a delay in care due to COVID-19 (n=432)

Supplementary Table 6. The impact of COVID-19 on health-related behaviors by gender^a (a-c)

Respondents reported the degree to which their physical activity level, alcohol consumption and smoking quantity changed since COVID-19 began, compared to before COVID-19. Only current alcohol consumers (n=) and smokers (n=) were asked about changes in their alcohol and smoking quantity. (d) Percentage of respondents who reported doing the following activities to help cope with stress from COVID-19. (a-d) n=5 nonconforming/transgender were excluded because too few in self-identified gender category to look at separately in this analyses.

(a) How has your overall level of physical activity changed due to COVID-19?	Survey Sample (n = 1367) %	Male (n=502) %	Female (n=865) %
A lot more	17%	13%	20%
A little more	27%	26%	27%
About the same	33%	41%	29%
A little lower	16%	14%	17%
Much lower	6%	5%	7%
(b) In the last 60 days during COVID-19, would you say the amount of alcohol you drink now compared to before is:	Survey Sample (n = 1285) %	Male (n=468) %	Female (n=817) %
A lot more	5%	4%	6%
A little more	18%	16%	19%
About the same	61%	65%	59%
A little lower	7%	6%	7%
Much lower	9%	9%	9%
(c) In the last 60 days during COVID-19, how would you compare your smoking/vaping now to before COVID-19:	Survey Sample (n = 115) %	Male (n=38) %	Female (n=77) %
A lot more	14%	8%	16%
A little more	30%	24%	34%
About the same	47%	61%	42%
A little lower	5%	5%	5%
Much lower	3%	3%	4%
(d) Since COVID-19, have you done any of the following as a way to cope with COVID-19? (select all that apply)	Survey Sample (n = 1369) %	Male (n=497) %	Female (n=872) %
None of these	3%	4%	2%
Wrote in a journal	8%	5%	11%
Meditating	11%	7%	14%
Yoga	12%	5%	15%
Worked on art projects	23%	8%	31%
Attended online religious/spiritual event	34%	27%	37%
Prayer	39%	27%	46%
Exercised/worked out	43%	42%	44%
Played music	48%	38%	53%
Read books for pleasure	49%	36%	57%
Played games (online, card, board)	53%	46%	57%
Baked and cooked	60%	39%	72%

Video call with friends/family	61%	51%	66%
Watched online movies/shows	63%	61%	64%
Gardened/home improvement projects	64%	60%	66%
Took walks outside	71%	66%	74%
Watched television	79%	75%	81%

Supplementary Table 7a. Children in the home and caregiving during COVID-19. Percent of adults who report having children in the home, caregiving for children and/or adults during COVID-19.

Have one or more children (< 18 years of age) living in your home:	Survey Sample (n = 1359) N (%)
Yes	404 (30)
No	955 (70)
<i>Among those with children <18 years of age in the home,</i> Do you currently care for any of the children in your household during the COVID-19 pandemic?	(n = 401) N %
Yes	352 (88)
No	49 (12)
Are you currently providing care for an adult (18+ years of age) in your household that has an illness or a disability?	(n = 1158) %
Yes	70 (6)
No	1088 (94)

Supplementary Table 7b. Stress during COVID-19 by the status of children in the home. Percent of adults who self-reported experiencing moderate to high levels of stress in the following areas of their life due to COVID-19 (n=1376), comparing adults with children <18 years of age in the home to adults without children <18 years of age in the home.

Due to COVID-19, how much stress did you experience... (select all that apply)	Percent who self-reported experiencing moderate to high level of stress		
	Survey Sample (n = 1377)	Adults with Children^a in the home (n=680)	Adults <u>without</u> Children^a in the home (n=697)
Related to legal problems	4%	6%	2%
Related to racism and discrimination	4%	8%	3%
Related to living in your neighborhood	7%	9%	7%
Related to meeting basic needs	10%	18%	7%
Related to caring for others	15%	23%	12%
Related to medical problems	16%	18%	14%
Related to loss of money or finances	19%	24%	17%
In your relationship with others	25%	37%	20%
In your job	34%	53%	26%

^aChildren includes anyone < 18 years of age