

A systematic framework for assessing the clinical impact of polygenic risk scores: Supplementary I

Scott Kulm^{1,2,3}, Andrew Marderstein², Jason Mezey^{4,5,*}, and Olivier Elemento^{2,3,*}

¹Department of Physiology and Biophysics, Weill Cornell Medicine, New York, NY

²Caryl and Israel Englander Institute of Precision Medicine, Weill Cornell Medicine, New York, NY

³Physiology, Biophysics and Systems Biology Graduate Program, Weill Cornell Medicine, New York, NY

⁴Department of Genetic Medicine, Weill Cornell Medicine, New York, NY

⁵Department of Computational Biology, Cornell University, Ithaca, NY

*corresponding authors

Disease	P-Value
Lupus	7.98e-05
A. Fib.	4.56e-101
Asthma	4.5e-113
Celiac Disease	1.2e-16
Migraine	1.79e-41
MS	3.28e-27
Vitiligo	3.83e-08
Gout	1.58e-45
Crohns Disease	1.86e-23
Ulcerative Colitis	1.41e-23
Type 2 Diabetes	8.57e-57
Stroke	3e-06
Breast Cancer	3.79e-126
NAFLD	2.73e-05
CAD	2.35e-68
Rheumatoid Arthritis	6.39e-16
Type 1 Diabetes	2.62e-11
Ovarian Cancer	0.382
ALS	0.131
Prostate Cancer	4.86e-114
Heart Failure	6.25e-91
Psoriasis	8.65e-94
Depression	1.84e-17

Supplementary Table S1. The P-values generated from a DeLong test between ROCs generated from models containing age, sex and the top ten genetic principal components and a model containing age, sex, the top ten genetic principal components and the respective polygenic risk score.

	AUC	AUC-Imp.	OR	OR-Imp.	Conc.	Conc.-Imp.	Haz.	Haz.-Imp.
AUC	1	0.102	0.963	0.799	0.943	0.13	0.92	-0.884
AUC-Imp.	0.102	1	0.0208	0.465	0.307	0.975	0.146	0.169
OR	0.963	0.0208	1	0.808	0.86	0.0623	0.908	-0.886
OR-Imp.	0.799	0.465	0.808	1	0.845	0.486	0.765	-0.617
Conc.	0.943	0.307	0.86	0.845	1	0.32	0.893	-0.806
Conc.-Imp.	0.13	0.975	0.0623	0.486	0.32	1	0.151	0.162
Haz.	0.92	0.146	0.908	0.765	0.893	0.151	1	-0.885
Haz.-Imp.	-0.884	0.169	-0.886	-0.617	-0.806	0.162	-0.885	1

Supplementary Table S2. The spearman correlations between the vectors of 23 statistics, one value for each disease. Imp. refers to the improvement, or difference in models that include or do not include the polygenic risk score.

Disease	Orig. Base	Score Added
Lupus	1614	6492
A. Fib.	4371	3731
Asthma	1171	6922
Celiac Disease	1374	6732
Migraine	2926	5176
MS	1447	6657
Vitiligo	2441	5665
Gout	3229	4876
Crohns Disease	1314	6788
Ulcerative Colitis	788	7315
Type 2 Diabetes	3894	4211
Stroke	5819	2283
Breast Cancer	713	3696
NAFLD	1707	6399
CAD	3865	4233
Rheumatoid Arthritis	2700	5404
Type 1 Diabetes	2726	5379
Ovarian Cancer	1786	2637
ALS	4199	3907
Prostate Cancer	987	2696
Heart Failure	1988	6117
Psoriasis	884	7220
Depression	3518	4588

Supplementary Table S3. Count of individuals moving into and out of the top 5% risk group with the inclusion of the polygenic risk score in the underlying risk model.

Disease	NRI	NRI - 95% CI Low	NRI - 95% CI High
Lupus	0.1128	0.0674	0.1582
A. Fib.	0.0458	0.0415	0.0502
Asthma	0.0591	0.0542	0.0641
Celiac Disease	0.1393	0.1093	0.1693
Migraine	0.0552	0.0482	0.0622
MS	0.1706	0.1412	0.2001
Vitiligo	0.0113	-0.0111	0.0336
Gout	0.1172	0.1061	0.1284
Crohns Disease	0.1019	0.0822	0.1216
Ulcerative Colitis	0.1224	0.0961	0.1487
Type 2 Diabetes	0.0433	0.0386	0.0479
Stroke	0.011	0.0077	0.0143
Breast Cancer	0.1775	0.1661	0.189
NAFLD	0.0638	0.0457	0.0818
CAD	0.0811	0.074	0.0881
Rheumatoid Arthritis	0.0668	0.0566	0.077
Type 1 Diabetes	0.049	0.0345	0.0635
Ovarian Cancer	0.016	0.0034	0.0287
ALS	0.0026	-0.0075	0.0127
Prostate Cancer	0.1142	0.1038	0.1247
Heart Failure	0.3741	0.3593	0.3889
Psoriasis	0.2272	0.2096	0.2449
Depression	0.0176	0.0139	0.0214

Supplementary Table S4. The Net Reclassification Improvement (NRI) values for each disease using the 95th percentile risk as the cutoff within the categorical computation.

Disease	IDI	IDI 95% CI Low	IDI 95% CI High
Lupus	8e-04	4e-04	0.0011
A. Fib.	0.0167	0.0157	0.0177
Asthma	0.0106	0.0101	0.0112
Celiac Disease	0.0018	0.0014	0.0021
Migraine	0.0038	0.0035	0.0042
MS	0.0039	0.0033	0.0044
Vitiligo	2e-04	1e-04	3e-04
Gout	0.0099	0.009	0.0109
Crohns Disease	0.0018	0.0015	0.002
Ulcerative Colitis	0.0021	0.0018	0.0024
Type 2 Diabetes	0.0081	0.0075	0.0086
Stroke	0.0013	0.001	0.0015
Breast Cancer	0.0247	0.0233	0.026
NAFLD	5e-04	4e-04	7e-04
CAD	0.0144	0.0134	0.0154
Rheumatoid Arthritis	0.0033	0.0028	0.0037
Type 1 Diabetes	0.0011	9e-04	0.0013
Ovarian Cancer	3e-04	1e-04	5e-04
ALS	1e-04	0	1e-04
Prostate Cancer	0.0337	0.0315	0.0358
Heart Failure	0.1365	0.1302	0.1428
Psoriasis	0.0104	0.0095	0.0112
Depression	0.0023	0.0021	0.0026

Supplementary Table S5. The integrated discrimination index (IDI) values computed for each disease. The definition of IDI is provided within *Evaluating the added predictive ability of a new marker: From area under the ROC curve to reclassification and beyond* by Pescina et al.

Disease	Orig. Base	Score Added
Lupus	0.00168	0.00168
A. Fib.	0.0597	0.0587
Asthma	0.122	0.121
Celiac Disease	0.00439	0.00438
Migraine	0.0381	0.038
MS	0.00451	0.00449
Vitiligo	0.000617	0.000617
Gout	0.0247	0.0245
Crohns Disease	0.0106	0.0106
Ulcerative Colitis	0.00587	0.00586
Type 2 Diabetes	0.0652	0.0647
Stroke	0.0352	0.0351
Breast Cancer	0.0664	0.0647
NAFLD	0.00992	0.00992
CAD	0.0465	0.0458
Rheumatoid Arthritis	0.0221	0.022
Type 1 Diabetes	0.00888	0.00888
Ovarian Cancer	0.00784	0.00784
ALS	0.000917	0.000917
Prostate Cancer	0.0525	0.0506
Heart Failure	0.0282	0.0234
Psoriasis	0.0182	0.018
Depression	0.0591	0.059

Supplementary Table S6. Brier values computed from models that either contain the base covariates, or a model that also includes the best respective polygenic risk score.

Disease	Base	Score
Lupus	0.00308	0.0053
A. Fib.	0.196	0.239
Asthma	0.158	0.216
Celiac Disease	0.0079	0.0132
Migraine	0.0664	0.0942
MS	0.00728	0.0196
Vitiligo	0.00111	0.00185
Gout	0.0664	0.0992
Crohns Disease	0.0143	0.0228
Ulcerative Colitis	0.00494	0.0153
Type 2 Diabetes	0.15	0.185
Stroke	0.1	0.104
Breast Cancer	0.103	0.198
NAFLD	0.0116	0.0183
CAD	0.144	0.181
Rheumatoid Arthritis	0.0418	0.055
Type 1 Diabetes	0.0171	0.0212
Ovarian Cancer	0.0122	0.0154
ALS	0.00296	0.00259
Prostate Cancer	0.118	0.221
Heart Failure	0.0886	0.233
Psoriasis	0.0231	0.0631
Depression	0.0925	0.107

Supplementary Table S7. The true positive rates determined for the top 5% risk group.

Disease	Low Risk	Intermediate Risk	High Risk
Lupus	0.000241	0.00109	0.0039
A. Fib.	0.0101	0.0429	0.142
Asthma	0.088	0.137	0.214
Celiac Disease	0.00125	0.00343	0.00922
Migraine	0.014	0.0356	0.0763
MS	8e-04	0.00287	0.0109
Vitiligo	0.000206	0.000483	0.0011
Gout	0.00253	0.0149	0.0657
Crohns Disease	0.00502	0.00897	0.0161
Ulcerative Colitis	0.00207	0.00458	0.0103
Type 2 Diabetes	0.0245	0.0556	0.118
Stroke	0.0094	0.026	0.056
Breast Cancer	0.0243	0.058	0.137
NAFLD	0.00663	0.00826	0.012
CAD	0.00826	0.0314	0.11
Rheumatoid Arthritis	0.00804	0.018	0.0395
Type 1 Diabetes	0.00342	0.00628	0.0118
Ovarian Cancer	0.00331	0.00483	0.00682
ALS	8.39e-05	0.000189	0.000446
Prostate Cancer	0.00793	0.0366	0.134
Heart Failure	0.00198	0.0108	0.0701
Psoriasis	0.00808	0.0134	0.0374
Depression	0.0328	0.0578	0.0985

Supplementary Table S8. The hazards at the final time-point in the study generated from models that include age, sex, top ten genetic principal components and the respective polygenic risk score

Disease	Low Risk	Intermediate Risk	High Risk
Lupus	-0.000124	-0.000274	0.000908
A. Fib.	-0.00186	-0.00336	0.0143
Asthma	-0.0264	-0.00389	0.0405
Celiac Disease	-0.000981	-0.000651	0.003
Migraine	-0.00211	-0.00177	0.00776
MS	-0.000803	-0.000849	0.00342
Vitiligo	-0.000108	-4.52e-05	0.000253
Gout	-0.000721	-0.00224	0.0083
Crohns Disease	-0.00323	-0.000566	0.00504
Ulcerative Colitis	-0.00231	-0.000581	0.00417
Type 2 Diabetes	-0.00365	-0.00201	0.0104
Stroke	-0.000317	-0.000459	0.00152
Breast Cancer	-0.0173	-0.00787	0.0455
NAFLD	-0.00127	-0.000413	0.00251
CAD	-0.00196	-0.00221	0.00968
Rheumatoid Arthritis	-0.0015	-0.00107	0.00492
Type 1 Diabetes	-0.00131	-0.000351	0.00242
Ovarian Cancer	-0.000168	-4.5e-05	0.000318
ALS	-1.4e-05	-9.45e-06	4.3e-05
Prostate Cancer	-0.00427	-0.0085	0.0334
Heart Failure	-0.00245	-0.00588	0.0243
Psoriasis	-0.00569	-0.00336	0.0166
Depression	-0.00253	-0.000858	0.00542

Supplementary Table S9. The hazards at the final time-point in the study generated from models that included the polygenic risk score minus the hazards at the same time point but for models without the polygenic risk score.

Disease	Score - No Extra	Base - No Extra	Score - Extra	Base - Extra
Lupus	NA	0.711	NA	0.661
A. Fib.	0.789	0.76	0.771	0.736
Asthma	0.586	0.586	0.531	0.531
Celiac Disease	0.669	0.667	0.59	0.587
Migraine	0.66	0.663	0.635	0.639
MS	0.716	0.716	0.611	0.61
Vitiligo	0.667	0.668	0.54	0.543
Gout	0.825	0.792	0.808	0.77
Crohns Disease	0.618	0.618	0.542	0.542
Ulcerative Colitis	0.646	0.646	0.497	0.5
Type 2 Diabetes	0.798	0.683	0.789	0.662
Stroke	0.753	0.696	0.752	0.692
Breast Cancer	0.679	0.68	0.59	0.592
NAFLD	0.712	0.568	0.7	0.537
CAD	0.821	0.761	0.811	0.736
Rheumatoid Arthritis	0.655	0.655	0.631	0.631
Type 1 Diabetes	NA	0.638	NA	0.599
Ovarian Cancer	0.601	0.604	0.599	0.599
ALS	0.656	0.654	0.644	0.641
Prostate Cancer	0.769	0.769	0.704	0.704
Heart Failure	0.857	0.817	0.812	0.737
Psoriasis	0.678	0.678	0.544	0.543
Depression	0.604	0.603	0.589	0.589

Supplementary Table S10. The AUCs generated from models that include age, sex, top ten genetic principal components and either a polygenic risk score or extra covariates as specified.

Disease	AUC	Score
Lupus	0.711	Internal
Lupus	0.698	Knevel-2020
A. Fib.	0.76	Internal
A. Fib.	0.757	Khera-2018
Asthma	0.586	Internal
Asthma	0.545	Belsky-2013
Gout	0.792	Internal
Gout	0.771	Knevel-2020
Type 2 Diabetes	0.683	Internal
Type 2 Diabetes	0.701	Khera-2018
Type 2 Diabetes	0.697	Lall-2016
Type 2 Diabetes	0.706	Vassy-2014
Stroke	0.696	Internal
Stroke	0.696	Rutten-2018
Breast Cancer	0.68	Internal
Breast Cancer	0.653	Mavaddat-2018
Breast Cancer	0.66	Kuchenbaecker-2018
Breast Cancer	0.634	Kuchenbaecker-2018
Breast Cancer	0.648	Khera-2018
Breast Cancer	0.607	Shieh-2016
CAD	0.761	Internal
CAD	0.746	Tada-2015
CAD	0.76	Abraham-2016
CAD	0.757	Khera-2018
Rheumatoid Arthritis	0.655	Internal
Rheumatoid Arthritis	0.635	Knevel-2020
Rheumatoid Arthritis	0.635	Knevel-2020
Ovarian Cancer	0.604	Internal
Ovarian Cancer	0.599	Graff-2020
Prostate Cancer	0.769	Internal
Prostate Cancer	0.746	Schumacher-2018
Prostate Cancer	0.709	Pashayan-2015
Prostate Cancer	0.724	Lecarpentier-2017

Supplementary Table S11. The AUCs generated from models that contain age, sex, top ten genetic principal components and the polygenic risk score specified.

Disease	Base - NB	Base - Thresh	Score Incl. - NB	Score Incl. -Thresh
Lupus	0	0.01	0.00232	0.01
A. Fib.	0.135	0.11	0.194	0.11
Asthma	0.0212	0.14	0.1	0.14
Celiac Disease	0	0.01	0.0302	0.01
Migraine	-0.00657	0.07	0.0408	0.07
MS	-0.00181	0.01	0.112	0.01
Gout	0.0326	0.06	0.113	0.06
Crohns Disease	0.117	0.01	0.213	0.01
Ulcerative Colitis	0	0.01	0.0569	0.01
Type 2 Diabetes	0.113	0.09	0.151	0.09
Stroke	0.0551	0.07	0.0703	0.07
Breast Cancer	0.0362	0.09	0.176	0.09
NAFLD	0.0211	0.01	0.0833	0.01
CAD	0.0488	0.11	0.108	0.11
Rheumatoid Arthritis	0.0699	0.03	0.106	0.03
Type 1 Diabetes	0.083	0.01	0.141	0.01
Ovarian Cancer	0.0404	0.01	0.0533	0.01
Prostate Cancer	0.039	0.1	0.199	0.1
Heart Failure	0.00612	0.09	0.294	0.09
Psoriasis	0.0174	0.02	0.241	0.02
Depression	0.00275	0.09	0.031	0.09

Supplementary Table S12. The maximum standardized net benefits corresponding to both base models that include the covariates of age, sex, and the top ten genetic principal components, and the score included models also includes the polygenic risk score to the base covariates.

Disease	Base - NB at 0.01	Base - NB at 0.05	Base - NB at 0.12	Score Incl. - NB at 0.01	Score Incl. - NB at 0.05	Score Incl. - NB at 0.12
Lupus	0	0	0	0.00232	0	0
A. Fib.	0.856	0.452	0.11	0.857	0.474	0.166
Asthma	0.934	0.658	0.122	0.934	0.658	0.185
Celiac Disease	0	0	0	0.0302	-7.08e-05	0
Migraine	0.763	0.125	0	0.763	0.161	0.000488
MS	-0.00181	0	0	0.112	-0.00157	0
Vitiligo	0	0	0	0	0	0
Gout	0.699	0.107	0	0.706	0.174	0.0104
Crohns Disease	0.117	0	0	0.213	0.000297	0
Ulcerative Colitis	0	0	0	0.0569	-5.97e-05	0
Type 2 Diabetes	0.86	0.375	0.0336	0.86	0.393	0.0683
Stroke	0.733	0.168	0.00111	0.732	0.17	0.00273
Breast Cancer	0.87	0.344	-0.0013	0.869	0.416	0.0886
NAFLD	0.0211	0	0	0.0833	0	0
CAD	0.8	0.328	0.0335	0.804	0.365	0.0836
Rheumatoid Arthritis	0.566	-0.00123	0	0.572	0.018	0.000152
Type 1 Diabetes	0.083	0	0	0.141	-3.77e-05	0
Ovarian Cancer	0.0404	0	0	0.0533	0	0
ALS	0	0	0	0	0	0
Prostate Cancer	0.846	0.388	-0.00534	0.853	0.459	0.134
Heart Failure	0.67	0.121	-0.000205	0.677	0.352	0.273
Psoriasis	0.43	0	0	0.45	0.0309	-0.00691
Depression	0.85	0.252	6.65e-05	0.85	0.269	-0.00119

Supplementary Table S13. Standardized net benefits corresponding to both base models that include the covariates of age, sex, and the top ten genetic principal components, and the score included models also includes the polygenic risk score to the base covariates, computed at the thresholds described in the column headers.

Disease	Start Threshold	End Threshold
Lupus	0.01	0.01
A. Fib.	0.01	0.45
Asthma	0.08	0.22
Celiac Disease	0.01	0.03
Migraine	0.02	0.11
MS	0.01	0.03
Gout	0.01	0.13
Crohns Disease	0.01	0.02
Ulcerative Colitis	0.01	0.02
Type 2 Diabetes	0.02	0.24
Stroke	0.02	0.12
Breast Cancer	0.02	0.34
NAFLD	0.01	0.01
CAD	0.01	0.27
Rheumatoid Arthritis	0.01	0.08
Type 1 Diabetes	0.01	0.02
Ovarian Cancer	0.01	0.01
Prostate Cancer	0.01	0.44
Heart Failure	0.01	0.93
Psoriasis	0.01	0.07
Depression	0.04	0.11

Supplementary Table S14. The range of thresholds for each disease in which the score included model generated standardized net benefits that exceeded those of the base model. Base models include the covariates of age, sex, and the top ten genetic principal components, and the score included models also include the polygenic risk score to the base covariates

Disease	Lifestyle Factor	PRS Low			PRS Inter.			PRS High		
		LF Low	LF Inter.	LF High	LF Low	LF Inter.	LF High	LF Low	LF Inter.	LF High
A. Fib.	Alcohol	0.035	0.03	0.036	0.06	0.047	0.052	0.11	0.083	0.088
A. Fib.	Smoking Status	0.026	0.043	0.037	0.041	0.066	0.052	0.073	0.11	0.096
A. Fib.	BMI	0.022	0.029	0.056	0.032	0.048	0.077	0.056	0.088	0.13
A. Fib.	Walking Pace	0.091	0.034	0.021	0.12	0.053	0.035	0.19	0.094	0.065
A. Fib.	TV	0.025	0.031	0.046	0.04	0.049	0.069	0.072	0.094	0.11
A. Fib.	Meat	0.028	0.032	0.038	0.044	0.052	0.058	0.076	0.096	0.099
A. Fib.	Water Intake	0.034	0.034	0.03	0.052	0.051	0.049	0.098	0.089	0.079
Asthma	Smoking Status	0.022	0.03	0.036	0.027	0.035	0.04	0.035	0.048	0.052
Asthma	BMI	0.018	0.023	0.044	0.021	0.028	0.05	0.032	0.038	0.061
Asthma	Walking Pace	0.071	0.025	0.02	0.082	0.032	0.021	0.12	0.041	0.027
Asthma	TV	0.021	0.027	0.034	0.024	0.03	0.042	0.033	0.037	0.057
Migraine	Alcohol	0.0063	0.0062	0.011	0.008	0.0092	0.015	0.011	0.012	0.023
Migraine	Hours Sleep	0.01	0.0063	0.0069	0.013	0.0093	0.011	0.019	0.013	0.014
MS	Walking Pace	0.0021	0.00041	0.00039	0.0039	0.00091	0.00054	0.011	0.002	0.0022
Gout	Alcohol	0.011	0.006	0.0061	0.016	0.011	0.0087	0.028	0.018	0.016
Gout	Smoking Status	0.0046	0.011	0.0065	0.0077	0.016	0.012	0.014	0.027	0.024
Gout	BMI	0.0016	0.0061	0.015	0.0026	0.0096	0.024	0.0056	0.016	0.043
Gout	Walking Pace	0.024	0.0072	0.0035	0.034	0.011	0.0066	0.049	0.021	0.012
Gout	TV	0.0054	0.0072	0.0097	0.008	0.012	0.016	0.013	0.02	0.029
Gout	Driving	0.0063	0.0064	0.011	0.0092	0.012	0.015	0.017	0.021	0.024
Gout	Fruit	0.0093	0.0062	0.0055	0.013	0.011	0.0096	0.022	0.017	0.018
Gout	Meat	0.0043	0.0073	0.01	0.0074	0.011	0.016	0.012	0.021	0.027
Crohns Disease	Walking Pace	0.0056	0.0031	0.0021	0.01	0.0052	0.0043	0.01	0.0084	0.0064
Ulcerative Colitis	Walking Pace	0.0037	0.0012	0.0012	0.0047	0.002	0.0017	0.0095	0.0047	0.0036
Ulcerative Colitis	TV	0.0013	0.0011	0.0019	0.0016	0.0023	0.0027	0.0031	0.0048	0.0069
Type 2 Diabetes	Alcohol	0.03	0.03	0.058	0.044	0.047	0.083	0.064	0.071	0.12
Type 2 Diabetes	Smoking Status	0.028	0.047	0.055	0.042	0.072	0.077	0.066	0.1	0.1
Type 2 Diabetes	BMI	0.01	0.024	0.12	0.013	0.039	0.15	0.02	0.062	0.19
Type 2 Diabetes	Min. Walked	0.04	0.032	0.032	0.057	0.05	0.049	0.084	0.076	0.074
Type 2 Diabetes	Mod. Activity	0.049	0.033	0.034	0.074	0.048	0.049	0.1	0.075	0.073
Type 2 Diabetes	Walking Pace	0.13	0.041	0.017	0.18	0.061	0.026	0.25	0.091	0.038
Type 2 Diabetes	TV	0.023	0.037	0.062	0.035	0.055	0.09	0.054	0.083	0.13
Type 2 Diabetes	Hours Sleep	0.048	0.03	0.039	0.068	0.043	0.062	0.1	0.069	0.087
Type 2 Diabetes	Vegetable	0.039	0.036	0.035	0.06	0.053	0.051	0.09	0.081	0.076
Type 2 Diabetes	Meat	0.028	0.037	0.05	0.042	0.056	0.074	0.064	0.086	0.1
Type 2 Diabetes	Cheese Intake	0.045	0.042	0.034	0.068	0.06	0.05	0.1	0.089	0.074
Type 2 Diabetes	Water Intake	0.035	0.037	0.041	0.053	0.058	0.058	0.079	0.083	0.089
Stroke	Smoking Status	0.015	0.023	0.034	0.018	0.029	0.039	0.023	0.034	0.052
Stroke	BMI	0.016	0.019	0.024	0.018	0.024	0.031	0.023	0.029	0.036
Stroke	Walking Pace	0.053	0.021	0.012	0.068	0.024	0.016	0.08	0.029	0.02
Stroke	TV	0.015	0.017	0.029	0.016	0.024	0.036	0.023	0.028	0.041
Stroke	Meat	0.018	0.02	0.021	0.021	0.024	0.028	0.025	0.032	0.033
Stroke	Water Intake	0.021	0.019	0.017	0.026	0.023	0.022	0.03	0.032	0.025
Breast Cancer	Walking Pace	0.027	0.019	0.014	0.052	0.038	0.03	0.088	0.079	0.068
Breast Cancer	TV	0.013	0.017	0.023	0.034	0.035	0.038	0.067	0.073	0.086
NAFLD	Alcohol	0.0044	0.0052	0.01	0.0079	0.0063	0.012	0.0092	0.0093	0.017
NAFLD	Smoking Status	0.0058	0.0066	0.01	0.0068	0.0089	0.015	0.0091	0.013	0.017
NAFLD	BMI	0.0016	0.0048	0.016	0.0025	0.0057	0.022	0.0036	0.0091	0.026
NAFLD	Mod. Activity	0.0074	0.0064	0.0045	0.011	0.0073	0.007	0.014	0.01	0.0097
NAFLD	Walking Pace	0.021	0.0068	0.0034	0.026	0.0085	0.0046	0.033	0.013	0.0058
NAFLD	TV	0.0035	0.0074	0.01	0.0058	0.0078	0.012	0.008	0.01	0.018
NAFLD	Cheese Intake	0.0086	0.0076	0.0052	0.011	0.0089	0.0072	0.014	0.014	0.0096
NAFLD	Water Intake	0.0059	0.0061	0.0078	0.0079	0.0079	0.0093	0.0098	0.01	0.016
CAD	Alcohol	0.016	0.013	0.021	0.028	0.025	0.032	0.046	0.045	0.055
CAD	Smoking Status	0.01	0.023	0.027	0.019	0.035	0.051	0.034	0.059	0.085
CAD	BMI	0.0077	0.016	0.026	0.014	0.027	0.041	0.023	0.047	0.068
CAD	Walking Pace	0.052	0.016	0.01	0.081	0.028	0.016	0.12	0.049	0.029

CAD	TV	0.012	0.017	0.022	0.021	0.028	0.038	0.034	0.047	0.067
CAD	Driving	0.015	0.016	0.019	0.026	0.027	0.031	0.043	0.05	0.058
CAD	Vegetable	0.016	0.016	0.016	0.03	0.025	0.025	0.052	0.045	0.043
CAD	Fruit	0.018	0.015	0.014	0.032	0.023	0.026	0.057	0.044	0.041
CAD	Meat	0.012	0.017	0.02	0.022	0.028	0.033	0.036	0.048	0.062
CAD	Cheese Intake	0.019	0.018	0.014	0.031	0.028	0.026	0.052	0.052	0.044
CAD	Water Intake	0.019	0.015	0.013	0.03	0.027	0.025	0.053	0.048	0.041
Rheumatoid Arthritis	Alcohol	0.0064	0.0069	0.013	0.0081	0.0099	0.016	0.012	0.014	0.02
Rheumatoid Arthritis	Smoking Status	0.0065	0.01	0.013	0.0095	0.013	0.017	0.012	0.019	0.022
Rheumatoid Arthritis	BMI	0.0056	0.0074	0.014	0.0084	0.011	0.016	0.012	0.014	0.023
Rheumatoid Arthritis	Walking Pace	0.03	0.0087	0.0043	0.036	0.011	0.007	0.048	0.014	0.0098
Rheumatoid Arthritis	TV	0.0048	0.0087	0.014	0.0084	0.01	0.016	0.011	0.017	0.02
Rheumatoid Arthritis	Cheese Intake	0.011	0.009	0.0071	0.014	0.012	0.01	0.02	0.016	0.013
Type 1 Diabetes	Alcohol	0.003	0.0032	0.0069	0.0034	0.0048	0.01	0.0081	0.0078	0.014
Type 1 Diabetes	Walking Pace	0.02	0.0036	0.0019	0.025	0.0053	0.003	0.026	0.0091	0.0067
Type 1 Diabetes	TV	0.0031	0.0029	0.007	0.0044	0.0049	0.0093	0.0074	0.0098	0.013
Type 1 Diabetes	Meat	0.0026	0.0051	0.0053	0.0047	0.0063	0.0074	0.0077	0.0073	0.014
Prostate Cancer	Smoking Status	0.016	0.02	0.013	0.037	0.046	0.036	0.088	0.098	0.062
Prostate Cancer	TV	0.015	0.014	0.023	0.037	0.042	0.044	0.083	0.091	0.096
Prostate Cancer	Driving	0.017	0.02	0.012	0.041	0.042	0.037	0.093	0.098	0.071
Prostate Cancer	Hours Sleep	0.014	0.015	0.021	0.037	0.038	0.046	0.076	0.091	0.096
Heart Failure	Alcohol	0.014	0.0095	0.013	0.016	0.012	0.018	0.065	0.055	0.081
Heart Failure	Smoking Status	0.0078	0.015	0.018	0.011	0.018	0.02	0.044	0.085	0.099
Heart Failure	BMI	0.0057	0.01	0.022	0.0075	0.012	0.028	0.038	0.057	0.099
Heart Failure	Walking Pace	0.039	0.012	0.0061	0.047	0.015	0.0076	0.2	0.062	0.031
Heart Failure	TV	0.0073	0.012	0.018	0.011	0.013	0.022	0.045	0.058	0.096
Heart Failure	Meat	0.0092	0.013	0.012	0.011	0.016	0.017	0.052	0.064	0.08
Heart Failure	Cheese Intake	0.013	0.013	0.01	0.016	0.016	0.014	0.073	0.069	0.059
Psoriasis	Smoking Status	0.0029	0.0054	0.0043	0.0044	0.0067	0.01	0.0097	0.018	0.02
Psoriasis	BMI	0.0021	0.0035	0.0067	0.004	0.0052	0.0089	0.0091	0.012	0.022
Psoriasis	Walking Pace	0.009	0.0042	0.0024	0.013	0.0058	0.0043	0.034	0.013	0.011
Psoriasis	TV	0.0031	0.0039	0.005	0.0048	0.0052	0.0076	0.011	0.013	0.018
Psoriasis	Meat	0.0033	0.0038	0.0046	0.0052	0.0057	0.0065	0.0092	0.014	0.018
Depression	Smoking Status	0.0081	0.01	0.009	0.0093	0.012	0.019	0.012	0.016	0.021
Depression	Min. Walked	0.01	0.0074	0.0078	0.011	0.011	0.0088	0.018	0.012	0.0078
Depression	Mod. Activity	0.011	0.0082	0.0091	0.015	0.0099	0.01	0.019	0.013	0.012
Depression	Walking Pace	0.02	0.0094	0.0066	0.025	0.01	0.0098	0.036	0.013	0.011
Depression	Walking Pace	0.0199	0.00944	0.00655	0.025	0.0101	0.00981	0.0356	0.0129	0.0108

Supplementary Table S15. The absolute risks calculated for each lifestyle and PRS grouping, listed for all significant disease and lifestyle factor combinations.

Disease	Lifestyle Factor	P - Low	P - Inter.	P - High	OR - Low	OR - Inter.	OR - High
A. Fib.	Alcohol	0.726	0.000163	0.000197	0.968	1.16	1.22
A. Fib.	Smoking Status	0.000538	9.91e-07	3.01e-05	0.677	0.77	0.748
A. Fib.	BMI	1.6e-24	1.1e-85	3.58e-45	0.374	0.398	0.408
A. Fib.	Walking Pace	1.59e-51	1.25e-150	1.63e-69	4.7	3.64	3.3
A. Fib.	TV	2.75e-19	3.99e-66	1.21e-28	0.523	0.56	0.602
A. Fib.	Meat	3.92e-05	1.45e-15	4.8e-10	0.733	0.755	0.744
A. Fib.	Water Intake	0.178	0.0532	6.96e-06	1.12	1.08	1.26
Asthma	Smoking Status	5.64e-05	1.54e-10	2.36e-05	0.608	0.66	0.655
Asthma	BMI	3.62e-15	2.46e-48	3.46e-14	0.412	0.413	0.501
Asthma	Walking Pace	2.01e-29	7.4e-109	2.4e-60	3.81	4.16	4.71
Asthma	TV	5.06e-09	3.44e-38	9.74e-17	0.606	0.559	0.57
Migraine	Alcohol	0.0028	3.22e-13	5.02e-08	0.572	0.515	0.49
Migraine	Hours Sleep	0.00956	0.0396	0.00514	1.53	1.18	1.38
MS	Walking Pace	0.0107	5.21e-11	1.01e-08	5.55	7.27	5.26
Gout	Alcohol	0.00063	6.63e-13	6.29e-07	1.86	1.85	1.75
Gout	Smoking Status	0.162	0.000177	9.76e-05	0.707	0.652	0.574
Gout	BMI	1.05e-18	2.19e-86	2.1e-47	0.106	0.105	0.127
Gout	Walking Pace	6.2e-20	3.22e-68	3.58e-27	6.87	5.41	4.27
Gout	TV	0.000197	1.05e-22	5.55e-18	0.559	0.497	0.443
Gout	Driving	0.000781	5.05e-10	0.00045	0.577	0.607	0.686
Gout	Fruit	0.00112	4.58e-06	0.0204	1.68	1.4	1.25
Gout	Meat	1.64e-07	1.32e-25	5.67e-17	0.42	0.46	0.432
Crohns Disease	Walking Pace	0.0062	6.76e-09	0.0405	2.69	2.4	1.64
Ulcerative Colitis	Walking Pace	0.00795	9.29e-06	0.000519	3.23	2.73	2.64
Ulcerative Colitis	TV	0.239	0.00123	2.73e-05	0.668	0.586	0.451
Type 2 Diabetes	Alcohol	1.7e-17	1.74e-68	9.8e-36	0.502	0.503	0.486
Type 2 Diabetes	Smoking Status	2.95e-12	4.69e-40	1.81e-12	0.501	0.533	0.614
Type 2 Diabetes	BMI	5.04e-156	0	2.15e-247	0.0794	0.0727	0.0847
Type 2 Diabetes	Min. Walked	0.00664	0.000572	0.0441	1.29	1.17	1.14
Type 2 Diabetes	Mod. Activity	2.51e-05	1.91e-24	6.87e-10	1.44	1.53	1.46
Type 2 Diabetes	Walking Pace	2.73e-110	0	3.61e-216	8.6	8.32	8.22
Type 2 Diabetes	TV	2.07e-50	4.94e-208	4.98e-85	0.36	0.367	0.398
Type 2 Diabetes	Hours Sleep	0.00328	0.00484	0.0013	1.24	1.1	1.18
Type 2 Diabetes	Vegetable	0.103	1.04e-07	0.000276	1.12	1.19	1.19
Type 2 Diabetes	Meat	6.76e-17	5.44e-71	1.34e-27	0.555	0.549	0.588
Type 2 Diabetes	Cheese Intake	6.21e-05	2.53e-21	8.67e-10	1.36	1.41	1.38
Type 2 Diabetes	Water Intake	0.0191	0.0132	0.0134	0.838	0.914	0.879
Stroke	Smoking Status	1.82e-10	1.53e-29	1.13e-17	0.433	0.465	0.421
Stroke	BMI	0.00161	2.96e-17	3.97e-05	0.663	0.564	0.645
Stroke	Walking Pace	7.69e-28	5.27e-113	6.54e-46	4.45	4.62	4.41
Stroke	TV	2.09e-13	5.57e-58	3.01e-15	0.511	0.455	0.553
Stroke	Meat	0.131	2.06e-09	0.000569	0.863	0.738	0.759
Stroke	Water Intake	0.042	0.00223	0.0327	1.24	1.18	1.21
Breast Cancer	Walking Pace	0.00217	1.72e-10	0.011	1.92	1.76	1.33
Breast Cancer	TV	0.000554	0.14	0.00205	0.544	0.902	0.767
NAFLD	Alcohol	2.34e-05	2.01e-06	2.81e-05	0.428	0.638	0.539
NAFLD	Smoking Status	0.0128	3.94e-13	0.000194	0.58	0.453	0.532
NAFLD	BMI	2.43e-21	1.04e-75	1.04e-28	0.0951	0.112	0.137
NAFLD	Mod. Activity	0.0263	4.56e-05	0.012	1.65	1.54	1.49
NAFLD	Walking Pace	2.04e-17	1.95e-55	1.76e-24	6.37	5.75	5.85
NAFLD	TV	5.47e-11	6.77e-21	4.32e-11	0.334	0.466	0.454
NAFLD	Cheese Intake	0.00339	9.91e-06	0.00609	1.68	1.49	1.45
NAFLD	Water Intake	0.136	0.0719	0.000349	0.761	0.849	0.63

CAD	Alcohol	0.0284	0.012	0.0137	0.767	0.87	0.83
CAD	Smoking Status	2.22e-11	1.42e-60	3.51e-32	0.37	0.361	0.378
CAD	BMI	2.01e-16	2.11e-59	1.24e-34	0.29	0.34	0.324
CAD	Walking Pace	1.64e-30	6.6e-151	1.02e-74	5.18	5.29	4.74
CAD	TV	1.12e-08	7.36e-45	1.14e-32	0.549	0.525	0.484
CAD	Driving	0.0257	0.00206	5.57e-06	0.766	0.85	0.73
CAD	Vegetable	0.832	5.17e-05	0.00313	1.03	1.21	1.2
CAD	Fruit	0.056	1.29e-05	3.62e-08	1.23	1.22	1.41
CAD	Meat	1.05e-05	2.26e-17	4.92e-18	0.617	0.667	0.578
CAD	Cheese Intake	0.0167	0.000858	0.0169	1.34	1.19	1.18
CAD	Water Intake	0.0013	5.08e-05	7.94e-05	1.45	1.23	1.31
Rheumatoid Arthritis	Alcohol	6.06e-05	6.08e-16	3.6e-05	0.498	0.491	0.582
Rheumatoid Arthritis	Smoking Status	0.000718	3.09e-09	2.01e-05	0.51	0.556	0.528
Rheumatoid Arthritis	BMI	1.19e-06	2.06e-11	1.8e-06	0.39	0.526	0.513
Rheumatoid Arthritis	Walking Pace	8.26e-25	7.96e-70	2.31e-31	7.27	5.3	5.11
Rheumatoid Arthritis	TV	5.99e-14	1.15e-21	8.76e-10	0.34	0.512	0.513
Rheumatoid Arthritis	Cheese Intake	0.00258	8.17e-05	0.000648	1.59	1.37	1.49
Type 1 Diabetes	Alcohol	0.000736	1.32e-19	0.00024	0.428	0.329	0.559
Type 1 Diabetes	Walking Pace	1.03e-21	4.11e-69	1.04e-14	10.8	8.63	3.97
Type 1 Diabetes	TV	1.3e-05	8.57e-16	2.07e-05	0.433	0.47	0.568
Type 1 Diabetes	Meat	0.00101	8.58e-06	2.42e-06	0.48	0.636	0.538
Prostate Cancer	Smoking Status	0.374	0.615	0.000425	1.26	1.05	1.47
Prostate Cancer	TV	0.00232	0.000795	0.0253	0.64	0.825	0.857
Prostate Cancer	Driving	0.0496	0.0745	0.000116	1.43	1.12	1.35
Prostate Cancer	Hours Sleep	0.0107	0.000349	0.000853	0.643	0.794	0.768
Heart Failure	Alcohol	0.672	0.0496	0.000156	1.07	0.868	0.791
Heart Failure	Smoking Status	3.71e-06	1.01e-10	3.51e-33	0.442	0.558	0.416
Heart Failure	BMI	1.49e-15	1.48e-56	1.43e-42	0.259	0.259	0.361
Heart Failure	Walking Pace	2.87e-27	1.01e-102	1.19e-191	6.53	6.37	7.75
Heart Failure	TV	1.82e-13	1.87e-30	3.25e-54	0.406	0.496	0.446
Heart Failure	Meat	0.0413	6.19e-12	2.52e-17	0.761	0.635	0.631
Heart Failure	Cheese Intake	0.0926	0.0642	6.73e-05	1.26	1.14	1.26
Psoriasis	Smoking Status	0.211	2.37e-11	8.7e-06	0.666	0.413	0.487
Psoriasis	BMI	7.46e-05	1.27e-09	6.3e-09	0.308	0.445	0.414
Psoriasis	Walking Pace	1.18e-05	4.53e-15	3.41e-14	3.75	3.01	3.22
Psoriasis	TV	0.0188	2.86e-06	5.01e-05	0.612	0.635	0.633
Psoriasis	Meat	0.128	0.0246	9.4e-09	0.71	0.795	0.505
Depression	Smoking Status	0.633	1.38e-12	4.8e-05	0.902	0.495	0.542
Depression	Min. Walked	0.14	0.0199	4.18e-07	1.33	1.27	2.33
Depression	Mod. Activity	0.328	1.84e-05	0.0013	1.19	1.48	1.59
Depression	Walking Pace	2.93e-07	1.75e-20	4.28e-16	3.08	2.59	3.37

Supplementary Table S16. The P-values and odds ratios computed from Fisher Exact tests that considered lifestyle factors within low, intermediate and high polygenic risk score groups. Listed are the disease and lifestyle factor combinations that were determined to be significant.

Disease	Medication/Supplement	PRS Low		PRS Inter.		PRS High	
		Off	On	Off	On	Off	On
A. Fib.	ibuprofen	0.0343	0.0233	0.0535	0.034	0.0917	0.0736
A. Fib.	evening primrose oil	0.0332	0.0078	0.0513	0.0372	0.0899	0.062
Type 2 Diabetes	ibuprofen	0.0387	0.0299	0.0582	0.0423	0.0865	0.0655
Type 2 Diabetes	evening primrose oil	0.0377	0.0347	0.0566	0.0352	0.0847	0.0364
Type 2 Diabetes	multivitamins	0.038	0.0251	0.0566	0.0453	0.0845	0.0655
Type 2 Diabetes	multivitamin+mineral preparations	0.0379	0.0155	0.0564	0.0415	0.0842	0.0569
CAD	ibuprofen	0.0165	0.0129	0.0291	0.0175	0.0497	0.0345
CAD	evening primrose oil	0.0162	0.0099	0.0279	0.00874	0.0483	0.0172
Heart Failure	ibuprofen	0.0118	0.00715	0.0154	0.00905	0.0683	0.0384
Heart Failure	evening primrose oil	0.0113	0.00821	0.0148	0.00617	0.0653	0.0188

Supplementary Table S17. The absolute risks calculated for each medication/supplement and PRS grouping, listed for all significant disease and lifestyle factor combinations. On means the group of people on or taking the medication/supplement.

Disease	Medication/Supplement	P-Low	P-Inter.	P-High	OR-Low	OR-Inter.	OR-High
A. Fib.	ibuprofen	0.000129	3.27e-21	0.000144	1.49	1.6	1.27
A. Fib.	evening primrose oil	0.000379	0.0101	0.0325	4.38	1.4	1.49
Type 2 Diabetes	ibuprofen	0.00635	2.39e-13	4.69e-06	1.3	1.4	1.35
Type 2 Diabetes	evening primrose oil	0.816	0.000117	2.09e-05	1.09	1.64	2.45
Type 2 Diabetes	multivitamins	0.0305	0.00747	0.0325	1.53	1.26	1.32
Type 2 Diabetes	multivitamin+mineral preparations	0.00855	0.0171	0.042	2.5	1.38	1.53
CAD	ibuprofen	0.0913	1.86e-14	1.36e-05	1.29	1.69	1.47
CAD	evening primrose oil	0.369	1.28e-07	0.000377	1.64	3.26	2.89
Heart Failure	ibuprofen	0.00935	9.44e-09	1.24e-14	1.66	1.71	1.84
Heart Failure	evening primrose oil	0.667	0.0023	1.13e-06	1.38	2.41	3.66

Supplementary Table S18. The P-values and odds ratios computed from Fisher Exact tests that considered medication/supplements within low, intermediate and high polygenic risk score groups. Listed are the disease and medication/supplement combinations that were determined to be significant.

Disease	AUC Male	AUC CI Male	AUC Female	AUC CI Female
A. Fib.	0.731	0.006	0.751	0.007
ALS	0.612	0.049	0.61	0.06
Asthma	0.593	0.006	0.577	0.006
CAD	0.718	0.005	0.723	0.01
Celiac Disease	0.628	0.034	0.65	0.024
Crohns Disease	0.612	0.017	0.618	0.018
Depression	0.57	0.01	0.581	0.007
Gout	0.662	0.009	0.719	0.02
Heart Failure	0.815	0.009	0.793	0.013
Lupus	0.656	0.09	0.618	0.04
Migraine	0.584	0.014	0.597	0.008
MS	0.696	0.035	0.686	0.022
NAFLD	0.568	0.021	0.555	0.021
Psoriasis	0.672	0.014	0.671	0.016
Rheumatoid Arthritis	0.646	0.016	0.633	0.011
Stroke	0.687	0.008	0.679	0.01
Type 1 Diabetes	0.609	0.018	0.62	0.022
Type 2 Diabetes	0.658	0.006	0.663	0.008
Ulcerative Colitis	0.665	0.026	0.637	0.025
Vitiligo	0.666	0.083	0.623	0.059

Supplementary Table S19. The AUC and their 95% CI generated from models that utilized either only male or female individuals.

Disease	AUC Young	AUC CI Young	AUC Old	AUC CI Old
Lupus	0.719	0.039	0.694	0.045
A. Fib.	0.742	0.006	0.658	0.008
Asthma	0.591	0.006	0.583	0.006
Celiac Disease	0.679	0.026	0.654	0.027
Migraine	0.662	0.009	0.656	0.009
MS	0.718	0.025	0.709	0.026
Vitiligo	0.677	0.065	0.643	0.074
Gout	0.804	0.008	0.748	0.01
Crohns Disease	0.615	0.018	0.603	0.018
Ulcerative Colitis	0.662	0.025	0.641	0.025
Type 2 Diabetes	0.671	0.007	0.635	0.008
Stroke	0.656	0.01	0.598	0.01
Breast Cancer	0.645	0.009	0.645	0.009
NAFLD	0.57	0.02	0.568	0.021
CAD	0.77	0.006	0.714	0.007
Rheumatoid Arthritis	0.651	0.012	0.614	0.013
Type 1 Diabetes	0.646	0.021	0.605	0.021
Ovarian Cancer	0.551	0.029	0.562	0.03
ALS	0.617	0.053	0.543	0.057
Prostate Cancer	0.782	0.009	0.667	0.012
Heart Failure	0.804	0.011	0.763	0.013
Psoriasis	0.691	0.015	0.666	0.016
Depression	0.593	0.008	0.598	0.008

Supplementary Table S20. The AUC and their 95% CI generated from models that utilized either only young or old individuals as determined by the median age of cases for each respective disease.

Disease	AUC - Low Group	AUC CI - Low Group	AUC - Hi Group	AUC CI - Hi Group
Lupus	0.717	0.039	0.706	0.047
A. Fib.	0.78	0.007	0.727	0.006
Asthma	0.588	0.006	0.584	0.007
Celiac Disease	0.669	0.026	0.662	0.029
Migraine	0.67	0.009	0.654	0.01
MS	0.719	0.023	0.707	0.03
Vitiligo	0.694	0.072	0.605	0.071
Gout	0.807	0.008	0.773	0.009
Crohns Disease	0.621	0.017	0.617	0.019
Ulcerative Colitis	0.657	0.025	0.648	0.028
Type 2 Diabetes	0.698	0.007	0.658	0.008
Stroke	0.711	0.009	0.666	0.009
Breast Cancer	0.657	0.009	0.649	0.009
NAFLD	0.583	0.02	0.553	0.023
CAD	0.789	0.007	0.755	0.006
Rheumatoid Arthritis	0.678	0.012	0.624	0.013
Type 1 Diabetes	0.655	0.019	0.632	0.022
Ovarian Cancer	0.61	0.031	0.597	0.03
ALS	0.67	0.061	0.582	0.051
Prostate Cancer	0.798	0.009	0.722	0.01
Heart Failure	0.833	0.01	0.796	0.011
Psoriasis	0.687	0.014	0.668	0.017
Depression	0.594	0.007	0.612	0.009

Supplementary Table S21. Validity check by splitting the total population according to time at Current Address. The low group is less than or equal to 20 years and the higher group is greater than 20 years.

Disease	AUC - Low Group	AUC CI - Low Group	AUC - Hi Group	AUC CI - Hi Group
Lupus	0.703	0.041	0.693	0.049
A. Fib.	0.733	0.006	0.777	0.008
Asthma	0.581	0.006	0.599	0.006
Celiac Disease	0.644	0.031	0.675	0.029
Migraine	0.665	0.01	0.664	0.009
MS	0.709	0.027	0.723	0.028
Vitiligo	0.631	0.084	0.686	0.066
Gout	0.773	0.01	0.807	0.009
Crohns Disease	0.615	0.018	0.619	0.02
Ulcerative Colitis	0.666	0.026	0.649	0.03
Type 2 Diabetes	0.656	0.007	0.698	0.009
Stroke	0.658	0.009	0.701	0.013
Breast Cancer	0.655	0.009	0.656	0.01
NAFLD	0.566	0.021	0.575	0.025
CAD	0.754	0.007	0.793	0.007
Rheumatoid Arthritis	0.617	0.013	0.652	0.018
Type 1 Diabetes	0.622	0.02	0.649	0.027
Ovarian Cancer	0.585	0.03	0.584	0.039
ALS	0.587	0.057	0.67	0.06
Prostate Cancer	0.743	0.01	0.791	0.01
Heart Failure	0.796	0.011	0.826	0.014
Psoriasis	0.681	0.016	0.679	0.016
Depression	0.632	0.007	0.602	0.009

Supplementary Table S22. Validity check by splitting the total population according to income. The low group is less than £40,000 and the higher group is greater than £40,000.

Disease	AUC - Low Group	AUC CI - Low Group	AUC - Hi Group	AUC CI - Hi Group
Lupus	0.731	0.034	0.656	0.058
A. Fib.	0.736	0.005	0.778	0.01
Asthma	0.584	0.005	0.594	0.007
Celiac Disease	0.656	0.023	0.685	0.033
Migraine	0.661	0.008	0.665	0.011
MS	0.721	0.022	0.713	0.031
Vitiligo	0.651	0.064	0.637	0.078
Gout	0.78	0.007	0.812	0.011
Crohns Disease	0.619	0.015	0.609	0.024
Ulcerative Colitis	0.652	0.021	0.641	0.033
Type 2 Diabetes	0.658	0.006	0.712	0.011
Stroke	0.667	0.007	0.704	0.016
Breast Cancer	0.654	0.007	0.643	0.012
NAFLD	0.569	0.018	0.57	0.028
CAD	0.759	0.006	0.794	0.01
Rheumatoid Arthritis	0.637	0.011	0.658	0.019
Type 1 Diabetes	0.618	0.017	0.673	0.027
Ovarian Cancer	0.578	0.024	0.574	0.047
ALS	0.618	0.042	0.653	0.079
Prostate Cancer	0.74	0.008	0.806	0.013
Heart Failure	0.8	0.009	0.836	0.016
Psoriasis	0.68	0.013	0.679	0.019
Depression	0.616	0.007	0.604	0.01

Supplementary Table S23. Validity check by splitting the total population according to number of individuals in the household. The low group is 1-2 persons and the higher group is 3 or more persons.

Disease	AUC - Low Group	AUC CI - Low Group	AUC - Hi Group	AUC CI - Hi Group
Lupus	0.718	0.036	0.566	0.192
A. Fib.	0.752	0.005	0.743	0.02
Asthma	0.583	0.005	0.589	0.017
Celiac Disease	0.661	0.025	0.663	0.07
Migraine	0.667	0.008	0.648	0.026
MS	0.713	0.023	0.745	0.075
Vitiligo	0.615	0.07	0.505	0.119
Gout	0.786	0.008	0.78	0.025
Crohn's Disease	0.616	0.015	0.601	0.052
Ulcerative Colitis	0.647	0.022	0.603	0.081
Type 2 Diabetes	0.674	0.006	0.689	0.021
Stroke	0.683	0.008	0.677	0.027
Breast Cancer	0.654	0.008	0.634	0.026
NAFLD	0.557	0.017	0.567	0.068
CAD	0.768	0.005	0.778	0.018
Rheumatoid Arthritis	0.637	0.011	0.664	0.037
Type 1 Diabetes	0.634	0.017	0.625	0.067
Ovarian Cancer	0.597	0.026	0.572	0.089
ALS	0.628	0.047	0.523	0.127
Prostate Cancer	0.758	0.009	0.766	0.025
Heart Failure	0.809	0.009	0.817	0.031
Psoriasis	0.692	0.013	0.661	0.045
Depression	0.61	0.007	0.608	0.024

Supplementary Table S24. Validity check by splitting the total population according to the age education was completed. The low group is 1-19 years and the higher group is 20 or more years.

Disease	AUC - Low Group	AUC CI - Low Group	AUC - Hi Group	AUC CI - Hi Group
Lupus	0.731	0.042	0.691	0.041
A. Fib.	0.756	0.007	0.763	0.006
Asthma	0.588	0.006	0.585	0.005
Celiac Disease	0.649	0.029	0.677	0.025
Migraine	0.668	0.01	0.66	0.008
MS	0.725	0.028	0.71	0.024
Vitiligo	0.683	0.066	0.651	0.075
Gout	0.798	0.009	0.788	0.008
Crohns Disease	0.612	0.019	0.618	0.017
Ulcerative Colitis	0.64	0.028	0.657	0.024
Type 2 Diabetes	0.687	0.007	0.681	0.006
Stroke	0.691	0.01	0.699	0.008
Breast Cancer	0.655	0.01	0.655	0.009
NAFLD	0.569	0.025	0.565	0.019
CAD	0.774	0.007	0.776	0.006
Rheumatoid Arthritis	0.647	0.014	0.66	0.011
Type 1 Diabetes	0.631	0.023	0.635	0.018
Ovarian Cancer	0.623	0.032	0.596	0.028
ALS	0.631	0.055	0.65	0.049
Prostate Cancer	0.756	0.01	0.782	0.009
Heart Failure	0.815	0.012	0.819	0.009
Psoriasis	0.676	0.017	0.681	0.014
Depression	0.611	0.009	0.598	0.008

Supplementary Table S25. Validity check by splitting the total population according to the census measurement of median age. The lower group is less than 42 years and the higher group is greater than 42 years.

Disease	AUC - Low Group	AUC CI - Low Group	AUC - Hi Group	AUC CI - Hi Group
Lupus	0.709	0.04	0.715	0.044
A. Fib.	0.762	0.007	0.758	0.006
Asthma	0.586	0.006	0.588	0.005
Celiac Disease	0.667	0.028	0.661	0.027
Migraine	0.664	0.009	0.665	0.009
MS	0.716	0.026	0.717	0.025
Vitiligo	0.628	0.074	0.68	0.066
Gout	0.786	0.009	0.8	0.008
Crohns Disease	0.628	0.018	0.61	0.018
Ulcerative Colitis	0.659	0.026	0.643	0.026
Type 2 Diabetes	0.676	0.007	0.695	0.008
Stroke	0.694	0.009	0.698	0.01
Breast Cancer	0.658	0.009	0.65	0.008
NAFLD	0.579	0.019	0.554	0.023
CAD	0.769	0.006	0.782	0.007
Rheumatoid Arthritis	0.654	0.012	0.658	0.013
Type 1 Diabetes	0.631	0.02	0.633	0.022
Ovarian Cancer	0.595	0.03	0.62	0.029
ALS	0.615	0.058	0.659	0.047
Prostate Cancer	0.769	0.01	0.769	0.009
Heart Failure	0.817	0.01	0.819	0.011
Psoriasis	0.684	0.015	0.674	0.016
Depression	0.601	0.008	0.604	0.008

Supplementary Table S26. Validity check by splitting the total population according to the census measurement of unemployment. The lower group is less than 38 persons and the higher group is greater than 38 persons.

Disease	AUC - Low Group	AUC CI - Low Group	AUC - Hi Group	AUC CI - Hi Group
Lupus	0.688	0.045	0.731	0.04
A. Fib.	0.76	0.007	0.76	0.007
Asthma	0.585	0.006	0.589	0.005
Celiac Disease	0.659	0.028	0.669	0.027
Migraine	0.66	0.009	0.668	0.009
MS	0.711	0.025	0.722	0.025
Vitiligo	0.661	0.07	0.653	0.077
Gout	0.805	0.009	0.78	0.009
Crohns Disease	0.606	0.018	0.62	0.018
Ulcerative Colitis	0.648	0.025	0.648	0.026
Type 2 Diabetes	0.686	0.007	0.68	0.006
Stroke	0.698	0.009	0.691	0.009
Breast Cancer	0.657	0.008	0.651	0.009
NAFLD	0.575	0.021	0.563	0.02
CAD	0.779	0.006	0.77	0.007
Rheumatoid Arthritis	0.658	0.013	0.649	0.012
Type 1 Diabetes	0.647	0.021	0.632	0.019
Ovarian Cancer	0.617	0.03	0.593	0.028
ALS	0.652	0.054	0.627	0.051
Prostate Cancer	0.778	0.009	0.758	0.009
Heart Failure	0.81	0.011	0.824	0.01
Psoriasis	0.688	0.015	0.669	0.015
Depression	0.599	0.008	0.606	0.008

Supplementary Table S27. Validity check by splitting the total population according to census measurement of very good health. The lower group is less than 719 persons and the higher group is greater than 719 persons.

Disease	AUC - Low Group	AUC CI - Low Group	AUC - Hi Group	AUC CI - Hi Group
Lupus	0.707	0.042	0.716	0.043
A. Fib.	0.766	0.007	0.754	0.006
Asthma	0.586	0.006	0.586	0.005
Celiac Disease	0.685	0.026	0.648	0.028
Migraine	0.663	0.009	0.664	0.009
MS	0.716	0.026	0.717	0.025
Vitiligo	0.656	0.076	0.652	0.07
Gout	0.783	0.009	0.801	0.008
Crohns Disease	0.618	0.018	0.613	0.018
Ulcerative Colitis	0.669	0.025	0.629	0.028
Type 2 Diabetes	0.678	0.008	0.689	0.007
Stroke	0.698	0.009	0.693	0.01
Breast Cancer	0.655	0.009	0.654	0.009
NAFLD	0.568	0.02	0.563	0.023
CAD	0.776	0.007	0.774	0.007
Rheumatoid Arthritis	0.655	0.012	0.652	0.013
Type 1 Diabetes	0.635	0.02	0.633	0.021
Ovarian Cancer	0.598	0.029	0.616	0.03
ALS	0.65	0.049	0.627	0.055
Prostate Cancer	0.772	0.01	0.766	0.009
Heart Failure	0.817	0.01	0.817	0.011
Psoriasis	0.681	0.015	0.676	0.015
Depression	0.605	0.008	0.6	0.008

Supplementary Table S28. Validity check by splitting the total population according to the census measurement of population density. The lower group is less than 32 persons per hectare and the higher group is great than 32 persons per hectare.

Disease	European	African	Asian
Lupus	-10.4	5.22	-2.67
A. Fib.	2.06	-5.01	0.784
Asthma	1.05	-3.71	0.355
Celiac Disease	-0.879	0.635	0.711
Migraine	2.74	0.91	-0.717
MS	25.5	12.2	30
Vitiligo	-2.18	3.17	-4.2
Gout	22	34.4	21.7
Crohns Disease	5.05	-5.92	1.13
Ulcerative Colitis	-7.36	-4.05	-4.63
Type 2 Diabetes	-3.92	-11.9	-5.31
Stroke	-20.7	-36.4	-11.1
Breast Cancer	-1.25	-8.66	3.07
NAFLD	-24.7	-34.7	-23.6
CAD	3.01	3.71	3
Rheumatoid Arthritis	22.3	12.6	24.4
Type 1 Diabetes	-8.52	-6.24	-8.57
Ovarian Cancer	-4.01	-6.1	-5.51
ALS	-5.08	-4.6	-2.99
Prostate Cancer	2.03	-10.9	9.71
Heart Failure	4.3	13.1	-8.66
Psoriasis	8.91	-6.15	1.76
Depression	8.81	-1.88	10

Supplementary Table S29. The mean of each population group's polygenic risk score (that was utilized in the testing) phase minus the mean of the British population group's polygenic risk score. Before the mean was taken each polygenic risk score was standardized to have a minimum of zero and maximum of 100. No additional standardization/scaling was done.

Disease	British-European	British-Asian	British-African	European-African	European-Asian	African-Asian
Lupus	4.83e-199	1e-300	1e-300	1e-300	1e-300	1e-300
A. Fib.	1e-300	7.24e-217	1e-300	1e-300	2.96e-20	4.84e-198
Asthma	1e-300	1.14e-145	1.59e-15	4.81e-242	4.04e-08	5.89e-120
Celiac Disease	1e-300	3.82e-26	3.49e-17	1.92e-22	6.33e-40	0.68
Migraine	1e-300	9.09e-08	4.63e-12	1.98e-33	5.09e-159	1.21e-18
Vitiligo	0.00267	4.33e-125	1e-300	1e-300	1.38e-79	1e-300
Gout	0.014	0.624	1e-300	1e-300	0.118	1e-300
Crohns Disease	1e-300	8.69e-12	1e-300	1e-300	1.08e-209	1e-300
Ulcerative Colitis	1e-300	2.2e-54	1.54e-19	1.1e-118	2.27e-107	0.000951
Type 2 Diabetes	1e-300	9.08e-49	1.47e-276	1e-300	1.12e-28	1e-300
Stroke	3.84e-07	1e-300	1e-300	1e-300	1e-300	1e-300
Breast Cancer	1e-300	2.75e-27	1e-300	1e-300	2.48e-116	1e-300
NAFLD	0.000654	4.89e-13	1e-300	1e-300	3.59e-07	1e-300
CAD	1e-300	1e-300	6.42e-286	1.73e-06	0.969	8.15e-05
Rheumatoid Arthritis	1e-300	1e-300	1e-300	1e-300	1.92e-188	1e-300
Type 1 Diabetes	1e-300	5.72e-100	0.918	1.35e-59	0.696	4.15e-43
Ovarian Cancer	4.79e-154	0.00664	0.164	8.51e-34	2.47e-23	0.0043
Prostate Cancer	5.54e-225	1e-300	1e-300	1e-300	1e-300	1e-300
Heart Failure	1e-300	1e-300	1.41e-102	1e-300	1e-300	1e-300
Psoriasis	2.72e-34	1e-300	1e-300	1e-300	1e-300	1e-300
Depression	1e-300	7.56e-158	1e-300	1e-300	3.49e-22	1e-300

Supplementary Table S30. The P-values generated when comparing polygenic risk score distributions of one population group to another, as indicated in the column header, with a Student's T-Test. The polygenic risk score distributions used in the test are the same as the distributions described in the previous table. P-values less than 1e-300 are reported at 1e-300.

Disease	ICD	Self-Reported	Any	Double-Reported
Lupus	0.000402	0	0	0
A. Fib.	0.00151	0	-3.34E-06	0
Asthma	0.00208	0	-1.29E-07	0
Celiac Disease	0.244	0	0	0
Migraine	-0.00971	0	0.000369	0
MS	-0.000993	0	0.000249	0
Vitiligo	-0.0771	0	0	0
Gout	-0.00449	0	4.77E-05	0
Crohns Disease	0.00199	0	2.55E-05	0
Ulcerative Colitis	0.00595	0	0	0
Type 2 Diabetes	0.00144	0	0	0
Stroke	0.00181	0	0	0
Breast Cancer	0.0177	0	-1.55E-05	0
NAFLD	0	0	0	0
CAD	-0.0115	0	0	0
Rheumatoid Arthritis	0.0133	0	-0.00253	0
Type 1 Diabetes	0.00102	0	0	0
Ovarian Cancer	0.00411	0	0	0
ALS	0.000965	0	-0.00972	0
Prostate Cancer	-0.00292	0	-0.000384	0
Heart Failure	-0.000993	0	0	0
Psoriasis	-0.0138	0	0	0
Depression	-0.017	0	0	0

Supplementary Table S31. The AUC values generated from models assessed on the testing set, with phenotype definitions as described in the column headers, minus the AUC values generated from models assessed on the testing set and the phenotype definition of either ICD or Self-Reported. The ICD or self-reported method is the same method used throughout the majority of analyses. Please note that values of 0 are in fact greater than 0 but round to 0 when only keeping values greater than 1×10^{-4}

Method	AUC Mean	AUC SE	AUC Rank Mean	AUC Rank SE
SBayesR	0.652	0.0147	8.09	0.586
SMTpred	0.623	0.0158	11.7	0.437
Clump	0.664	0.014	5.13	0.384
DBLSMM	0.646	0.0139	10.2	0.42
Double-Weight	0.628	0.0152	13.5	0.301
LDpred	0.655	0.015	6.22	0.749
prsCS	0.674	0.0143	2.22	0.208
WC-Lasso	0.654	0.0148	8.09	0.596
WC-Likelihood	0.627	0.0158	13.3	0.39
Tweedie	0.661	0.0145	6.17	0.293
WC-2D	0.664	0.0139	5.09	0.466
SBLUP	0.644	0.0148	9.43	0.376
lassosum	0.672	0.0146	2.7	0.455
JAMPred	0.627	0.0154	12.8	0.456
LDpred2	0.668	0.0157	4.64	0.823

Supplementary Table S32. The mean AUC and rank as determined by the AUC across all diseases for each polygenic risk score generative method

Method	Conc. Mean	Conc. SE	Conc. Rank Mean	Conc. Rank SE
SBayesR	0.637	0.0151	7.74	0.459
SMTpred	0.606	0.0158	12	0.442
Clump	0.65	0.015	5.39	0.554
DBLSMM	0.631	0.0143	10.1	0.437
Double-Weight	0.613	0.015	13.3	0.5
LDpred	0.642	0.0149	6.35	0.699
prsCS	0.662	0.0146	2.09	0.188
WC-Lasso	0.64	0.0153	8.09	0.586
WC-Likelihood	0.612	0.0159	13.2	0.377
Tweedie	0.647	0.0153	6.43	0.411
WC-2D	0.651	0.0143	5.17	0.513
SBLUP	0.629	0.0151	9.22	0.44
lassosum	0.659	0.0152	2.74	0.463
JAMPred	0.612	0.0155	12.8	0.469
LDpred2	0.654	0.0161	4.64	0.743

Supplementary Table S33. The mean concordance and rank as determined by the concordance across all diseases for each polygenic risk score generative method

Method	OR Mean	OR SE	OR Rank Mean	OR Rank SE
SBayesR	9.41	2.34	7.52	0.558
SMTpred	6.3	1.41	11.4	0.719
Clump	10	2.41	5.57	0.407
DBLSMM	8.72	2.21	9.17	0.585
Double-Weight	7.23	1.93	13	0.295
LDpred	9.87	2.52	5.83	0.836
prsCS	10.5	2.4	3	0.559
WC-Lasso	8.9	2.17	8.22	0.644
WC-Likelihood	7.69	2.06	13	0.557
Tweedie	9.72	2.23	5.83	0.375
WC-2D	9.51	2.13	6.39	0.612
SBLUP	8.78	2.32	8.91	0.632
lassosum	10.7	2.55	3.22	0.507
JAMPred	7.4	2.05	12.9	0.48
LDpred2	10.4	2.41	5.36	0.887

Supplementary Table S34. The mean odds ratio and rank as determined by the odds ratio across all diseases for each polygenic risk score generative method

Method	Cum. Hazard Mean	Cum. Hazard SE	Cum. Hazard Rank Mean	Cum. Hazard Rank SE
SBayesR	0.0422	0.00857	7.96	0.553
SMTpred	0.0369	0.00829	12	0.393
Clump	0.0448	0.00896	5.22	0.479
DBLSMM	0.0404	0.00814	9.65	0.564
Double-Weight	0.0352	0.00744	13.3	0.438
LDpred	0.0431	0.00875	6.52	0.665
prsCS	0.0482	0.00963	1.96	0.194
WC-Lasso	0.0414	0.00798	7.78	0.647
WC-Likelihood	0.035	0.00742	13.1	0.402
Tweedie	0.0442	0.0088	6.48	0.43
WC-2D	0.0443	0.00887	5.7	0.46
SBLUP	0.0401	0.00826	9.3	0.424
lassosum	0.0487	0.00973	2.43	0.426
JAMPred	0.0362	0.00761	12.9	0.457
LDpred2	0.0467	0.0096	4.95	0.763

Supplementary Table S35. The mean cumulative hazard and rank as determined by the cumulative across all diseases for each polygenic risk score generative method

Attribute	SMTpred	Clump	DBLSMM	SBayesR	Double-Weight	LDpred
PRS SNPs	0	0	0	1	0	0
PRS SNPs Rev.	0	1	0	0	0	2
PRS Dist. by Effect	1	3	2	1	1	0
PRS Dist. by Effect Rev.	1	3	2	1	1	0
PRS Dist. by Length	1	3	2	1	1	0
PRS Dist. by Length Rev.	1	3	2	1	1	0
GWAS SNPs <1e-6	0	0	0	0	0	0
GWAS SNPs <1e-6 Rev.	0	0	0	0	0	1
GWAS SNPs <1e-8	0	0	0	0	0	0
GWAS SNPs <1e-8 Rev.	0	0	0	0	0	1
GWAS Dist. by Length	0	0	0	0	0	2
GWAS Dist. by Length Rev.	0	0	0	0	0	0
GWAS Dist. by Effect	0	0	0	0	0	1
GWAS Dist. by Effect Rev.	0	0	0	0	0	1
GWAS Sample Size	0	0	0	0	0	0
GWAS Sample Size Rev.	0	0	0	0	0	1
GWAS SNPs	0	1	0	0	0	1
GWAS SNPs Rev.	0	0	0	0	0	1
GWAS Heritability	0	1	0	0	0	1
GWAS Heritability Rev.	0	0	0	0	0	0
UKBB CC Ratio	0	0	0	0	0	0
UKBB CC Ratio Rev.	0	0	0	0	0	1
GWAS CC Ratio	0	0	0	0	0	2
GWAS CC Ratio Rev.	0	0	0	0	0	1

Supplementary Table S36. The count of methods amongst the top ten AUCs weighted by the attribute listed. The best AUC for each disease and method combination was utilized for weighting and ranking.

Attribute	prsCS	WC-Lasso	WC-Like	Tweedie	WC-2D	SBLUP	lassosum	JAMPred	LDpred2
PRS SNPs	1	2	0	0	0	0	3	2	1
PRS SNPs Rev.	1	0	0	0	1	0	3	0	2
PRS Dist. by Effect	0	1	0	0	0	1	0	0	0
PRS Dist. by Effect Rev.	0	1	0	0	0	1	0	0	0
PRS Dist. by Length	0	1	0	0	0	1	0	0	0
PRS Dist. by Length Rev.	0	1	0	0	0	1	0	0	0
GWAS SNPs <1e-6	3	0	0	0	1	0	4	0	2
GWAS SNPs <1e-6 Rev.	3	0	0	0	1	0	4	0	1
GWAS SNPs <1e-8	3	0	0	0	1	0	4	0	2
GWAS SNPs <1e-8 Rev.	3	0	0	0	1	0	4	0	1
GWAS Dist. by Length	2	0	0	0	1	0	4	0	1
GWAS Dist. by Length Rev.	4	0	0	0	0	0	5	0	1
GWAS Dist. by Effect	4	0	0	0	0	0	4	0	1
GWAS Dist. by Effect Rev.	2	0	0	0	1	0	5	0	1
GWAS Sample Size	4	0	0	0	0	0	6	0	0
GWAS Sample Size Rev.	2	0	0	0	1	0	4	0	2
GWAS SNPs	3	0	0	0	1	0	4	0	0
GWAS SNPs Rev.	2	0	0	0	0	0	5	0	2
GWAS Heritability	2	0	0	0	1	0	4	0	1
GWAS Heritability Rev.	3	0	0	0	0	0	5	0	2
UKBB CC Ratio	3	0	0	0	0	0	7	0	0
UKBB CC Ratio Rev.	2	0	0	0	1	0	5	0	1
GWAS CC Ratio	2	0	0	0	1	0	4	0	1
GWAS CC Ratio Rev.	3	0	0	0	1	0	4	0	1

Supplementary Table S37. Continued from above. The count of methods amongst the top ten AUCs weighted by the attribute listed. The best AUC for each disease and method combination was utilized for weighting and ranking.

Disease	Variants in Best PRS
Lupus	16205
A. Fib.	987016
Asthma	69914
Celiac Disease	494401
Migraine	1074509
MS	16177
Vitiligo	403
Gout	21
Crohns Disease	20553
Ulcerative Colitis	45734
Type 2 Diabetes	4422
Stroke	162615
Breast Cancer	24433
NAFLD	403057
CAD	1079978
Rheumatoid Arthritis	396743
Type 1 Diabetes	44166
Ovarian Cancer	6129416
Prostate Cancer	15901
Heart Failure	548929
Psoriasis	8361
Depression	514903

Supplementary Table S38. The number of variants in each polygenic risk score used in the testing phase.

Disease	Q1	Q2	Q3	Q4
Lupus	0.108	0.164	0.234	0.494
A. Fib.	0.0187	0.0846	0.203	0.694
Asthma	0.0571	0.173	0.28	0.491
Celiac Disease	0.00016	0.00853	0.122	0.869
Migraine	0.0329	0.117	0.233	0.617
MS	0.00528	0.0484	0.22	0.726
Vitiligo	0.126	0.199	0.291	0.385
Gout	0.0602	0.119	0.401	0.419
Crohns Disease	0.0521	0.161	0.269	0.518
Ulcerative Colitis	0.00389	0.0553	0.218	0.723
Type 2 Diabetes	0.0554	0.167	0.265	0.513
Stroke	0.0557	0.172	0.281	0.492
Breast Cancer	0.0432	0.15	0.259	0.548
NAFLD	1.78e-06	0.000171	0.0145	0.985
CAD	0.0326	0.115	0.228	0.624
Rheumatoid Arthritis	0.00887	0.0319	0.0767	0.883
Type 1 Diabetes	0.0048	0.0235	0.0886	0.883
Ovarian Cancer	7.89e-07	0.00107	0.072	0.927
ALS	0.0131	0.101	0.218	0.669
Prostate Cancer	0.0397	0.136	0.244	0.58
Heart Failure	0.0519	0.167	0.28	0.501
Psoriasis	0.0289	0.0931	0.185	0.693
Depression	0.0454	0.139	0.247	0.569

Supplementary Table S39. For each disease the variants of the polygenic risk score used in the testing phase were ordered by absolute effect, and split into four groups such that the sum of effects in each group were equal. The size of each group, standardized such that the minimum was zero and maximum was one, were calculated.

Disease	Coding	UTR-5	Cardiovascular Cell Type	Adrenal/Pancreas Cell Type	H3K4me1 Peaks	Flanked Bivalent TSS	Ancient Human Enhancer
Lupus	0.0323	0.00564	0.0107	0.0141	0.0176	0.0215	0.0472
A. Fib.	0.0452	0.0346	0.028	0.0214	0.0193	0.0253	0.0156
Asthma	0.0307	0.0241	0.0178	0.0223	0.0167	0.0421	0.0362
Celiac Disease	0.0339	0.0539	0.0157	0.0136	0.0136	0.0161	0.0199
Migraine	0.0445	0.0316	0.0177	0.0238	0.0137	0.0169	0.0296
MS	0.0213	0.0319	0.0176	0.0146	0.0167	0.0169	0.0401
Vitiligo	0.0284	0.0189	0.0188	0.0237	0.0235	0.0304	0.033
Gout	0.115	0	0.00944	0	0.0104	0	0
Crohns Disease	0.0445	0.0284	0.0152	0.0177	0.0116	0.0277	0.0402
Ulcerative Colitis	0.0282	0.0199	0.0131	0.0151	0.0154	0.0152	0.0503
Type 2 Diabetes	0.0149	0.015	0.0264	0.032	0.0255	0.0272	0.0342
Stroke	0.0275	0.0216	0.0263	0.0257	0.0187	0.0452	0.0404
Breast Cancer	0.0296	0.0327	0.0215	0.0226	0.0175	0.04	0.0517
NAFLD	0.15	0.00206	0.0049	0.00682	0.0275	0.00414	0.0204
CAD	0.0439	0.028	0.0196	0.0226	0.0154	0.0207	0.0536
Rheumatoid Arthritis	0.0448	0.0468	0.00453	0.011	0.00978	0.0471	0.0467
Type 1 Diabetes	0.0589	0.0131	0.00918	0.0301	0.0219	0.0537	0.00826
Ovarian Cancer	0.00354	0.0123	0.0085	0.015	0.0126	0.0808	0.00329
ALS	0.0382	0.0337	0.0164	0.024	0.0187	0.0265	0.0258
Prostate Cancer	0.0342	0.0319	0.0164	0.0211	0.013	0.0395	0.0302
Heart Failure	0.0384	0.0237	0.0225	0.0248	0.0162	0.0551	0.0387
Psoriasis	0.0325	0.027	0.022	0.0252	0.0209	0.0286	0.016
Depression	0.0398	0.0131	0.0212	0.0225	0.0226	0.0643	0.0381

Supplementary Table S40. The functional annotation scores. Computed for each disease, with the variants of the polygenic risk score used in the testing phase identified as belonging to any of 44 functional annotation groups. The mean of the absolute effects of the variants in each group were calculated, and normalized such that the sum of resulting functional annotation weights for each disease summed to one.

Disease	H3K27ac Peaks	Ancient Human Promoter	Skeletal/Muscle Cell Type	Human Promoter	H3K4me3 Peaks	Repressed	Intron
Lupus	0.0193	0.0619	0.0139	0.031	0.0286	0.0232	0.0215
A. Fib.	0.0191	0.028	0.0248	0.0145	0.0206	0.00658	0.0178
Asthma	0.0173	0.0465	0.0233	0.0362	0.0252	0	0.00764
Celiac Disease	0.0153	0.0789	0.0166	0.0573	0.0183	0	0.0102
Migraine	0.0129	0.0892	0.02	0.0447	0.025	0	0.0109
MS	0.0179	0.0551	0.021	0.0408	0.0342	0	0.0117
Vitiligo	0.0251	0.0172	0.0202	0.0241	0.025	0.0334	0.0221
Gout	0.0167	0	0.0137	0	0.0544	0.0056	0.0391
Crohns Disease	0.0106	0.0365	0.0206	0.0214	0.0192	0	0.000691
Ulcerative Colitis	0.0177	0.0467	0.0181	0.0239	0.0294	0	0.00837
Type 2 Diabetes	0.0216	0.0269	0.0229	0.0316	0.0148	0	0.00765
Stroke	0.018	0.0456	0.0288	0.0298	0.022	0	0.00841
Breast Cancer	0.0167	0.0475	0.024	0.0282	0.0218	0	0.00767
NAFLD	0.0162	0.00567	0.0044	0.00214	0.00186	0.00423	0.00333
CAD	0.0159	0.0348	0.0213	0.0354	0.0247	0	0.0106
Rheumatoid Arthritis	0.00984	0.0938	0.01	0.0538	0.022	0.0011	0.0014
Type 1 Diabetes	0.02	0.005	0.0151	0.013	0.0283	0	0.00966
Ovarian Cancer	0.0145	0.0631	0.0167	0.0207	0.0264	0.00274	0.0145
ALS	0.0157	0.0526	0.0205	0.0378	0.0174	0	0.0172
Prostate Cancer	0.0144	0.0803	0.0184	0.0455	0.0186	0	0.00603
Heart Failure	0.0187	0.0409	0.0279	0.0279	0.0204	0	0.00736
Psoriasis	0.0195	0.0528	0.0198	0.0373	0.0283	0.0273	0.0191
Depression	0.0177	0.0405	0.0219	0.00992	0.0277	0.00877	0.00626

Supplementary Table S41. Functional annotation weights, continued

Disease	Dnase I Hyper Peak	Human Enhancer	Promoter- ExAC	UTR-3	Enhancer-1	H3K27ac	Transcribed
Lupus	0.0122	0.013	0.0159	0.0161	0.0449	0.0211	0.0232
A. Fib.	0.0182	0.0172	0.0396	0.0221	0	0.0188	0.0208
Asthma	0.015	0.0331	0.0221	0.0301	0.0379	0.0193	0.00796
Celiac Disease	0.0155	0.0282	0.0148	0.021	0.0545	0.0189	0.0114
Migraine	0.0119	0.0141	0.0756	0.0321	0.0125	0.0149	0.0102
MS	0.0118	0.036	0.0164	0.0104	0.0249	0.0206	0.014
Vitiligo	0.0205	0.014	NA	0.0142	0	0.0201	0.026
Gout	0.0335	0	0	0	0	0.0162	0.0461
Crohns Disease	0.0199	0.0255	0.0519	0.0235	0.0943	0.0126	0.00462
Ulcerative Colitis	0.0197	0.0393	0.0292	0.0204	0.0738	0.0172	0.0129
Type 2 Diabetes	0.019	0.0247	0.0607	0.0225	NA	0.0255	0.0207
Stroke	0.0171	0.0273	0.0338	0.0238	0.0271	0.0194	0.00428
Breast Cancer	0.016	0.0322	0.0424	0.0173	0.0263	0.018	0.00702
NAFLD	0.00451	0.0107	0.0107	0.228	0.00087	0.0211	0.0169
CAD	0.0154	0.0297	0.0296	0.036	0.0367	0.0182	0.0151
Rheumatoid Arthritis	0.00934	0.0277	0.0309	0.0295	0.0547	0.0124	0
Type 1 Diabetes	0.0104	0.023	0.0369	0.0331	0.0113	0.0255	0.0112
Ovarian Cancer	0.0208	0.00408	0.0713	0	0.00675	0.0116	0.0112
ALS	0.0134	0.0146	0.0593	0.0356	0.00935	0.0147	0.0187
Prostate Cancer	0.0129	0.0195	0.0889	0.0246	0.0263	0.0153	0.00799
Heart Failure	0.014	0.0283	0.0227	0.0233	0.0273	0.0186	0.00238
Psoriasis	0.0193	0.016	0	0.0212	0.0229	0.019	0.0186
Depression	0.018	0.0189	0.0219	0.0336	0.0165	0.019	0

Supplementary Table S42. Functional annotation weights, continued

Disease	Conserved Vertebrate	Dnase I Hyper	Promoter Flanking	Super Enhancer	Dnase I Hypersensitive-Fetal	Other Cell Type	Weak Enhancer
Lupus	0.0302	0.0136	0	0.0248	0.014	0.0185	0.0073
A. Fib.	0.0372	0.0163	0.0261	0.0207	0.0197	0.0207	0.02
Asthma	0.0123	0.0136	0.0227	0.0275	0.0154	0.0188	0.0258
Celiac Disease	0.00421	0.0137	0.0455	0.0287	0.0175	0.0139	0.00966
Migraine	0.0207	0.0125	0.0114	0.0169	0.0151	0.0143	0.0135
MS	0.00989	0.0134	0.0267	0.0292	0.0158	0.0185	0.00919
Vitiligo	0.0269	0.0224	0.0492	0.0204	0.0189	0.018	0.0319
Gout	0.055	0.0244	0	0	0.0131	0.00871	0.0357
Crohns Disease	0.0324	0.0162	0.000153	0.0133	0.0185	0.0171	0.0262
Ulcerative Colitis	0.0265	0.0178	0.00652	0.0205	0.0214	0.0179	0.0242
Type 2 Diabetes	0.0198	0.0176	0.0127	0.0279	0.0168	0.0205	0.0327
Stroke	0.0179	0.0155	0.00886	0.0279	0.0195	0.0208	0.03
Breast Cancer	0.019	0.0151	0.0123	0.0267	0.0163	0.0195	0.0194
NAFLD	0.00278	0.0262	0.0192	0.00588	0.00485	0.0256	0.00303
CAD	0.0248	0.0145	0.0135	0.0214	0.016	0.019	0.0192
Rheumatoid Arthritis	0.0103	0.00736	0.016	0.0161	0.0114	0.0138	0.0174
Type 1 Diabetes	0.026	0.0115	0.0322	0.0393	0.00612	0.0242	0.0104
Ovarian Cancer	0.023	0.0152	0.00823	0.0108	0.0219	0.0118	0.0163
ALS	0.0272	0.0125	0.0216	0.0186	0.0139	0.0178	0.0202
Prostate Cancer	0.0184	0.0122	0.0185	0.0197	0.0168	0.0153	0.0129
Heart Failure	0.0251	0.0118	0.00537	0.0294	0.0176	0.0183	0.0258
Psoriasis	0.0196	0.0197	0.0229	0.0163	0.0204	0.0205	0.02
Depression	0.0371	0.0184	0.0194	0.0175	0.0203	0.0175	0.0242

Supplementary Table S43. Functional annotation weights, continued

Disease	Promoter	Liver Cell Type	Conserved Primate	Conserved	H3K9ac Peaks	TSS	Kidney Cell Type
Lupus	0.0346	0.0131	0.0274	0.0371	0.0173	0.0583	0.012
A. Fib.	0.0194	0.0209	0.0469	0.0426	0.0226	0.019	0.0167
Asthma	0.0275	0.0236	0.0151	0.0141	0.0267	0.0429	0.0238
Celiac Disease	0.0191	0.0221	0.0107	0.00537	0.0219	0.0739	0.0324
Migraine	0.0183	0.0185	0.0327	0.0284	0.0206	0.0358	0.0237
MS	0.0368	0.0229	0.014	0.0123	0.0397	0.0631	0.0307
Vitiligo	0.0241	0.0105	0.0359	0.0294	0.0245	0.0245	0.018
Gout	0.115	0.00389	0.0742	0.0576	0.0119	0	0.0471
Crohns Disease	0.0174	0.0197	0.0333	0.0383	0.0197	0.0243	0.021
Ulcerative Colitis	0.0209	0.0215	0.0261	0.0258	0.0228	0.0299	0.0226
Type 2 Diabetes	0.0115	0.0296	0.0209	0.0191	0.0272	0.03	0.0259
Stroke	0.0182	0.0231	0.0241	0.0233	0.0259	0.0259	0.031
Breast Cancer	0.0179	0.0234	0.0247	0.0187	0.0269	0.0319	0.0313
NAFLD	0.00164	0.0677	0.00305	0.1	0.00414	0.00258	0.11
CAD	0.0177	0.0274	0.0252	0.0237	0.0242	0.0308	0.0255
Rheumatoid Arthritis	0.0463	0.0155	0.0103	0.00662	0.0201	0.0709	0.0262
Type 1 Diabetes	0.0614	0.0291	0.038	0.0296	0.016	0.0288	0.0151
Ovarian Cancer	0.0432	0.0231	0.0277	0.0236	0.0196	0.0684	0.0282
ALS	0.0253	0.0191	0.0362	0.032	0.0284	0.022	0.0273
Prostate Cancer	0.0198	0.0232	0.0258	0.0212	0.0201	0.0344	0.0285
Heart Failure	0.024	0.0183	0.0327	0.0256	0.0263	0.0344	0.0251
Psoriasis	0.036	0.0219	0.0208	0.0186	0.0252	0.0371	0.0295
Depression	0.00506	0.0102	0.0392	0.0392	0.0286	0.0226	0.0161

Supplementary Table S44. Functional annotation weights, continued

Disease	Hematopoietic Cell Type	TFBS	Enhancer-2	Dispersed Gene Family	GI Cell Type	Conserved Mammal
Lupus	0.0245	0.0252	0.0162	0.0207	0.0167	0.0364
A. Fib.	0.017	0.0196	0.0206	0.0138	0.0219	0.0402
Asthma	0.0227	0.0197	0.0313	0.0178	0.021	0.0139
Celiac Disease	0.0225	0.0222	0.0269	0.0205	0.0181	0.00534
Migraine	0.0126	0.016	0.019	0.0148	0.0162	0.0274
MS	0.0295	0.0251	0.0201	0.0161	0.0217	0.0177
Vitiligo	0.0237	0.0233	0.0156	0.025	0.0156	0.0258
Gout	0.0193	0.0128	0	0.0276	0.00981	0.0657
Crohns Disease	0.0122	0.0203	0.0257	0.0177	0.0187	0.0374
Ulcerative Colitis	0.0196	0.0232	0.0311	0.0183	0.0238	0.0277
Type 2 Diabetes	0.0224	0.026	0.033	0.0201	0.0265	0.0213
Stroke	0.0161	0.0176	0.0254	0.0164	0.0229	0.0224
Breast Cancer	0.0164	0.0203	0.0244	0.0166	0.0221	0.0211
NAFLD	0.0254	0.00341	0.00471	0.00367	0.00563	0.00101
CAD	0.0181	0.0153	0.0197	0.0156	0.0214	0.0266
Rheumatoid Arthritis	0.0199	0.0212	0.0226	0.0138	0.0144	0.0121
Type 1 Diabetes	0.0319	0.0209	0.0311	0.0269	0.0185	0.0341
Ovarian Cancer	0.0103	0.0223	0.0206	0.034	0.0176	0.0249
ALS	0.0149	0.0145	0.0155	0.0149	0.018	0.034
Prostate Cancer	0.0146	0.0152	0.0247	0.0123	0.017	0.02
Heart Failure	0.0172	0.0165	0.0257	0.0152	0.0209	0.0261
Psoriasis	0.0172	0.0212	0.0188	0.0212	0.0213	0.0206
Depression	0.0161	0.0204	0.0245	0.0152	0.0207	0.0399

Supplementary Table S45. Functional annotation weights, continued

Disease	Connective Bone Cell Type	CNS Cell Type	CTCF
Lupus	0.0202	0.0132	0.0237
A. Fib.	0.0223	0.0219	0.0164
Asthma	0.02	0.0174	0.0151
Celiac Disease	0.0187	0.0115	0.00802
Migraine	0.0209	0.019	0.0198
MS	0.023	0.0166	0.0141
Vitiligo	0.0257	0.0313	0.0207
Gout	0	0.0175	0.041
Crohns Disease	0.0171	0.0111	0.0155
Ulcerative Colitis	0.0168	0.0141	0.00706
Type 2 Diabetes	0.0293	0.0229	0.0125
Stroke	0.0217	0.0202	0.0147
Breast Cancer	0.0244	0.0171	0.0137
NAFLD	0.0015	0.0317	0
CAD	0.0237	0.0198	0.0101
Rheumatoid Arthritis	0.0169	0.00924	0.0146
Type 1 Diabetes	0.0139	0.0141	0.0031
Ovarian Cancer	0.0115	0.0104	0.0873
ALS	0.0192	0.0267	0.0102
Prostate Cancer	0.0188	0.0142	0.0114
Heart Failure	0.0186	0.0203	0.0207
Psoriasis	0.0231	0.0209	0.014
Depression	0.0208	0.0203	0.0244

Supplementary Table S46. Functional annotation weights, continued

Disease	SIFT	Polyphen2-HDIV	Polyphen2-HVAR	LRT
Lupus	0.114	0.103	0.0951	0.0926
A. Fib.	0.122	0.0986	0.09	0.0932
Asthma	0.116	0.102	0.094	0.0943
Celiac Disease	0.163	0.071	0.0384	0.0287
Migraine	0.116	0.102	0.0941	0.0934
MS	0.117	0.0975	0.0934	0.108
Vitiligo	0.0979	0.107	0.107	0.0958
Gout	0.113	0.121	0.109	0.0962
Crohns Disease	0.127	0.0947	0.087	0.0879
Ulcerative Colitis	0.117	0.109	0.104	0.0978
Type 2 Diabetes	0.115	0.108	0.1	0.0972
Stroke	0.117	0.107	0.101	0.0998
Breast Cancer	0.109	0.12	0.104	0.0912
NAFLD	0.114	0.0902	0.0825	0.09
CAD	0.115	0.109	0.102	0.0959
Rheumatoid Arthritis	0.114	0.0982	0.091	0.0869
Type 1 Diabetes	0.107	0.0287	0.0177	0.0407
Ovarian Cancer	0.101	0.0978	0.0924	0.1
ALS	0.109	0.107	0.1	0.0956
Prostate Cancer	0.115	0.11	0.101	0.0976
Heart Failure	0.109	0.109	0.103	0.0968
Psoriasis	0.104	0.101	0.0944	0.0961
Depression	0.115	0.103	0.0958	0.095

Supplementary Table S47. The deleterious weights. Computed for each disease, with the variants of the polygenic risk score used in the testing phase identified aligned to deleterious scores computed for 9 different methods. The sum of the product between each variant's absolute effect and the deleterious score of were calculated, divided by the total variants aligned to each deleterious score, and then normalized such that the sum of resulting deleterious weights for each disease summed to one.

Disease	MutationTaster	FATHMM	PROVEAN	VEST4	MVP
Lupus	0.154	0.193	0	0.0886	0.0794
A. Fib.	0.172	0.19	0	0.0851	0.074
Asthma	0.157	0.189	0	0.0886	0.0789
Celiac Disease	0.234	0.211	0.227	0.0252	0
Migraine	0.164	0.184	0	0.0885	0.0783
MS	0.166	0.16	0	0.0934	0.0811
Vitiligo	0.151	0.154	0	0.108	0.0879
Gout	0.098	0.165	0	0.103	0.0962
Crohns Disease	0.184	0.207	0	0.0802	0.0659
Ulcerative Colitis	0.146	0.153	0	0.0968	0.0877
Type 2 Diabetes	0.156	0.156	0	0.0958	0.0859
Stroke	0.164	0.144	0	0.0966	0.0848
Breast Cancer	0.159	0.169	0	0.0917	0.0785
NAFLD	0.18	0.229	0	0.0797	0.067
CAD	0.156	0.162	0	0.093	0.0834
Rheumatoid Arthritis	0.161	0.218	0	0.0847	0.0723
Type 1 Diabetes	0.198	0.471	0.108	0.0262	0
Ovarian Cancer	0.213	0.123	0	0.102	0.0863
ALS	0.157	0.164	0	0.0955	0.086
Prostate Cancer	0.146	0.15	0	0.101	0.0913
Heart Failure	0.156	0.151	0	0.0986	0.0894
Psoriasis	0.145	0.199	0	0.0924	0.085
Depression	0.162	0.177	0	0.09	0.0807

Supplementary Table S48. Deleterious weights continued