


Positives

A	B	C	D	E	F	G	H	I	J	K	L	M
	Ct _{RPP}			Ct _N			Ct _E			Ct _S		
Pool name	Individual	Pool	Ct difference	Individual	Pool	Ct difference	Individual	Pool	Ct difference	Individual	Pool	Ct difference
1P	29.62	29.94	0.32	13.39	14.52	1.13	14.94	16.19	1.24	15.31	16.66	1.34
2P	30.67	30.12	-0.55	17.24	18.21	0.97	17.99	19.05	1.06	17.77	18.82	1.05
3P	30.61	30.86	0.25	18.55	21.31	2.76	20.04	23.07	3.03	20.17	23.23	3.06
4P	31.02	30.11	-0.90	22.28	22.92	0.65	22.27	23.08	0.81	22.07	22.91	0.84
5P	31.22	31.23	0.01	17.15	18.43	1.29	18.22	19.50	1.27	18.54	19.91	1.37
6P	29.15	29.85	0.70	17.18	18.07	0.89	18.54	19.24	0.70	18.88	19.56	0.68
7P	29.99	31.25	1.26	17.05	18.92	1.87	19.17	20.93	1.76	19.53	21.63	2.10
8P	32.00	31.16	-0.84	22.00	22.81	0.81	23.00	24.44	1.44	23.30	24.68	1.38
9P	29.13	29.81	0.68	16.78	17.82	1.04	18.44	19.52	1.08	19.05	20.00	0.96
10P	29.02	28.40	-0.63	24.75	23.86	-0.89	25.29	24.85	-0.44	25.51	25.31	-0.20
11P	30.89	29.84	-1.05	15.28	15.23	-0.06	17.27	17.08	-0.20	17.78	17.49	-0.30
12P	30.88	30.53	-0.35	17.33	16.46	-0.87	18.76	17.89	-0.88	19.30	18.58	-0.71
13P	27.15	27.19	0.04	22.54	22.65	0.11	22.26	22.55	0.28	21.56	22.27	0.71
14P	31.85	31.05	-0.80	15.96	16.85	0.90	17.44	18.43	1.00	17.86	19.18	1.32
15P	30.25	30.34	0.08	15.27	16.42	1.16	16.31	18.03	1.72	16.54	18.30	1.76
16P	31.57	30.95	-0.62	20.15	19.36	-0.79	21.46	20.91	-0.55	22.22	21.34	-0.88
17P	29.94	29.95	0.02	20.48	20.58	0.10	21.76	22.05	0.29	22.11	22.22	0.11
18P	30.03	30.35	0.33	17.27	18.37	1.10	18.81	20.15	1.34	19.38	20.58	1.20
19P	29.23	30.37	1.14	16.83	17.99	1.15	17.94	19.47	1.54	17.89	19.71	1.82
20P	30.28	30.39	0.10	19.54	20.47	0.93	20.68	21.37	0.69	20.97	21.57	0.60
21P	31.28	29.13	-2.16	16.16	17.74	1.58	17.94	19.55	1.61	18.29	19.75	1.47
22P	30.00	30.81	0.81	29.20	29.40	0.20	28.80	29.74	0.94	29.00	29.99	0.99

Regression

A	B	C	D	E	F	G
	Ct _N		Ct _E		Ct _S	
Pool name	Individual	Pool	Individual	Pool	Individual	Pool
1P	13.39	14.52	14.94	16.19	15.31	16.66
2P	17.24	18.21	17.99	19.05	17.77	18.82
3P	18.55	21.31	20.04	23.07	20.17	23.23
4P	22.28	22.92	22.27	23.08	22.07	22.91
5P	17.15	18.43	18.22	19.50	18.54	19.91
6P	17.18	18.07	18.54	19.24	18.88	19.56
7P	17.05	18.92	19.17	20.93	19.53	21.63
8P	22.00	22.81	23.00	24.44	23.30	24.68
9P	16.78	17.82	18.44	19.52	19.05	20.00
10P	24.75	23.86	25.29	24.85	25.51	25.31
11P	15.28	15.23	17.27	17.08	17.78	17.49
12P	17.33	16.46	18.76	17.89	19.30	18.58
13P	22.54	22.65	22.26	22.55	21.56	22.27
14P	15.96	16.85	17.44	18.43	17.86	19.18
15P	15.27	16.42	16.31	18.03	16.54	18.30
16P	20.15	19.36	21.46	20.91	22.22	21.34
17P	20.48	20.58	21.76	22.05	22.11	22.22
18P	17.27	18.37	18.81	20.15	19.38	20.58
19P	16.83	17.99	17.94	19.47	17.89	19.71
20P	19.54	20.47	20.68	21.37	20.97	21.57
21P	16.16	17.74	17.94	19.55	18.29	19.75
22P	29.20	29.40	28.80	29.74	29.00	29.99



	LOD	Pool		LOD	Individual	
		95% CI low	95% CI up		95% CI low	95% CI upper
N	37.29	36.91	37.67	38.54	38.12	38.97
E	37.29	36.91	37.67	37.61	37.20	38.02
S	37.29	36.91	37.67	37.72	37.30	38.13

For a pool which is at the limit of detection, the individual sample would have had a Ct around 38.54 for N2 based on the regression analysis. Near the limit of detection, the regression analysis indicated this slight increase in Ct due to pooling when

n=2, this is likely due to little change in Cts due to pooling two samples.