

**Supplement to:**  
**SARS-CoV-2 antibody prevalence and determinants**  
**of six ethnic groups living in Amsterdam, the Netherlands:**  
**a population-based cross-sectional study, June-October 2020**

**Authors**

Liza Coyer, Anders Boyd, Janke Schinkel, Charles Agyemang, Henrike Galenkamp, Anitra D M Koopman, Tjalling Leenstra, Eric P Moll van Charante, Bert-Jan H van den Born, Anja Lok, Arnoud Verhoeff, Aeilko H Zwinderman, Suzanne Jurriaans, Lonneke A van Vught, Karien Stronks, Maria Prins

<b>Content</b>	<b>Page</b>
Information on seroprevalence estimation corrected for sampling, post-stratification and adjusting for differences in age, sex and calendar time between ethnic groups.	2
Table S1. Characteristics of three inclusion groups (invited and included in SARS-CoV-2 serological study invited not included not invited) within the HELIUS population (N=16889), Amsterdam, the Netherlands, 24 June - 9 October 2020	3
Figure S1 Inclusion numbers and test results per month by ethnicity, Amsterdam, the Netherlands, 24 June - 9 October 2020	5
Figure S2 Distribution of qualitative signal-to-cutoff (S/CO) ratios for positive test results (N=226) by ethnicity, Amsterdam, the Netherlands, 24 June - 9 October 2020	6
<i>Univariable analysis of potential determinants of SARS-CoV-2 seropositivity:</i>	
Table S2: in Dutch participants	7
Table S3: in South-Asian Surinamese participants	10
Table S4: in African Surinamese participants	12
Table S5: in Ghanaian participants	16
Table S6: in Turkish participants	19
Table S7: in Moroccan participants	22

**Information on seroprevalence estimation corrected for sampling, post-stratification and adjusting for differences in age, sex and calendar time between ethnic groups.**

For sampling, the probability of being invited for the COVID-19 substudy (as the proportion of participants invited among those in active follow-up in the parent study) was calculated, as was the conditional probability of participating in the COVID-19 substudy (given the participant's ethnicity, age, educational level, working status and health literacy). The product of the two probabilities was taken and the inverse of this result, standardized to one, was used as a sampling weight. For post-stratification, a weight was assigned corresponding to the proportion representing the Amsterdam population of each stratum of age (20-44, 45-54, 55-59, 60-79 years), sex (male, female) and ethnicity (Surinamese, Ghanaian, Moroccan, Turkish, Dutch). Sampling and post-stratification weights were placed in a multivariable logistic regression model with covariates ethnicity, age, sex, and calendar time. Given the weighting scheme of this study, variance was calculated with the designed-based Taylor series linearization method using the 'svy' commands in STATA. Differences between ethnic groups were tested in the model using the Wald  $\chi^2$  test.

**Table S1. Characteristics of three inclusion groups (invited and included in COVID-19 study invited not included not invited) within the HELIUS population (N=16889), Amsterdam, the Netherlands, 24 June - 9 October 2020**

To identify potential selection bias among HELIUS participants who were still in active follow-up, demographic, socio-economic factors and access to health care indicators were compared between those who were invited versus not invited for the COVID-19 substudy. To assess the reasons for nonresponse among invited HELIUS participants, these variables were also compared between those who participated versus not participated in the COVID-19 substudy. Pearson's  $\chi^2$  or Fisher exact test were used for categorical data and Kruskal-Wallis rank test for continuous variables.


Characteristic	All HELIUS participants in follow-up <sup>a</sup> (N= 16889)	Invited included (n=2497)	Invited not included (n=8583)	Not invited (n=5809)	Invited and included vs. invited not included	Invited (included and not included) vs. not invited
	n (%)	n (%)	n (%)	n (%)	P-value	P-value
<b>Ethnicity</b>					<0.001	<0.001
Dutch	3029 (17.9%)	503 (20.1%)	506 (5.9%)	2020 (34.8%)		
South-Asian Surinamese	2328 (13.8%)	453 (18.1%)	1088 (12.7%)	787 (13.5%)		
African Surinamese	2895 (17.1%)	407 (16.3%)	1103 (12.9%)	1385 (23.8%)		
Ghanaian	2166 (12.8%)	331 (13.3%)	1832 (21.3%)	3 (0.1%)		
Turkish	3071 (18.2%)	409 (16.4%)	2162 (25.2%)	500 (8.6%)		
Moroccan	3400 (20.1%)	394 (15.8%)	1892 (22.0%)	1114 (19.2%)		
<b>Sex</b>					0.095	0.94
Male	7077 (41.9%)	1083 (43.4%)	3562 (41.5%)	2432 (41.9%)		
Female	9812 (58.1%)	1414 (56.6%)	5021 (58.5%)	3377 (58.1%)		
<b>Age in years on 1 January 2020</b>					<0.001	<0.001
Median [IQR]	52 [41-61]	54 [44-61]	51 [39-59]	54 [42-63]		
<b>Migration generation</b>					<0.001	<0.001
N.A. (Dutch group)	3029 (17.9%)	503 (20.1%)	506 (5.9%)	2020 (34.8%)		
1 <sup>st</sup>	10978 (65.0%)	1656 (66.3%)	6339 (73.9%)	2983 (51.4%)		
2 <sup>nd</sup>	2882 (17.1%)	338 (13.5%)	1738 (20.2%)	806 (13.9%)		
<b>City district<sup>b</sup></b>					<0.001	<0.001
Centre	783 (4.6%)	142 (5.7%)	222 (2.6%)	419 (7.2%)		
East	2550 (15.1%)	421 (16.9%)	1302 (15.2%)	827 (14.2%)		
West	2361 (14.0%)	297 (11.9%)	1205 (14.0%)	859 (14.8%)		
South	1382 (8.2%)	248 (9.9%)	524 (6.1%)	610 (10.5%)		
New-West	4893 (29.0%)	603 (24.1%)	2571 (30.0%)	1719 (29.6%)		
Southeast	4803 (28.4%)	765 (30.6%)	2722 (31.7%)	1316 (22.7%)		
Other	16 (0.1%)	3 (0.1%)	7 (0.1%)	6 (0.1%)		
Missing	101 (0.6%)	18 (0.7%)	30 (0.3%)	53 (0.9%)		
<b>Educational level<sup>b</sup></b>					<0.001	<0.001
No school/elementary school	3286 (19.5%)	327 (13.1%)	2175 (25.3%)	784 (13.5%)		
Lower vocational/ lower secondary school	4324 (25.6%)	612 (24.5%)	2358 (27.5%)	1354 (23.3%)		
Intermediary vocational/ intermediary secondary school	4715 (27.9%)	700 (28.0%)	2393 (27.9%)	1622 (27.9%)		

Higher vocational/university	3993 (23.6%)	792 (31.7%)	1243 (14.5%)	1958 (33.7%)		
Missing	571 (3.4%)	66 (2.6%)	414 (4.8%)	91 (1.6%)		
<b>Labor participation<sup>b</sup></b>					<0.001	<0.001
Employed	9585 (56.8%)	1659 (66.4%)	4274 (49.8%)	3652 (62.9%)		
Not in workforce	2992 (17.7%)	309 (12.4%)	1645 (19.2%)	1038 (17.9%)		
Unemployed/on benefits	2372 (14.0%)	300 (12.0%)	1416 (16.5%)	656 (11.3%)		
Disabled	1309 (7.8%)	151 (6.0%)	792 (9.2%)	366 (6.3%)		
Missing	631 (3.7%)	130 (3.1%)	774 (8.7%)	154 (2.7%)		
<b>Occupational level<sup>b</sup></b>					<0.001	<0.001
Elementary occupations	2454 (14.5%)	323 (12.9%)	1739 (20.3%)	392 (6.7%)		
Lower occupations	4177 (24.7%)	537 (21.5%)	2280 (26.6%)	1360 (23.4%)		
Intermediary occupations	3549 (21.0%)	599 (24.0%)	1515 (17.7%)	1435 (24.7%)		
Higher occupations	2565 (15.2%)	500 (20.0%)	783 (9.1%)	1282 (22.1%)		
Scientific occupations	928 (5.5%)	202 (8.1%)	223 (2.6%)	503 (8.7%)		
Missing	3216 (19.0%)	336 (13.5%)	2043 (23.8%)	837 (14.4%)		
<b>Difficulty with Dutch language<sup>b</sup></b>					<0.001	<0.001
N.A. (Dutch group)	3029 (17.9%)	503 (20.1%)	506 (5.9%)	2020 (34.8%)		
No	7467 (44.2%)	1148 (46.0%)	3751 (43.7%)	2568 (44.2%)		
Yes	5891 (34.9%)	782 (31.3%)	3950 (46.0%)	1159 (20.0%)		
Missing	502 (3.0%)	64 (2.6%)	376 (4.4%)	62 (1.1%)		
<b>Difficulty with Dutch language<sup>b</sup> (excluding Dutch group)</b>					<0.001	<0.001
No	7467 (53.9%)	1148 (57.6%)	3751 (46.4%)	2568 (67.8%)		
Yes	5891 (42.5%)	782 (39.2%)	3950 (48.9%)	1159 (30.6%)		
Missing	502 (3.6%)	64 (3.2%)	376 (4.7%)	62 (1.6%)		
<b>Health literacy (SBSQ)<sup>b</sup></b>					<0.001	<0.001
Adequate	5329 (31.6%)	971 (38.9%)	2058 (24.0%)	2300 (39.6%)		
Low	1927 (11.4%)	265 (10.6%)	1110 (12.9%)	552 (9.5%)		
Missing	9633 (57.0%)	1261 (50.5%)	5415 (63.1%)	2957 (50.9%)		

**Abbreviations:** HELIUS Healthy Life in an Urban Setting; IQR interquartile range; N.A. not applicable; SBSQ Set of Brief Screening Question

<sup>a</sup> Excluding participants not belonging to one of the six ethnic groups included in the COVID-19 study <sup>b</sup> Measured at baseline (2011-2015)

**Figure S1 Inclusion numbers and test results per month by ethnicity, Amsterdam, the Netherlands, 24 June - 9 October 2020**



The left side of the graph shows the number of individuals included in the substudy per month by ethnic group. The right side of the graph shows the distribution of test results per inclusion month by ethnic group, excluding people without a test result ( $n=14$ ) or equivocal test result ( $n=8$ ).

We tested whether the seroprevalence changed over months in survey-weighted logistic regression models per ethnic group. Odds of a positive test did not change in the Dutch ( $P=0.91$ ), Ghanaian ( $P=0.33$ ), Turkish ( $P=0.67$ ) and Moroccan groups ( $P=0.33$ ), but increased in the South-Asian Surinamese group (OR=1.87 per month increase, 95%CI=1.12-3.12,  $P=0.016$ ) and decreased in the African Surinamese group (OR=0.56 per month increase, 95%CI=0.34-0.94,  $P=0.028$ ).

Figure S2 Distribution of signal-to-cutoff (S/CO) ratios for positive test results (N=226) by ethnicity, Amsterdam, the Netherlands, 24 June - 9 October 2020



Kruskall Wallis test for difference between ethnic groups:  $P=0.50$

**Table S2. Univariable analysis of potential determinants of SARS-CoV-2 seropositivity in Dutch participants, Amsterdam, the Netherlands, 24 June - 9 October 2020**

Characteristic	Number per category	Number with antibodies (%)	OR (95% CI) <sup>a</sup>	P-value
<b>Sex</b>				0.26
Male	234	10 (4.3%)	1	
Female	264	15 (5.7%)	1.79 (0.65-4.88)	
<b>Per year increase in age in years on 1 January 2020<sup>c</sup></b>			0.97 (0.93-1.00)	0.087
<b>Migration generation</b>				
1 <sup>st</sup>	N.A.	N.A.		
2 <sup>nd</sup>	N.A.	N.A.		
<b>Month of study visit<sup>b</sup></b>				0.55
June	84	8 (9.5%)	1	
July	262	14 (5.3%)	0.78 (0.26-2.33)	
August	108	2 (1.9%)	0.32 (0.06-1.63)	
September	39	1 (2.6%)	0.46 (0.05-4.07)	
October	5	0 (0%)	Omitted	
<b>City district<sup>c</sup></b>				0.88
Centre	86	7 (8.1%)	1	
East	99	2 (2.0%)	1.11 (0.21-5.92)	
West	89	5 (5.6%)	1.11 (0.27-4.63)	
South	112	8 (7.1%)	1.78 (0.58-5.49)	
New-West	44	3 (6.8%)	1.64 (0.30-8.85)	
Southeast	63	0 (0%)	Omitted	
Other	1	0 (0%)	Omitted	
<b>Has obesity (BMI<math>\geq</math>30.0)<sup>c</sup></b>				0.66
No	442	22 (5.0%)	1	
Yes	51	3 (5.9%)	0.75 (0.21-2.72)	
<b>Educational level<sup>c</sup></b>				0.32
No school/elementary school	10	0 (0%)	Omitted	
Lower vocational/ lower secondary school	53	0 (0%)	Omitted	
Intermediary vocational/ intermediary secondary school	99	1 (1.0%)	1	
Higher vocational/university	335	24 (7.2%)	2.78 (0.37-20.97)	
Missing	1	0 (0%)	Omitted	
<b>Labor participation<sup>c</sup></b>				0.19
Employed	377	19 (5.0%)	1	
Not in workforce	88	6 (6.8%)	2.12 (0.69-6.55)	
Unemployed/on benefits	21	0 (0%)	Omitted	
Disabled	11	0 (0%)	Omitted	
Unknown/missing	1	0 (0%)	Omitted	
<b>Elementary occupation<sup>c</sup></b>				0.20
No	467	23 (4.9%)	1	
Yes	4	0 (0%)	Omitted	
Missing	27	2 (7.4)	2.71 (0.58-12.64)	
<b>Health literacy (SBSQ)<sup>c</sup></b>				
Adequate	495	25 (5.1%)	Omitted	
Low	3	0 (0%)	Omitted	
<b>Job setting<sup>b,e</sup></b>				
No job / caretaker only	115	2 (1.7%)	1	

Job with no contact within 1.5 meter	96	3 (3.1%)	3.40 (0.44-25.99)	
Other job with contact within 1.5 meter	142	10 (7.0%)	6.22 (1.25-30.86)	
Child care/schools/higher education	62	4 (6.5%)	8.23 (1.26-53.64)	
Bar/restaurant	12	1 (8.3%)	2.51 (0.20-32.41)	
Hospital/long-term care facility/Care worker elsewhere	71	5 (7.0%)	8.51 (1.37-52.99)	
<b>Caretaker<sup>b</sup></b>				0.46
No	424	20 (4.7%)	1	
Yes	74	5 (6.8)	1.68 (0.43-6.6)	
<b>Number of people in household<sup>c</sup></b>				0.067
1 (Lives alone)	125	6 (4.8%)	1	
2	222	12 (5.4%)	0.61 (0.18-2.06)	
3	63	1 (1.6%)	0.07 (0.01-0.63)	
4	76	4 (5.3%)	0.56 (0.14-2.31)	
≥5	12	2 (16.7%)	3.45 (0.44-27.16)	
<b>Lives with other people<sup>b</sup></b>	375	20 (5.3%)	0.76 (0.22-2.61)	0.66
<b>Partner</b>	334	19 (5.7%)	0.79 (0.26-2.41)	0.68
<b>Children up to 3 years old</b>	38	1 (2.6%)	0.36 (0.05-2.85)	0.33
<b>Children 4 through 12 years old</b>	55	2 (3.6%)	0.52 (0.11-2.43)	0.41
<b>Children 13 through 17 years old</b>	31	0 (0%)	Omitted	
<b>Children 18+ years old</b>	50	1 (2.0%)	0.23 (0.03-1.77)	0.16
<b>Parents or parents-in-law</b>	4	0 (0%)	Omitted	
<b>Other adults</b>	18	1 (5.6%)	2.17 (0.26-18.01)	0.47
<b>Household member/steady partner with suspected infection<sup>b</sup></b>				0.001
N.A./No	440	12 (2.7%)	1	
Yes	53	13 (24.5%)	6.26 (2.16-18.13)	
<b>Number of times left home in the past week<sup>b,d</sup></b>				0.19
0-7	59	1 (1.7%)	1	
8-11	81	4 (4.9%)	4.22 (0.42-42.42)	
12-16	140	6 (4.3%)	4.51 (0.44-46.04)	
17+	218	14 (6.4%)	8.42 (1.07-66.63)	
<b>In the past week, left home to<sup>b</sup>:</b>				
<b>Work</b>	237	16 (6.8%)	1.72 (0.60-4.93)	0.32
<b>Do groceries</b>	473	23 (4.9%)	1.64 (0.35-7.72)	0.53
<b>Visit family or friends</b>	335	20 (6.0%)	1.68 (0.48-5.93)	0.42
<b>Walk the dog or go outside with kids</b>	125	8 (6.4%)	1.34 (0.46-3.85)	0.59
<b>Walk or exercise outside</b>	396	19 (4.8%)	1.01 (0.30-3.39)	0.99
<b>Take care of someone</b>	75	6 (8.0%)	1.12 (0.39-3.20)	0.83
<b>Pick up prescription medicines or visit</b>	99	10 (10.1%)	3.97 (1.38-11.43)	0.01
<b>Attend religious service</b>	5	0 (0%)	Omitted	
<b>Visit cultural place</b>	80	5 (6.3%)	1.24 (0.38-4.02)	0.72
<b>Visit bar or restaurant</b>	279	15 (5.4%)	1.61 (0.59-4.35)	0.35
<b>Indoor sports</b>	63	4 (6.3%)	1.56 (0.40-6.11)	0.52
<b>Visit recreational park</b>	210	11 (5.2%)	1.01 (0.36-2.83)	0.98
<b>Frequency of using public transportation in the past week<sup>b</sup></b>				0.79
0 days	321	17 (5.3%)	1	
1-2 days	130	6 (4.6%)	0.64 (0.18-2.32)	
3-4 days	36	2 (5.6%)	0.84 (0.14-4.87)	
5-7 days	10	0 (0%)	Omitted	
<b>Number of unique visitors at home in the past week<sup>b</sup></b>				0.50



0	213	9 (4.2%)	1	
1	88	4 (4.5%)	1.21 (0.24-6.24)	
2-4	145	6 (4.1%)	0.72 (0.21-2.44)	
5+	49	6 (12.2%)	2.20 (0.56-8.71)	
<b>Travelled abroad in 2020<sup>b</sup></b>				0.021
No	259	8 (3.1%)	1	
Yes	239	17 (7.1%)	3.43 (1.21-9.75)	

**Abbreviations:** CI, confidence interval; HELIUS, Healthy Life in an Urban Setting; N.A., not applicable; OR, odds ratio  
<sup>a</sup> Those with an equivocal test result were excluded from this analysis <sup>b</sup> Measured at COVID-1 visit (2020) <sup>c</sup> Measured at baseline (2011-2015) <sup>d</sup> Quartiles <sup>e</sup> Presumed higher exposure categories had priority, i.e. if someone was working in a school and as a careworker, they were categorized as a health worker. Caretakers were not included as a category because many had other jobs.

In multivariable analysis, the distribution of educational level and labor participation were skewed to mostly one group and hence were not included. The following variables were removed as they were no longer significant in the multivariable model: dichotomized household size ( $P=0.80$ ), age (0.53), occupational level (0.36), number of times left home (0.40), living with child 18+ years old (0.19), job setting (0.12).

**Table S3. Univariable analysis of potential determinants of SARS-CoV-2 seropositivity in South-Asian Surinamese participants, Amsterdam, the Netherlands, 24 June - 9 October 2020**

Characteristic	Number per category	Number with antibodies (%)	OR (95% CI) <sup>a</sup>	P-value
<b>Sex</b>				0.84
Male	178	7 (3.9%)	1	
Female	273	15 (5.5%)	1.13 (0.34-3.77)	
<b>Per year increase in age in years on 1 January 2020<sup>c</sup></b>			0.98 (0.95-1.02)	0.44
<b>Migration generation</b>				0.36
1 <sup>st</sup>	368	17 (4.6%)	1	
2 <sup>nd</sup>	83	5 (6.0%)	1.68 (0.56-5.05)	
<b>Month of study visit<sup>b</sup></b>				0.16
June	44	0 (0%)	Omitted	
July	232	11 (4.7%)	1	
August	98	5 (5.1%)	1.79 (0.46-7.04)	
September	74	6 (8.1%)	3.22 (0.95-10.91)	
October	3	0 (0%)	Omitted	
<b>City district<sup>c</sup></b>				0.48
Centre	17	0 (0%)	Omitted	
East	53	2 (3.8%)	1	
West	6	0 (0%)	Omitted	
South	32	1 (3.1%)	1.05 (0.09-12.53)	
New-West	111	5 (4.5%)	1.43 (0.25-8.24)	
Southeast	228	14 (6.1%)	2.81 (0.56-14.10)	
Other	0	0 (0%)	Omitted	
<b>Has obesity (BMI<math>\geq</math>30.0)<sup>c</sup></b>				0.55
No	369	20 (5.4%)	1	
Yes	76	2 (2.6%)	0.58 (0.10-3.42)	
<b>Educational level<sup>c</sup></b>				0.62
No school/elementary school	55	2 (3.6%)	1	
Lower vocational/ lower secondary school	156	11 (7.1%)	2.64 (0.53-13.21)	
Intermediary vocational/ intermediary secondary school	136	5 (3.7%)	1.41 (0.22-9.14)	
Higher vocational/university	103	4 (3.9%)	2.06 (0.28-14.89)	
Missing	1	0 (0%)	Omitted	
<b>Labor participation<sup>c</sup></b>				0.53
Employed	306	16 (5.2%)	1	
Not in workforce	47	1 (2.1%)	0.84 (0.1-6.77)	
Unemployed/on benefits	53	3 (5.7%)	2.66 (0.56-12.59)	
Disabled	39	1 (2.6%)	0.55 (0.07-4.38)	
Unknown/missing	6	1 (16.7%)	3.43 (0.37-31.95)	
<b>Elementary occupation<sup>c</sup></b>				0.12
No	367	18 (4.9%)	1	
Yes	36	3 (8.3%)	1.19 (0.30-4.69)	
Missing	48	1 (2.1%)	0.12 (0.02-0.98)	
<b>Difficulty with Dutch language<sup>c</sup></b>				0.48
No	347	13 (3.7%)	1	
Yes	103	9 (8.7%)	1.45 (0.52-4.04)	
<b>Health literacy (SBSQ)<sup>c</sup></b>				0.94
Adequate	435	21 (4.8%)	1	

Low	16	1 (6.3%)	0.93 (0.11-7.8)	
<b>Job setting<sup>b,e</sup></b>				0.06
No job / caretaker only	144	5 (3.5%)	1	
Job with no contact within 1.5 meter	65	1 (1.5%)	0.27 (0.03-2.42)	
Other job with contact within 1.5 meter	153	12 (7.8%)	3.35 (0.99-11.32)	
Child care/schools/higher education	27	1 (3.7%)	1.19 (0.12-11.38)	
Bar/restaurant	10	1 (10.0%)	1.28 (0.12-13.30)	
Hospital/long-term care facility/Care worker elsewhere	50	2 (4.0%)	0.46 (0.08-2.61)	
<b>Caretaker<sup>b</sup></b>			0.27 (0.03-2.42)	
No	380	20 (5.3%)	3.35 (0.99-11.32)	
Yes	69	2 (2.9%)	1.19 (0.12-11.38)	
<b>Number of people in household<sup>c</sup></b>				0.02
1 (Lives alone)	98	1 (1.0%)	1	
2	126	7 (5.6%)	4.55 (0.53-39.15)	
3	102	10 (9.8%)	16.85 (1.99-142.58)	
4	77	3 (3.9%)	2.96 (0.30-29.11)	
≥5	44	1 (2.3%)	1.69 (0.10-28.05)	
<b>Lives with other people<sup>b</sup></b>	333	18 (5.4%)	1.91 (0.57-6.46)	0.29
<b>Partner</b>	224	13 (5.8%)	1.11 (0.35-3.47)	0.86
<b>Children up to 3 years old</b>	19	1 (5.3%)	0.91 (0.11-7.49)	0.93
<b>Children 4 through 12 years old</b>	51	0 (0%)	Omitted	
<b>Children 13 through 17 years old</b>	40	2 (5.0%)	0.68 (0.14-3.24)	0.63
<b>Children 18+ years old</b>	146	7 (4.8%)	0.85 (0.30-2.42)	0.76
<b>Parents or parents-in-law</b>	32	3 (9.4%)	2.03 (0.50-8.19)	0.32
<b>Other adults</b>	32	0 (0%)	Omitted	
<b>Household member/steady partner with suspected infection<sup>b</sup></b>				0.002
N.A./No	408	13 (3.2%)	1	
Yes	38	9 (23.7%)	7.05 (2.07-24.04)	
<b>Number of times left home in the past week<sup>b,d</sup></b>				0.02
0-7	144	9 (6.3%)	1	
8-11	134	9 (6.7%)	2.12 (0.64-6.98)	
12-16	102	2 (2.0%)	0.18 (0.04-0.94)	
17+	69	2 (2.9%)	0.49 (0.09-2.56)	
<b>In the past week, left home to<sup>b</sup>:</b>				
<b>Work</b>	195	9 (4.6%)	0.62 (0.19-2.09)	0.44
<b>Do groceries</b>	422	20 (4.7%)	1.28 (0.25-6.56)	0.77
<b>Visit family or friends</b>	247	12 (4.9%)	1.01 (0.34-3.03)	0.98
<b>Walk the dog or go outside with kids</b>	34	1 (2.9%)	0.55 (0.07-4.46)	0.58
<b>Walk or exercise outside</b>	266	12 (4.9%)	1.86 (0.68-5.03)	0.22
<b>Take care of someone</b>	63	1 (2.9)	0.23 (0.03-1.79)	0.16
<b>Pick up prescription medicines or visit</b>	120	12 (4.5%)	1.77 (0.57-5.54)	0.33
<b>Attend religious service</b>	20	1 (1.6%)	0.73 (0.09-6.09)	0.77
<b>Visit cultural place</b>	17	7 (5.8%)	0.89 (0.1-7.57)	0.91
<b>Visit bar or restaurant</b>	87	1 (5.0%)	0.48 (0.06-3.79)	0.49
<b>Indoor sports</b>	77	4 (5.2%)	1.26 (0.29-5.47)	0.75
<b>Visit recreational park</b>	66	3 (4.5%)	1.45 (0.31-6.76)	0.64
<b>Frequency of using public transportation in the past week<sup>b</sup></b>				0.95
0 days	316	16 (5.1%)	1	
1-2 days	76	3 (3.9%)	0.81 (0.20-3.26)	
3-4 days	29	0 (0%)	Omitted	

5-7 days	27	3 (11.1%)	1.06 (0.25-4.42)	
<b>Number of unique visitors at home in the past week<sup>b</sup></b>				0.27
0	217	12 (5.5%)	1	
1	80	2 (2.5%)	0.37 (0.07-1.92)	
2-4	119	6 (5.0%)	1.07 (0.31-3.68)	
5+	30	2 (6.7%)	3.68 (0.53-25.58)	
<b>Travelled abroad in 2020<sup>b</sup></b>				0.010
No	332	15 (4.5%)	1	
Yes	117	7 (6.0%)	4.06 (1.40-11.76)	

**Abbreviations:** CI, confidence interval; HELIUS, Healthy Life in an Urban Setting; OR, odds ratio

<sup>a</sup> Those with an equivocal test result were excluded from this analysis <sup>b</sup> Measured at COVID-1 visit (2020) <sup>c</sup> Measured at baseline (2011-2015) <sup>d</sup> Quartiles <sup>e</sup> Presumed higher exposure categories had priority, i.e. if someone was working in a school and as a careworker, they were categorized as a health worker. Caretakers were not included as a category because many had other jobs.

In multivariable analysis, the distribution of occupational level and number of times left home were skewed to mostly one group and hence were not included. The following variables were removed as they were no longer significant in the multivariable model: job setting ( $P=0.84$ ), leaving home to care for someone (0.32), else dichotomized household size (0.18).

**Table S4. Univariable analysis of potential determinants of SARS-CoV-2 seropositivity in African Surinamese participants, Amsterdam, the Netherlands, 24 June - 9 October 2020**

Characteristic	Number per category	Number with antibodies (%)	OR (95% CI) <sup>a</sup>	P-value
<b>Sex</b>				0.70
Male	163	7 (4.3%)	1	
Female	237	15 (6.3%)	0.76 (0.20-2.98)	
<b>Per year increase in age in years on 1 January 2020<sup>c</sup></b>			0.94 (0.88-1.00)	0.063
<b>Migration generation</b>				0.030
1 <sup>st</sup>			1	
2 <sup>nd</sup>			3.97 (1.11-14.28)	
<b>Month of study visit<sup>b</sup></b>				0.020
June	31	1 (3.2%)	1	
July	199	17 (8.5%)	4.80 (0.57-40.24)	
August	109	2 (1.8%)	0.35 (0.03-4.03)	
September	54	1 (1.9%)	0.83 (0.05-13.72)	
October	7	1 (14.3%)	3.42 (0.18-64.59)	
<b>City district<sup>c</sup></b>				0.50
Centre	15	1 (6.7%)	1	
East	81	5 (6.2%)	0.93 (0.10-8.7)	
West	34	1 (2.9%)	0.25 (0.02-4.36)	
South	28	1 (3.6%)	2.04 (0.12-35.25)	
New-West	49	3 (6.1%)	0.92 (0.09-9.58)	
Southeast	190	11 (5.8%)	2.04 (0.22-19.04)	
Other	1	0 (0%)	Omitted	
<b>Has obesity (BMI<math>\geq</math>30.0)<sup>c</sup></b>				0.88
No	312	15 (4.8%)	1	
Yes	87	7 (8.0%)	0.92 (0.3-2.81)	
<b>Educational level<sup>c</sup></b>				0.78
No school/elementary school	14	1 (7.1%)	1	
Lower vocational/ lower secondary school	118	7 (5.9%)	2.66 (0.24-28.99)	
Intermediary vocational/ intermediary secondary school	142	9 (6.3%)	1.54 (0.16-14.82)	
Higher vocational/university	124	5 (4.0%)	1.22 (0.12-12.53)	
Missing	2	0 (0%)	Omitted	
<b>Labor participation<sup>c</sup></b>				0.016
Employed	289	14 (4.8%)	1	
Not in workforce	37	4 (10.8%)	8.09 (1.85-35.42)	
Unemployed/on benefits	46	2 (4.3%)	0.41 (0.09-2.02)	
Disabled	24	2 (8.3%)	1.26 (0.25-6.47)	
Unknown/missing	3	0 (0%)	Omitted	
<b>Elementary occupation<sup>c</sup></b>				0.081
No	350	18 (5.1%)	1	
Yes	22	2 (9.1%)	1.83 (0.38-8.82)	
Missing	28	2 (7.1%)	6.64 (1.25-35.31)	
<b>Difficulty with Dutch language<sup>c</sup></b>				0.21
No	353	20 (5.7%)	1	
Yes	45	2 (4.4%)	0.36 (0.07-1.78)	
<b>Health literacy (SBSQ)<sup>c</sup></b>				0.98
Adequate	393	21 (5.3%)	1	
Low	7	1 (14.3%)	1.03 (0.10-10.43)	

<b>Job setting<sup>b,e</sup></b>				0.046
No job / caretaker only	117	5 (4.3%)	1	
Job with no contact within 1.5 meter	39	1 (2.6%)	0.21 (0.02-1.93)	
Other job with contact within 1.5 meter	130	7 (5.4%)	2.20 (0.48-10.06)	
Child care/schools/higher education	42	1 (2.4%)	0.31 (0.03-2.78)	
Bar/restaurant	11	0 (0%)	Omitted	
Hospital/long-term care facility/Care worker elsewhere	61	8 (13.1%)	3.09 (0.81-11.7)	
<b>Caretaker<sup>b</sup></b>				0.81
No	336	18 (5.4%)	1	
Yes	64	4 (6.3%)	0.85 (0.23-3.14)	
<b>Number of people in household<sup>c</sup></b>				
1 (Lives alone)	143	2 (1.4%)	1	0.039
2	88	7 (8.0%)	12.95 (2.21-76.01)	
3	75	5 (6.7%)	17.30 (2.45-122.24)	
4	63	5 (7.9%)	6.26 (1.11-35.42)	
≥5	26	3 (11.5%)	8.09 (1.19-55.04)	
<b>Lives with other people<sup>b</sup></b>	255	18 (7.1%)	2.19 (0.43-11.24)	0.35
<b>Partner</b>	163	11 (6.7%)	0.78 (0.23-2.66)	0.69
<b>Children up to 3 years old</b>	19	2 (10.5%)	2.09 (0.38-11.54)	0.40
<b>Children 4 through 12 years old</b>	44	1 (2.3%)	0.12 (0.01-0.95)	0.039
<b>Children 13 through 17 years old</b>	41	2 (4.9%)	0.32 (0.07-1.58)	0.16
<b>Children 18+ years old</b>	110	11 (10.0%)	1.22 (0.41-3.64)	0.72
<b>Parents or parents-in-law</b>	11	2 (18.2%)	1.63 (0.3-9.04)	0.57
<b>Other adults</b>	27	4 (14.8%)	9.34 (1.7-51.41)	0.010
<b>Household member/steady partner with suspected infection<sup>b</sup></b>				<0.001
N.A./No	367	11 (3.0%)	1	
Yes	33	11 (33.3%)	20.08 (4.98-80.9)	
<b>Number of times left home in the past week<sup>b,d</sup></b>				0.38
0-7	143	10 (7.0%)	1.52 (0.32-7.21)	
8-11	96	7 (7.3%)	0.40 (0.08-2.07)	
12-16	78	3 (3.8%)	0.34 (0.05-2.27)	
17+	83	2 (2.4%)	1.52 (0.32-7.21)	
<b>In the past week, left home to<sup>b</sup>:</b>				
<b>Work</b>	187	11 (5.9%)	2.51 (0.81-7.73)	0.11
<b>Do groceries</b>	364	17 (4.7%)	0.22 (0.05-1.00)	0.049
<b>Visit family or friends</b>	190	11 (5.8%)	2.53 (0.86-7.43)	0.092
<b>Walk the dog or go outside with kids</b>	58	2 (3.4%)	0.68 (0.13-3.55)	0.64
<b>Walk or exercise outside</b>	234	6 (2.6%)	0.08 (0.03-0.26)	<0.001
<b>Take care of someone</b>	51	2 (3.9%)	0.35 (0.07-1.74)	0.20
<b>Pick up prescription medicines or visit</b>	97	7 (7.2%)	0.90 (0.28-2.95)	0.86
<b>Attend religious services</b>	13	2 (15.4%)	1.26 (0.23-6.86)	0.79
<b>Visit cultural place</b>	16	1 (6.3%)	0.29 (0.03-2.49)	0.26
<b>Visit bar or restaurant</b>	88	3 (3.4%)	0.17 (0.05-0.67)	0.011
<b>Indoor sports</b>	51	2 (3.9%)	0.75 (0.15-3.72)	0.73
<b>Visit recreational park</b>	67	3 (4.5%)	0.65 (0.12-3.47)	0.61
<b>Frequency of using public transportation in the past week<sup>b</sup></b>				0.13
0 days	211	12 (5.7%)	1	
1-2 days	111	5 (4.5%)	0.29 (0.08-1.04)	
3-4 days	45	3 (6.7%)	0.44 (0.10-1.98)	
5-7 days	32	2 (6.3%)	1.88 (0.27-13.04)	

<b>Number of unique visitors at home in the past week <sup>b</sup></b>				0.029
0	189	10 (5.3%)	1	
1	81	3 (3.7%)	0.54 (0.13-2.20)	
2-4	97	6 (6.2%)	4.68 (1.32-16.65)	
5+	31	3 (9.7%)	2.86 (0.54-15.15)	
<b>Travelled abroad in 2020 <sup>b</sup></b>				0.12
No	269	12 (4.5%)	1	
Yes	129	10 (7.8%)	2.76 (0.77-9.89)	

**Abbreviations:** CI, confidence interval; HELIUS, Healthy Life in an Urban Setting; OR, odds ratio

<sup>a</sup> Those with an equivocal test result were excluded from this analysis <sup>b</sup> Measured at COVID-1 visit (2020) <sup>c</sup> Measured at baseline (2011-2015) <sup>d</sup> Quartiles <sup>e</sup> Presumed higher exposure categories had priority, i.e. if someone was working in a school and as a careworker, they were categorized as a health worker. Caretakers were not included as a category because many had other jobs.

In multivariable analysis, the distribution of migration generation was skewed to mostly one group and hence were not included. The ORs for having a household member suspected of infection, walk or exercise outside, living with a child 4-12 years old, leaving home to visit bar or restaurant, and household size were extremely high with overinflated 95%CI, and hence were not included. The following variables were removed as they were no longer significant in the multivariable model: leaving home to work ( $P=0.97$ ), traveling with public transport (0.71), leaving home to care for someone (0.63), visiting friends or family (0.53), occupational level (0.28), travelling abroad (0.22), leaving home to do groceries (0.14), labor participation (0.091), age (0.058), living with a child 13-17 years old (0.054).

**Table S5. Univariable analysis of potential determinants of SARS-CoV-2 seropositivity in Ghanaian participants, Amsterdam, the Netherlands, 24 June - 9 October 2020**

Characteristic	Number per category	Number with antibodies (%)	OR (95% CI) <sup>a</sup>	P-value
<b>Sex</b>				0.46
Male	143	40 (28.0%)	1	
Female	184	55 (29.9%)	1.25 (0.69-2.29)	
<b>Per year increase in age in years on 1 January 2020<sup>c</sup></b>			1.02 (0.99-1.05)	0.12
<b>Migration generation</b>				
1 <sup>st</sup>	321	95 (29.6%)	Omitted	
2 <sup>nd</sup>	6	0 (0%)	Omitted	
<b>Month of study visit<sup>b</sup></b>				0.026
June	0		Omitted	
July	38	6 (15.8%)	1	
August	133	47 (35.3%)	4.13 (1.43-11.9)	
September	123	35 (28.5%)	2.06 (0.72-5.92)	
October	33	7 (21.2%)	1.57 (0.41-5.99)	
<b>City district<sup>c</sup></b>				0.10
Centre	5	0 (0%)	Omitted	
East	25	4 (16.0%)	1.02 (0.19-5.41)	
West	19	4 (21.1%)	3.74 (0.52-26.92)	
South	8	2 (25.0%)	1.49 (0.27-8.38)	
New-West	17	4 (23.5%)	3.33 (1-11.11)	
Southeast	251	81 (32.3%)	1.02 (0.19-5.41)	
Other	0		Omitted	
<b>Has obesity (BMI<math>\geq</math>30.0)<sup>c</sup></b>				0.77
No	225	66 (29.3%)	1	
Yes	97	28 (28.9%)	0.90 (0.45-1.81)	
<b>Educational level<sup>c</sup></b>				0.23
No school/elementary school	78	26 (33.3%)	1	
Lower vocational/ lower secondary school	127	36 (28.3%)	0.70 (0.33-1.50)	
Intermediary vocational/ intermediary secondary school	72	20 (27.8%)	0.39 (0.18-0.86)	
Higher vocational/university	26	7 (26.9%)	0.75 (0.23-2.47)	
Missing	24	6 (25.0%)		
<b>Labor participation<sup>c</sup></b>				0.82
Employed	202	60 (29.7%)	1	
Not in workforce	10	2 (20.0%)	0.51 (0.09-3.08)	
Unemployed/on benefits	59	17 (28.8%)	1.34 (0.61-2.95)	
Disabled	28	8 (28.6%)	0.8 (0.32-2.01)	
Unknown/missing	28	8 (28.6%)	1.01 (0.39-2.58)	
<b>Elementary occupation<sup>c</sup></b>				0.33
No	107	36 (33.6%)	1	
Yes	162	43 (26.5%)	1.29 (0.68-2.44)	
Missing	58	16 (27.6%)	0.75 (0.31-1.81)	
<b>Difficulty with Dutch language<sup>c</sup></b>				0.010
No	40	9 (22.5%)	1	
Yes	263	80 (30.4%)	3.21 (1.32-7.78)	
<b>Health literacy (SBSQ)<sup>c</sup></b>				0.74
Adequate	207	59 (28.5%)	1	
Low	97	30 (30.9%)	1.12 (0.58-2.15)	



<b>Job setting<sup>b,e</sup></b>				0.85
No job / caretaker only	89	20 (22.5%)	1	
Job with no contact within 1.5 meter	65	19 (29.2%)	1.66 (0.69-3.99)	
Other job with contact within 1.5 meter	114	36 (31.6%)	1.56 (0.71-3.43)	
Child care/schools/higher education	10	3 (30.0%)	1.93 (0.25-15.1)	
Bar/restaurant	23	7 (30.4%)	1.49 (0.44-4.96)	
Hospital/long-term care facility/Care worker elsewhere	25	9 (36.0%)	1.11 (0.37-3.28)	
<b>Caretaker<sup>b</sup></b>				0.71
No	307	89 (29.0%)	1	
Yes	19	5 (26.3%)	0.80 (0.25-2.59)	
<b>Number of people in household<sup>c</sup></b>				0.06
1 (Lives alone)	46	6 (13%)	1	
2	61	18 (30%)	1.85 (0.63-5.50)	
3	69	19 (28%)	1.88 (0.62-5.70)	
4	69	23 (33%)	2.86 (0.96-8.48)	
≥5	55	21 (38%)	5.02 (1.59-15.86)	
<b>Lives with other people<sup>b</sup></b>	268	77 (28.7%)	0.94 (0.47-1.91)	0.87
<b>Partner</b>	124	38 (30.6%)	1.28 (0.68-2.39)	0.45
<b>Children up to 3 years old</b>	26	11 (42.3%)	2.54 (1.00-6.46)	0.050
<b>Children 4 through 12 years old</b>	81	25 (30.9%)	1.17 (0.59-2.33)	0.65
<b>Children 13 through 17 years old</b>	76	28 (36.8%)	1.97 (1.02-3.80)	0.045
<b>Children 18+ years old</b>	114	37 (32.5%)	1.52 (0.84-2.73)	0.16
<b>Parents or parents-in-law</b>	8	0 (0%)	Omitted	
<b>Other adults</b>	58	19 (32.8%)	1.08 (0.51-2.30)	0.83
<b>Household member/steady partner with suspected infection<sup>b</sup></b>				0.79
N.A./No	311	75 (28.0%)	1	
Yes	15	4 (26.7%)	1.20 (0.30-4.78)	
<b>Number of times left home in the past week<sup>b,d</sup></b>				0.87
0-7	120	34 (28.3%)	1	
8-11	118	33 (28.0%)	0.90 (0.45-1.77)	
12-16	58	16 (27.6%)	1.07 (0.43-2.63)	
17+	30	11 (36.7%)	0.67 (0.24-1.89)	
<b>In the past week, left home to<sup>b</sup>:</b>				
<b>Work</b>	192	66 (34.4%)	1.91 (1.01-3.60)	0.045
<b>Do groceries</b>	294	84 (28.6%)	1.29 (0.54-3.09)	0.56
<b>Visit family or friends</b>	81	21 (25.9%)	0.40 (0.21-0.78)	0.007
<b>Walk the dog or go outside with kids</b>	22	10 (45.5%)	2.27 (0.87-5.95)	0.09
<b>Walk or exercise outside</b>	207	58 (28.0%)	0.75 (0.40-1.40)	0.37
<b>Take care of someone</b>	14	4 (28.6%)	1.22 (0.36-4.08)	0.75
<b>Pick up prescription medicines or visit</b>	70	20 (28.6%)	0.82 (0.39-1.74)	0.61
<b>Attend religious service</b>	128	49 (38.3%)	2.76 (1.49-5.11)	0.001
<b>Visit cultural place</b>	3	1 (33.3%)	0.51 (0.04-5.91)	0.59
<b>Visit bar or restaurant</b>	19	4 (21.1%)	0.35 (0.11-1.15)	0.082
<b>Indoor sports</b>	27	10 (37.0%)	0.79 (0.30-2.10)	0.63
<b>Visit recreational park</b>	17	4 (23.5%)	0.79 (0.14-4.45)	0.79
<b>Frequency of using public transportation in the past week<sup>b</sup></b>				0.90
0 days	116	31 (26.7%)	1	
1-2 days	73	20 (27.4%)	0.73 (0.31-1.72)	
3-4 days	38	13 (34.2%)	1.01 (0.40-2.56)	
5-7 days	98	30 (30.6%)	0.91 (0.43-1.93)	

<b>Number of unique visitors at home in the past week<sup>b</sup></b>				0.29
0	238	71 (29.8%)	1	
1	41	7 (17.1%)	0.47 (0.19-1.20)	
2-4	40	14 (35.0%)	0.57 (0.25-1.29)	
5+	6	2 (33.3%)	1.02 (0.17-5.93)	
<b>Travelled abroad in 2020<sup>b</sup></b>				0.020
No	252	76 (30.2%)	1	
Yes	72	18 (25.0%)	0.44 (0.22-0.88)	

**Abbreviations:** CI, confidence interval; HELIUS, Healthy Life in an Urban Setting; OR, odds ratio

<sup>a</sup> Those with an equivocal test result were excluded from this analysis <sup>b</sup> Measured at COVID-1 visit (2020) <sup>c</sup> Measured at baseline (2011-2015) <sup>d</sup> Quartiles <sup>e</sup> Presumed higher exposure categories had priority, i.e. if someone was working in a school and as a careworker, they were categorized as a health worker. Caretakers were not included as a category because many had other jobs.

In multivariable analysis, the following variables were removed as they were no longer significant in the multivariable model: living with a child 18+ years old ( $P=0.92$ ), leaving home to visit bar or restaurant (0.91), travelling abroad (0.66), living with a child 13-17 years old (0.51), visiting friends or family (0.22), walk the dog or go outside with kids (0.15), difficulty with Dutch language (0.11), district (0.09).

**Table S6. Univariable analysis of potential determinants of SARS-CoV-2 seropositivity in Turkish participants, Amsterdam, the Netherlands, 24 June - 9 October 2020**

Characteristic	Number per category	Number with antibodies (%)	OR (95% CI) <sup>a</sup>	P-value
<b>Sex</b>				0.63
Male	183	14 (7.7%)	1	
Female	225	16 (7.1%)	1.23 (0.53-2.90)	
<b>Per year increase in age in years on 1 January 2020<sup>c</sup></b>			0.97 (0.93-1.01)	0.15
<b>Migration generation</b>				0.24
1 <sup>st</sup>	306	20 (6.5%)	1	
2 <sup>nd</sup>	102	10 (9.8%)	1.67 (0.71-3.89)	
<b>Month of study visit<sup>b</sup></b>				0.40
June	0		Omitted	
July	151	9 (6.0%)	1	
August	88	5 (5.7%)	0.38 (0.10-1.45)	
September	126	13 (10.3%)	1.11 (0.41-2.99)	
October	43	3 (7.0%)	1.18 (0.27-5.13)	
<b>City district<sup>c</sup></b>				0.056
Centre	3	0 (0%)	1	
East	66	10 (15.2%)	0.87 (0.27-2.75)	
West	66	8 (12.1%)	0.40 (0.06-2.79)	
South	30	2 (6.7%)	0.23 (0.08-0.67)	
New-West	231	9 (3.9%)	1.22 (0.12-12.99)	
Southeast	6	1 (16.7%)	0.87 (0.27-2.75)	
Other	0		Omitted	
<b>Has obesity (BMI<math>\geq</math>30.0)<sup>c</sup></b>				0.41
No	288	22 (7.6%)	1	
Yes	114	7 (6.1%)	1.5 (0.58-3.92)	
<b>Educational level<sup>c</sup></b>				0.95
No school/elementary school	78	6 (7.7%)	1	
Lower vocational/ lower secondary school	84	8 (9.5%)	1.41 (0.41-4.85)	
Intermediary vocational/ intermediary secondary school	124	9 (7.3%)	1.17 (0.36-3.83)	
Higher vocational/university	107	7 (6.5%)	1.39 (0.38-5.06)	
Missing	15	0 (0%)	Omitted	
<b>Labor participation<sup>c</sup></b>				0.76
Employed	246	17 (6.9%)	1	
Not in workforce	59	8 (13.6%)	1.68 (0.63-4.46)	
Unemployed/on benefits	62	4 (6.5%)	1.23 (0.37-4.09)	
Disabled	27	1 (3.7%)	0.82 (0.10-6.71)	
Unknown/missing	14	0 (0%)	Omitted	
<b>Elementary occupation<sup>c</sup></b>				0.47
No	272	17 (6.3%)	1	
Yes	52	4 (7.7%)	2.08 (0.61-7.15)	
Missing	84	9 (10.7%)	1.41 (0.54-3.66)	
<b>Difficulty with Dutch language<sup>c</sup></b>				0.96
No	188	12 (6.4%)	1	
Yes	206	17 (8.3%)	1.02 (0.42-2.46)	
<b>Health literacy (SBSQ)<sup>c</sup></b>				0.88
Adequate	309	21 (6.8%)	1	
Low	87	9 (10.3%)	1.07 (0.43-2.66)	

<b>Job setting<sup>b,e</sup></b>				1.00
No job / caretaker only	138	9 (6.5%)	1	
Job with no contact within 1.5 meter	67	5 (7.5%)	1.01 (0.27-3.69)	
Other job with contact within 1.5 meter	129	8 (6.2%)	0.87 (0.30-2.57)	
Child care/schools/higher education	25	2 (8.0%)	1.02 (0.14-7.45)	
Bar/restaurant	6	1 (16.7%)	0.99 (0.10-10.17)	
Hospital/long-term care facility/Care worker elsewhere	41	5 (12.2%)	1.18 (0.32-4.38)	
<b>Caretaker<sup>b</sup></b>				0.076
No	362	23 (6.4%)	1	
Yes	44	7 (15.9%)	2.63 (0.9-7.67)	
<b>Number of people in household<sup>c</sup></b>				0.43
1 (Lives alone)	53	2 (3.8%)	1	
2	67	2 (3.0%)	1.45 (0.19-11.11)	
3	81	5 (6.2%)	2.17 (0.37-12.65)	
4	113	10 (8.8%)	2.71 (0.53-13.80)	
≥5	81	10 (12.3%)	4.11 (0.82-20.64)	
<b>Lives with other people<sup>b</sup></b>	345	27 (7.8%)	1.00 (0.26-3.77)	1.00
<b>Partner</b>	269	21 (7.8%)	0.98 (0.40-2.38)	0.96
<b>Children up to 3 years old</b>	38	3 (7.9%)	1.46 (0.40-5.32)	0.56
<b>Children 4 through 12 years old</b>	84	6 (7.1%)	0.67 (0.23-2.00)	0.48
<b>Children 13 through 17 years old</b>	76	6 (7.9%)	0.92 (0.32-2.66)	0.88
<b>Children 18+ years old</b>	172	14 (8.1%)	1.29 (0.55-3.00)	0.56
<b>Parents or parents-in-law</b>	31	3 (9.7%)	0.76 (0.21-2.81)	0.68
<b>Other adults</b>	18	2 (11.1%)	1.58 (0.32-7.89)	0.58
<b>Household member/steady partner with suspected infection<sup>b</sup></b>				<0.001
N.A./No	359	16 (4.5%)	1	
Yes	46	14 (30.4%)	9.15 (3.7-22.63)	
<b>Number of times left home in the past week<sup>b,d</sup></b>				0.73
0-7	106	6 (5.7%)	1	
8-11	97	10 (10.3%)	1.69 (0.51-5.57)	
12-16	103	7 (6.8%)	0.92 (0.25-3.40)	
17+	100	7 (7.0%)	1.20 (0.33-4.37)	
<b>In the past week, left home to<sup>b</sup>:</b>				
<b>Work</b>	190	19 (10.0%)	1.59 (0.66-3.83)	0.30
<b>Do groceries</b>	360	27 (7.5%)	2.21 (0.56-8.73)	0.26
<b>Visit family or friends</b>	215	17 (7.9%)	1.14 (0.48-2.67)	0.77
<b>Walk the dog or go outside with kids</b>	79	5 (6.3%)	0.41 (0.13-1.27)	0.12
<b>Walk or exercise outside</b>	264	23 (8.7%)	3.53 (1.41-8.83)	0.007
<b>Take care of someone</b>	37	5 (13.5%)	2.07 (0.66-6.46)	0.21
<b>Pick up prescription medicines or visit</b>	84	8 (9.5%)	1.38 (0.53-3.61)	0.51
<b>Attend religious service</b>	62	5 (8.1%)	0.73 (0.26-2.10)	0.56
<b>Visit cultural place</b>	14	3 (21.4%)	3.81 (0.77-18.83)	0.10
<b>Visit bar or restaurant</b>	127	9 (7.1%)	0.76 (0.29-2.02)	0.58
<b>Indoor sports</b>	42	6 (14.3%)	1.81 (0.58-5.67)	0.31
<b>Visit recreational park</b>	81	7 (8.6%)	0.97 (0.35-2.68)	0.95
<b>Frequency of using public transportation in the past week<sup>b</sup></b>				0.13
0 days	307	19 (6.2%)	1	
1-2 days	72	7 (9.7%)	2.76 (1.01-7.51)	
3-4 days	14	2 (14.3%)	3.35 (0.64-17.39)	
5-7 days	13	2 (15.4%)	2.72 (0.47-15.72)	

<b>Number of unique visitors at home in the past week<sup>b</sup></b>				0.055
0	207	18 (8.7%)	1	
1	48	1 (2.1%)	0.09 (0.01-0.69)	
2-4	109	8 (7.3%)	0.96 (0.34-2.68)	
5+	41	3 (7.3%)	0.33 (0.09-1.25)	
<b>Travelled abroad in 2020<sup>b</sup></b>				0.73
No	234	17 (7.3%)	1	
Yes	172	13 (7.6%)	1.17 (0.49-2.78)	

**Abbreviations:** CI, confidence interval; HELIUS, Healthy Life in an Urban Setting; OR, odds ratio

<sup>a</sup> Those with an equivocal test result were excluded from this analysis <sup>b</sup> Measured at COVID-1 visit (2020) <sup>c</sup> Measured at baseline (2011-2015) <sup>d</sup> Quartiles <sup>e</sup> Presumed higher exposure categories had priority, i.e. if someone was working in a school and as a careworker, they were categorized as a health worker. Caretakers were not included as a category because many had other jobs.

In multivariable analysis, the following variables were removed as they were no longer significant in the multivariable model: visit cultural place (P=0.89), walk the dog or go outside with kids (0.38), being a caretaker (0.27), number of unique visitors past week (0.26), age (0.20), household size (0.12), district (0.11)

**Table S7. Univariable analysis of potential determinants of SARS-CoV-2 seropositivity in Moroccan participants, Amsterdam, the Netherlands, 24 June - 9 October 2020**

Characteristic	Number per category	Number with antibodies (%)	OR (95% CI) <sup>a</sup>	P-value
<b>Sex</b>				0.093
Male	172	11 (6.4%)	1	
Female	219	21 (9.6%)	2.26 (0.87-5.86)	
<b>Per year increase in age in years on 1 January 2020<sup>c</sup></b>			1.00 (0.96-1.03)	0.90
<b>Migration generation</b>				0.23
1 <sup>st</sup>	297	23 (7.7%)	1	
2 <sup>nd</sup>	94	9 (9.6%)	1.74 (0.71-4.25)	
<b>Month of study visit<sup>b</sup></b>				0.24
June	32	4 (12.5%)	1	
July	168	7 (4.2%)	0.41 (0.09-1.79)	
August	85	7 (8.2%)	0.72 (0.17-3.06)	
September	74	12 (16.2%)	1.66 (0.4-6.85)	
October	32	2 (6.3%)	0.78 (0.12-5.00)	
<b>City district<sup>c</sup></b>				0.040
Centre	12	2 (16.7%)	1	
East	94	10 (10.6%)	0.83 (0.15-4.76)	
West	82	10 (12.2%)	1.77 (0.30-10.35)	
South	38	2 (5.3%)	0.32 (0.03-2.98)	
New-West	145	8 (5.5%)	0.34 (0.06-1.99)	
Southeast	19	0 (0%)	Omitted	
Other	1	0 (0%)	Omitted	
<b>Has obesity (BMI<math>\geq</math>30.0)<sup>c</sup></b>				0.96
No	288	25 (8.7%)		
Yes	96	7 (7.3%)	1.03 (0.37-2.90)	
<b>Educational level<sup>c</sup></b>				0.072
No school/elementary school	89	6 (6.7%)	1	
Lower vocational/ lower secondary school	64	4 (6.3%)	1.30 (0.34-5.00)	
Intermediary vocational/ intermediary secondary school	123	11 (8.9%)	1.47 (0.48-4.47)	
Higher vocational/university	94	7 (7.4%)	1.39 (0.41-4.72)	
Missing	21	4 (19.0%)	8.52 (1.92-37.78)	
<b>Labor participation<sup>c</sup></b>				0.011
Employed	227	16 (7.0%)	1	
Not in workforce	63	5 (7.9%)	1.48 (0.49-4.47)	
Unemployed/on benefits	56	4 (7.1%)	1.03 (0.3-3.48)	
Disabled	22	2 (9.1%)	1.01 (0.19-5.5)	
Unknown/missing			9.2 (2.68-31.54)	
<b>Elementary occupation<sup>c</sup></b>				0.003
No	259	16 (6.2%)	1	
Yes	46	4 (8.7%)	1.49 (0.45-4.99)	
Missing	86	12 (14.0%)	4.69 (1.93-11.43)	
<b>Difficulty with Dutch language<sup>c</sup></b>				0.33
No	210	14 (6.7%)	1	
Yes	160	14 (8.8%)	1.53 (0.65-3.62)	
<b>Health literacy (SBSQ)<sup>c</sup></b>				0.50
Adequate	305	21 (6.9%)	1	
Low	64	7 (10.9%)	1.39 (0.54-3.58)	

<b>Job setting<sup>b,e</sup></b>				0.017
No job / caretaker only	131	12 (9.2%)	1	
Job with no contact within 1.5 meter	54	7 (13.0%)	0.82 (0.27-2.47)	
Other job with contact within 1.5 meter	113	3 (2.7%)	0.15 (0.04-0.64)	
Child care/schools/higher education	48	8 (16.7%)	2.15 (0.68-6.80)	
Bar/restaurant	7	1 (14.3%)	0.88 (0.09-8.16)	
Hospital/long-term care facility/Care worker elsewhere	35	1 (2.9%)	0.13 (0.02-1.08)	
<b>Caretaker<sup>b</sup></b>				0.42
No	335	26 (7.8%)	1	
Yes	53	6 (11.3%)	1.59 (0.51-4.90)	
<b>Number of people in household<sup>c</sup></b>				0.41
1 (Lives alone)	52	4 (7.7%)	1	
2	64	1 (1.6%)	0.24 (0.03-2.26)	
3	40	3 (7.5%)	0.56 (0.11-2.76)	
4	71	8 (11.3%)	1.47 (0.39-5.51)	
≥5	142	12 (8.5%)	1.20 (0.34-4.17)	
<b>Lives with other people<sup>b</sup></b>	318	27 (8.5%)	1.09 (0.32-3.72)	0.90
<b>Partner</b>	256	22 (8.6%)	0.85 (0.34-2.12)	0.72
<b>Children up to 3 years old</b>	48	5 (10.4%)	1.19 (0.41-3.45)	0.74
<b>Children 4 through 12 years old</b>	104	10 (9.6%)	1.16 (0.47-2.84)	0.75
<b>Children 13 through 17 years old</b>	114	11 (9.6%)	1.06 (0.44-2.53)	0.90
<b>Children 18+ years old</b>	149	15 (10.1%)	0.94 (0.41-2.15)	0.89
<b>Parents or parents-in-law</b>	21	2 (9.5%)	1.76 (0.36-8.69)	0.49
<b>Other adults</b>	22	3 (13.6%)	2.99 (0.74-12.08)	0.12
<b>Household member/steady partner with suspected infection<sup>b</sup></b>				<0.001
N.A./No	336	18 (5.4%)	1	
Yes	51	14 (27.5%)	5.14 (2.06-12.82)	
<b>Number of times left home in the past week<sup>b,d</sup></b>				0.020
0-7	99	15 (15.2%)	1	
8-11	89	5 (5.6%)	0.20 (0.06-0.65)	
12-16	88	7 (8.0%)	0.33 (0.11-0.97)	
17+	113	5 (4.4%)	0.28 (0.08-1.00)	
<b>In the past week, left home to<sup>b</sup>:</b>				
<b>Work</b>	171	9 (5.3%)	0.46 (0.17-1.28)	0.14
<b>Do groceries</b>	363	28 (7.7%)	0.40 (0.11-1.37)	0.14
<b>Visit family or friends</b>	226	15 (6.6%)	0.50 (0.21-1.19)	0.12
<b>Walk the dog or go outside with kids</b>	77	6 (7.8%)	0.98 (0.31-3.13)	0.97
<b>Walk or exercise outside</b>	268	19 (7.1%)	1.02 (0.43-2.4)	0.96
<b>Take care of someone</b>	57	5 (8.8%)	0.90 (0.30-2.68)	0.84
<b>Pick up prescription medicines or visit</b>	89	9 (10.1%)	1.25 (0.44-3.56)	0.68
<b>Attend religious service</b>	32	2 (6.3%)	0.58 (0.12-2.82)	0.50
<b>Visit cultural place</b>	15	0 (0%)	Omitted	
<b>Visit bar or restaurant</b>	130	9 (6.9%)	0.90 (0.33-2.44)	0.84
<b>Indoor sports</b>	42	4 (9.5%)	1.32 (0.29-6.10)	0.72
<b>Visit recreational park</b>	94	5 (5.3%)	0.55 (0.19-1.60)	0.27
<b>Frequency of using public transportation in the past week<sup>b</sup></b>				0.18
0 days	256	22 (8.6%)	1	
1-2 days	90	6 (6.7%)	0.41 (0.15-1.13)	
3-4 days	25	3 (12.0%)	0.58 (0.15-2.19)	
5-7 days	18	1 (5.6%)	0.20 (0.03-1.66)	

<b>Number of unique visitors at home in the past week <sup>b</sup></b>				0.11
0	206	22 (10.7%)	1	
1	45	1 (2.2%)	0.13 (0.02-1.02)	
2-4	102	7 (6.9%)	1.08 (0.39-3.01)	
5+	34	2 (5.9%)	0.29 (0.06-1.35)	
<b>Travelled abroad in 2020 <sup>b</sup></b>				0.11
No	228	15 (6.6%)	1	
Yes	160	16 (10.0%)	1.99 (0.85-4.67)	

**Abbreviations:** CI, confidence interval; HELIUS, Healthy Life in an Urban Setting; OR, odds ratio

<sup>a</sup> Those with an equivocal test result were excluded from this analysis <sup>b</sup> Measured at COVID-1 visit (2020) <sup>c</sup> Measured at baseline (2011-2015) <sup>d</sup> Quartiles <sup>e</sup> Presumed higher exposure categories had priority, i.e. if someone was working in a school and as a careworker, they were categorized as a health worker. Caretakers were not included as a category because many had other jobs.

In multivariable analysis, the distribution of district was skewed to mostly one group and hence were not included. The following variables were removed as they were no longer significant in the multivariable model: sex ( $P=0.93$ ), living with other adults (0.83), number of unique visitors past week (0.82), leaving home to work (0.54), labor participation (0.57), visiting friends or family (0.87), education level (0.88), job setting (0.56), travelling abroad (0.28), groceries (0.30), number of time left house (0.12).