

Mouth-rinses and SARS-CoV-2 viral load in saliva: A living systematic review

Akram Hernández-Vásquez, Antonio Barrenechea-Pulache, Daniel Comandé, Diego Azañedo

APPENDIX FILES

Appendix References 1. List of included studies in this living systematic review.

Gottsauer MJ, Michaelides I, Schmidt B, Scholz KJ, Buchalla W, Widbiller M, Hitzenbichler F, Ettl T, Reichert TE, Bohr C, et al. 2020. A prospective clinical pilot study on the effects of a hydrogen peroxide mouthrinse on the intraoral viral load of SARS-CoV-2. *Clin Oral Investig.* 24(10):3707–3713. doi:10.1007/s00784-020-03549-1.

Yoon JG, Yoon J, Song JY, Yoon SY, Lim CS, Seong H, Noh JY, Cheong HJ, Kim WJ. 2020. Clinical Significance of a High SARS-CoV-2 Viral Load in the Saliva. *J Korean Med Sci.* 35(20):e195. doi:10.3346/jkms.2020.35.e195.

Martínez Lamas L, Diz Dios P, Pérez Rodríguez MT, Del Campo Pérez V, Cabrera Alvargonzalez JJ, López Domínguez AM, Fernandez Feijoo J, Diniz Freitas M, Limeres Posse J. 2020 Jul 29. Is povidone iodine mouthwash effective against SARS-CoV-2? First in vivo tests. *Oral Dis.*:odi.13526. doi:10.1111/odi.13526.

Seneviratne CJ, Balan P, Ko KKK, Udawatte NS, Lai D, Ng DHL, Venkatachalam I, Lim KS, Ling ML, Oon L, et al. 2020 Dec 14. Efficacy of commercial mouth-rinses on SARS-CoV-2 viral load in saliva: randomized control trial in Singapore. *Infection.* doi:10.1007/s15010-020-01563-9.

Appendix Table 1. Search Strategies.

Database	PubMed		Results
	Date: February 26, 2021		
Search Strategy	#1	SARS-CoV-2[Mesh]	47,373
	#2	COVID-19[Mesh]	60,070
	#3	Corona Virus[tiab]	1,705
	#4	COVID-19[tiab]	93,344
	#5	COVID19*[tiab]	89,688
	#6	2019-nCoV[tiab]	1,485
	#7	SARS-CoV-2[tiab]	33,769
	#8	SARS-CoV2[tiab]	1,508
	#9	(Pneumonia[tiab] AND Wuhan[tiab] AND 2019[tiab])	1,025

#10	Coronavir*[tiab]	54,420
#11	Coronovir*[tiab]	50
#12	Virus Corona[tiab]	2,247
#13	Corono Virus[tiab]	1
#14	HCov*[tiab]	937
#15	CV19*[tiab]	17
#16	CV-19[tiab]	2
#17	N-Cov[tiab]	8
#18	#1 OR #2 OR #3 OR #4 OR #5 OR #6 OR #7 OR #8 OR #9 OR #10 OR #11 OR #12 OR #13 OR #14 OR #15 OR #16 OR #17	117,784
#19	Mouthwashes[Mesh]	7,001
#20	Mouth Rinse*[tiab]	1,030
#21	Mouthrinse*[tiab]	1,693
#22	Mouth Bath*[tiab]	7
#23	Mouthbath*[tiab]	1
#24	Mouth Wash*[tiab]	321
#25	Mouthwash*[tiab]	2,859
#26	Oral Rinse*[tiab]	809
#27	Oralrinse*[tiab]	15
#28	Oral Bath*[tiab]	1,659
#29	Oral Wash*[tiab]	117
#30	Oralwash*[tiab]	1
#31	Dental Rinse*[tiab]	21
#32	Dentalrinse*[tiab] - Schema: all	0
#33	Dentalrinse*[tiab]	0
#34	Dental Bath*[tiab]	896
#35	Dental Wash*[tiab]	2,620
#36	#19 OR #20 OR #21 OR #22 OR #23 OR #24 OR #25 OR #26 OR #27 OR #28 OR #29 OR #30 OR #31 OR #32 OR #33 OR #34 OR #35	14,351
#37	#18 AND #36	115

Database	CINAHL Date: February 26, 2021		Results
Search Strategy	S1	(MH "COVID-19")	13,413
	S2	(MH "Severe Acute Respiratory Syndrome")	2,459
	S3	TI (Coron* N1 Virus) OR AB (Coron* N1 Virus)	395
	S4	TI COVID-19 OR AB COVID-19	31,631
	S5	TI COVID19* OR AB COVID19*	189
	S6	TI 2019-nCoV OR AB 2019-nCoV	229
	S7	TI SARS-CoV-2 OR AB SARS-CoV-2	5,013
	S8	TI SARS-CoV2 OR AB SARS-CoV2	163
	S9	TI SARSCoV2 OR AB SARSCoV2	6
	S10	TI (Pneumonia AND Wuhan AND 2019) OR AB (Pneumonia AND Wuhan AND 2019)	200
	S11	TI Coronavir* OR AB Coronavir*	12,582
	S12	TI HCov* OR AB HCov*	77
	S13	TI CV19* OR AB CV19*	1
	S14	TI CV-19* OR AB CV-19*	1
	S15	TI N-Cov OR AB N-Cov	1
	S16	S1 OR S2 OR S3 OR S4 OR S5 OR S6 OR S7 OR S8 OR S9 OR S10 OR S11 OR S12 OR S13 OR S14 OR S15	25,915
	S17	(MH "Mouthwashes+")	2,478
	S18	TI (Mouth N1 Rinse*) OR AB (Mouth N1 Rinse*)	481
	S19	TI Mouthrinse* OR AB Mouthrinse*	460
	S20	TI (Mouth N1 Bath*) OR AB (Mouth N1 Bath*)	7
	S21	TI Mouthbath* OR AB Mouthbath*	0
	S22	TI (Mouth N1 Wash*) OR AB (Mouth N1 Wash*)	71
	S23	TI Mouthrinse* OR AB Mouthrinse*	357
	S24	TI (Mouth N1 Bath*) OR AB (Mouth N1 Bath*)	7
	S25	TI Mouthbath* OR AB Mouthbath*	0
	S26	TI (Mouth N1 Wash*) OR AB (Mouth N1 Wash*)	66
	S27	TI Mouthwash* OR AB Mouthwash*	712

	S28	TI (Oral N1 Rinse*) OR AB (Oral N1 Rinse*)	283
	S29	TI Oralrinse* OR AB Oralrinse*	0
	S30	TI (Oral N1 Bath*) OR AB (Oral N1 Bath*)	10
	S31	TI (Oral N1 Wash*) OR AB (Oral N1 Wash*)	34
	S32	TI Oralwash OR AB Oralwash*	0
	S33	TI (Dental N1 Rinse*) OR AB (Dental N1 Rinse*)	10
	S34	TI Dentalrinse* OR AB Dentalrinse*	0
	S35	TI (Dental N1 Bath*) OR AB (Dental N1 Bath*)	2
	S36	TI (Dental N1 Wash*) OR AB (Dental N1 Wash*)	20
	S37	S17 OR S18 OR S19 OR S20 OR S21 OR S22 OR S23 OR S24 OR S25 OR S26 OR S27 OR S28 OR S29 OR S30 OR S31 OR S32 OR S33 OR S34 OR S35 OR S36	2,301
	S38	S16 AND S37	24

Database	Cochrane Library		Results
	Date: February 26, 2021		
Search Strategy	#1	MeSH descriptor: [SARS-CoV-2] explode all trees	201
	#2	MeSH descriptor: [COVID-19] explode all trees	251
	#3	(Coron* NEAR/1 Virus):ti,ab,kw	187
	#4	COVID-19:ti,ab,kw	4186
	#5	COVID19:ti,ab,kw	257
	#6	"2019-nCoV":ti,ab,kw	10
	#7	"SARS-CoV-2":ti,ab,kw	186
	#8	"SARS-CoV2":ti,ab,kw	51
	#9	SARSCoV2:ti,ab,kw	162
	#10	(Pneumonia AND Wuhan AND 2019):ti,ab,kw	86
	#11	Coronavir*:ti,ab,kw	2527
	#12	Coronovir*:ti,ab,kw	1
	#13	HCov*:ti,ab,kw	15
	#14	CV19*:ti,ab,kw	0
	#15	CV-19*:ti,ab,kw	12

#16	"N-Cov":ti,ab,kw	29
#17	#1 OR #2 OR #3 OR #4 OR #5 OR #6 OR #7 OR #8 OR #9 OR #10 OR #11 OR #12 OR #13 OR #14 OR #15 OR #16	4490
#18	MeSH descriptor: [Mouthwashes] explode all trees	1659
#19	(Mouth NEAR/1 Rinse*):ti,ab,kw	766
#20	Mouthrinse*:ti,ab,kw	1196
#21	(Mouth NEAR/1 Bath*):ti,ab,kw	2
#22	Mouthbath*:ti,ab,kw	0
#23	(Mouth NEAR/1 Wash*):ti,ab,kw	275
#24	Mouthwash*:ti,ab,kw	3041
#25	(Oral NEAR/1 Rinse*):ti,ab,kw	363
#26	Oralrinse*:ti,ab,kw	3
#27	(Oral NEAR/1 Bath*):ti,ab,kw	2
#28	(Oral NEAR/1 Wash*):ti,ab,kw	37
#29	Oralwash*:ti,ab,kw	0
#30	(Dental NEAR/1 Rinse*):ti,ab,kw	32
#31	Dentalrinse*:ti,ab,kw	0
#32	(Dental NEAR/1 Bath*):ti,ab,kw	0
#33	(Dental NEAR/1 Wash*):ti,ab,kw	3
#34	#18 OR #19 OR #20 OR #21 OR #22 OR #23 OR #24 OR #25 OR #26 OR #27 OR #28 OR #29 OR #30 OR #31 OR #32 OR #33	4391
#35	#17 AND #34	32

Database	Embase		Results
	Date: February 26, 2021		
Search Strategy	#1	'severe acute respiratory syndrome coronavirus 2'/exp	22,785
	#2	'coronavirus disease 2019'/exp	87,854
	#3	(coron* NEAR/1 virus):ti,ab	1,850
	#4	'covid 19':ti,ab	85,652
	#5	covid19*:ti,ab	1,161
	#6	'2019 ncov':ti,ab	1,146

#7	'sars-cov-2':ti,ab	26,761
#8	'sars-cov2':ti,ab	1,347
#9	'sarscov2':ti,ab	48
#10	pneumonia:ti,ab AND wuhan:ti,ab AND 2019:ti,ab	1,010
#11	coronavir*:ti,ab	48,260
#12	coronavir*:ti,ab	51
#13	hcov*:ti,ab	963
#14	cv19*:ti,ab	18
#15	'cv 19*':ti,ab	122
#16	'n cov':ti,ab	24
#17	#1 OR #2 OR #3 OR #4 OR #5 OR #6 OR #7 OR #8 OR #9 OR #10 OR #11 OR #12 OR #13 OR #14 OR #15 OR #16	119,174
#18	'mouthwash'/exp	4,889
#19	(mouth NEAR/1 rinse*):ti,ab	1,176
#20	mouthrinse*:ti,ab	1,583
#21	(mouth NEAR/1 bath*):ti,ab	12
#22	mouthbath*:ti,ab	0
#23	(mouth NEAR/1 wash*):ti,ab	490
#24	mouthwash*:ti,ab	3,447
#25	(oral NEAR/1 rinse*):ti,ab	964
#26	oralrinse*:ti,ab	0
#27	(oral NEAR/1 bath*):ti,ab	21
#28	(oral NEAR/1 wash*):ti,ab	208
#29	oralwash*:ti,ab	1
#30	(dental NEAR/1 rinse*):ti,ab	32
#31	dentalrinse*:ti,ab	0
#32	(dental NEAR/1 bath*):ti,ab	0
#33	(dental NEAR/1 wash*):ti,ab	24
#34	#18 OR #19 OR #20 OR #21 OR #22 OR #23 OR #24 OR #25 OR #26 OR #27 OR #28 OR #29 OR #30 OR #31 OR #32 OR #33	9,061
#35	#17 AND #34	109

Database	Scopus		Results
	Date: February 26, 2021		
Search Strategy	#1	TITLE-ABS-KEY ("SARS-CoV-2")	36,361
	#2	TITLE-ABS-KEY ("COVID-19")	103,116
	#3	TITLE-ABS-KEY ("Corona Virus")	2,459
	#4	TITLE-ABS-KEY (COVID19*)	1,547
	#5	TITLE-ABS-KEY ("2019-nCoV")	1,610
	#6	TITLE-ABS-KEY ("SARS-CoV2")	1,414
	#7	TITLE-ABS-KEY (Pneumonia AND Wuhan AND 2019)	2,555
	#8	TITLE-ABS-KEY (Coronavir*)	102,097
	#9	TITLE-ABS-KEY (Coronavir*)	101
	#10	TITLE-ABS-KEY ("Virus Corona")	19
	#11	TITLE-ABS-KEY ("Corono Virus")	3
	#12	TITLE-ABS-KEY (HCov*)	910
	#13	TITLE-ABS-KEY (CV19*)	20
	#14	TITLE-ABS-KEY ("CV-19")	52
	#15	TITLE-ABS-KEY ("N-Cov")	36
	#16	#1 OR #2 OR #3 OR #4 OR #5 OR #6 OR #7 OR #8 OR #9 OR #10 OR #11 OR #12 OR #13 OR #14 OR #15	138,151
	#17	TITLE-ABS-KEY ("Mouthwashes")	8,756
	#18	TITLE-ABS-KEY (Mouth Rinse*)	3,123
	#19	TITLE-ABS-KEY (Mouthrins*)	1,809
	#20	TITLE-ABS-KEY (Mouth Bath*)	1,386
	#21	TITLE-ABS-KEY (Mouthbath*)	0
	#22	TITLE-ABS-KEY (Mouth Wash*)	3,080
	#23	TITLE-ABS-KEY (Mouthwash*)	8,776
	#24	TITLE-ABS-KEY (Oral Rinse*)	3,106
	#25	TITLE-ABS-KEY (Oralrinse*)	0
	#26	TITLE-ABS-KEY (Oral Bath*)	1,627

	#27	TITLE-ABS-KEY (Oral Wash*)	9,826
	#28	TITLE-ABS-KEY (Oralwash*)	1
	#29	TITLE-ABS-KEY (Dental Rinse*)	4,500
	#30	TITLE-ABS-KEY (Dentalrinse*)	0
	#31	TITLE-ABS-KEY (Dental Bath*)	843
	#32	TITLE-ABS-KEY (Dental Wash*)	2,894
	#33	#17 OR #18 OR #19 OR #20 OR #21 OR #22 OR #23 OR #24 OR #25 OR #26 OR #27 OR #28 OR #29 OR #30 OR #31 OR #32	29,926
	#34	#16 AND #33	259

Database	Dentistry & Oral Sciences Source		Results
	Date: February 26, 2021		
Search Strategy	S1	(MH "COVID-19")	13,413
	S2	(MH "Severe Acute Respiratory Syndrome")	2,459
	S3	TI (Coron* N1 Virus) OR AB (Coron* N1 Virus)	395
	S4	TI COVID-19 OR AB COVID-19	31,631
	S5	TI COVID19* OR AB COVID19*	189
	S6	TI 2019-nCoV OR AB 2019-nCoV	229
	S7	TI SARS-CoV-2 OR AB SARS-CoV-2	5,013
	S8	TI SARS-CoV2 OR AB SARS-CoV2	163
	S9	TI SARSCoV2 OR AB SARSCoV2	6
	S10	TI (Pneumonia AND Wuhan AND 2019) OR AB (Pneumonia AND Wuhan AND 2019)	200
	S11	TI Coronavir* OR AB Coronavir*	12,582
	S12	TI HCov* OR AB HCov*	77
	S13	TI CV19* OR AB CV19*	1
	S14	TI CV-19* OR AB CV-19*	1
	S15	TI N-Cov OR AB N-Cov	1
	S16	S1 OR S2 OR S3 OR S4 OR S5 OR S6 OR S7 OR S8 OR S9 OR S10 OR S11 OR S12 OR S13 OR S14 OR S15	25,915
	S17	(MH "Mouthwashes+")	2,478

	S18	TI (Mouth N1 Rinse*) OR AB (Mouth N1 Rinse*)	481
	S19	TI Mouthrinse* OR AB Mouthrinse*	460
	S20	TI (Mouth N1 Bath*) OR AB (Mouth N1 Bath*)	7
	S21	TI Mouthbath* OR AB Mouthbath*	0
	S22	TI (Mouth N1 Wash*) OR AB (Mouth N1 Wash*)	71
	S23	TI Mouthrinse* OR AB Mouthrinse*	357
	S24	TI (Mouth N1 Bath*) OR AB (Mouth N1 Bath*)	7
	S25	TI Mouthbath* OR AB Mouthbath*	0
	S26	TI (Mouth N1 Wash*) OR AB (Mouth N1 Wash*)	66
	S27	TI Mouthwash* OR AB Mouthwash*	712
	S28	TI (Oral N1 Rinse*) OR AB (Oral N1 Rinse*)	283
	S29	TI Oralrinse* OR AB Oralrinse*	0
	S30	TI (Oral N1 Bath*) OR AB (Oral N1 Bath*)	10
	S31	TI (Oral N1 Wash*) OR AB (Oral N1 Wash*)	34
	S32	TI Oralwash OR AB Oralwash*	0
	S33	TI (Dental N1 Rinse*) OR AB (Dental N1 Rinse*)	10
	S34	TI Dentalrinse* OR AB Dentalrinse*	0
	S35	TI (Dental N1 Bath*) OR AB (Dental N1 Bath*)	2
	S36	TI (Dental N1 Wash*) OR AB (Dental N1 Wash*)	20
	S37	S17 OR S18 OR S19 OR S20 OR S21 OR S22 OR S23 OR S24 OR S25 OR S26 OR S27 OR S28 OR S29 OR S30 OR S31 OR S32 OR S33 OR S34 OR S35 OR S36	2,301
	S38	S16 AND S37	24

Database	LILACS		Results
	Date: February 26, 2021		
Search Strategy	#1	(MH SARS-CoV-2 OR MH COVID-19 OR Corona OR COVID-19 OR COVID19\$ OR 2019-nCoV OR SARS-CoV-2 OR SARS-CoV2 OR Coronavir\$ OR Coronavir\$ OR HCov\$ OR CV19\$ OR CV-19 OR N-Cov) AND (MH Mouthwashes OR Mouthwas\$ OR Mouthrinse\$ OR Mouthbath\$ OR Rinse\$ OR Enjuague\$ OR Enxague) [Words]	18

Database	medRxiv AND bioRxiv	Results
-----------------	----------------------------	----------------

	Date: February 26, 2021		
Search Strategy	#1	"Mouthwashes AND Covid"	24

Appendix Checklist 1. The PRISMA Statement¹.

Section/topic	#	Checklist item	Reported on page #
TITLE			
Title	1	Identify the report as a systematic review, meta-analysis, or both.	1
ABSTRACT			
Structured summary	2	Provide a structured summary including, as applicable: background; objectives; data sources; study eligibility criteria, participants, and interventions; study appraisal and synthesis methods; results; limitations; conclusions and implications of key findings; systematic review registration number.	2
INTRODUCTION			
Rationale	3	Describe the rationale for the review in the context of what is already known.	3
Objectives	4	Provide an explicit statement of questions being addressed with reference to participants, interventions, comparisons, outcomes, and study design (PICOS).	3
METHODS			
Protocol and registration	5	Indicate if a review protocol exists, if and where it can be accessed (e.g., Web address), and, if available, provide registration information including registration number.	4
Eligibility criteria	6	Specify study characteristics (e.g., PICOS, length of follow-up) and report characteristics (e.g., years considered, language, publication status) used as criteria for eligibility, giving rationale.	4
Information sources	7	Describe all information sources (e.g., databases with dates of coverage, contact with study authors to identify additional studies) in the search and date last searched.	4
Search	8	Present full electronic search strategy for at least one database, including any limits used, such that it could be repeated.	4
Study selection	9	State the process for selecting studies (i.e., screening, eligibility, included in systematic review, and, if applicable, included in the meta-analysis).	4
Data collection process	10	Describe method of data extraction from reports (e.g., piloted forms, independently, in duplicate) and any processes for obtaining and confirming data from investigators.	4-5
Data items	11	List and define all variables for which data were sought (e.g., PICOS, funding sources) and any assumptions and simplifications made.	5
Risk of bias in individual studies	12	Describe methods used for assessing risk of bias of individual studies (including specification of whether this was done at the study or outcome level), and how this information is to be used in any data synthesis.	5
Summary measures	13	State the principal summary measures (e.g., risk ratio, difference in means).	5

Synthesis of results	14	Describe the methods of handling data and combining results of studies, if done, including measures of consistency (e.g., I ²) for each meta-analysis.	NA
----------------------	----	--	----

Section/topic	#	Checklist item	Reported on page #
Risk of bias across studies	15	Specify any assessment of risk of bias that may affect the cumulative evidence (e.g., publication bias, selective reporting within studies).	5
Additional analyses	16	Describe methods of additional analyses (e.g., sensitivity or subgroup analyses, meta-regression), if done, indicating which were pre-specified.	NA
RESULTS			
Study selection	17	Give numbers of studies screened, assessed for eligibility, and included in the review, with reasons for exclusions at each stage, ideally with a flow diagram.	6
Study characteristics	18	For each study, present characteristics for which data were extracted (e.g., study size, PICOS, follow-up period) and provide the citations.	6
Risk of bias within studies	19	Present data on risk of bias of each study and, if available, any outcome level assessment (see item 12).	9
Results of individual studies	20	For all outcomes considered (benefits or harms), present, for each study: (a) simple summary data for each intervention group (b) effect estimates and confidence intervals, ideally with a forest plot.	6-9
Synthesis of results	21	Present results of each meta-analysis done, including confidence intervals and measures of consistency.	6-9
Risk of bias across studies	22	Present results of any assessment of risk of bias across studies (see Item 15).	9
Additional analysis	23	Give results of additional analyses, if done (e.g., sensitivity or subgroup analyses, meta-regression [see Item 16]).	NA
DISCUSSION			
Summary of evidence	24	Summarize the main findings including the strength of evidence for each main outcome; consider their relevance to key groups (e.g., healthcare providers, users, and policy makers).	10
Limitations	25	Discuss limitations at study and outcome level (e.g., risk of bias), and at review-level (e.g., incomplete retrieval of identified research, reporting bias).	12
Conclusions	26	Provide a general interpretation of the results in the context of other evidence, and implications for future research.	12-13
FUNDING			
Funding	27	Describe sources of funding for the systematic review and other support (e.g., supply of data); role of funders for the systematic review.	1

¹ Moher D, Liberati A, Tetzlaff J, Altman DG, The PRISMA Group (2009). Preferred Reporting Items for Systematic Reviews and Meta-Analyses: The PRISMA Statement. PLoS Med 6(6): e1000097. doi:10.1371/journal.pmed1000097