

Supplementary tables

Table S1: Patient characteristics of the development/validation cohorts

	Development cohorts						Validation cohorts			
	Xie model (n=299)		Allenbach model (n=152)		Zhang model (n=775)		KCH (n=1295)		Oslo (n=307)	
Outcome	N avail	N (%)	N avail.	N (%)	N avail.	N (%)	N avail.	N (%)	N avail.	N (%)
Inhospital mortality	--	155 (51.8%)	--	--	773	33 (4.3%)	1244	333 (26.8%)	307	32 (10.4%)
Mortality by day 14	--	--	146	32 (21.9%)	--	--			307	21 (6.8%)
ICU/death (no time frame)	--	--	--	--	773	75 (9.7%)	1244	419 (33.7%)	307	66 (21.5%)
ICU/death by 14 days	--	--	--	--	--	--	1248	389 (31.2%)	307	62 (20.2%)
ICU by day 14	--	--	146	17 (11.6%)	--	--			307	49 (15.9%)
Demographics	N avail	N (%)	N avail.	N (%)	N avail.	N (%)	N avail.	N (%)	N avail.	N (%)
Age (median [IQR])	--	65.0 [54.0-73.0]	--	77 [60-83]	775	61 (50-68)	1295	69.0 [56.0-81.9]	307	60.0 [48.0-73.0]
Sex (male)	--	144 (48.2%)	152	91 (59.9%)	775	379 (48.9%)	1295	767 (59%)	307	175 (57.0%)
Non-White ethnicity	--	--	140	50 (35.7%)	--	--	961	418 (43%)	--	--
Comorbidities	N avail	N (%)	N avail.	N (%)	N avail.	N (%)	N avail.	N (%)	N avail.	N (%)
Hypertension	--	127 (42.6 %)	152	82 (53.9%)	771	239 (30.8%)	1295	700 (54%)	307	104 (34%)
Diabetes mellitus	--	55 (18.5%)	152	37 (24.3%)	771	106 (13.7%)	1295	455 (35%)	307	64 (21%)
Heart Failure	--	13 (4.4%)	--	--	--	--	1295	96 (7%)		
Heart disease	--	--	--	--	771	85 (11.0%)	--	--		--
Ischaemic Heart Diseases	--	--	152	35 (23%)	--	--	1295	177 (14%)	307	33 (11%)
Chronic lung disease	--	--	--	--	771	48 (6.2%)	--	--	307	83 (27%)
COPD	--	15 (5.0%)	151	12 (7.9%)	--	--	1295	137 (11%)	--	--
Chronic Kidney Disease	--	--	--	--	771	25 (3.2%)	1295	215 (17%)	307	20 (7%)
ACE/A2 inhibitor	--	--	152	28 (18.4%)	--	--	--	--	307	62 (20%)

Smoking	--	10 (3.4%)	152	10 (6.6%)	--	--	--	--	307	14 (5%)
Blood biomarker	N avail	Median (IQR)	N avail.	Median [IQR]	N avail.	Median [IQR]	N avail.	N (%)	N avail.	N (%)
Albumin (g/L)	--	33.4 [29.9-36.2]	--	--	--	--	--	--	263	39.0 [37.0-42.0]
C-reactive protein (CRP, mg/L)	--	65.3 [27.4-113.9]	152	74.5 [30.9-135.1]	684	2.7 [0.9-14.1]	1203	87.4 [41.0-154.3]	307	44.0 [14.0-97.0]
Creatinine, U/L	--	74.0 [58.0-95.0]	--	--	728	63.9 [54.1-76.4]	1200	93.0 [71.8-133.2]	307	80.0 [64.0-99.0]
Lymphocyte count (x10 ⁹ /L)	--	0.75 [0.5-1.11]	--	*	743	1.4 [1.1-1.9]	1187	1.0 [0.7-1.3]	295	1.1 [0.7-1.5]
Neutrophil count (x10 ⁹ /L)	--	--	152	4.4 (3.0-7.0)	739	3.5 (2.7-4.9)	1186	5.6 [3.9-7.8]	295	4.2 [3.1-6.3]
Platelet count (x10 ⁹ /L)	--	179.5 [137.3-247.8]	--	--	732	224 [180-274]	1188	212.0 [163.0-272.0]	307	210.0 [165.0-269.0]
LDH (U/L)	--	384.0 [264.0-541.0]	--	364 [284-444]	--	--	157	405.0 [307.0-553.0]	269	255.0 [191.5-328.5]
Physiological parameters	N avail	Median (%)	N avail.	Median (%)	N avail.	Median (%)	N avail.	N (%)	N avail.	N (%)
Oxygen saturation	--	95.0 [90.0-98.0]	152	93 (90-96) ¹	--	--	858	96.0 [95.0-98.0]	307	95.0 [92.0-97.0]
Oxygen flow rate (L/min)	--	--	152	2 (2-4)	--	--	880	1.0 [0.0-4.0]	220	0.0 [0.0-2.0]
Systolic blood pressure	--	132.5 [118.0-145.0]	--	--	--	--	862	124.0 [112.0-139.0]	306	127 [116.0-141.0]
Symptoms	N avail	N (%)	N avail	N (%)	N avail	N (%)	N avail.	N (%)	N avail.	N (%)
Fever	--	--	--	--	773	532 (68.6%)	--	--	307	194 (63.2%)
Cough	--	--	--	*	773	528 (68.1%)	--	--	307	218 (71.0%)
Fatigue	--	--	150	70 (46.7%)	773	421 (54.3%)	--	--	307	109 (35.5%)
Dyspnoe	--	--	150	102 (67.5%)	773	355 (45.8%)	--	--	307	202 (65.8%)
							--	--		

¹. Measured without oxygen

* other definition of this variable

Table S2: OUH cohort AUROC results show similarities with different imputation methods.
 KNN; K-nearest neighbor, RF; Random forrest, GP; Gaussian Process Method, BR; Bayesian Rigde.

	Xie model	Allenbach	Zhang1	Zhang2
Single imputation; KNN	0.87 [0.79-0.95]	0.81 [0.74-0.88]	0.72 [0.62-0.82]	0.77 [0.70-0.84]
Single imputation; RF	0.86 [0.78-0.94]	0.81 [0.74-0.88]	0.72 [0.62-0.82]	0.77 [0.70-0.84]
Multiple imputation; BR	0.86 [0.78-0.95]	0.81 [0.74-0.88]	0.72 [0.62-0.82]	0.77 [0.70-0.84]
Multiple imputation; GP	0.85 [0.76-0.95]	0.80 [0.73-0.87]	0.72 [0.62-0.82]	0.77 [0.70-0.84]