A BIBLIOMETRIC ANALYSIS OF RHEUMATOLOGY AND COVID-19 RESEARCHES

Ozge Pasin¹, Tugce Pasin²

¹ PhD, Department of Biostatistics, Faculty of Medicine, Istanbul University, Istanbul, Turkey, https://orcid.org/0000-0001-6530-0942

Corresponding Author:

Ozge Pasin, PhD, Department of Biostatistics, Istanbul Faculty of Medicine, Istanbul University, Capa-Fatih Istanbul, TURKEY, E-mail address: ozgepasin90@yahoo.com.tr , Telephone: +90 (212) 414 20 00/33412

² MD, Department of Physical Medicine and Rehabilitation, Istanbul Goztepe Training and Research Hospital, Istanbul, Turkey, , https://orcid.org/0000-0002-8814-2921

ABSTRACT

Objectives: COVID-19 has had a substantial impact on rheumatology. This study provides a

general overview of studies on rheumatology and COVID-19.

Methods: Data were taken from the Web of Science (WoS) website. Analysis and network

visualization mapping processes were carried out using VOSviewer. A total of 234 publications

were analyzed, and the correlations between citation numbers and reference counts, usage

counts and page numbers were analyzed with Spearman correlation coefficients.

Results: The average number of citations per item was 6.03. The studies were cited 1,411 times

in total, and 1,121 times without self-citations. The countries with the highest number of

publications on rheumatology and COVID-19 were the USA and England; the countries with

the highest number of citations were Italy and the USA, and Jinoos Yazdany was the most cited

author. The Annals of the Rheumatic Diseases was the most cited journal, whereas the highest

number of articles on rheumatology and COVID-19 were published in Arthritis and

Rheumatology.

Conclusions: Bibliometric analysis of rheumatology and COVID-19 can be useful to future

studies because it provides a general perspective on the studies. This study provides an insight

into the development of publications on rheumatology during the COVID-19 pandemic.

Keywords: COVID-19, Epidemiology, Health Services Research

INTRODUCTION

SARS-CoV-2 (severe acute respiratory coronavirus 2 syndrome), a new member of the coronavirus family, was first detected in Wuhan, China in December 2019. The virus causes fever, cough, fatigue, loss of taste and smell, dyspnea, myalgia, vomiting, diarrhea and progressive diseases. Severe forms can cause acute respiratory distress syndrome (ARDS) and death, with interstitial lung involvement accompanied by alveolar damage [1-3].

Patients with rheumatism are considered to be a COVID-19 risk group. When patients with rheumatological diseases are diagnosed with a COVID-19 infection, they should immediately contact their rheumatologist. Rheumatologic diseases are heterogeneous. Corticosteroids, synthetic and biological disease-modifying antirheumatic drugs (DMARDs) increase the risk of disease aggravation because they cause immunosuppression [4]. It is essential to understand what is driving the increased risk of COVID-19-related deaths in rheumatologic patients during the pandemic. Hydroxychloroquine, used for the treatment of rheumatological diseases, was used in the prevention and treatment of COVID-19, but subsequent clinical trials have not found any benefit [5]. Cytokine inhibitor drugs, such as Interleukin-6 (IL-6) inhibitors, were investigated to determine their effectiveness in the prevention and treatment of COVID-19 infections and complications, including cytokine-storm [6].

Rheumatism patients are at risk of developing infections due to the disease itself, the drugs they use, and their more serious prognosis. The course of COVID-19 in individuals with rheumatological diseases could not be clearly determined because COVID-19 is a new and recently identified virus, and rheumatic diseases are less common than other diseases.

This study uses bibliometric methods to analyze publications on rheumatology and COVID-19.

MATERIALS AND METHODS

The Web of Science (WoS) Core Collections was used to find publications for analysis. The documents were saved in ANSI format, and the bibliometric analysis and all other processes were carried out with VOSviewer (version 1.6.16). The dataset is open source, so there is no need for approval by an ethical committee. For the analysis, we used the following keywords: "COVID-19" and "Rheumatology"; "Coronavirus" and "Rheumatology"; "2019-nCoV" and "Rheumatology"; "SARS-CoV-2" and "Rheumaticogy"; "COVID-19" and "Rheumatic Disease"; "Coronavirus" and "Rheumatic Disease"; "COVID-19" and "Rheumaticogy"; "Coronavirus" and "Rheumaticogy"; "COVID-19" and "Rheumaticogy"; "Coronavirus" and "Rheumaticogy"; "Covid-19" and "Rheumatism"; "Coronavirus" and "Rheumatism"; and "SARS-CoV-2" and "Rheumatism." The analyzed works (234 in total) were published in 2020 and 2021 and include articles and abstracts. The relationships between citation numbers and some related variables were analyzed with Spearman correlation coefficients, and p-values are reported and tested at a significance level of 0.05 using IBM SPSS Statistics 21.

RESULTS

The results show that 46.58% (109) of the documents were articles and 14.95% were meeting (seminers etc) articles. Table 1 shows the document types that were analyzed. The studies were cited 1,411 times in total, and 1,121 times without self-citations. Most publications, 216

(92.308%), were written and published in English, followed by 13 (5.556%) in German, and

the remaining five (2.137%) were in Spanish.

Table 2 shows the top ten countries ranked by number of articles and citations. The highest

number of articles were from the USA, England, Italy, Germany, Canada, Spain, Australia,

Turkey, France, and New Zealand. The most cited publications were from Italy, with 672

citations.

Table 3 shows the top ten authors ranked by number of documents and citations. For the purpose

of analysis, the minimum number of documents per author was set at five. only ten out of all

the authors analyzed contributed to at least five publications. Jinoos Yazdany's articles on

rheumatology and COVID-19 were the most cited.

Figure 1 shows the network visualization map of international cooperation among countries

that published articles on rheumatology and COVID-19. The size of the circle relates to the

number of articles, colors indicate clusters, and line thickness is relative to the strength of the

relationship. The minimum number of citations per country was eleven, and twenty countries

satisfied this condition.

Table 3 lists journals ranked by most documents and citations. The minimum number of

documents per journal was set at five, and nine journals met this criterium. The Annals of the

Rheumatic Diseases was the most cited journal, whereas most articles on rheumatology and

COVID-19 were published in Arthritis and Rheumatology.

Figure 2 shows a network visualization map for citations of current journals that publish articles

on rheumatology and COVID-19. The size of the circle relates to the number of articles, colors

indicate clusters, and line thickness is relative to the strength of the relationship. The minimum

number of documents per organization was five, and 26 organizations satisfied this condition.

Table 3 lists the organizations that submitted the most articles for publication. The minimum

number of documents per organization was set at five. Taking into account the numbers of

documents and citations, the ten most active institutions were the University of California San

Francisco, The University of Queensland, Harvard Medical School, University of Otago,

Canadian Arthritis Patient Alliance, McMaster University, Massachusetts General Hospital,

University of Washington, Health Partners, and UCL.

The correlation between the number of citations and the 180-day usage count, the 2013 onwards

usage count, and the number of pages is shown in Table 4. The usage count is a measure of the

level of interest in a specific item on the WoS platform and reflects the number of times that an

article has met a user's information needs. The count is based on the number of clicks to expand

the full-length article at the publisher's website or on the number of downloads for use in a

bibliographic management tool. The usage count is not a per-institution record—it is a record

of all activity by all WoS users. The 180-day usage count is the number of times the full text of

a record has been accessed or a record has been saved in the last six months. This count can

increase or decrease as the timeline advances. The 2013 onwards usage count is the number of

times the full text of a record has been accessed or a record has been saved since February 1,

2013. This count can increase or remain static over time [7].

There were statistically significant relationships between the number of citations and the

variables in the table (p < 0.001; p = 0.005). All the relationships were positive, but relationship

strengths were low (r = 0.344; r = 0.274; r = 0.449; r = 0.182) (Table 4).

DISCUSSION

Patients with rheumatism are at risk of developing infections due to the disease itself, the drugs

they use, and their more serious prognosis during the pandemic. The course of COVID-19 in

individuals with rheumatological diseases could not be clearly determined because COVID-19

is a new and recently identified virus, and rheumatic diseases are less common than other

diseases.

The use of cortisone for the treatment of rheumatological diseases causes an increase in overall

infection rates, and especially the rate of viral infections, depending on the dose, duration of

treatment, and total dosage—but even at dosages considered safe, there is an increased risk of

infection. Fredi and friends indicate that patients with rheumatic and musculoskeletal diseases

do not appear to have a milder form of COVID-19 pneumonia than the controls [8]. Therefore,

the aim of this study is to evaluate papers on rheumatology diseases and COVID-19. The

bibliometric analysis summarized 234 publications on rheumatology and COVID-19, which

provides an insight into publications and citations by organization, country and author. There

is a limitation: the only source of publications was the WoS core.

To the best of our knowledge, this paper is the first bibliometric analysis on rheumatology and

COVID-19, which could be useful for future studies.

Funding: No financial support was taken in this article.

Competing interests: The authors declare that there is no other conflict of interest to disclose.

Contributors: All coauthors contributed to the development of the study design. Pasin O

contributed to the statistical analysis and interpretation. In thr reporting part of the study all

authors contributed.

Acknowledgements: None

Ethical approval information: Not required.

Data sharing statement: The data in the study was obtained from Web of Science core.

REFERENCES

- 1. P. Zhou, X-L. Yang, X-G. Wang et al., "A pneumonia outbreak associated with a new coronavirus of probable bat origin," *Nature*, vol. 579, pp. 270-273, 2020.
- Z. Wu, J.M. McGoogan, "Characteristics of and Important Lessons From the Coronavirus Disease 2019 (COVID-19) Outbreak in China: Summary of a Report of 72 314 Cases From the Chinese Center for Disease Control and Prevention," *Jama*, vol. 323, no. 13, pp. 1230-1242, 2020.
- 3. X. Yang, Y. Yu, J. Xu et al., "Clinical course and outcomes of critically ill patients with SARS-CoV-2 pneumonia in Wuhan, China: a single-centered, retrospective, observational study," *Lancet Respir Medicine*, vol. 8, no. 5, pp.475-481, 2020.
- 4. A. Sepriano, A. Kerschbaumer, S. S. Josef et al., "Safety of synthetic and biological DMARDs: a systematic literature review informing the 2019 update of the EULAR recommendations for the management of rheumatoid arthrit," Ann Rheum Dis, vol. 79, no. 6, pp. 760-770, 2020
- 5. R.A.C. Siemieniuk, J. Bartoszko Jessica, L. Ge et al., "Drug treatments for COVID-19: living systematic review and network meta-analysis," *BMJ* pp.370:m2980, 2020
- 6. P. Mehta, D.F. McAuley, M. Brown et al., "COVID-19: consider cytokine storm syndromes and immunosuppression," *Lancet*, vol. 395, pp.1033–1034,2020.
- Clarivate Analytics Web of Science Core Collection Help Usage Count (https://images.webofknowledge.com/images/help/WOS/hp_usage_score.html).
 Accessed 15 Feb 2020.
- 8. M. Fredi, I. Cavazzana, L. Moschetti, L. Andreoli, F. Franceschini, "COVID-19 in patients with rheumatic diseases in northern Italy: a single-centre observational and case–control study," *The Lancet Rheumatology*, vol. 2, no.9 ,pp: e549-e556, 2020.

Tables

Table 1. Publication Types

Publication Type	Count	%
Article	109	46.581
Meeting Abstract	35	14.957
Editorial Material	33	14.103
Review	32	13.675

Letter	21	8.974
Early Access	17	7.265
News Item	4	1.709

Table 2. The top ten list of the number of articles and citations by country

Country	Documents	Country	Citations
USA	75	Italy	672
England	40	USA	454
Italy	30	England	300
Germany	24	Canada	293
Canada	23	Spain	255
Spain	18	Australia	240
Australia	14	Germany	236
Turkey	12	France	207

France	11	New Zealand	205
New Zealand	9	Portugal	190

Table 3. The top ten list of the authors, journals and organizations

	Author	Documents	Citations	Journals	Documents	Citations	Organization	Documents	Citations
1	Jinoos	10	113	Annals of the	14	245	University of	13	234
	Yazdany			Rheumatic			California San		
				Diseases			Francisco		
2	Emily	10	83	Rheumatology	18	42	The	12	231
	Sirotich			International			University of		
							Queensland		
3	Pedro M.	7	67	Clinical	16	32	Harvard	12	225
	Machado			Rheumatology			Medical		
							School		
4	Rebecca	7	83	Lancet	11	104	University of	8	205
	Grainger			Rheumatology			Otago		

5	Philip Robinson	5	66	Seminars in Arthritis and Rheumatism	5	37	Canadian Arthritis Patient	6	201
							Alliance		
6	Jonathan Hausmann	5	0	Arthritis and Rheumatology	42	83	Mc Master University	10	201
7	Philip C. Robinson	5	47	Zeitchrift fur Rheumatologie	11	11	Massachusetts General Hospital	9	167
8	Roberto Caporali	6	40	Rheumatology	6	15	University of Washington	8	209
9	Hamdi Wafa	5	5	International Journal of Rheumatic Diseases	7	4	Healthpartners	5	193
10	Amy S. Mudano	5	63				UCL - London's Global University	12	84

Table 4. The relationship citations numbers between cited references count, 180 Day usage count, since 2013 usage count and number of pages

		Cited	180 Day		
		Reference	Usage	Since 2013	Number of
		Count	Count	Usage Count	Pages
Times Cited, All Databases	Correlation Coefficient	0.344	0.274	0.449	0.182
	p	< 0.001	< 0.001	< 0.001	0.005
	N	234	234	234	234

Figure legends




Figure 1. Network visualization map for international cooperation of world countries publishing publications on rheumatology and COVID-19




Figure 2. Network visualization map for citation analysis of active journals on rheumatology and COVID-19