

Supplementary Material

Complete case analyses

Supplementary Table 1. *Demographic characteristics of the sample at baseline and percentage of the sample with depression at baseline according to demographic characteristics, for complete cases only.*

	Overall	Depression	
		No	Yes
Gender			
Women	54%	78%	22%
Men	46%	84%	16%
Race/ethnicity			
White	86%	82%	18%
Black	9%	71%	29%
Other	5%	69%	31%
Education			
None	13%	65%	35%
High School	54%	79%	21%
College	22%	87%	13%
Postgraduate	11%	90%	10%
Age			
50-59	36%	78%	22%
60-69	34%	84%	16%
70-79	19%	81%	19%
≥80	11%	77%	23%
Marital status			
Married	64%	85%	15%
Unmarried	36%	72%	28%
Employment status			
Employed	42%	87%	13%
Not working	13%	61%	39%
Retired	45%	83%	17%
Household income			
<\$19,000	18%	63%	37%
\$19,000-\$39,999	23%	77%	23%
\$40,000-\$79,999	28%	84%	16%
≥\$80,000	31%	90%	10%
Neighborhood safety			
Excellent/good	92%	82%	18%
Fair/poor	8%	61%	39%
Social network			
Less diverse	46%	73%	27%
More diverse	54%	86%	14%
Difficulty with ADLs			
None	86%	85%	15%
One or more	14%	50%	50%
Difficulty with IADLs			
None	88%	85%	15%
One or more	12%	46%	54%
Long-term conditions			
None	14%	88%	12%
One or more	86%	79%	21%
Cognition (quartiles)			
0	19%	70%	30%
1	32%	79%	21%
2	25%	84%	16%
3	24%	86%	14%

Note. N=11,747. Results weighted. The Other race/ethnicity category included people who identified as American Indian, Alaskan Native, Asian or Pacific Islander, Hispanic, and Other ethnicities.

Supplementary Table 2. Frequency of arts engagement at baseline, for complete cases only (n=11,747).

Activity frequency	Reading	Writing	Baking/cooking	Sewing	Hobby	Club	Organization
None	5%	61%	30%	86%	42%	63%	81%
Monthly	9%	20%	29%	7%	26%	22%	15%
Weekly	86%	19%	41%	7%	32%	15%	4%

Note. Results weighted.

Supplementary Table 3. Models testing associations between frequency of arts engagement and the odds of depression, for complete cases only.

	Concurrent (n=16,666)						Longitudinal (n=14,071)					
	Model 1: Unadjusted			Model 2: Adjusted			Model 1: Unadjusted			Model 2: Adjusted		
	OR	95% CI	p value	OR	95% CI	p value	OR	95% CI	p value	OR	95% CI	p value
Reading												
Monthly	0.68	0.58-0.81	<0.001	0.97	0.80-1.17	0.721	0.72	0.59-0.88	0.001	1.06	0.83-1.36	0.626
Weekly	0.55	0.48-0.64	<0.001	0.94	0.81-1.10	0.460	0.53	0.45-0.63	<0.001	0.90	0.73-1.12	0.354
Writing												
Monthly	1.06	0.96-1.17	0.279	1.01	0.90-1.13	0.891	0.97	0.86-1.09	0.590	0.89	0.78-1.02	0.089
Weekly	0.98	0.88-1.1	0.746	0.99	0.87-1.12	0.882	1.02	0.9-1.15	0.754	1.00	0.86-1.16	0.990
Baking/cooking												
Monthly	0.95	0.87-1.05	0.337	0.98	0.87-1.09	0.682	0.95	0.85-1.07	0.394	0.87	0.76-1.00	0.049
Weekly	0.87	0.78-0.96	0.004	0.90	0.80-1.01	0.066	0.87	0.78-0.97	0.016	0.83	0.73-0.94	0.005
Sewing												
Monthly	1.04	0.88-1.22	0.637	0.89	0.75-1.06	0.178	1.25	1.05-1.48	0.011	1.05	0.86-1.29	0.602
Weekly	1.30	1.1-1.54	0.002	1.04	0.87-1.25	0.636	1.27	1.06-1.52	0.010	0.91	0.74-1.12	0.373
Hobby												
Monthly	0.65	0.59-0.71	<0.001	0.83	0.75-0.93	0.001	0.73	0.66-0.81	<0.001	1.02	0.89-1.16	0.782
Weekly	0.64	0.58-0.71	<0.001	0.83	0.73-0.93	0.001	0.60	0.53-0.67	<0.001	0.84	0.73-0.96	0.012
Club												
Monthly	0.71	0.64-0.78	<0.001	0.89	0.80-0.99	0.037	0.67	0.6-0.74	<0.001	0.79	0.69-0.90	<0.001
Weekly	0.64	0.56-0.72	<0.001	0.83	0.72-0.96	0.010	0.60	0.52-0.69	<0.001	0.78	0.67-0.92	0.003
Organization												
Monthly	0.83	0.74-0.95	0.005	0.92	0.80-1.05	0.202	0.82	0.71-0.94	0.004	0.84	0.72-0.99	0.037
Weekly	1.15	0.94-1.41	0.186	1.12	0.89-1.42	0.331	1.15	0.91-1.45	0.257	1.08	0.82-1.42	0.581

Note. For all activities, no engagement was the reference category. In both concurrent and longitudinal analyses, model 2 was adjusted for gender, race/ethnicity, education, age, marital status, employment status, household income, neighborhood safety, social network, difficulty with ADLs and IADLs, long-term conditions, and cognition. Longitudinal model 2 was additionally adjusted for depression in the previous wave. Results weighted.

Alternative CES-D threshold to indicate depression

In our main analyses, we used a cut-off of three or more to indicate the presence of depression on the modified eight-item Center for Epidemiologic Studies Depression Scale (CES-D; Steffick, 2000; Turvey et al., 1999). A cut-off of four or more has also been used to indicate depression (Steffick, 2000), so here we have repeated the main analyses using this threshold.

Supplementary Table 4. Models testing associations between frequency of arts engagement and the odds of depression (indicated by a score of 4 or more on the CES-D).

	Concurrent						Longitudinal					
	Model 1: Unadjusted (n=19,276)			Model 2: Adjusted (n=19,276)			Model 1: Unadjusted (n=16,043)			Model 2: Adjusted (n=16,043)		
	OR	95% CI	p value	OR	95% CI	p value	OR	95% CI	p value	OR	95% CI	p value
Reading												
Monthly	0.73	0.62-0.86	<0.001	1.00	0.83-1.20	0.970	0.72	0.60-0.87	0.001	1.03	0.82-1.30	0.782
Weekly	0.54	0.47-0.62	<0.001	0.93	0.80-1.08	0.322	0.47	0.40-0.55	<0.001	0.80	0.66-0.98	0.027
Writing												
Monthly	1.14	1.03-1.27	0.015	1.11	0.98-1.25	0.092	0.98	0.87-1.11	0.777	0.87	0.75-1.00	0.056
Weekly	1.10	0.98-1.23	0.102	1.09	0.96-1.24	0.169	0.99	0.87-1.13	0.880	0.93	0.80-1.09	0.377
Baking/cooking												
Monthly	0.89	0.81-0.99	0.031	0.93	0.83-1.04	0.214	0.92	0.82-1.03	0.162	0.92	0.80-1.05	0.209
Weekly	0.82	0.75-0.91	<0.001	0.89	0.79-1.00	0.049	0.84	0.74-0.94	0.002	0.82	0.72-0.94	0.005
Sewing												
Monthly	1.19	1.01-1.40	0.041	1.01	0.84-1.21	0.911	1.20	0.99-1.45	0.059	0.96	0.76-1.20	0.694
Weekly	1.31	1.10-1.57	0.002	1.03	0.86-1.25	0.725	1.24	1.01-1.51	0.038	0.86	0.68-1.07	0.182
Hobby												
Monthly	0.61	0.55-0.68	<0.001	0.79	0.70-0.89	<0.001	0.69	0.62-0.78	<0.001	0.97	0.84-1.12	0.677
Weekly	0.62	0.55-0.69	<0.001	0.81	0.72-0.92	0.001	0.60	0.53-0.68	<0.001	0.86	0.74-0.99	0.040
Club												
Monthly	0.63	0.57-0.70	<0.001	0.80	0.71-0.90	<0.001	0.66	0.58-0.74	<0.001	0.84	0.73-0.97	0.019
Weekly	0.54	0.47-0.62	<0.001	0.70	0.60-0.83	<0.001	0.60	0.52-0.70	<0.001	0.83	0.70-0.99	0.036
Organization												
Monthly	0.89	0.78-1.02	0.091	0.97	0.83-1.12	0.639	0.79	0.69-0.92	0.002	0.84	0.71-1.00	0.049
Weekly	1.12	0.91-1.39	0.288	1.08	0.85-1.38	0.506	1.17	0.92-1.49	0.190	1.17	0.89-1.54	0.252

Note. For all activities, no engagement was the reference category. In both concurrent and longitudinal analyses, model 2 was adjusted for gender, race/ethnicity, education, age, marital status, employment status, household income, neighborhood safety, social network, difficulty with ADLs and IADLs, long-term conditions, and cognition. Longitudinal model 2 was additionally adjusted for depression in the previous wave. Results weighted and based on 20 multiply imputed data sets.

Complementary measure of depression

In addition to the CES-D, HRS included another measure of depression in every wave, the Short Form Composite International Diagnostic Interview (CIDI-SF). This scale can be used to determine a probable diagnosis of a major depressive episode according to DSM criteria (Nelson et al., 1998; Steffick, 2000). Respondents are asked screening questions about depressed mood and anhedonia and, if they meet criteria for the intensity and duration of depressed mood or anhedonia experienced, they then respond to seven specific symptom questions. By summing responses to these questions, total possible score ranges from 0 to 7, and a score of three or more is indicative of a diagnosis of depression (Nelson et al., 1998; Steffick, 2000).

Supplementary Table 5. Models testing associations between frequency of arts engagement and the odds of depression (indicated by a score of 3 or more on the CIDI).

	Concurrent						Longitudinal					
	Model 1: Unadjusted (n=19,274)			Model 2: Adjusted (n=19,274)			Model 1: Unadjusted (n=16,042)			Model 2: Adjusted (n=16,042)		
	OR	95% CI	p value	OR	95% CI	p value	OR	95% CI	p value	OR	95% CI	p value
Reading												
Monthly	0.81	0.66-0.99	0.039	0.94	0.75-1.17	0.576	0.92	0.69-1.22	0.559	1.09	0.78-1.51	0.614
Weekly	0.64	0.54-0.76	<0.001	0.89	0.73-1.08	0.227	0.75	0.60-0.95	0.015	1.08	0.82-1.41	0.582
Writing												
Monthly	1.14	1.01-1.30	0.041	1.06	0.92-1.22	0.399	1.12	0.96-1.31	0.149	1.01	0.85-1.20	0.879
Weekly	1.18	1.03-1.35	0.015	1.08	0.93-1.24	0.332	1.24	1.05-1.46	0.011	1.15	0.96-1.37	0.131
Baking/cooking												
Monthly	1.01	0.89-1.13	0.917	0.92	0.80-1.05	0.192	0.97	0.83-1.13	0.716	0.93	0.78-1.10	0.385
Weekly	0.87	0.77-0.98	0.023	0.80	0.70-0.92	0.002	0.81	0.70-0.95	0.007	0.80	0.67-0.95	0.012
Sewing												
Monthly	1.23	1.01-1.49	0.038	1.05	0.86-1.28	0.651	1.34	1.07-1.67	0.012	1.03	0.80-1.33	0.800
Weekly	1.35	1.11-1.65	0.003	1.10	0.89-1.36	0.375	1.19	0.93-1.51	0.168	0.89	0.68-1.16	0.386
Hobby												
Monthly	0.86	0.76-0.97	0.014	0.99	0.86-1.13	0.891	0.85	0.73-0.99	0.037	1.02	0.85-1.22	0.829
Weekly	0.84	0.74-0.96	0.008	0.98	0.85-1.14	0.827	0.87	0.74-1.01	0.073	1.08	0.90-1.29	0.420
Club												
Monthly	0.71	0.62-0.80	<0.001	0.83	0.72-0.95	0.007	0.66	0.56-0.77	<0.001	0.79	0.66-0.95	0.013
Weekly	0.64	0.54-0.75	<0.001	0.77	0.65-0.91	0.003	0.60	0.50-0.72	<0.001	0.70	0.57-0.86	0.001
Organization												
Monthly	0.82	0.70-0.96	0.011	0.87	0.74-1.03	0.108	0.80	0.66-0.97	0.020	0.87	0.71-1.07	0.196
Weekly	1.04	0.80-1.34	0.787	1.02	0.76-1.36	0.902	1.18	0.90-1.55	0.239	1.23	0.91-1.66	0.180

Note. For all activities, no engagement was the reference category. In both concurrent and longitudinal analyses, model 2 was adjusted for gender, race/ethnicity, education, age, marital status, employment status, household income, neighborhood safety, social network, difficulty with ADLs and IADLs, long-term conditions, and cognition. Longitudinal model 2 was additionally adjusted for depression in the previous wave. Results weighted and based on 20 multiply imputed data sets.

Inclusion of 2018 HRS data

In our main analyses, we used data from HRS waves at which the frequency of arts engagement was consistently measured, and complete data were available (2008-2016). An early release file also provides preliminary data from the HRS 2018 wave. This data could not be included in our main analyses because variables indicating eligibility for and completion of the Psychosocial and Lifestyle Questionnaire in 2018 were not available, and neither were weights to account for non-response to the Psychosocial and Lifestyle questionnaire in 2018. However, as our main analyses used HRS weights for the first year in which participants completed the Psychosocial and Lifestyle questionnaire, we were able to include individuals who participated in 2018 and had also participated in the Psychosocial and Lifestyle questionnaire in a previous year. Concurrent models included arts engagement and depression measured simultaneously, with estimates averaged across all waves (2008-2018). In longitudinal models, exposures (arts engagement) were included from 2008 to 2016, with the outcome (depression) included from 2010 to 2018.

Data on difficulties with ADLS and IADLS and cognition were not available in 2018. For these analyses, confounders were thus limited to gender, race/ethnicity, education, age, marital status, employment status, household income, neighborhood safety, social network, and long-term conditions (as well as depression in the previous wave for longitudinal analyses).

Supplementary Table 6. *Models testing associations between frequency of arts engagement and the odds of depression (indicated by a score of 3 or more on the CES-D) including data from the 2018 HRS wave.*

	Concurrent						Longitudinal					
	Model 1: Unadjusted (n=19,176)			Model 2: Adjusted (n=19,176)			Model 1: Unadjusted (n=15,952)			Model 2: Adjusted (n=15,952)		
	OR	95% CI	p value	OR	95% CI	p value	OR	95% CI	p value	OR	95% CI	p value
Reading												
Monthly	0.70	0.62-0.80	<0.001	0.85	0.74-0.99	0.034	0.72	0.62-0.83	<0.001	0.94	0.78-1.14	0.544
Weekly	0.56	0.49-0.62	<0.001	0.77	0.68-0.87	<0.001	0.54	0.47-0.62	<0.001	0.80	0.68-0.95	0.009
Writing												
Monthly	1.05	0.97-1.14	0.257	1.04	0.95-1.14	0.374	0.97	0.88-1.06	0.506	0.91	0.81-1.02	0.114
Weekly	1.00	0.91-1.10	0.968	1.03	0.93-1.14	0.598	1.03	0.93-1.14	0.632	1.03	0.91-1.17	0.627
Baking/cooking												
Monthly	1.02	0.94-1.10	0.651	0.93	0.86-1.01	0.105	1.04	0.95-1.13	0.406	0.95	0.85-1.06	0.381
Weekly	0.92	0.86-1.00	0.045	0.82	0.76-0.90	<0.001	0.96	0.88-1.04	0.309	0.88	0.79-0.97	0.012
Sewing												
Monthly	1.06	0.93-1.21	0.383	0.89	0.78-1.03	0.119	1.16	1.00-1.34	0.046	1.00	0.83-1.20	0.993
Weekly	1.29	1.12-1.48	<0.001	1.01	0.87-1.17	0.927	1.19	1.02-1.39	0.028	0.86	0.72-1.04	0.121
Hobby												
Monthly	0.63	0.58-0.68	<0.001	0.76	0.70-0.83	<0.001	0.74	0.67-0.80	<0.001	0.98	0.87-1.10	0.728
Weekly	0.62	0.57-0.68	<0.001	0.76	0.69-0.83	<0.001	0.60	0.54-0.66	<0.001	0.80	0.71-0.90	<0.001
Club												
Monthly	0.69	0.64-0.75	<0.001	0.81	0.74-0.89	<0.001	0.68	0.62-0.74	<0.001	0.79	0.71-0.89	<0.001
Weekly	0.61	0.55-0.68	<0.001	0.72	0.65-0.81	<0.001	0.63	0.56-0.70	<0.001	0.80	0.70-0.92	0.001
Organization												
Monthly	0.89	0.81-0.99	0.029	0.95	0.85-1.06	0.351	0.83	0.74-0.92	0.001	0.85	0.74-0.98	0.021
Weekly	1.14	0.97-1.35	0.111	1.13	0.94-1.35	0.181	1.09	0.91-1.29	0.354	1.03	0.83-1.29	0.765

Note. For all activities, no engagement was the reference category. In both concurrent and longitudinal analyses, model 2 was adjusted for gender, race/ethnicity, education, age, marital status, employment status, household income, neighborhood safety, social network, and long-term conditions. Longitudinal model 2 was additionally adjusted for depression in the previous wave. Results weighted and based on 20 multiply imputed data sets.