

Table S1. Simulation Results from 200 repetitions of a total of 24 scenarios: two PK profiles (SEL, FEL), two scenarios of variability (LV, HV), three observation designs (FO, 3T, TR), and two last-dose times (AD, TD). Simulation results are presented as medians, 10 to 90 percentiles in square brackets, and percent bias in parentheses. The k_e , CL , and V represent population PK parameters for elimination rate constant, clearance, and volume of distribution respectively. The ω_{CL} and ω_V are the between-subject variance components for clearance and volume of distribution, presented as %CV. The σ_{prop} and σ_{add} represent the proportional and additive residual errors in the combined residual error model, presented as %CV and the standard deviation, respectively. True underlying parameters are shown in **Table 1**.

Design	Dose Timing	PK Profile	Variability	CL	V	k_e	ω_{CL} (%CV)	ω_V (%CV)	σ_{prop} (%CV)	σ_{add} (ng/ml)
Full Observation	True Dose-Time	Fast Elimination	High Variability	0.20 [0.20,0.20]	2.02 [1.96,2.08]	0.10 [0.10,0.10]	0.29 [0.27,0.31]	0.29 [0.26,0.32]	0.30 [0.30,0.31]	4.45 [4.00,4.84]
			Low Variability	0.20 [0.20,0.20]	2.00 [1.99,2.01]	0.10 [0.10,0.10]	0.05 [0.04,0.05]	0.05 [0.04,0.05]	0.96 [0.86,1.11]	
			22.63 [22.11,23.29]	1137.55 [1063.65,1212.92]	0.02 [0.02,0.02]	0.30 [0.27,0.32]	0.30 [0.23,0.37]	0.46 [0.29,0.53]		
		Slow Elimination	High Variability	22.71 [22.61,22.81]	1092.09 [1079.00,1104.90]	0.02 [0.02,0.02]	0.05 [0.04,0.05]	0.06 [0.04,0.07]	0.05 [0.04,0.06]	0.10 [0.05,0.14]
			Low Variability	0.24 [0.24,0.25]	1.96 [1.91,2.02]	0.12 [0.12,0.13]	0.35 [0.32,0.37]	0.27 [0.25,0.30]	0.33 [0.32,0.33]	5.72 [5.18,6.26]
			0.24 [0.24,0.24]	1.92 [1.91,1.94]	0.06 [0.06,0.06]	0.06 [0.01,0.02]	0.16 [0.16,0.16]	0.00 [0.00,0.00]		
	Assumed Dose-Time	Fast Elimination	High Variability	23.47 [22.85,24.12]	1151.01 [1084.72,1225.55]	0.02 [0.02,0.02]	0.31 [0.28,0.33]	0.30 [0.23,0.38]	0.30 [0.29,0.31]	0.47 [0.39,0.53]
			Low Variability	23.46 [23.35,23.57]	1099.61 [1086.89,1114.54]	0.02 [0.02,0.02]	0.05 [0.05,0.05]	0.06 [0.04,0.07]	0.06 [0.05,0.06]	0.06 [0.01,0.10]
			0.20 [0.20,0.20]	2.03 [1.95,2.11]	0.10 [0.10,0.10]	0.28 [0.25,0.30]	0.31 [0.22,0.30]	4.25 [3.65,4.88]		
		Slow Elimination	High Variability	22.63 [21.97,23.27]	1148.26 [1037.89,1268.59]	0.02 [0.02,0.02]	0.29 [0.27,0.32]	0.34 [0.25,0.44]	0.30 [0.28,0.32]	0.46 [0.33,0.57]
			Low Variability	22.70 [22.60,22.82]	1091.94 [1073.77,1114.99]	0.02 [0.02,0.02]	0.05 [0.04,0.05]	0.07 [0.05,0.09]	0.05 [0.04,0.06]	0.08 [0.02,0.16]
			0.26 [0.25,0.26]	2.51 [2.42,2.58]	0.10 [0.10,0.11]	0.25 [0.33,0.38]	0.32 [0.22,0.29]	4.85 [4.26,5.57]		
3 Hour + Trough	True Dose-Time	Fast Elimination	High Variability	0.25 [0.25,0.25]	2.40 [2.38,2.42]	0.11 [0.10,0.11]	0.06 [0.06,0.06]	0.02 [0.01,0.02]	0.11 [0.11,0.12]	1.54 [1.22,1.86]
			Low Variability	23.43 [22.78,24.12]	1190.57 [1090.01,1315.11]	0.02 [0.02,0.02]	0.31 [0.28,0.33]	0.35 [0.25,0.44]	0.30 [0.28,0.32]	0.45 [0.34,0.58]
			23.49 [23.38,23.60]	1130.15 [1112.99,1154.41]	0.02 [0.02,0.02]	0.05 [0.05,0.05]	0.07 [0.05,0.09]	0.08 [0.04,0.06]		
	Assumed Dose-Time	Fast Elimination	High Variability	0.20 [0.19,0.22]	2.06 [1.83,2.43]	0.10 [0.09,0.11]	0.25 [0.22,0.27]	0.22 [0.16,0.29]	0.31 [0.30,0.33]	3.94 [3.27,4.79]
			Low Variability	0.20 [0.20,0.20]	2.00 [1.95,2.05]	0.10 [0.10,0.10]	0.04 [0.03,0.04]	0.04 [0.03,0.05]	1.00 [0.04,0.06]	
			22.24 [21.34,23.05]	1114.17 [827.93,1401.64]	0.02 [0.02,0.03]	0.28 [0.25,0.31]	0.30 [0.34,0.59]	0.46 [0.27,0.34]		
Trough	True Dose-Time	Slow Elimination	High Variability	22.68 [22.44,23.01]	1103.43 [1004.29,1233.25]	0.02 [0.02,0.02]	0.04 [0.04,0.05]	0.17 [0.12,0.20]	0.05 [0.02,0.06]	0.09 [0.00,0.26]
			Low Variability	0.24 [0.22,0.26]	2.17 [1.64,2.82]	0.11 [0.09,0.13]	0.28 [0.25,0.31]	0.30 [0.23,0.40]	0.32 [0.30,0.33]	5.08 [4.23,6.06]
			0.21 [0.20,0.22]	1.48 [1.32,1.61]	0.14 [0.13,0.15]	0.03 [0.02,0.04]	0.07 [0.05,0.09]	0.60 [0.01,3.29]		
	Assumed Dose-Time	Fast Elimination	High Variability	22.58 [21.41,23.45]	953.64 [684.68,1241.30]	0.02 [0.02,0.03]	0.28 [0.25,0.31]	0.53 [0.40,0.67]	0.30 [0.28,0.33]	0.46 [0.26,0.62]
			Low Variability	23.26 [22.91,23.61]	1066.20 [915.55,1220.93]	0.02 [0.02,0.03]	0.04 [0.04,0.05]	0.05 [0.16,0.28]	0.10 [0.02,0.06]	
			22.58 [21.41,23.45]	953.64 [684.68,1241.30]	0.02 [0.02,0.03]	0.28 [0.25,0.31]	0.53 [0.40,0.67]	0.30 [0.28,0.33]	0.46 [0.26,0.62]	

Table S2. Simulation Results from 200 repetitions of a total of 36 scenarios: two PK profiles (SEL, FEL), two scenarios of variability (LV, HV), three observation designs (FO, 3T, TR), and three assumed values for k_a (True k_a , $k_a \times 10$, $k_a / 10$). Simulation results are presented as medians, 10 to 90 percentiles in square brackets, and percent bias in parentheses. The k_e , CL , and V represent population PK parameters for elimination rate constant, clearance, and volume of distribution respectively. The ω_{CL} and ω_V are the between-subject variance components for clearance and volume of distribution, presented as %CV. The σ_{prop} and σ_{add} represent the proportional and additive residual errors in the combined residual error model, presented as %CV and the standard deviation, respectively. True underlying parameters are shown in **Table 1**.

Design	PK profile	Variability	Fixed k_a	CL (L/h)	V (L)	k_e	ω_{CL} (%CV)	ω_V (%CV)	σ_{prop} (%CV)	σ_{add} (ng/ml)	
Full Observation	Fast Elimination	High Variability	True k_a	0.20 [0.20,0.20] (0.00%)	2.04 [1.98,2.10] (1.87%)	0.10 [0.09,0.10] (-1.99%)	0.30 [0.28,0.32] (-1.00%)	0.30 [0.28,0.33] (0.67%)	0.30 [0.30,0.31] (0.33%)	4.63 [4.01,5.38] (-7.37%)	
			$k_a \times 10$	0.20 [0.19,0.20] (-1.50%)	2.67 [2.61,2.77] (33.75%)	0.07 [0.07,0.08] (-26.23%)	0.29 [0.27,0.31] (-2.67%)	0.31 [0.28,0.34] (3.67%)	0.33 [0.32,0.34] (9.33%)	2.92 [2.18,3.70] (-41.51%)	
			$k_a / 10$	0.20 [0.20,0.21] (0.00%)	0.19 [0.19,0.20] (-90.35%)	1.04 [0.99,1.08] (935.90%)	0.30 [0.28,0.32] (0.33%)	0.40 [0.35,0.44] (32.67%)	0.30 [0.30,0.31] (1.33%)	5.05 [4.23,5.95] (1.00%)	
		Low Variability	True k_a	0.20 [0.20,0.20] (0.00%)	2.00 [1.99,2.01] (0.05%)	0.10 [0.10,0.10] (-0.10%)	0.05 [0.05,0.05] (-2.00%)	0.05 [0.04,0.05] (-2.00%)	0.05 [0.05,0.05] (0.00%)	0.05 [0.05,0.05] (0.00%)	0.99 [0.77,1.18] (-1.10%)
			$k_a \times 10$	0.20 [0.20,0.20] (-1.00%)	2.59 [2.57,2.60] (29.40%)	0.08 [0.08,0.08] (-23.66%)	0.05 [0.04,0.05] (-8.00%)	0.02 [0.02,0.03] (-54.00%)	0.10 [0.10,0.10] (102.00%)	0.00 [0.00,0.00] (-100.00%)	
			$k_a / 10$	0.20 [0.20,0.20] (0.00%)	0.20 [0.20,0.20] (-90.00%)	1.00 [1.00,1.01] (900.00%)	0.05 [0.05,0.05] (0.00%)	0.06 [0.05,0.07] (18.00%)	0.05 [0.05,0.05] (-2.00%)	1.22 [1.02,1.43] (22.35%)	
	Slow Elimination	High Variability	True k_a	22.61 [21.96,23.21] (-0.41%)	1140.13 [1077.56,1205.87] (4.60%)	0.02 [0.02,0.02] (-5.05%)	0.30 [0.28,0.32] (0.33%)	0.31 [0.22,0.37] (3.83%)	0.30 [0.29,0.31] (1.33%)	0.46 [0.39,0.53] (-8.70%)	
			$k_a \times 10$	22.50 [21.84,23.09] (-0.87%)	1168.46 [1101.49,1237.95] (7.20%)	0.02 [0.02,0.02] (-7.54%)	0.30 [0.28,0.32] (0.17%)	0.30 [0.23,0.37] (1.67%)	0.30 [0.29,0.31] (1.33%)	0.46 [0.39,0.52] (-8.80%)	
			$k_a / 10$	22.55 [21.91,23.11] (-0.68%)	827.86 [743.68,932.42] (-24.05%)	0.03 [0.02,0.03] (29.86%)	0.30 [0.28,0.32] (0.00%)	0.46 [0.35,0.59] (53.67%)	0.30 [0.29,0.32] (1.33%)	0.50 [0.42,0.57] (-0.90%)	
		Low Variability	True k_a	22.70 [22.59,22.79] (0.00%)	1092.74 [1081.33,1104.30] (0.25%)	0.02 [0.02,0.02] (-0.27%)	0.05 [0.05,0.05] (0.00%)	0.06 [0.04,0.08] (20.00%)	0.05 [0.04,0.06] (1.00%)	0.09 [0.05,0.14] (-6.00%)	
			$k_a \times 10$	22.60 [22.49,22.69] (-0.44%)	1128.54 [1115.35,1139.60] (3.54%)	0.02 [0.02,0.02] (-3.77%)	0.05 [0.05,0.05] (0.00%)	0.06 [0.04,0.07] (16.00%)	0.05 [0.04,0.06] (2.00%)	0.09 [0.05,0.14] (-10.50%)	
			$k_a / 10$	22.65 [22.54,22.75] (-0.22%)	760.05 [744.25,784.20] (-30.27%)	0.03 [0.03,0.03] (43.05%)	0.05 [0.05,0.05] (-2.00%)	0.07 [0.05,0.08] (32.00%)	0.00 [0.00,0.00] (-100.00%)	0.64 [0.63,0.64] (536.00%)	

Design	PK profile	Variability	Fixed k_o	CL (L/h)	V (L)	k_e	ω_{CL} (%CV)	ω_V (%CV)	σ_{prop} (%CV)	σ_{add} (ng/ml)
3 Hour + Trough	Fast Elimination	High Variability	True k_o	0.20 [0.19,0.21] (0.00%)	2.04 [1.99,2.12] (2.15%)	0.10 [0.09,0.10] (-2.29%)	0.29 [0.27,0.31] (-3.33%)	0.29 [0.26,0.32] (-2.67%)	0.30 [0.29,0.31] (1.00%)	4.59 [3.57,5.43] (-8.21%)
			$k_o \times 10$	0.19 [0.18,0.19] (-6.00%)	2.04 [1.98,2.12] (1.90%)	0.09 [0.09,0.09] (-7.82%)	0.28 [0.26,0.30] (-7.00%)	0.30 [0.27,0.33] (0.33%)	0.30 [0.29,0.31] (0.83%)	4.59 [3.65,5.52] (-8.28%)
			$k_o / 10$	0.20 [0.19,0.20] (-1.50%)	0.15 [0.12,0.18] (-92.53%)	1.30 [1.08,1.67] (1202.32%)	0.30 [0.28,0.32] (-1.00%)	0.73 [0.57,0.94] (144.00%)	0.31 [0.30,0.32] (2.33%)	5.14 [3.91,6.29] (2.87%)
		Low Variability	True k_o	0.20 [0.20,0.20] (0.00%)	2.00 [1.99,2.01] (0.05%)	0.10 [0.10,0.10] (-0.10%)	0.05 [0.04,0.05] (-4.00%)	0.05 [0.04,0.05] (-6.00%)	0.05 [0.05,0.05] (2.00%)	0.94 [0.68,1.18] (-6.20%)
			$k_o \times 10$	0.19 [0.19,0.19] (-5.50%)	2.01 [2.00,2.02] (0.30%)	0.09 [0.09,0.09] (-6.06%)	0.05 [0.04,0.05] (-8.00%)	0.05 [0.04,0.05] (-4.00%)	0.05 [0.05,0.05] (2.00%)	0.94 [0.68,1.17] (-6.50%)
			$k_o / 10$	0.20 [0.20,0.20] (-0.50%)	0.19 [0.18,0.19] (-90.60%)	1.06 [1.03,1.09] (958.51%)	0.05 [0.05,0.05] (-2.00%)	0.24 [0.20,0.26] (373.00%)	0.05 [0.05,0.05] (0.00%)	1.07 [0.84,1.35] (7.50%)
	Slow Elimination	High Variability	True k_o	22.54 [21.91,23.13] (-0.69%)	1167.74 [1067.91,1297.50] (7.13%)	0.02 [0.02,0.02] (-7.47%)	0.30 [0.28,0.32] (0.33%)	0.35 [0.26,0.46] (16.67%)	0.31 [0.28,0.33] (1.83%)	0.44 [0.30,0.59] (-11.80%)
			$k_o \times 10$	22.40 [21.77,22.97] (-1.34%)	1163.79 [1053.54,1282.06] (6.77%)	0.02 [0.02,0.02] (-7.56%)	0.30 [0.28,0.32] (-0.33%)	0.35 [0.27,0.45] (17.67%)	0.31 [0.28,0.33] (2.00%)	0.44 [0.29,0.59] (-11.60%)
			$k_o / 10$	22.67 [22.02,23.24] (-0.12%)	582.35 [521.76,668.53] (-46.57%)	0.04 [0.03,0.04] (85.65%)	0.29 [0.27,0.32] (-2.00%)	0.39 [0.30,0.53] (31.33%)	0.31 [0.28,0.33] (2.17%)	0.43 [0.28,0.58] (-13.80%)
		Low Variability	True k_o	22.69 [22.59,22.79] (-0.03%)	1094.52 [1075.98,1113.57] (0.41%)	0.02 [0.02,0.02] (-0.53%)	0.05 [0.05,0.05] (0.00%)	0.07 [0.05,0.10] (46.00%)	0.05 [0.04,0.06] (2.00%)	0.09 [0.02,0.16] (-7.00%)
			$k_o \times 10$	22.55 [22.45,22.65] (-0.65%)	1088.20 [1069.74,1108.19] (-0.17%)	0.02 [0.02,0.02] (-0.52%)	0.05 [0.05,0.05] (-2.00%)	0.07 [0.06,0.10] (44.00%)	0.05 [0.04,0.06] (2.00%)	0.09 [0.02,0.16] (-7.50%)
			$k_o / 10$	22.67 [22.56,22.76] (-0.15%)	510.93 [503.33,520.70] (-53.13%)	0.04 [0.04,0.05] (112.73%)	0.05 [0.04,0.05] (-2.00%)	0.07 [0.05,0.09] (40.00%)	0.05 [0.04,0.06] (2.00%)	0.09 [0.02,0.16] (-9.00%)

Design	PK profile	Variability	Fixed k_a	CL (L/h)	V (L)	k_e	ω_{CL} (%CV)	ω_V (%CV)	σ_{prop} (%CV)	σ_{add} (ng/ml)
Trough	Fast Elimination	High Variability	True k_a	0.21	2.41	0.09	0.26	0.30	0.30	4.48
				[0.19,0.23]	[1.82,3.28]	[0.07,0.10]	[0.23,0.29]	[0.23,0.39]	[0.28,0.32]	[3.09,5.83]
				(5.00%)	(20.63%)	(-12.98%)	(-14.00%)	(0.50%)	(1.67%)	(-10.49%)
		$k_a \times 10$	0.20	2.43	0.08	0.25	0.29	0.30	4.50	
			[0.18,0.22]	[1.82,3.16]	[0.07,0.10]	[0.22,0.28]	[0.21,0.38]	[0.28,0.32]	[3.08,5.88]	
			(-0.50%)	(21.30%)	(-18.29%)	(-16.67%)	(-3.50%)	(1.67%)	(-9.95%)	
	Slow Elimination	High Variability	True k_a	0.26	1.17	0.23	0.34	0.79	0.30	4.52
				[0.24,0.28]	[0.65,1.89]	[0.15,0.37]	[0.31,0.37]	[0.58,1.11]	[0.28,0.32]	[3.05,5.96]
				(31.00%)	(-41.73%)	(127.96%)	(13.17%)	(162.17%)	(1.50%)	(-9.54%)
		Low Variability	0.18	1.54	0.12	0.03	0.07	0.05	0.93	
			[0.18,0.19]	[1.40,1.70]	[0.11,0.13]	[0.02,0.04]	[0.05,0.09]	[0.03,0.06]	[0.02,2.89]	
			(-9.00%)	(-22.75%)	(18.14%)	(-36.00%)	(34.00%)	(2.00%)	(-7.05%)	
$k_a \times 10$	0.17	1.55	0.11	0.03	0.06	0.05	0.93			
	[0.16,0.18]	[1.43,1.71]	[0.10,0.12]	[0.02,0.04]	[0.04,0.08]	[0.03,0.06]	[0.02,2.95]			
	(-14.50%)	(-22.38%)	(9.93%)	(-38.00%)	(22.00%)	(2.00%)	(-6.80%)			
Trough	Fast Elimination	High Variability	True k_a	0.27	1.44	0.19	0.05	0.24	0.05	0.94
				[0.26,0.28]	[1.17,1.87]	[0.15,0.22]	[0.04,0.05]	[0.17,0.32]	[0.03,0.06]	[0.03,2.91]
				(35.00%)	(-28.00%)	(88.07%)	(-4.00%)	(382.00%)	(2.00%)	(-6.35%)
		$k_a / 10$	21.69	944.38	0.02	0.27	0.54	0.31	0.43	
			[20.57,22.61]	[653.61,1314.86]	[0.02,0.03]	[0.24,0.30]	[0.41,0.70]	[0.28,0.33]	[0.25,0.61]	
			(-4.43%)	(-13.36%)	(11.33%)	(-9.50%)	(78.33%)	(1.83%)	(-13.30%)	
	Slow Elimination	High Variability	True k_a	21.50	947.79	0.02	0.27	0.53	0.30	0.44
				[20.43,22.49]	[646.95,1256.16]	[0.02,0.03]	[0.24,0.30]	[0.41,0.67]	[0.28,0.33]	[0.26,0.61]
				(-5.30%)	(-13.05%)	(10.25%)	(-10.00%)	(77.17%)	(1.50%)	(-13.00%)
		$k_a \times 10$	22.89	811.86	0.03	0.29	0.61	0.30	0.43	
			[21.85,23.83]	[519.30,1279.97]	[0.02,0.04]	[0.26,0.32]	[0.48,0.80]	[0.28,0.33]	[0.25,0.61]	
			(0.82%)	(-25.52%)	(35.60%)	(-4.00%)	(104.00%)	(1.00%)	(-13.10%)	
Slow Elimination	Low Variability	True k_a	22.54	1052.08	0.02	0.04	0.21	0.05	0.09	
			[22.12,22.82]	[883.92,1190.57]	[0.02,0.03]	[0.04,0.05]	[0.16,0.27]	[0.02,0.06]	[0.00,0.29]	
			(-0.69%)	(-3.48%)	(2.87%)	(-15.00%)	(327.00%)	(2.00%)	(-6.00%)	
	$k_a \times 10$	22.43	1059.12	0.02	0.04	0.21	0.05	0.09		
		[22.01,22.69]	[896.54,1180.71]	[0.02,0.02]	[0.04,0.05]	[0.16,0.26]	[0.02,0.06]	[0.00,0.29]		
		(-1.17%)	(-2.83%)	(1.76%)	(-14.00%)	(312.00%)	(2.00%)	(-6.00%)		
$k_a / 10$	23.67	975.26	0.02	0.05	0.31	0.05	0.10			
	[23.39,23.89]	[811.05,1145.94]	[0.02,0.03]	[0.04,0.05]	[0.23,0.40]	[0.02,0.06]	[0.00,0.29]			
	(4.26%)	(-10.53%)	(16.48%)	(-6.00%)	(519.00%)	(1.00%)	(-0.50%)			