

SUPPLEMENTARY MATERIAL

Illness duration and symptom profile in a large cohort of symptomatic UK school-aged children tested for SARS-CoV-2

Erika Molteni PhD*, Carole H. Sudre PhD*, Liane S. Canas PhD, Sunil S. Bhopal PhD, Robert C. Hughes MPH MB ChB, Michela Antonelli PhD, Benjamin Murray MSc, Kerstin Kläser MSc, Eric Kerfoot PhD, Liyuan Chen MSc, Jie Deng PhD, Christina Hu BA, Somesh Selvachandran MEng, Kenneth Read BSc, Joan Capdevila Pujol PhD, Alexander Hammers PhD, Tim D. Spector PhD, Sebastien Ourselin PhD, Claire J. Steves PhD, Marc Modat PhD, Michael Absoud PhD, Emma L. Duncan PhD.

* Equal contribution

Supplementary Table 1. List of symptom questions asked by the COVID Symptom Study app at 1 September 2020. Answers were yes/no, unless indicated otherwise.

Symptom	COVID Symptom Study app question
Fever	Do you have a fever?
Persistent Cough	Do you have a persistent cough (coughing a lot for more than an hour, or 3 or more coughing episodes in 24 hours)?
Fatigue	Are you experiencing unusual fatigue? (no; mild fatigue; severe fatigue/ I struggle to get out of bed)
Dyspnoea	Are you experiencing unusual shortness of breath? (no; yes mild symptoms/ slight shortness of breath during ordinary activity: yes significant symptoms - breathing is comfortable only at rest; yes, severe symptoms/ breathing is difficult even at rest).
Anosmia	Do you have a loss of smell/taste?
Hoarse Voice	Do you have an unusually hoarse voice?
Chest Pain	Are you feeling an unusual chest pain or tightness in your chest?
Abdominal Pain	Do you have an unusual abdominal pain?
Diarrhoea	Are you experiencing diarrhoea?
Headache	Do you have a headache? How often are you experiencing headaches? (number)
Confusion	Do you have any of the following symptoms: confusion, disorientation or drowsiness?
Eye Soreness	Do your eyes have any unusual eye-soreness or discomfort (e.g., light sensitivity, excessive tears, or pink/red eye)?
Loss of Appetite	Have you been skipping meals?
Nausea	Have you felt nauseous or experienced vomiting?

Dizziness	Are you experiencing dizziness or light-headedness?
Sore Throat	Do you have a sore throat?
Myalgias	Do you have unusual strong muscle pains?
Red Welts	Have you had raised, red, itchy welts on the skin or sudden swelling of the face or lips?
Blisters	Have you had any red/purple sores or blisters on your feet, including your toes?

Supplementary Table 2. List of symptom questions asked by the COVID Symptom Study app after changes implemented on 4 November 2020. Questions were: Do you have (symptom)? Answers were yes/no, unless indicated otherwise. New symptoms added on 4 November 2020 are indicated in bold.

Symptom	COVID Symptom Study app question
Fever	Fever (at least 37.8C or 100F)
Persistent Cough	Persistent cough (coughing a lot for more than an hour or 3 or more coughing episodes in 24 hours)
Fatigue	Unusual fatigue... (no; mild fatigue; severe fatigue/ I struggle to get out of bed)
Dyspnoea	Shortness of breath or trouble breathing (no; yes mild symptoms/ slight shortness of breath during ordinary activity; yes significant symptoms/ breathing is comfortable only at rest; yes, severe symptoms/ breathing is difficult even at rest).
Anosmia/Ageusia	Loss of smell / taste
Hoarse Voice	Unusually hoarse voice
Chest Pain	Unusual chest pain or tightness in your chest
Abdominal Pain	Unusual abdominal pain or stomach-ache
Diarrhoea	Diarrhoea
Stools	How many loose stools in the last 24 hours?
Headache Frequency	How often are you experiencing headaches?
Confusion	Confusion, disorientation or drowsiness
Eye Soreness	Do your eyes have any unusual eye-soreness or discomfort (e.g. light sensitivity, excessive tears, or pink/red eye)?
Loss of appetite	Skipping meals

Headache	Headache
Nausea	Nausea or vomiting
Dizziness	Dizziness or light-headedness
Sore Throat	Sore or painful throat
Myalgias	Unusual strong muscle pains or aches
Red Welts	Raised, red, itchy welts on the skin or sudden swelling of the face or lips
Blisters	Red/purple sores or blisters on your feet, including your toes
Allergy Exacerbation	Increase in your usual allergy symptoms
Rashes	Rash on your arms or torso
Sensitive Skin	Strange, unpleasant sensations in your skin like pins & needles or burning
Hair Loss	Unusual hair loss
Low Mood	Feeling down, depressed or hopeless
Brain Fog	Loss of concentration or memory (brain fog)
Dysosmia/Dysgeusia	Altered smell / taste (things smell or taste different to usual)
Rhinorrhoea	Runny nose
Sneezing	Sneezing more than usual
Ear Pain	Earache
Tinnitus	Ringing in your ears
Lymphadenopathy	Swollen neck glands

Palpitations	Unusually fast or irregular heartbeat (palpitations)
Arthralgias	Unusual joint pains or aches
Mouth Ulcers	Mouth or tongue ulcers
Tongue Changes	Changes to tongue surface

Supplementary Table 3. Theme summary from the free-text scrutiny.

Twelve themes were identified and ordered by text word frequency. For each theme, numbers of children (overall and within younger/older age groups) are charted, with keywords used in the automatic search (asterisk at the end of search keywords indicates free term termination (wildcard)) and the number of children for whom each simple or combined term was reported. Free-text was also searched for specific terms of interest, including neuromuscular symptoms (e.g., weakness, paralysis, tics, seizure), and symptoms potentially affecting attention, learning, and school performance (e.g., anxiety, irritability). Summation of the number of children with each symptom within a theme may not equal the number of children within the theme overall, due to multiple terms and negations in free-text.

Theme number	Theme name	Number overall	Number of younger children	Number of older children	Search keywords	Numbers of individuals reporting a term
1	Respiratory tract symptoms	131	41	90	nose, sinus, chest, congest*, cold, sneez*, wheez*, throat, tonsillitis, asthma, phlegm, mucus, coughing blood	cold (46), blocked nose, blocked sinuses (17), stuffy nose (5), sinus pain, burning sinuses, sore nose, nose pain (18), congestion (12), burning nose (3), clearing throat (7), dry throat (1), tickle in throat, irritated throat, itchy throat (6), tonsillitis (5), headcold (1), sneezing (2), nose bleeding (2), mucus (8), phlegm (11), fleming (2), asthma (8), wheeze (1), quick breath (1), tight chest (2), burning sensation in chest (1), "pins and needles" in chest (1).
2	Cutaneous manifestations	42	18	24	skin, rash, eczema, impetigo, pale, itch*, spot, finger	eczema (7), rash (5), body rash (1), rash on torso (3), rash on hands (1), rash on face (7), rash on elbows (1), sensitive skin (4), itchy skin (9), itchy bumps on toe skin, toe lumps (2), dry

						skin (2), red spots (3), white spots on legs (1), finger chilblains (3), pale (4), chilblain on finger knuckle (1).
3	Oral cavity manifestations	29	11	18	mouth, tongue, lip, throat ulcer	mouth ulcers (6), sore or sensitive mouth (4), tongue rash (3), tied tongue and difficulty in speaking (1), white or purple spots on tongue (2), white tongue (1), dry mouth (1), dry lips (1), swollen lips (1), burning or sore lips (3), rash around the lips (1).
4	Joint symptoms and lymphadenopathy	23	9	14	gland, sore	swollen glands (3), sore legs or hip (2), sore back (1), sore joints (1), sore neck glands (1).
5	Ocular symptoms	16	2	14	eye, vision, teary	aching or sore eyes (1), itchy eyes (1), pain behind the eyes (1), eye heaviness or discomfort (3), blurred vision (2), double vision from one eye (2), seeing purple (2), twitchy eye (1), teary eyes (1).
6	Cardiovascular/autonomic symptoms	14	4	10	sweaty, faint, flush, palpitations, heartbeat, shak*	shaky (2), faint (2), palpitations (1), rapid intermittent heartbeat (1), flushed (1), sweaty (1).
7	Sleep disturbance	13	3	10	sleep, insomnia	difficulty or problems in sleeping (5), disturbed or broken sleep (5), unusual moaning in sleep (1), day sleepiness (1), unable to sleep (1).
8	Otological symptoms	7	1	6	ear	hearing loss (1), ringing or popping in ears (2), blocked ear (1), itchy ear (1), glue ear (1).
9	Mental, mood and affective health	6	4	2	concentration, attention, focus, irritab*, emotion,	irritability (2), low mood (1), "very grumpy" (1), emotional (1), odd behaviour (1).

					grumpy, behav*, mood, anxiety	
10	Neurological	6	1	5	tic, twitch, weak*, paralysis, balance, ataxia, walk*, seizure, convulsions, paroxysm, sensory, fit	physical tics (1), weakness (2).
11	Genitourinary symptoms	5	3	2	urin*, bladder, kidney, penis, genital itching	frequent need to urinate (1), urinary tract infection (2), penis infection (1).
12	Gastrointestinal symptoms	3	1	2	constipation, stomach	stomach discomfort (2).
13	Miscellaneous	17	6	11	jaw, thirst, swelling, sugar, toe	swelling (2), low blood sugar with no diabetes (1), increased thirst (2), mottled toes (1), toe swelling (1), toe lumps (1).

Supplementary Table 4. Number of subjects reporting each symptom over the course of illness in younger (5-11 years, n=588), older (12-17 years, n=1,146) and overall (n=1,734) children testing negative for SARS-CoV-2.

	Sample tested negative for SARS-CoV-2 test		
	Younger children (aged 5-11 years, n=588)	Older children (aged 12-17 years, n=1,146)	Overall cohort (n=1,734)
Headache	228	559	787 (45.4%)
Fatigue	158	426	584 (33.7%)
Sore Throat	274	695	969 (55.9%)
Anosmia	45	142	187 (10.8%)
Fever	179	234	413 (23.8%)
Abdominal Pain	145	176	321 (18.5%)
Dizziness	43	193	236 (13.6%)
Persistent Cough	137	236	373 (21.5%)
Loss of Appetite	67	148	215 (12.4%)
Eye Soreness	37	101	138 (8.0%)
Myalgias	34	114	148 (8.5%)
Nausea	90	219	309 (17.8%)
Hoarse voice	68	185	253 (14.6%)
Chest Pain	21	104	125 (7.2%)
Dyspnoea	21	70	91 (5.2%)
Diarrhoea	71	88	159 (9.2%)
Confusion	8	40	48 (2.8%)
Red Welts	19	20	39 (2.2%)
Blisters	8	20	28 (1.6%)

Supplementary Table 5. Official data of SARS-CoV-2 positive cases in children and young adults in England, Scotland, Wales and Northern Ireland.


	Number of positive tests	Age [years]	Period	Number	Age [years]
England ¹	390,866	5-19	1 September 2020 to 24 January 2021	69,641	5-9
				321,225	10-19
Scotland ²	30,466	0-19	Start of COVID-19 pandemic to 30 March 2021	15,869	0-14
				14,597	15-19
Wales ³	~28,300	children and young people	Start of COVID-19 pandemic to 30 March 2021	-	-
Northern Ireland ⁴	13,268	0-19	Start of COVID-19 pandemic to 30 March 2021	-	-

Supplementary References:


1. Public Health England. Weekly national Influenza and COVID-19 surveillance report - Week 11 report (up to week 10 data) 18 March 2021.
https://assets.publishing.service.gov.uk/government/uploads/system/uploads/attachment_data/file/971212/Weekly_Flu_and_COVID-19_report_w11_v2.pdf (accessed April 27, 2021).

2. Public Health Scotland. Total Cases by Age and Sex. 2021. https://www.opendata.nhs.scot/fa_IR/dataset/covid-19-in-scotland/resource/19646dce-d830-4ee0-a0a9-fcec79b5ac71
3. Public Health Wales TP. Rapid COVID-19 surveillance. <https://public.tableau.com/profile/public.health.wales.health.protection#!/vizhome/RapidCOVID-19virology-Public/Headlinesummary>. 2021; published online April 16.
4. Ulster University. Northern Ireland COVID-19 Tracker - Cumulative Number of Individuals Tested Positive by Age. 2021. <https://www.ulster.ac.uk/coronavirus/research/impact/ni-covid-19-tracker>.


Supplementary Figure 1. Proportions of children with a positive test for SARS-CoV-2 with symptoms from questions added to the app, from 4 November 2020.



Supplementary Figure 2. Individual symptom profile and prevalence in younger children (YC, left panel) and older children (OC, right panel) testing positive for SARS-CoV-2, comparing 37 (16 younger, 21 older) children presenting to hospital (darker bars) with children managed in the community (lighter bars).



Supplementary Figure 3. Symptom duration [IQR] in the control cohort (matched for age, gender, and week of testing) in younger (5-11 years) and older (12-17 years) children negative for SARS-CoV-2 (n=1734).



Supplementary Figure 4. Heat map showing symptom duration in children (aged 5-17 years) with a negative SARS-CoV-2 test, in whom at least one symptom persisted for ≥ 28 days (n =15 children).


Legend:

X-axis, duration in days.


Y axis, symptoms.

Legend: BT, blisters; RW, red welts; ES, eye soreness; DZ, dizziness and light-headedness; AN, anosmia; PC, persistent cough; FV, fever; DI, diarrhoea; CO, confusion; HV, hoarse voice; HA, headache; UMP, myalgias [unusual muscle pains]; LA, loss of appetite; SOB, dyspnoea [shortness of breath]; ST, sore throat; CP, chest pain; AP, abdominal pain; FA, fatigue. Colour bar provides percentage comparison.

Negatives with LC28



Supplementary Figure 5. Symptom profile (at day 28 or beyond) in younger children (YC, left panel) and older children (OC, right panel) with illness duration ≥ 28 days. Each panel compares children positive (darker bars) and negative (lighter bars) for SARS-CoV-2.



Supplementary Figure 6. Symptom prevalence over the entire duration of illness in younger children (YC, left panel) and older children (OC, right panel) with illness duration >28 days, comparing children who tested positive (darker bars) or negative (lighter bars) for SARS-CoV-2.

