

The COVID-19 pandemic storm in India subsides, but the calm is still far away

Igor Nesteruk

Institute of Hydromechanics, National Academy of Sciences of Ukraine, Zheliabova 8/4, UA-03680
Kyiv, Ukraine

National Technical University of Ukraine “Igor Sikorsky Kyiv Polytechnic Institute”,
Prosp.Peremohy 37, UA-03056, Kyiv, Ukraine.
inesteruk@yahoo.com

ABSTRACT

In May 2021, the number of new COVID-19 patients in India began to decline, as predicted by the generalized SIR-model (susceptible-infected-removed). The calculations of the final size of this pandemic wave and its duration probably were too pessimistic. New SIR simulations with the use of fresher datasets are necessary in order to update the predictions and to calculate the difference between the registered (laboratory-confirmed) and real number of cases.

Keywords: COVID-19 pandemic, epidemic dynamics in India, mathematical modeling of infection diseases, SIR model, parameter identification, statistical methods.

Introduction

At the end of May 2021, the daily number of new laboratory-confirmed COVID-19 cases in India was already half the maximum of 400,000 observed in April, [1]. Such a rapid decline was predicted by the results of preliminary modeling of the epidemic dynamics, published in [2] in early May 2021. Here we will compare the latest data reported from Data Repository by the Center for Systems Science and Engineering (CSSE) at Johns Hopkins University (JHU) [1] with the forecasts based on the generalized SIR-model [2] and will analyze their accuracy.

Data

We will use the data sets regarding the accumulated numbers of confirmed COVID-19 cases in India (V_j) from JHU [1]. The values V_j and corresponding time moments t_j in May 2021 are shown in Table 1. The values V_j registered in India in March and April 2021 are listed in [2]. The dataset corresponding the period April 10-23, 2021 was used in [2] to calculate the optimal values of the SIR-model parameters. Other V_j values registered in March-May 2021 (in particular, those shown in Table 1) will be used only to check the accuracy of simulations performed in [2].

NOTE: This preprint reports new research that has not been certified by peer review and should not be used to guide clinical practice.

Day in May 2021	Number of cases, V_j
1	19557457
2	19925517
3	20282833
4	20664979
5	21077410
6	21491598
7	21892676
8	22296081
9	22662575
10	22992517
11	23340938
12	23703665
13	24046809
14	24372907
15	24684077
16	24965463
17	25228996
18	25496330
19	25772440
20	26031991
21	26289290
22	26530132
23	26752447
24	26948874
25	27157795
26	27369093
27	27555457
28	27729247
29	27894800
30	28047534

Table 1. Cumulative numbers of laboratory confirmed Covid-19 cases in India V_j according to JHU, [1].

Generalized SIR model and parameter identification procedure

In [2] the generalized SIR-model and the exact solution of the set of non-linear differential equations relating the number of susceptible S , infectious I and removed persons R was used (see, e.g., [3, 4]). The exact solution depends on five unknown parameters. The values V_j , corresponding to the moments of time t_j from the period April 10-23, 2021 have been used in [2] to find the optimal values of these parameters corresponding to the new epidemic wave in India. The details of the optimization procedure can be found in [5].

Results and Discussion

The results of SIR simulation performed in [2] are shown in Figure by blue lines: $V(t)=I(t)+R(t)$ – solid; dashed one represents the number of infectious persons multiplied by 5, i.e. $I(t)\times 5$; dotted line shows the derivative $(dV/dt)\times 100$ calculated with the use of formula:

$$\frac{dV}{dt} = \alpha_i SI \quad (1)$$

Equation (1) follows from the differential equations of SIR-model (α_i is one of its parameters) and yields an estimation of the real daily number of new cases. Red “Circles” and “stars” correspond to the accumulated numbers of cases registered during the period of time taken for SIR simulations (April 10-23, 2021) and beyond this time period, respectively. It can be seen that these values started to deviate from the theoretical blue solid line in May 2021.




Figure. The COVID-19 epidemic dynamics in India.

The results of SIR simulations are shown by blue lines. Numbers of victims $V(t)=I(t)+R(t)$ – solid; numbers of infected and spreading $I(t)$ multiplied by 5 – dashed; derivatives dV/dt (eq. (1)) multiplied by 100 – dotted. Red markers show the real number of cases and its derivatives: “circles” correspond to the accumulated numbers of cases taken for calculations; “stars” – number of cases beyond the period taken for calculations (all the values from Table 1 and corresponding table in [2]); “crosses” – the first derivative (3) multiplied by 100.

We can also compare the theoretical curve (1) with the average daily number of new cases which can be calculated with the use of smoothing registered V_j values [3, 4]:

$$\bar{V}_i = \frac{1}{7} \sum_{j=i-3}^{j=i+3} V_j, \quad (2)$$

and its derivative:

$$\left. \frac{d \bar{V}}{dt} \right|_{t=t_i} \approx \frac{1}{2} (\bar{V}_{i+1} - \bar{V}_{i-1}) \quad (3)$$

The blue “crosses” represent the results of calculations of the derivative (3) and are in a good agreement with the theoretical dotted line for moments of time before April 22, 2021. After this period we can see a significant discrepancy, but the time moments corresponding to the maximum values of the daily numbers are very close. The maximal value of derivative (3) was achieved approximately one week before the maximum of the theoretical value (1). After two weeks, both the theoretical estimation (1) and the average recorded value (3) decreased approximately twofold.

The revealed discrepancies can be the result the convergence problems mentioned in [2]. Probably new simulation with the use of fresher datasets could fix this problem and provide new more optimistic predictions for the final size and the pandemic duration in India. The second reason for discrepancies may be the large number of unregistered cases observed in other countries [6-9]. Estimates for Ukraine and Qatar made in [10, 11] showed that the real number of cases is probably 4-5 times higher than registered and reflected in official statistics. Similar estimates have to be done for the case of India.

Acknowledgements

The author is grateful to Oleksii Rodionov for his help in collecting and processing data.

References

1. COVID-19 Data Repository by the Center for Systems Science and Engineering (CSSE) at Johns Hopkins University (JHU). <https://github.com/owid/covid-19-data/tree/master/public/data>
2. Nesteruk I. The COVID-19 pandemic storm in India. [Preprint] medRxiv Posted May 08, 2021. doi: <https://doi.org/10.1101/2021.05.06.21256523>
3. Nesteruk I. *COVID19 pandemic dynamics*. Springer Nature, 2021, DOI: 10.1007/978-981-33-6416-5. <https://www.springer.com/gp/book/9789813364158>

4. Nesteruk I. Waves of COVID-19 pandemic. Detection and SIR simulations. MedRxiv. 2020 Aug. doi: <https://doi.org/10.1101/2020.08.03.20167098>
<https://www.medrxiv.org/content/10.1101/2020.08.03.20167098v1>
5. Nesteruk I. Procedures of Parameter Identification for the Waves of Epidemics. In book: COVID-19 Pandemic Dynamics, Springer Nature, 2021. DOI: 10.1007/978-981-33-6416-5_10.
6. Weinberger DM et al. Estimating the early death toll of COVID-19 in the United States. [Preprint.] MEDRXIV, 2020 Apr. <https://doi.org/10.1101/2020.04.15.2006643>
7. <https://podillyanews.com/2020/12/17/u-shkolah-hmelnyskogo-provely-eksperyment-z-testuvannyam-na-covid-19/>
8. <https://edition.cnn.com/2020/11/02/europe/slovakia-mass-coronavirus-test-intl/index.html>
9. <https://www.voanews.com/covid-19-pandemic/slovakias-second-round-coronavirus-tests-draws-large-crowds>
10. Nesteruk I. Visible and real sizes of new COVID-19 pandemic waves in Ukraine Innov Biosyst Bioeng, 2021, vol. 5, no. 2, pp. 85–96. DOI: 10.20535/ibb.2021.5.2.230487
<http://ibb.kpi.ua/article/view/230487>
11. Nesteruk I. Impact of vaccination and undetected cases on the COVID-19 pandemic dynamics in Qatar in 2021. [Preprint] Research Gate, 2021. DOI: [10.13140/RG.2.2.12124.72322](https://doi.org/10.13140/RG.2.2.12124.72322)
https://www.researchgate.net/publication/351914967_Impact_of_vaccination_and_undetected_cases_on_the_COVID-19_pandemic_dynamics_in_Qatar_in_2021