

S1.Xiehe lab as exposure

outcome	exposure	method	nsnp	b	se	p-value	q-value
B2_ALL_eu	WBC_coun	Wald ratio	1	0.156613	0.059917	0.008953	0.752068
C2_ALL_eu	WBC_coun	Wald ratio	1	0.079034	0.035063	0.024192	0.762951
B1_ALL_le; LDL		Wald ratio	1	0.170973	0.080656	0.034023	0.762951
B1_ALL_eu	apoA	Wald ratio	1	0.108992	0.054961	0.047357	0.762951
B2_ALL_le; WBC_coun		Wald ratio	1	0.091528	0.047762	0.055321	0.762951
B2_ALL_le; LDL		Wald ratio	1	0.085008	0.045677	0.062734	0.762951
C2_ALL_le; WBC_coun		Wald ratio	1	0.051371	0.027692	0.063579	0.762951
C2_ALL_eu	apoA	Wald ratio	1	0.018017	0.010557	0.087909	0.923044
B1_ALL_le; LDL_A		Wald ratio	1	0.115748	0.071338	0.104691	0.977111
B1_ALL_eu	LDL	Wald ratio	1	0.13349	0.090469	0.140072	0.99301
C2_ALL_eu	apoA	Wald ratio	1	0.018368	0.012738	0.14931	0.99301
C2_ALL_le; LDL_A		Wald ratio	1	-0.02009	0.015063	0.182298	0.99301
B1_ALL_le; LDL_A		Wald ratio	1	0.065019	0.049606	0.189954	0.99301
B1_ALL_eu	LDL_A	Wald ratio	1	0.111567	0.091336	0.221898	0.99301
B1_ALL_le; LDL		Wald ratio	1	0.126633	0.107545	0.239002	0.99301
B2_ALL_eu	WBC_coun	Wald ratio	1	0.079103	0.06721	0.239213	0.99301
B1_ALL_eu	apoA	Wald ratio	1	0.041002	0.034992	0.241294	0.99301
C2_ALL_le; LDL_A		Wald ratio	1	-0.02068	0.017757	0.244293	0.99301
B1_ALL_eu	WBC_coun	Wald ratio	1	0.117882	0.105119	0.262114	0.99301
B2_ALL_eu	LDL_A	Wald ratio	1	0.046309	0.044332	0.2962	0.99301
C2_ALL_eu	LDL	Wald ratio	1	0.028225	0.027071	0.29712	0.99301
B2_ALL_eu	LDL	Wald ratio	1	0.051399	0.05281	0.330407	0.99301
B2_ALL_eu	APTT	Wald ratio	1	-0.04491	0.047806	0.347561	0.99301
B2_ALL_le; APTT		Wald ratio	1	-0.035	0.038022	0.357284	0.99301
B2_ALL_le; apoA		Wald ratio	1	-0.01823	0.019818	0.357769	0.99301
B1_ALL_eu	LDL_A	Wald ratio	1	0.051335	0.056443	0.363082	0.99301
B1_ALL_eu	APTT	Wald ratio	1	-0.07248	0.085623	0.397278	0.99301
B1_ALL_le; apoA		Wald ratio	1	0.039981	0.04799	0.404785	0.99301
C2_ALL_le; WBC_coun		Wald ratio	1	0.025773	0.031156	0.408111	0.99301
B2_ALL_eu	apoA	Wald ratio	1	0.022877	0.027781	0.410251	0.99301
C2_ALL_le; apoA		Wald ratio	1	0.007764	0.009721	0.424477	0.99301
C2_ALL_le; LDL		Wald ratio	1	0.019264	0.024565	0.432911	0.99301
B2_ALL_le; LDL		Wald ratio	1	0.039791	0.052188	0.445785	0.99301
C2_ALL_eu	WBC_coun	Wald ratio	1	0.031171	0.041034	0.447461	0.99301
B1_ALL_le; lbil		Wald ratio	1	0.064846	0.086171	0.451737	0.99301
B1_ALL_le; Tbil		Wald ratio	1	0.072831	0.096783	0.451737	0.99301
B2_ALL_le; WBC_coun		Wald ratio	1	0.037393	0.052203	0.473806	0.99301
C2_ALL_eu	APTT	Wald ratio	1	-0.01516	0.022094	0.492714	0.99301
C2_ALL_le; apoA		Wald ratio	1	0.007694	0.011494	0.503269	0.99301
B2_ALL_eu	LDL_A	Wald ratio	1	0.022833	0.035163	0.516116	0.99301
B1_ALL_le; WBC_coun		Wald ratio	1	0.05349	0.084908	0.528712	0.99301
B1_ALL_le; APTT		Wald ratio	1	-0.04161	0.067834	0.539566	0.99301
B2_ALL_eu	LDL	Wald ratio	1	-0.03825	0.062633	0.541358	0.99301
C2_ALL_le; APTT		Wald ratio	1	-0.00973	0.01627	0.549623	0.99301
C2_ALL_eu	APTT	Wald ratio	1	-0.01059	0.018509	0.56735	0.99301
C2_ALL_le; APTT		Wald ratio	1	-0.01042	0.018817	0.579778	0.99301
B2_ALL_le; apoA		Wald ratio	1	-0.01095	0.023903	0.646995	0.99301
B2_ALL_le; APTT		Wald ratio	1	-0.01483	0.032552	0.648679	0.99301

B2_ALL_euIbil	Wald ratio	1	-0.01874	0.041973	0.655293	0.99301
B2_ALL_euTbil	Wald ratio	1	-0.02104	0.047141	0.655293	0.99301
B1_ALL_euIbil	Wald ratio	1	0.038356	0.099885	0.700974	0.99301
B1_ALL_euTbil	Wald ratio	1	0.04308	0.112185	0.700974	0.99301
B2_ALL_euapoA	Wald ratio	1	0.008296	0.022173	0.708297	0.99301
B1_ALL_euIbil	Wald ratio	1	-0.02369	0.065211	0.716419	0.99301
B1_ALL_euTbil	Wald ratio	1	-0.0266	0.073242	0.716419	0.99301
B2_ALL_euIbil	Wald ratio	1	-0.01842	0.052427	0.725333	0.99301
B2_ALL_euTbil	Wald ratio	1	-0.02069	0.058883	0.725333	0.99301
B2_ALL_euAPTT	Wald ratio	1	-0.0136	0.038745	0.725618	0.99301
C2_ALL_euLDL_A	Wald ratio	1	-0.00588	0.016838	0.727002	0.99301
C2_ALL_le;Ibil	Wald ratio	1	-0.00685	0.021038	0.744567	0.99301
C2_ALL_le;Tbil	Wald ratio	1	-0.0077	0.023629	0.744567	0.99301
B1_ALL_euWBC_coun	Wald ratio	1	0.045377	0.147615	0.758539	0.99301
B1_ALL_le;apoA	Wald ratio	1	0.009377	0.032476	0.772777	0.99301
B2_ALL_le;LDL_A	Wald ratio	1	-0.00811	0.030331	0.789094	0.99301
C2_ALL_le;Ibil	Wald ratio	1	-0.00461	0.018058	0.798475	0.99301
C2_ALL_le;Tbil	Wald ratio	1	-0.00518	0.020281	0.798475	0.99301
B1_ALL_le;WBC_coun	Wald ratio	1	-0.02197	0.107644	0.838263	0.99301
C2_ALL_euLDL	Wald ratio	1	0.006455	0.032101	0.840643	0.99301
C2_ALL_euLDL_A	Wald ratio	1	-0.00407	0.020482	0.842429	0.99301
B1_ALL_le;APTT	Wald ratio	1	0.009505	0.051394	0.85327	0.99301
B1_ALL_euLDL	Wald ratio	1	0.023188	0.129346	0.857724	0.99301
C2_ALL_euIbil	Wald ratio	1	0.002868	0.019715	0.884338	0.99301
C2_ALL_euTbil	Wald ratio	1	0.003221	0.022142	0.884338	0.99301
B2_ALL_le;Ibil	Wald ratio	1	0.005445	0.04384	0.901147	0.99301
B2_ALL_le;Tbil	Wald ratio	1	0.006116	0.049238	0.901147	0.99301
C2_ALL_le;LDL	Wald ratio	1	0.002767	0.028449	0.922512	0.99301
B2_ALL_le;Ibil	Wald ratio	1	-0.0032	0.036954	0.931023	0.99301
B2_ALL_le;Tbil	Wald ratio	1	-0.00359	0.041505	0.931023	0.99301
B1_ALL_le;Ibil	Wald ratio	1	0.004	0.060293	0.947103	0.99301
B1_ALL_le;Tbil	Wald ratio	1	0.004493	0.067718	0.947103	0.99301
B1_ALL_euAPTT	Wald ratio	1	0.003011	0.059245	0.959462	0.99301
B2_ALL_le;LDL_A	Wald ratio	1	0.000878	0.036255	0.980675	0.99301
C2_ALL_euIbil	Wald ratio	1	0.000207	0.023587	0.99301	0.99301
C2_ALL_euTbil	Wald ratio	1	0.000232	0.026492	0.99301	0.99301

S2.BBJ LDL-C one SNP

outcome	exposure	method	nsnp	b	se	p-value	q-value
B2_ALL_eu	LDL-C	Wald ratio	1	0.201381	0.072642	0.005567	0.037598
C2_ALL_le;	LDL-C	Wald ratio	1	-0.10377	0.037963	0.006266	0.037598
B2_ALL_le;	LDL-C	Wald ratio	1	0.160644	0.066395	0.015541	0.062164
C2_ALL_eu	LDL-C	Wald ratio	1	-0.09088	0.041093	0.027005	0.081016
B1_ALL_eu	LDL-C	Wald ratio	1	0.17349	0.113535	0.126493	0.267541
B2_ALL_le;	LDL-C	Wald ratio	1	0.115547	0.081243	0.154959	0.267541
C2_ALL_le;	LDL-C	Wald ratio	1	-0.04398	0.031946	0.168632	0.267541
B1_ALL_le;	LDL-C	Wald ratio	1	0.142175	0.105642	0.178361	0.267541
B2_ALL_eu	LDL-C	Wald ratio	1	0.112893	0.092006	0.219815	0.293087
B1_ALL_le;	LDL-C	Wald ratio	1	0.091025	0.15149	0.54793	0.630338
C2_ALL_eu	LDL-C	Wald ratio	1	-0.01893	0.034014	0.57781	0.630338
B1_ALL_eu	LDL-C	Wald ratio	1	0.057496	0.170671	0.736206	0.736206

S3.BBJ LDL-C all SNPs

outcome	exposure	method	nsnp	b	se	p-value	q-value
C2_ALL_le;LDL-C		Inverse var	11	-0.086	0.033594	0.01047	0.089814
C2_ALL_eu LDL-C		Inverse var	11	-0.0882	0.03625	0.014969	0.089814
C2_ALL_le;LDL-C		Inverse var	12	-0.03699	0.029964	0.216962	0.734102
B2_ALL_eu LDL-C		Inverse var	12	0.095809	0.087254	0.272183	0.734102
B1_ALL_eu LDL-C		Inverse var	11	0.11125	0.115132	0.333902	0.734102
B2_ALL_le;LDL-C		Inverse var	12	0.064588	0.075809	0.394219	0.734102
C2_ALL_eu LDL-C		Inverse var	11	-0.02605	0.032887	0.428226	0.734102
B1_ALL_le;LDL-C		Inverse var	12	0.062056	0.096383	0.519671	0.779507
B2_ALL_eu LDL-C		Inverse var	12	-0.01451	0.095582	0.87938	0.980667
B1_ALL_eu LDL-C		Inverse var	12	-0.02163	0.148288	0.884034	0.980667
B1_ALL_le;LDL-C		Inverse var	11	-0.01058	0.129443	0.934866	0.980667
B2_ALL_le;LDL-C		Inverse var	12	-0.00186	0.076819	0.980667	0.980667

S4.Cholesterol EUR

outcome	exposure	method	nsnp	b	se	p-value	q-value
B2_ALL_eu	Cholesterol	Wald ratio	1	-5.37235	2.135392	0.011874	0.07554
B1_ALL_eu	Cholesterol	Wald ratio	1	-8.80765	3.634118	0.015368	0.07554
B2_ALL_eu	Cholesterol	Wald ratio	1	-5.85588	2.494216	0.018885	0.07554
B2_ALL_le;	Cholesterol	Wald ratio	1	-4.08539	1.877451	0.029553	0.088659
B2_ALL_le;	Cholesterol	Wald ratio	1	-4.38284	2.132255	0.039831	0.095594
B1_ALL_le;	Cholesterol	Wald ratio	1	-6.34196	3.20549	0.047876	0.095752
B1_ALL_eu	Cholesterol	Wald ratio	1	-8.17	5.077353	0.107593	0.184445
B1_ALL_le;	Cholesterol	Wald ratio	1	-5.37088	4.176863	0.19849	0.297735
C2_ALL_eu	Cholesterol	Wald ratio	1	-1.24235	1.315196	0.344856	0.459808
C2_ALL_eu	Cholesterol	Wald ratio	1	-0.79885	1.117745	0.474794	0.569753
C2_ALL_le;	Cholesterol	Wald ratio	1	-0.35272	1.149608	0.758985	0.793428
C2_ALL_le;	Cholesterol	Wald ratio	1	-0.2622	1.001275	0.793428	0.793428

S5.Cholesterol AFR

outcome exposure method nsnp	b	se	p-value	q-value
B1_ALL_le; Cholesterol Inverse var	8 -0.25933	0.100015	0.009516	0.111252
B1_ALL_le; Cholesterol Inverse var	8 -0.17633	0.074886	0.018542	0.111252
B2_ALL_le; Cholesterol Inverse var	8 -0.08224	0.045274	0.069301	0.275174
B2_ALL_eu Cholesterol Inverse var	8 -0.08547	0.051844	0.099239	0.275174
B1_ALL_eu Cholesterol Inverse var	8 -0.1943	0.123163	0.114656	0.275174
B1_ALL_eu Cholesterol Inverse var	8 -0.13884	0.094986	0.143822	0.287644
C2_ALL_eu Cholesterol Inverse var	8 -0.03372	0.025812	0.191401	0.288387
C2_ALL_le; Cholesterol Inverse var	8 -0.03004	0.023037	0.192258	0.288387
B2_ALL_le; Cholesterol Inverse var	8 -0.05054	0.048561	0.297999	0.397332
B2_ALL_eu Cholesterol Inverse var	8 -0.02985	0.059471	0.615744	0.738893
C2_ALL_le; Cholesterol Inverse var	8 -0.00891	0.026623	0.737914	0.743385
C2_ALL_eu Cholesterol Inverse var	8 -0.01005	0.030685	0.743385	0.743385

S6.WBC EAS one SNP

outcome	exposure	method	nsnp	b	se	p-value	q-value
C2_ALL_eu	White bloc	Wald ratio	1	0.635212	0.178467	0.000372	0.003144
C2_ALL_le;	White bloc	Wald ratio	1	0.561105	0.161786	0.000524	0.003144
C2_ALL_eu	White bloc	Wald ratio	1	0.612868	0.212309	0.003893	0.015572
C2_ALL_le;	White bloc	Wald ratio	1	0.505148	0.18756	0.007076	0.021228
B2_ALL_eu	White bloc	Wald ratio	1	0.409811	0.341259	0.229797	0.551513
B2_ALL_le;	White bloc	Wald ratio	1	0.300322	0.298288	0.314021	0.601615
B1_ALL_le;	White bloc	Wald ratio	1	0.646941	0.693575	0.350942	0.601615
B1_ALL_le;	White bloc	Wald ratio	1	0.427361	0.51992	0.411092	0.616638
B1_ALL_eu	White bloc	Wald ratio	1	0.507377	0.81244	0.532293	0.641279
B2_ALL_eu	White bloc	Wald ratio	1	0.235502	0.402841	0.558815	0.641279
B1_ALL_eu	White bloc	Wald ratio	1	0.310229	0.572409	0.587839	0.641279
B2_ALL_le;	White bloc	Wald ratio	1	0.118208	0.339932	0.728036	0.728036

S7.WBC EAS all SNPs

outcome	exposure	method	nsnp	b	se	p-value	q-value
B2_ALL_le;White	bloc	Inverse var	48	0.198945	0.084427	0.018452	0.18231
B2_ALL_eu	White	bloc	47	0.215439	0.099508	0.030385	0.18231
B1_ALL_le;White	bloc	Inverse var	47	0.375939	0.194317	0.053031	0.212124
B1_ALL_le;White	bloc	Inverse var	47	0.252466	0.151241	0.09506	0.236504
C2_ALL_eu	White	bloc	49	0.098082	0.059515	0.099349	0.236504
C2_ALL_le;White	bloc	Inverse var	48	0.089337	0.057188	0.118252	0.236504
B2_ALL_le;White	bloc	Inverse var	46	0.15621	0.105434	0.13845	0.237343
B2_ALL_eu	White	bloc	47	0.171592	0.131871	0.193187	0.289781
B1_ALL_eu	White	bloc	48	0.183794	0.17314	0.288447	0.373577
B1_ALL_eu	White	bloc	48	0.253371	0.250251	0.311314	0.373577
C2_ALL_eu	White	bloc	49	0.062835	0.068625	0.359865	0.39258
C2_ALL_le;White	bloc	Inverse var	48	0.051625	0.063534	0.416468	0.416468

S8.Reverse MR with LDL-C

outcome	exposure	method	nsnp	b	se	p-value
LDL	B2_ALL_eu	Inverse var	2	-0.32678	0.468397	0.485398
LDL	B2_ALL_eu	Inverse var	4	-0.0856	0.313749	0.784979
LDL	B2_ALL_le;	Inverse var	6	0.089936	0.36142	0.803484
LDL	B2_ALL_le;	Inverse var	3	-0.20535	0.371473	0.580393
LDL	C2_ALL_eu	Inverse var	4	-0.28729	0.617801	0.641918
LDL	C2_ALL_eu	Inverse var	2	-0.63887	0.877206	0.466432
LDL	C2_ALL_le;	Inverse var	6	-0.18688	0.63396	0.768163
LDL	C2_ALL_le;	Inverse var	2	-0.77048	1.005556	0.443545
LDL	B1_ALL_eu	Wald ratio	1	-0.34853	0.589781	0.554557

S9.Reverse MR with WBC count

outcome	exposure	method	nsnp	b	se	p-value
WBC	B2_ALL_eu	Inverse var	2	-0.12327	0.896405	0.890625
WBC	B2_ALL_eu	Inverse var	4	0.071301	0.378142	0.85044
WBC	B2_ALL_le;	Inverse var	6	0.204908	0.218167	0.347616
WBC	B2_ALL_le;	Inverse var	3	0.17189	0.533219	0.747177
WBC	C2_ALL_eu	Inverse var	4	0.381635	0.610495	0.53189
WBC	C2_ALL_eu	Inverse var	2	-0.36783	1.539663	0.811179
WBC	C2_ALL_le;	Inverse var	6	0.457057	0.625305	0.464819
WBC	C2_ALL_le;	Inverse var	2	-0.3302	1.785542	0.853284
WBC	B1_ALL_eu	Wald ratio	1	1.110708	0.585999	0.058038