Supplement 1 - methods

Component structure of the iCARE concerns module:

To cluster COVID-19-related concerns, we performed a principal component analysis (PCA) on a polychoric correlation matrix of the 14 (Survey 1) and 18 (Survey 2) variables in the COVID-19 concerns module (ordinal scale). An orthogonal (varimax) rotation was done in order to distribute the factor loadings. We identified concern patterns based on the Kaiser criterion (eigenvalue>1.0), scree plot, and components interpretability. It Items with loadings higher than 0.4 were used to interpret each component of COVID-19 concerns. We observed a three-factor structure that included: 'Health concerns' (items: being infected myself; the impact of being infected on my health, including dying; infecting other people I live with; a person with whom I live with being infected; a family member with whom I do not share my home being infected; a friend with whom I do not share my home being infected; infecting other people in the community), 'Personal financial concerns' (items: losing my job / family income; losing my / family savings; not having enough money for food and/or rent; there not being enough food left on shelves for people to eat), 'Social/economic concerns' (items: being isolated from other people; my country going into an economic recession/depression; how long it will take for things to go back to normal).

Supplement 2 – Table S1. Overall frequency of awareness of the recommended preventive behaviours (presenting frequency and

percentage of individuals that responded yes) by survey

	Survey 1- A (N=30	<u>=</u>	Survey 2- J (N=30	
Awareness	Unweighted N (%)	Weighted %	Unweighted N (%)	Weighted %
Hand washing with soap and water	2917 (97.9)	98.1	2920 (98.2)	98.1
Staying at least 6 feet or 1-2 metres away from other people	2903 (97.6)	97.6	2932 (98.5)	98.4
Self-quarantining if you are returning from a trip	2870 (97.2)	97.3	2873 (97.8)	97.6
Self-isolating if you have or believe you have the virus	2887 (97.4)	97.5	2890 (97.9)	97.8
Avoiding any non-essential travel	2908 (97.8)	97.8	2863 (96.7)	96.5
Avoiding social gatherings	2847 (96.6)	96.7	1979 (67.9)	68.1

Supplement 2 – Table S2. Overall frequency of COVID-19 related concerns (presenting frequency and percentage of individuals

concerned To a great extent) by survey

	Survey 1- April, 2020 (N=3003)		Survey 2- June 2020 (N=3005)	
Concern	Unweighted	Weighted	Unweighted N	Weighted
	N (%)	%	(%)	%
Being infected myself	1072 (36.1)	36.3	862 (29.2)	29.7
The impact of being infected on my health, including dying	1136 (38.3)	38.4	942 (31.9)	32.6
Being isolated from other people	729 (24.6)	24.6	678 (23.1)	23.1
Losing my job / family income	826 (31.8)	31.9	648 (26.6)	26.7
Losing my / family savings	945 (32.7)	32.4	761 (26.7)	26.8
Not having enough money for food and/or rent	724 (24.9)	25.0	571 (19.8)	19.9
Infecting other people I live with	1084 (40.5)	40.7	931 (35.2)	35.6
A person with whom I live with being infected	1155 (43.6)	43.7	1038 (39.3)	39.2
A family member with whom I do not share my home being infected	1367 (47.1)	47.1	1210 (41.9)	42.0
Infecting other people in the community	942 (32.2)	32.2	852 (29.2)	29.5

There not being enough food left on shelves for people to eat	592 (20)	20.2	407 (13.8)	13.8
My country going into an economic recession/depression	1414 (47.7)	47.6	1123 (38.1)	38.3
How long it will take for things to go back to normal	1512 (50.9)	50.7	1260 (42.8)	43.0
A friend with whom I do not share my home being infected	803 (28)	28.3	NA	NA
Not being able to see my friends, socialise	NA	NA	688 (23.9)	23.2
A family member I don't live with being socially isolated	NA	NA	785(27.7)	27.8
The healthcare system becoming overloaded/not being able to care for the sick	NA	NA	1073 (36.3)	36.5
There being a second wave of COVID-19 infections in the future	NA	NA	1399 (47.2)	47.7

NA = not measured