

exposure		cohort	Odds ratios from GEE models				percentage change in relative predicted probability(%)				absolute predicted probability(%)				Age group
			OR	lower	upper	p	relative_change	lower	upper	p	absolute_probability	lower	upper	p	
Any comorbidity	COVID-19	6.30	2.54	15.64	0.00	4.61	3.20	6.03	0.00	5.56	4.41	6.70	0.00	11-17	
	PIMS-TS	4.98	2.04	12.18	0.00	31.14	13.55	48.74	0.00	78.51	72.04	84.98	0.00	11-17	
	Other pandemic admission	33.24	18.31	60.35	0.00	0.97	0.90	1.05	0.00	1.01	0.93	1.08	0.00	11-17	
	All admissions 2019/20	23.16	14.50	37.02	0.00	0.82	0.76	0.89	0.00	0.86	0.80	0.92	0.00	11-17	
	Influenza admissions 2019/20	-	-	-	-	-	-	-	-	-	3.83	2.36	5.30	0.00	11-17
Asthma	COVID-19	4.72	1.74	12.85	0.00	3.19	1.05	5.33	0.00	4.11	2.09	6.12	0.00	11-17	
	Other pandemic admission	23.20	12.56	42.84	0.00	0.70	0.57	0.83	0.00	0.73	0.60	0.86	0.00	11-17	
	All admissions 2019/20	17.11	10.48	27.94	0.00	0.62	0.51	0.72	0.00	0.66	0.55	0.76	0.00	11-17	
	Influenza admissions 2019/20	-	-	-	-	-	-	-	-	-	3.45	0.74	6.16	0.01	11-17
	COVID-19	9.82	3.69	26.16	0.00	7.77	4.71	10.84	0.00	8.75	5.85	11.64	0.00	11-17	
Cancer/Haematological comorbidity	Other pandemic admission	80.93	44.19	148.20	0.00	2.42	2.13	2.71	0.00	2.45	2.16	2.74	0.00	11-17	
	All admissions 2019/20	55.70	34.40	90.18	0.00	2.02	1.78	2.25	0.00	2.05	1.82	2.29	0.00	11-17	
	Influenza admissions 2019/20	-	-	-	-	-	-	-	-	-	5.17	1.71	8.63	0.00	11-17
	COVID-19	19.29	7.54	49.37	0.00	13.59	9.68	17.50	0.00	14.50	10.69	18.32	0.00	11-17	
	Other pandemic admission	128.40	70.41	234.30	0.00	3.83	3.43	4.23	0.00	3.86	3.46	4.26	0.00	11-17	
Cardiovascular comorbidity	All admissions 2019/20	84.98	52.81	136.80	0.00	3.10	2.78	3.42	0.00	3.14	2.82	3.45	0.00	11-17	
	Influenza admissions 2019/20	-	-	-	-	-	-	-	-	-	10.15	3.51	16.79	0.00	11-17
	COVID-19	10.38	3.42	31.58	0.00	8.06	2.11	14.00	0.01	9.05	3.13	14.97	0.00	11-17	
	Other pandemic admission	67.74	36.29	126.40	0.00	2.02	1.62	2.43	0.00	2.06	1.65	2.46	0.00	11-17	
	All admissions 2019/20	36.72	21.95	61.43	0.00	1.34	1.04	1.64	0.00	1.38	1.08	1.68	0.00	11-17	
Diabetes Mellitus	COVID-19	18.44	7.08	48.04	0.00	13.35	7.59	19.11	0.00	14.32	8.56	20.07	0.00	11-17	
	Other pandemic admission	116.50	63.29	214.50	0.00	3.48	2.95	4.01	0.00	3.51	2.98	4.04	0.00	11-17	
	All admissions 2019/20	86.37	52.99	140.80	0.00	3.14	2.70	3.58	0.00	3.18	2.74	3.62	0.00	11-17	
	Influenza admissions 2019/20	-	-	-	-	-	-	-	-	-	15.80	7.61	23.99	0.00	11-17
	COVID-19	26.63	7.93	89.48	0.00	17.00	4.79	29.21	0.01	17.88	5.66	30.10	0.00	11-17	
Life limiting neurodisability	Other pandemic admission	187.50	100.60	349.20	0.00	5.44	4.24	6.65	0.00	5.47	4.27	6.68	0.00	11-17	
	All admissions 2019/20	137.90	82.65	230.00	0.00	4.91	3.91	5.91	0.00	4.94	3.94	5.94	0.00	11-17	
	COVID-19	16.55	6.54	41.92	0.00	12.19	8.75	15.62	0.00	13.13	9.79	16.46	0.00	11-17	
	PIMS-TS	4.17	1.48	11.75	0.01	28.25	8.83	47.68	0.00	75.51	64.03	86.99	0.00	11-17	
	Other pandemic admission	135.30	74.35	246.30	0.00	3.94	3.57	4.32	0.00	3.97	3.60	4.35	0.00	11-17	
Life limiting or non life limiting comorbidity	All admissions 2019/20	96.65	60.30	154.90	0.00	3.47	3.16	3.78	0.00	3.50	3.20	3.81	0.00	11-17	
	Influenza admissions 2019/20	-	-	-	-	-	-	-	-	-	9.80	5.61	13.99	0.00	11-17
	COVID-19	3.06	1.18	7.91	0.02	1.86	0.60	3.13	0.00	2.81	1.84	3.77	0.00	11-17	
	PIMS-TS	5.57	2.12	14.68	0.00	32.77	14.25	51.29	0.00	80.03	72.10	87.95	0.00	11-17	
	Other pandemic admission	14.43	7.89	26.41	0.00	0.41	0.35	0.47	0.00	0.44	0.39	0.49	0.00	11-17	
	All admissions 2019/20	9.55	5.93	15.40	0.00	0.32	0.28	0.37	0.00	0.36	0.32	0.40	0.00	11-17	
	Influenza admissions 2019/20	0.12	0.05	0.31	0.00	-	-	-	-	-	1.31	0.27	2.34	0.01	11-17
	COVID-19	27.68	10.38	73.79	0.00	17.80	11.73	23.88	0.00	18.69	12.68	24.71	0.00	11-17	
	Other pandemic admission	184.80	100.60	339.50	0.00	5.40	4.68	6.12	0.00	5.43	4.71	6.15	0.00	11-17	
	All admissions 2019/20	137.80	85.22	222.80	0.00	4.91	4.33	5.50	0.00	4.95	4.37	5.54	0.00	11-17	
Neurological and cardiovascular	Influenza admissions 2019/20	-	-	-	-	-	-	-	-	-	11.45	1.24	21.66	0.03	11-17
	COVID-19	28.38	10.15	79.34	0.00	18.14	12.02	24.26	0.00	19.02	12.99	25.05	0.00	11-17	
	Other pandemic admission	137.70	74.91	253.00	0.00	4.04	3.48	4.61	0.00	4.07	3.51	4.64	0.00	11-17	
	All admissions 2019/20	112.50	69.48	182.00	0.00	4.05	3.57	4.52	0.00	4.08	3.61	4.56	0.00	11-17	
	Influenza admissions 2019/20	-	-	-	-	-	-	-	-	-	14.57	7.59	21.55	0.00	11-17
Neurological and respiratory	COVID-19	13.19	5.14	33.87	0.00	9.49	6.58	12.40	0.00	10.40	7.62	13.18	0.00	11-17	
	Other pandemic admission	71.65	39.33	130.50	0.00	2.13	1.92	2.34	0.00	2.16	1.95	2.37	0.00	11-17	
	All admissions 2019/20	56.57	35.29	90.66	0.00	2.05	1.87	2.23	0.00	2.09	1.91	2.27	0.00	11-17	
	Influenza admissions 2019/20	-	-	-	-	-	-	-	-	-	8.60	4.83	12.37	0.00	11-17
	COVID-19	1.50	0.49	4.58	0.48	0.46	0.00	1.70	0.47	1.39	0.44	2.35	0.00	11-17	
Number of body systems	PIMS-TS	4.18	1.43	12.23	0.01	28.40	7.86	48.94	0.01	75.53	63.28	87.77	0.00	11-17	
	Other pandemic admission	11.23	6.05	20.84	0.00	0.31	0.25	0.37	0.00	0.34	0.28	0.40	0.00	11-17	
	All admissions 2019/20	7.27	4.43	11.93	0.00	0.23	0.18	0.28	0.00	0.27	0.22	0.32	0.00	11-17	
	Influenza admissions 2019/20	0.13	0.04	0.44	0.00	-	-	-	-	-	0.94	0.00	1.98	0.08	11-17
	COVID-19	9.65	3.86	24.15	0.00	7.22	5.26	9.18	0.00	8.16	6.38	9.93	0.00	11-17	
	PIMS-TS	5.56	2.16	14.30	0.00	32.88	14.96	50.79	0.00	80.01	72.36	87.65	0.00	11-17	
	Other pandemic admission	57.26	31.50	104.10	0.00	1.67	1.53	1.81	0.00	1.70	1.56	1.84	0.00	11-17	
	All admissions 2019/20	40.30	25.19	64.48	0.00	1.43	1.32	1.55	0.00	1.47	1.36	1.58	0.00	11-17	
	Influenza admissions 2019/20	-	-	-	-	-	-	-	-	-	6.59	3.94	9.24	0.00	11-17
	COVID-19	37.07	13.09	105.00	0.00	22.20	14.91	29.48	0.00	23.07	15.86	30.27	0.00	11-17	
Respiratory and cardiovascular	PIMS-TS	4.06	1.20	13.70	0.02	21.39	2.29	40.50	0.03	75.19	63.80	86.59	0.00	11-17	
	Other pandemic admission	185.10	100.60	340.30	0.00	5.42	4.62	6.21	0.00	5.45	4.65	6.25	0.00	11-17	
	All admissions 2019/20	131.50	80.78	214.10	0.00	4.70	4.06	5.34	0.00	4.74	4.10	5.38	0.00	11-17	
	Influenza admissions 2019/20	-	-	-	-	-	-	-	-	-	22.39	6.47	38.32	0.01	11-17
	COVID-19	11.23	4.37	28.83	0.00	8.18	5.52	10.83	0.00	9.08	6.55	11.61	0.00	11-17	
Respiratory comorbidity	PIMS-TS	3.11	0.99	9.74	0.05	19.20	0.00	39.04	0.06	72.01	59.54	84.48	0.00	11-17	
	Other pandemic admission	54.11	29.68	98.66	0.00	1.65	1.47	1.84	0.00	1.69	1.50	1.87	0.00	11-17	

	All admissions 2019/20	39.70	24.68	63.84	0.00	1.46	1.31	1.60	0.00	1.50	1.35	1.64	0.00	11-17
	Influenza admissions 2019/20	-	-	-	-	-	-	-	-	6.53	3.77	9.30	0.00	11-17
Sickle Cell Disease	COVID-19	1.44	0.15	13.71	0.75	0.56	0.00	4.42	0.77	1.93	0.00	5.29	0.26	11-17
	Other pandemic admission	24.65	6.06	100.30	0.00	0.86	0.00	1.89	0.10	0.90	0.00	1.92	0.09	11-17
	All admissions 2019/20	9.44	2.46	36.18	0.00	0.36	0.00	0.81	0.11	0.41	0.00	0.85	0.07	11-17
Trisomy 21	COVID-19	43.83	11.02	174.40	0.00	27.13	5.65	48.61	0.01	28.10	6.64	49.57	0.01	11-17
	Other pandemic admission	91.61	36.97	227.00	0.00	2.89	0.92	4.86	0.00	2.92	0.95	4.89	0.00	11-17
	All admissions 2019/20	56.84	27.40	117.90	0.00	2.51	1.15	3.87	0.00	2.56	1.20	3.92	0.00	11-17

*Confidence intervals for absolute predicted probability of PICU admission which exceed 100 or are lower than 0 are rounded to 100 and 0 respectively
Where models did not run due to low numbers within specific cohorts these are excluded

Odds ratios with 95% confidence intervals for admission to PICU by number of comorbidities in 11-17 year olds only (full gee models)

Cohort	exposure	exposurevalue	OR	lower	upper	p_value	Observations
COVID-19	Sex	Female	0.62	0.40	0.97	0.04	2046
	IMD	2nd most deprived quintil	1.33	0.75	2.34	0.33	
	IMD	3rd most deprived quintil	0.99	0.50	1.95	0.97	
	IMD	4th most deprived quintil	0.69	0.30	1.60	0.39	
	IMD	Least deprived quintile	1.38	0.63	3.04	0.42	
	Ethnicity	Mixed	0.38	0.05	2.92	0.36	
	Ethnicity	Asian	1.36	0.74	2.51	0.32	
	Ethnicity	Black	3.17	1.69	5.94	0.00	
	Ethnicity	Other	0.75	0.22	2.59	0.65	
	Ethnicity	Unknown	1.26	0.54	2.90	0.60	
	Number of body systems	Comorbidity present	1.50	0.49	4.58	0.48	
Number of body systems	More than 1 body system	9.65	3.86	24.15	0.00		
PIMS-TS	Sex	Female	1.36	0.63	2.97	0.43	173
	IMD	2nd most deprived quintil	1.28	0.49	3.35	0.61	
	IMD	3rd most deprived quintil	7.32	1.67	32.17	0.01	
	IMD	4th most deprived quintil	6.03	1.35	26.97	0.02	
	IMD	Least deprived quintile	2.14	0.54	8.55	0.28	
	Ethnicity	Mixed	1.18	0.14	9.93	0.88	
	Ethnicity	Asian	1.63	0.61	4.38	0.34	
	Ethnicity	Black	1.72	0.54	5.46	0.36	
	Ethnicity	Other	0.76	0.16	3.59	0.73	
	Ethnicity	Unknown	3.54	0.71	17.63	0.12	
	Number of body systems	Comorbidity present	4.18	1.43	12.23	0.01	
Number of body systems	More than 1 body system	5.56	2.16	14.30	0.00		

Other pandemic year admission	Sex	Female	0.59	0.50	0.68	0.00	111464
	IMD	2nd most deprived quintil	1.24	0.99	1.54	0.06	
	IMD	3rd most deprived quintil	1.05	0.83	1.33	0.68	
	IMD	4th most deprived quintil	1.00	0.78	1.27	0.98	
	IMD	Least deprived quintile	1.42	1.12	1.79	0.00	
	Ethnicity	Mixed	1.44	0.97	2.15	0.07	
	Ethnicity	Asian	1.88	1.50	2.35	0.00	
	Ethnicity	Black	1.98	1.51	2.61	0.00	
	Ethnicity	Other	1.36	0.87	2.11	0.18	
	Ethnicity	Unknown	1.60	1.24	2.06	0.00	
	Number of body systems	Comorbidity present	11.23	6.05	20.84	0.00	
	Number of body systems	More than 1 body system	57.26	31.50	104.10	0.00	
All admissions 2019/20	Sex	Female	0.56	0.49	0.64	0.00	147870
	IMD	2nd most deprived quintil	0.91	0.75	1.12	0.38	
	IMD	3rd most deprived quintil	0.97	0.79	1.20	0.80	
	IMD	4th most deprived quintil	0.98	0.78	1.22	0.82	
	IMD	Least deprived quintile	1.07	0.86	1.34	0.55	
	Ethnicity	Mixed	1.03	0.69	1.54	0.89	
	Ethnicity	Asian	1.38	1.11	1.71	0.00	
	Ethnicity	Black	2.28	1.80	2.88	0.00	
	Ethnicity	Other	1.65	1.14	2.38	0.01	
	Ethnicity	Unknown	1.00	0.75	1.33	1.00	
	Number of body systems	Comorbidity present	7.27	4.43	11.93	0.00	
	Number of body systems	More than 1 body system	40.30	25.19	64.48	0.00	
	Sex	Female	1.67	0.76	3.64	0.20	654
	IMD	2nd most deprived quintil	0.95	0.29	3.09	0.93	

	IMD	3rd most deprived quintil	1.28	0.44	3.78	0.65
	IMD	4th most deprived quintil	1.04	0.34	3.13	0.95
	IMD	Least deprived quintile	0.70	0.13	3.65	0.67
Influenza admissions 2019/20	Ethnicity	Mixed	-	-	-	-
	Ethnicity	Asian	1.51	0.55	4.11	0.43
	Ethnicity	Black	0.53	0.07	4.14	0.55
	Ethnicity	Other	1.99	0.21	18.86	0.55
	Ethnicity	Unknown	1.84	0.46	7.33	0.39
	Number of body systems	Comorbidity present	0.13	0.04	0.44	0.00
	Number of body systems	More than 1 body system	-	-	-	-

Data are odds ratios with confidence intervals for full multivariable GEE models, absolute predicted probability of PICU admission within each comorbidity group, and absolute difference in predicted probability of PICU admission compared with no comorbidity
Age groups are as per JCVI request - infants, 1-4 (baseline), 5-10, 11-15, 16-17
"Age group used " specifies if all age groups are included (JCVI) or results are stratified by secondary school CYP only (11-17)
Models are adjusted for sex, ethnicity, IMD and age (unless only 11-17 included). Estimates for full models are available in supplementary material 3.