

Assessing the risk of COVID-19 epidemic resurgence in relation to the Delta variant and to vaccination passes

Supplementary Tables and Figures

Tyll Krueger^{1,†}, Krzysztof Gogolewski^{2,†}, Marcin Bodych^{1,†}, Anna Gambin², Giulia Giordano³, Sarah Cuschieri⁴, Thomas Czipionka^{5,6}, Matjaz Perc^{7,8,9,10}, Elena Petelos^{11,12}, Magdalena Rosińska¹³, and Ewa Szczurek^{2,*}

¹*Faculty of Electronics, Department of Control Systems and Mechatronics, Wrocław University of Science and Technology, Wrocław, Poland*

²*Faculty of Mathematics, Informatics and Mechanics, University of Warsaw, Warsaw, Poland*

³*Department of Industrial Engineering, University of Trento, Trento, Italy*

⁴*Department of Anatomy, Faculty of Medicine and Surgery, University of Malta, Msida, Malta*

⁵*Institute for Advanced Studies, Josefstädterstraße 39, 1080, Vienna, Austria*

⁶*London School of Economics and Political Science, Houghton Street, WC2A 2AE, London, UK.*

⁷*Faculty of Natural Sciences and Mathematics, University of Maribor, Koroška cesta 160, 2000 Maribor, Slovenia,* ⁸*Complexity Science Hub*

Vienna, Josefstädterstraße 39, 1080 Vienna, Austria, ⁹*Department of Medical Research, China Medical University Hospital, China Medical University, Taichung 404332, Taiwan,* ¹⁰*Alma Mater Europaea, Slovenska ulica 17, 2000 Maribor, Slovenia*


¹¹*Clinic of Social and Family Medicine, Faculty of Medicine, University of Crete, Heraklion, Greece,* ¹²*Department of Health Services Research, CAPHRI-Care and Public Health Research Institute, Maastricht University, Maastricht, The Netherlands*

¹³*Department of Infectious Disease Epidemiology and Surveillance, National Institute of Public Health, Warsaw, Poland.*


[†]*Shared first authorship, * Correspondence: szczurek@mimuw.edu.pl*

	Parameter setup	a	v_r	d	ω	V^{as}	f_{min}
1	Reference setup (ref Fig. S2a)	0.92	0.004	0.12	0.002	0.54	0.46
2	Decreased a (ref Fig. S2b)	0.73	0.004	0.12	0.002	0.43	0.56
3	Increased v_r (ref Fig. S2c)	0.92	0.008	0.12	0.002	0.65	0.29
4	Increased d (ref Fig. S2e)	0.92	0.004	0.3	0.002	0.43	0.56
5	Increased ω (ref Fig. S2f)	0.92	0.004	0.12	0.005	0.36	0.61
6	Decreased a and increased v_r (ref Fig. S3a)	0.73	0.008	0.12	0.002	0.51	0.49
7	Decreased a and increased d (ref Fig. S3b)	0.73	0.004	0.3	0.002	0.34	0.62
8	Decreased a and increased ω (ref Fig. S3c)	0.73	0.004	0.12	0.005	0.29	0.65
9	Increased v_r , increased d (ref Fig., S3d)	0.92	0.008	0.3	0.002	0.52	0.48
10	Increased v_r , increased ω (ref Fig., S3e)	0.92	0.008	0.12	0.005	0.50	0.50
11	Increased d , increased ω (ref Fig., S4f)	0.92	0.004	0.3	0.005	0.21	0.68


Supplementary Table S1: **Asymptotic level of immunization V^{as} and minimum common restrictions f_{min} for the Alpha variant different parameter setups**, for parameters: vaccine effectiveness a , revaccination rate v_r , fraction of never-vaccinated d , and waning immunity rate ω . The first row concerns the reference setup for the Alpha variant; rows below are setups with the same parameters as in the reference setup, but with either one parameter changed (in bold; rows 2–5; same as in Figures S2 and S4, apart from preferential mixing, as it is not relevant for common restrictions) or two parameters changed (in bold; rows 6–11).




Supplementary Figure S1: **Instantaneous doubling times for the examples of five scenarios for the Delta variant, depending on the restrictions for VP holders and for the rest of the population.** For the reference setup for the Delta variant ($a = 0.79$ – corresponding to the effectiveness of the Comirnaty vaccine on the Delta variant, $v = v_r = 0.004$, $\omega = 0.002$, $d = 0.12$ – corresponding to the fraction of never-vaccinated in the United Kingdom, and proportional mixing), we compare the instantaneous doubling time D (y axis, in days) as a function of time (x axis) for four different scenarios describing the epidemic evolution: overcritical (+, red, $f = 0.77$ and $f_v = 0.38$), initially and eventually overcritical (+-+, orange, $f = 0.77$ and $f_v = 0.55$), eventually overcritical (-+, pink, $f = 0.92$ and $f_v = 0.38$), and eventually subcritical (+-, cyan, with $f = 0.77$ and $f_v = 0.71$). The doubling curves are cut above 100 days, in the time intervals indicated by the horizontal dashed lines. Negative doubling times (halving times) are not plotted. Thus, the subcritical scenario (-) is not visualised. Vertical dotted lines indicate the times at which a transition occurs from overcritical to subcritical, or vice versa.




Supplementary Figure S2: **Possible COVID-19 epidemic dynamics for different parameter setups for the Alpha variant.** Lower triangles show the time until the last critical threshold, while upper triangles show the asymptotic R^* , both as functions of the values of f and f_v . Colors of the lower and upper triangles as in Figure 2 in the main text. **a.** Reference setup for the Alpha variant, with $a = 0.92$ (corresponding to the effectiveness of the Comirnaty vaccine on the Alpha variant), $v = v_r = 0.004$, $\omega = 0.002$, $d = 0.12$ (corresponding to the fraction of never-vaccinated in the United Kingdom), and proportional mixing. **b.** Setup with decreased vaccine effectiveness: $a = 0.73$ (the effectiveness of Vaxzevria on the Alpha variant). **c.** Setup with increased (re-)vaccination rate: $v = v_r = 0.008$. **d.** Setup with preferential (instead of proportional) mixing. **e.** Setup with increased fraction of people who will not get vaccinated: $d = 0.30$ (fraction of never-vaccinated in France). **f.** Setup with increased waning rate: $\omega = 0.005$.



Supplementary Figure S3: **Possible COVID-19 epidemic dynamics for parameter setups with two changes w.r.t. the reference setup, for the Alpha variant.** Lower triangles show the time until the last critical threshold, while upper triangles show the asymptotic R^* , both as functions of the values of f and f_v . Colors of the lower and upper triangles as in Figure 3 in the main text. **a.** Setup with decreased effectiveness $a = 0.73$ (corresponding to the effectiveness of the Vaxzevira vaccine on the Alpha variant), and increased (re-)vaccination rates $v = v_r = 0.008$. **b.** Setup with decreased $a = 0.73$ and increased fraction of never vaccinated $d = 0.30$ (fraction of never-vaccinated in France). **c.** Setup with decreased $a = 0.73$ and increased waning rate $\omega = 0.005$. **d.** Setup with increased $v = v_r = 0.008$ and increased $d = 0.30$. **e.** Setup with increased $v = v_r = 0.008$ and increased $\omega = 0.005$. **f.** Setup with increased $d = 0.30$ and increased $\omega = 0.005$.



Supplementary Figure S4: **Daily COVID-19 infection cases in the endemic state, for the Alpha variant.** Lower triangles show the daily infection numbers in the unvaccinated, and upper triangles in the vaccinated population (as in Figure 4 in the main text). Parameter setups in panels **a.-f.** as in Supplementary Fig. S2.



Supplementary Figure S5: **Daily COVID-19 infection cases in the endemic state, for parameter setups with two changes w.r.t. the reference setup, for the Alpha variant.** Lower triangles show the daily infection numbers in the unvaccinated, and upper triangles in the vaccinated population (as in Figure 5 in the main text). Parameter setups in panels **a–f**. as in Supplementary Fig. S3.