

Tabla 1. Cases classified by hospital

Characteristic	H.C. San Isidro	S. Las Lomas	S. San Lucas	S. Trinidad	Total
Cases [num. (%)]	326 (100)	110 (100)	77 (100)	155 (100)	668 (100)
First occurrences
...Symptoms	19/03/2020	14/03/2020	29/02/2020	12/03/2020	29/02/2020
...Admission	08/11/2019	14/03/2020	05/03/2020	16/03/2020	08/11/2019
...Positive test	30/03/2020	19/03/2020	12/03/2020	20/03/2020	12/03/2020
Residence [num. (%)]	Residence [num. (%)]	Residence [num. (%)]	Residence [num. (%)]	Residence [num. (%)]	Residence [num. (%)]
...San Isidro district	317 (97.2)	33 (30.0)	25 (32.5)	4 (2.6)	379 (56.7)
...Other	9 (2.8)	77 (70.0)	52 (67.5)	151 (97.4)	289 (43.3)
Last condition [num. (%)]
...Sick	240 (73.6)	104 (94.5)	71 (92.2)	128 (82.6)	543 (81.3)
...Deceased	63 (19.3)	6 (5.5)	0 (0.0)	14 (9.0)	83 (12.4)
...Recovered	23 (7.1)	0 (0.0)	6 (7.8)	13 (8.4)	42 (6.3)
...Suspected	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
Intervals in days [mean (range)]
...A: symptoms to IMV	11 (0-106)	7 (1-16)	13 (13-13)	12 (4-29)	11 (0-106)
...B: during IMV	12 (0-40)	14 (13-16)	–	21 (4-63)	14 (0-63)
...C: admission to IMV	4 (0-16)	3 (0-6)	11 (11-11)	7 (0-25)	5 (0-25)
...D: admission to severe	3 (0-31)	2 (0-9)	4 (2-8)	3 (0-11)	3 (0-31)
...E: sick	84 (0-199)	119 (5-225)	118 (7-227)	96 (1-209)	96 (0-227)
...G: severe	20 (0-161)	15 (0-221)	3 (0-117)	21 (0-120)	17 (0-221)
...H: symptoms to severe	8 (0-105)	6 (0-19)	6 (4-9)	7 (2-17)	8 (0-105)
...I: in admission	86 (1-266)	118 (5-230)	119 (12-229)	97 (4-213)	97 (1-266)
...J: symptoms to admission	5 (0-104)	5 (0-37)	3 (0-12)	5 (0-36)	5 (0-104)
...K: admission to symptoms	15 (1-135)	1 (1-1)	2 (2-2)	4 (1-6)	13 (1-135)
...M: deceased	19 (0-191)	5 (0-113)	0 (0-0)	8 (0-209)	12 (0-209)
...P: severe to IMV	0 (0-9)	0 (0-5)	0 (0-9)	0 (0-24)	0 (0-24)
...Q: end of IMV to discharged	1 (0-95)	0 (0-11)	0 (0-0)	0 (0-14)	0 (0-95)
...R: recovered	11 (0-210)	0 (0-0)	16 (0-225)	16 (0-212)	11 (0-225)
...S: suspected	5 (0-105)	3 (0-59)	3 (0-12)	5 (0-51)	5 (0-105)
...U: symptoms to hidrox.	12 (6-20)	–	–	9 (5-17)	10 (5-20)
...V: symptoms to antivirals	8 (5-11)	–	4 (4-4)	9 (6-17)	8 (4-17)
...W: symptoms to plasma	13 (1-106)	–	7 (7-7)	6 (3-15)	12 (1-106)
...Z: non severe in admission	10 (0-266)	7 (0-29)	10 (0-36)	7 (0-38)	9 (0-266)
Age
...median [IRQ]	61 (48-75)	54 (44-67)	43 (33-53)	51 (40-64)	54 (43-70)
...range [min-mean-max]	15-60-95	19-57-98	22-45-76	16-53-98	15-56-98
...Quantiles [num. (%)]
.....<44	66 (20.2)	22 (20.0)	39 (50.6)	52 (33.5)	179 (26.8)
.....44-54	56 (17.2)	36 (32.7)	22 (28.6)	42 (27.1)	156 (23.4)
.....55-70	88 (27.0)	33 (30.0)	12 (15.6)	33 (21.3)	166 (24.9)
.....>70	116 (35.6)	19 (17.3)	4 (5.2)	28 (18.1)	167 (25.0)
...10-year age intervals [num. (%)]
.....0-10	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
.....10-20	6 (1.8)	1 (0.9)	0 (0.0)	1 (0.6)	8 (1.2)
.....20-30	21 (6.4)	3 (2.7)	8 (10.4)	18 (11.6)	50 (7.5)
.....30-40	22 (6.7)	8 (7.3)	22 (28.6)	17 (11.0)	69 (10.3)
.....40-50	45 (13.8)	24 (21.8)	20 (26.0)	38 (24.5)	127 (19.0)
.....50-60	53 (16.3)	33 (30.0)	15 (19.5)	30 (19.4)	131 (19.6)
.....60-70	57 (17.5)	19 (17.3)	8 (10.4)	21 (13.5)	105 (15.7)
.....70-80	68 (20.9)	8 (7.3)	4 (5.2)	14 (9.0)	94 (14.1)
.....80-90	45 (13.8)	9 (8.2)	0 (0.0)	11 (7.1)	65 (9.7)
.....90-100	9 (2.8)	5 (4.5)	0 (0.0)	5 (3.2)	19 (2.8)

...Female sex [num. (%)]	134 (41.1)	50 (45.5)	38 (49.4)	63 (40.6)	285 (42.7)
Fever on admission [num. (%)]
...fever detected	194 (59.5)	90 (81.8)	51 (66.2)	112 (72.3)	447 (66.9)
.....Median temperature [°C (IQR)]	38 (38-38)	38 (38-38)	38 (38-38)	38 (38-38)	38 (38-38)
.....Ranges [min-max]	30-40	37.4-40	36.5-39	37.5-39.2	30-40
...no fever detected	125 (38.3)	18 (16.4)	21 (27.3)	43 (27.7)	207 (31.0)
...not specified	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
Symptoms [num. (%)]
...Cough	177 (54.3)	53 (48.2)	44 (57.1)	107 (69.0)	381 (57.0)
...Myalgia	60 (18.4)	28 (25.5)	34 (44.2)	47 (30.3)	169 (25.3)
...Headache	42 (12.9)	16 (14.5)	27 (35.1)	39 (25.2)	124 (18.6)
...Odynophagia	53 (16.3)	18 (16.4)	28 (36.4)	41 (26.5)	140 (21.0)
...Rhinorrhoea	3 (0.9)	7 (6.4)	7 (9.1)	3 (1.9)	20 (3.0)
...Diarrhoea	14 (4.3)	11 (10.0)	7 (9.1)	18 (11.6)	50 (7.5)
...Dyspnoea	117 (35.9)	37 (33.6)	7 (9.1)	44 (28.4)	205 (30.7)
...Anosmia	30 (9.2)	10 (9.1)	17 (22.1)	28 (18.1)	85 (12.7)
...Fatigue	34 (10.4)	11 (10.0)	1 (1.3)	0 (0.0)	46 (6.9)
...Malaise	18 (5.5)	0 (0.0)	8 (10.4)	0 (0.0)	26 (3.9)
...Vomiting	3 (0.9)	1 (0.9)	2 (2.6)	2 (1.3)	8 (1.2)
...Dysgeusia	17 (5.2)	8 (7.3)	10 (13.0)	10 (6.5)	45 (6.7)
...Simultaneous symptoms [mean]	2.34 (0.7)	2.64 (2.4)	3.16 (4.1)	2.91 (1.9)	2.61 (0.4)
...One symptom only	60 (18.4)	17 (15.5)	7 (9.1)	17 (11.0)	101 (15.1)
Comorbidities [num. (%)]
...DBT	73 (22.4)	15 (13.6)	3 (3.9)	23 (14.8)	114 (17.1)
...HTA	138 (42.3)	33 (30.0)	14 (18.2)	36 (23.2)	221 (33.1)
...IECA	56 (17.2)	6 (5.5)	5 (6.5)	7 (4.5)	74 (11.1)
...ARB	43 (13.2)	20 (18.2)	7 (9.1)	14 (9.0)	84 (12.6)
...Chronic kidney disease	25 (7.7)	0 (0.0)	0 (0.0)	5 (3.2)	30 (4.5)
...COPD	9 (2.8)	5 (4.5)	0 (0.0)	4 (2.6)	18 (2.7)
...Asthma	17 (5.2)	2 (1.8)	5 (6.5)	6 (3.9)	30 (4.5)
...Cardiovascular disease	64 (19.6)	7 (6.4)	3 (3.9)	14 (9.0)	88 (13.2)
...Lung disease	10 (3.1)	5 (4.5)	1 (1.3)	4 (2.6)	20 (3.0)
...Cancer	15 (4.6)	3 (2.7)	0 (0.0)	8 (5.2)	26 (3.9)
...Current smoker	15 (4.6)	4 (3.6)	10 (13.0)	3 (1.9)	32 (4.8)
...former smoker	71 (21.8)	1 (0.9)	9 (11.7)	8 (5.2)	89 (13.3)
...Never smoked	234 (71.8)	90 (81.8)	52 (67.5)	142 (91.6)	518 (77.5)
...Chronic liver disease	5 (1.5)	1 (0.9)	0 (0.0)	0 (0.0)	6 (0.9)
...Immunosuppressive drugs	13 (4.0)	4 (3.6)	1 (1.3)	7 (4.5)	25 (3.7)
...Pregnancy	6 (1.8)	0 (0.0)	2 (2.6)	2 (1.3)	10 (1.5)
...HIV	3 (0.9)	0 (0.0)	0 (0.0)	0 (0.0)	3 (0.4)
...Obesity	6 (1.8)	0 (0.0)	0 (0.0)	15 (9.7)	21 (3.1)
...Simultaneous comorbidities [mean]	1.75	0.96	0.78	1.01	1.33
...Without comorbidities [num. (%)]	89 (27.3)	62 (56.4)	42 (54.5)	76 (49.0)	269 (40.3)
...Without comorbidities younger than 70	64 (19.6)	54 (49.1)	40 (51.9)	69 (44.5)	227 (34.0)
Epidemiology [num. (%)]
...Travel	0 (0.0)	2 (1.8)	6 (7.8)	6 (3.9)	14 (2.1)
...Direct contact	76 (23.3)	35 (31.8)	20 (26.0)	43 (27.7)	174 (26.0)
...Health personnel	7 (2.1)	9 (8.2)	19 (24.7)	21 (13.5)	56 (8.4)
Radiologic findings [num. (%)]
...Chest X-Ray 1	158 (100.0)	3 (100.0)	11 (100.0)	35 (100.0)	207 (100.0)
.....1. normal	63 (39.9)	1 (33.3)	9 (81.8)	28 (80.0)	101 (48.8)
.....2. alveolar ground-glass	27 (17.1)	1 (33.3)	0 (0.0)	3 (8.6)	31 (15.0)
.....3. multifocal	22 (13.9)	0 (0.0)	0 (0.0)	2 (5.7)	24 (11.6)
.....4. ground-glass opacities	45 (28.5)	1 (33.3)	2 (18.2)	2 (5.7)	50 (24.2)
.....5. other	1 (0.6)	0 (0.0)	0 (0.0)	0 (0.0)	1 (0.5)
...Chest X-Ray 2	11 (100.0)	2 (100.0)	4 (100.0)	7 (100.0)	24 (100.0)

.....1. normal	0 (0.0)	0 (0.0)	0 (0.0)	2 (28.6)	2 (8.3)
.....2. alveolar segmento	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
.....3. multifocal	0 (0.0)	1 (50.0)	0 (0.0)	0 (0.0)	1 (4.2)
.....4. ground-glass opacities	10 (90.9)	1 (50.0)	2 (50.0)	5 (71.4)	18 (75.0)
.....5. other	1 (9.1)	0 (0.0)	2 (50.0)	0 (0.0)	3 (12.5)
...Chest CT 1	241 (100.0)	108 (100.0)	64 (100.0)	129 (100.0)	542 (100.0)
.....1. normal	35 (14.5)	14 (13.0)	22 (34.4)	20 (15.5)	91 (16.8)
.....2. alveolar segmento	15 (6.2)	9 (8.3)	0 (0.0)	10 (7.8)	34 (6.3)
.....3. multifocal	19 (7.9)	2 (1.9)	7 (10.9)	44 (34.1)	72 (13.3)
.....4. ground-glass opacities	167 (69.3)	77 (71.3)	35 (54.7)	52 (40.3)	331 (61.1)
.....5. other	5 (2.1)	6 (5.6)	0 (0.0)	3 (2.3)	14 (2.6)
...Chest CT 2	43 (100.0)	3 (100.0)	1 (100.0)	8 (100.0)	55 (100.0)
.....1. normal	1 (2.3)	0 (0.0)	0 (0.0)	1 (12.5)	2 (3.6)
.....2. alveolar segmento	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
.....3. multifocal	0 (0.0)	0 (0.0)	0 (0.0)	1 (12.5)	1 (1.8)
.....4. ground-glass opacities	41 (95.3)	3 (100.0)	1 (100.0)	6 (75.0)	51 (92.7)
.....5. other	1 (2.3)	0 (0.0)	0 (0.0)	0 (0.0)	1 (1.8)
...Chest X-Ray 1
.....plus chest CT 1	8 (12.7)	0 (0.0)	3 (33.3)	6 (21.4)	17 (16.8)
.....plus chest CT 2	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
.....plus chest CT 3	3 (4.8)	0 (0.0)	0 (0.0)	0 (0.0)	3 (3.0)
.....plus chest CT 4	7 (11.1)	0 (0.0)	2 (22.2)	0 (0.0)	9 (8.9)
.....plus chest CT 5	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
Laboratory results [num. (%)]
..... [median (IQR)]
...Lymphocyte count	323 (100.0)	110 (100.0)	68 (100.0)	109 (100.0)	610 (100.0)
.....	1369 (995-1827)	1140 (837-1620)	1300 (975-1700)	1537 (952-1938)	1336 (936-1796)
.....Lymphocyte <1,500	184 (57.0)	80 (72.7)	40 (58.8)	51 (46.8)	355 (58.2)
...White-cell count	324 (100.0)	94 (100.0)	70 (100.0)	155 (100.0)	643 (100.0)
.....	6900 (5100-9625)	5300 (4400-7200)	4900 (3925-5900)	5600 (4300-6700)	5900 (4600-8000)
..... <4,500	48 (14.8)	26 (27.7)	25 (35.7)	44 (28.4)	143 (22.2)
..... >10,000	73 (22.5)	6 (6.4)	1 (1.4)	12 (7.7)	92 (14.3)
...Platelet	324 (100.0)	94 (100.0)	69 (100.0)	155 (100.0)	642 (100.0)
.....	211800 (164675-278500)	183000 (146250-231750)	191000 (173000-228000)	219000 (175500-264500)	207050 (166000-257750)
..... <150,000	58 (17.9)	26 (27.7)	6 (8.7)	14 (9.0)	104 (16.2)
...ESR	206 (100.0)	80 (100.0)	54 (100.0)	29 (100.0)	369 (100.0)
.....	47 (27-72)	28 (16-41)	20 (10-40)	36 (15-78)	37 (20-63)
..... >50	93 (45.1)	15 (18.8)	7 (13.0)	11 (37.9)	126 (34.1)
...Creatinine	323 (100.0)	109 (100.0)	69 (100.0)	151 (100.0)	652 (100.0)
.....	1 (1-1)	1 (1-1)	1 (1-1)	1 (1-1)	1 (1-1)
..... >1.20	53 (16.4)	12 (11.0)	2 (2.9)	16 (10.6)	83 (12.7)
...Lactate dehydrogenase	314 (100.0)	100 (100.0)	59 (100.0)	90 (100.0)	563 (100.0)
.....	434 (321-650)	184 (156-236)	186 (154-222)	354 (295-461)	340 (228-532)
..... >400	182 (58.0)	4 (4.0)	1 (1.7)	36 (40.0)	223 (39.6)
..... >600	100 (31.8)	0 (0.0)	0 (0.0)	5 (5.6)	105 (18.7)
...C-reactive protein	177 (100.0)	98 (100.0)	44 (100.0)	123 (100.0)	442 (100.0)
.....	50 (13-113)	21 (12-62)	6 (3-16)	15 (5-41)	23 (7-73)
..... >10	136 (76.8)	76 (77.6)	16 (36.4)	73 (59.3)	301 (68.1)
..... >60	82 (46.3)	25 (25.5)	2 (4.5)	23 (18.7)	132 (29.9)
..... >100	59 (33.3)	12 (12.2)	1 (2.3)	10 (8.1)	82 (18.6)
...Ferritin	221 (100.0)	69 (100.0)	32 (100.0)	99 (100.0)	421 (100.0)
.....	612 (281-1607)	342 (197-627)	277 (125-537)	651 (258-1423)	514 (231-1152)
..... >500	125 (56.6)	26 (37.7)	8 (25.0)	58 (58.6)	217 (51.5)
..... >600	112 (50.7)	21 (30.4)	8 (25.0)	51 (51.5)	192 (45.6)
...Bilirubin	297 (100.0)	107 (100.0)	63 (100.0)	136 (100.0)	603 (100.0)
.....	1 (0-1)	0 (0-1)	0 (0-1)	0 (0-1)	0 (0-1)
...Alanine aminotransferase	324 (100.0)	107 (100.0)	64 (100.0)	136 (100.0)	631 (100.0)
.....	33 (20-58)	23 (13-34)	23 (16-42)	28 (17-41)	28 (17-48)

..... >41	124 (38.3)	21 (19.6)	17 (26.6)	34 (25.0)	196 (31.1)
...Aspartate aminotransferase	322 (100.0)	107 (100.0)	64 (100.0)	136 (100.0)	629 (100.0)
<- <-	34 (23-52)	23 (18-34)	25 (21-33)	26 (20-36)	29 (21-44)
..... >40	126 (39.1)	20 (18.7)	7 (10.9)	25 (18.4)	178 (28.3)
...Procalcitonin	0 (0.0)	1 (100.0)	3 (100.0)	2 (100.0)	6 (100.0)
<- <-	-	0 (0-0)	0 (0-0)	0 (0-0)	0 (0-0)
...D-dimer	9 (100.0)	55 (100.0)	57 (100.0)	95 (100.0)	216 (100.0)
.....	1 (1-1)	0 (0-0)	0 (0-0)	1 (0-1)	0 (0-1)
...3 normal biomarkers	3 (0.9)	2 (1.8)	8 (10.4)	1 (0.6)	14 (2.1)
Treatements [num. (%)]
...With hidroxychloroquine	5 (1.5)	1 (0.9)	2 (2.6)	10 (6.5)	18 (2.7)
.....With IMV	1 (20.0)	1 (100.0)	1 (50.0)	3 (30.0)	6 (33.3)
.....deceased	1 (20.0)	0 (0.0)	0 (0.0)	1 (10.0)	2 (11.1)
...Without hidroxychloroquine	321 (98.5)	109 (99.1)	75 (97.4)	145 (93.5)	650 (97.3)
.....With IMV	31 (9.7)	3 (2.8)	0 (0.0)	9 (6.2)	43 (6.6)
.....deceased	62 (19.3)	6 (5.5)	0 (0.0)	13 (9.0)	81 (12.5)
...With lopinavir/ritonavir	8 (2.5)	1 (0.9)	3 (3.9)	7 (4.5)	19 (2.8)
.....With IMV	2 (25.0)	1 (100.0)	1 (33.3)	3 (42.9)	7 (36.8)
.....deceased	3 (37.5)	0 (0.0)	0 (0.0)	1 (14.3)	4 (21.1)
...Without lopinavir/ritonavir	318 (97.5)	109 (99.1)	74 (96.1)	148 (95.5)	649 (97.2)
.....With IMV	30 (9.4)	3 (2.8)	0 (0.0)	9 (6.1)	42 (6.5)
.....deceased	60 (18.9)	6 (5.5)	0 (0.0)	13 (8.8)	79 (12.2)
...With plasma	35 (10.7)	1 (0.9)	1 (1.3)	8 (5.2)	45 (6.7)
.....With IMV	11 (31.4)	0 (0.0)	0 (0.0)	2 (25.0)	13 (28.9)
.....deceased	6 (17.1)	0 (0.0)	0 (0.0)	1 (12.5)	7 (15.6)
...Without plasma	291 (89.3)	109 (99.1)	76 (98.7)	147 (94.8)	623 (93.3)
.....With IMV	21 (7.2)	4 (3.7)	1 (1.3)	10 (6.8)	36 (5.8)
.....deceased	57 (19.6)	6 (5.5)	0 (0.0)	13 (8.8)	76 (12.2)
...With azithromycin	225 (69.0)	79 (71.8)	37 (48.1)	42 (27.1)	383 (57.3)
.....With IMV	22 (9.8)	4 (5.1)	0 (0.0)	6 (14.3)	32 (8.4)
.....deceased	40 (17.8)	3 (3.8)	0 (0.0)	4 (9.5)	47 (12.3)
...Without azithromycin	101 (31.0)	31 (28.2)	40 (51.9)	113 (72.9)	285 (42.7)
.....With IMV	10 (9.9)	0 (0.0)	1 (2.5)	6 (5.3)	17 (6.0)
.....deceased	23 (22.8)	3 (9.7)	0 (0.0)	10 (8.8)	36 (12.6)
...With steroids	114 (35.0)	37 (33.6)	8 (10.4)	41 (26.5)	200 (29.9)
.....With IMV	24 (21.1)	3 (8.1)	0 (0.0)	9 (22.0)	36 (18.0)
.....deceased	33 (28.9)	3 (8.1)	0 (0.0)	7 (17.1)	43 (21.5)
...Without steroids	212 (65.0)	73 (66.4)	69 (89.6)	114 (73.5)	468 (70.1)
.....With IMV	8 (3.8)	1 (1.4)	1 (1.4)	3 (2.6)	13 (2.8)
.....deceased	30 (14.2)	3 (4.1)	0 (0.0)	7 (6.1)	40 (8.5)
Evolution [num. (%)]
...Temperature >38	27 (8.3)	31 (28.2)	1 (1.3)	20 (12.9)	79 (11.8)
...RR >30?	47 (14.4)	2 (1.8)	2 (2.6)	11 (7.1)	62 (9.3)
<- SAT <93?	101 (31.0)	9 (8.2)	3 (3.9)	39 (25.2)	152 (22.8)
...IMV	32 (9.8)	4 (3.6)	1 (1.3)	12 (7.7)	49 (7.3)
...NIV	0 (0.0)	1 (0.9)	2 (2.6)	0 (0.0)	3 (0.4)
...infiltrados <48 hs	21 (6.4)	3 (2.7)	1 (1.3)	9 (5.8)	34 (5.1)
...Altered conciousness	15 (4.6)	1 (0.9)	0 (0.0)	0 (0.0)	16 (2.4)
...Hemodynamic instability	17 (5.2)	1 (0.9)	0 (0.0)	4 (2.6)	22 (3.3)
...CURB >=2	6 (1.8)	1 (0.9)	1 (1.3)	5 (3.2)	13 (1.9)
...ICU admission	50 (15.3)	9 (8.2)	4 (5.2)	14 (9.0)	77 (11.5)
...IMV prone position	17 (5.2)	1 (0.9)	1 (1.3)	2 (1.3)	21 (3.1)
...Haemodialysis	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
...Arrhythmia	4 (1.2)	0 (0.0)	0 (0.0)	0 (0.0)	4 (0.6)
...Myocarditis/IM	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
...Inotropic agents	16 (4.9)	0 (0.0)	0 (0.0)	2 (1.3)	18 (2.7)

Tabla 2. Cases classified into private and public hospital admission

Characteristic	Public	Private	Total
Cases [num. (%)]	326 (100)	342 (100)	668 (100)
First occurrences
...Symptoms	19/03/2020	29/02/2020	29/02/2020
...Admission	08/11/2019	05/03/2020	08/11/2019
...Positive test	30/03/2020	12/03/2020	12/03/2020
Residence [num. (%)]	Residence [num. (%)]	Residence [num. (%)]	Residence [num. (%)]
...San Isidro district	317 (97.2)	62 (18.1)	379 (56.7)
...Other	9 (2.8)	280 (81.9)	289 (43.3)
Last condition [num. (%)]
...Sick	240 (73.6)	303 (88.6)	543 (81.3)
...Deceased	63 (19.3)	20 (5.8)	83 (12.4)
...Recovered	23 (7.1)	19 (5.6)	42 (6.3)
...Suspected	0 (0.0)	0 (0.0)	0 (0.0)
Intervals in days [mean (range)]
...A: symptoms to IMV	11 (0-106)	11 (1-29)	11 (0-106)
...B: during IMV	12 (0-40)	20 (4-63)	14 (0-63)
...C: admission to IMV	4 (0-16)	6 (0-25)	5 (0-25)
...D: admission to severe	3 (0-31)	3 (0-11)	3 (0-31)
...E: sick	84 (0-199)	108 (1-227)	96 (0-227)
...G: severe	20 (0-161)	15 (0-221)	17 (0-221)
...H: symptoms to severe	8 (0-105)	7 (0-19)	8 (0-105)
...I: in admission	86 (1-266)	108 (4-230)	97 (1-266)
...J: symptoms to admission	5 (0-104)	4 (0-37)	5 (0-104)
...K: admission to symptoms	15 (1-135)	3 (1-6)	13 (1-135)
...M: deceased	19 (0-191)	5 (0-209)	12 (0-209)
...P: severe to IMV	0 (0-9)	0 (0-24)	0 (0-24)
...Q: end of IMV to discharged	1 (0-95)	0 (0-14)	0 (0-95)
...R: recovered	11 (0-210)	11 (0-225)	11 (0-225)
...S: suspected	5 (0-105)	4 (0-59)	5 (0-105)
...U: symptoms to hidrox.	12 (6-20)	9 (5-17)	10 (5-20)
...V: symptoms to antivirals	8 (5-11)	9 (4-17)	8 (4-17)
...W: symptoms to plasma	13 (1-106)	7 (3-15)	12 (1-106)
...Z: non severe in admission	10 (0-266)	8 (0-38)	9 (0-266)
Age
...median [IRQ]	61 (48-75)	50 (40-63)	54 (43-70)
...range [min-mean-max]	15-60-95	16-52-98	15-56-98
...Quantiles [num. (%)]
.....<44	66 (20.2)	113 (33.0)	179 (26.8)
.....44-54	56 (17.2)	100 (29.2)	156 (23.4)
.....55-70	88 (27.0)	78 (22.8)	166 (24.9)
.....>70	116 (35.6)	51 (14.9)	167 (25.0)
...10-year age intervals [num. (%)]
.....0-10	0 (0.0)	0 (0.0)	0 (0.0)
.....10-20	6 (1.8)	2 (0.6)	8 (1.2)
.....20-30	21 (6.4)	29 (8.5)	50 (7.5)
.....30-40	22 (6.7)	47 (13.7)	69 (10.3)
.....40-50	45 (13.8)	82 (24.0)	127 (19.0)
.....50-60	53 (16.3)	78 (22.8)	131 (19.6)
.....60-70	57 (17.5)	48 (14.0)	105 (15.7)
.....70-80	68 (20.9)	26 (7.6)	94 (14.1)
.....80-90	45 (13.8)	20 (5.8)	65 (9.7)
.....90-100	9 (2.8)	10 (2.9)	19 (2.8)
...Female sex [num. (%)]	134 (41.1)	151 (44.2)	285 (42.7)

Fever on admission [num. (%)]
...fever detected	194 (59.5)	253 (74.0)	447 (66.9)
.....Median temperature [°C (IQR)]	38 (38-38)	38 (38-38)	38 (38-38)
.....Ranges [min-max]	30-40	36.5-40	30-40
...no fever detected	125 (38.3)	82 (24.0)	207 (31.0)
...not specified	0 (0.0)	0 (0.0)	0 (0.0)
Symptoms [num. (%)]
...Cough	177 (54.3)	204 (59.6)	381 (57.0)
...Myalgia	60 (18.4)	109 (31.9)	169 (25.3)
...Headache	42 (12.9)	82 (24.0)	124 (18.6)
...Odynophagia	53 (16.3)	87 (25.4)	140 (21.0)
...Rhinorrhoea	3 (0.9)	17 (5.0)	20 (3.0)
...Diarrhoea	14 (4.3)	36 (10.5)	50 (7.5)
...Dyspnoea	117 (35.9)	88 (25.7)	205 (30.7)
...Anosmia	30 (9.2)	55 (16.1)	85 (12.7)
...Fatigue	34 (10.4)	12 (3.5)	46 (6.9)
...Malaise	18 (5.5)	8 (2.3)	26 (3.9)
...Vomiting	3 (0.9)	5 (1.5)	8 (1.2)
...Dysgeusia	17 (5.2)	28 (8.2)	45 (6.7)
...Simultaneous symptoms [mean]	2.34 (0.7)	2.88 (0.8)	2.61 (0.4)
...One symptom only	60 (18.4)	41 (12.0)	101 (15.1)
Comorbidities [num. (%)]
...DBT	73 (22.4)	41 (12.0)	114 (17.1)
...HTA	138 (42.3)	83 (24.3)	221 (33.1)
...IECA	56 (17.2)	18 (5.3)	74 (11.1)
...ARB	43 (13.2)	41 (12.0)	84 (12.6)
...Chronic kidney disease	25 (7.7)	5 (1.5)	30 (4.5)
...COPD	9 (2.8)	9 (2.6)	18 (2.7)
...Asthma	17 (5.2)	13 (3.8)	30 (4.5)
...Cardiovascular disease	64 (19.6)	24 (7.0)	88 (13.2)
...Lung disease	10 (3.1)	10 (2.9)	20 (3.0)
...Cancer	15 (4.6)	11 (3.2)	26 (3.9)
...Current smoker	15 (4.6)	17 (5.0)	32 (4.8)
...former smoker	71 (21.8)	18 (5.3)	89 (13.3)
...Never smoked	234 (71.8)	284 (83.0)	518 (77.5)
...Chronic liver disease	5 (1.5)	1 (0.3)	6 (0.9)
...Immunosuppressive drugs	13 (4.0)	12 (3.5)	25 (3.7)
...Pregnancy	6 (1.8)	4 (1.2)	10 (1.5)
...HIV	3 (0.9)	0 (0.0)	3 (0.4)
...Obesity	6 (1.8)	15 (4.4)	21 (3.1)
...Simultaneous comorbidities [mean]	1.75	0.94	1.33
...Whithout comorbidities [num. (%)]	89 (27.3)	180 (52.6)	269 (40.3)
...Whithout comorbidities younger than 70	64 (19.6)	163 (47.7)	227 (34.0)
Epidemiology [num. (%)]
...Travel	0 (0.0)	14 (4.1)	14 (2.1)
...Direct contact	76 (23.3)	98 (28.7)	174 (26.0)
...Health personnel	7 (2.1)	49 (14.3)	56 (8.4)
Radiologic findings [num. (%)]
...Chest X-Ray 1	158 (100.0)	49 (100.0)	207 (100.0)
.....1. normal	63 (39.9)	38 (77.6)	101 (48.8)
.....2. alveolar ground-glass	27 (17.1)	4 (8.2)	31 (15.0)
.....3. multifocal	22 (13.9)	2 (4.1)	24 (11.6)
.....4. ground-glass opacities	45 (28.5)	5 (10.2)	50 (24.2)
.....5. other	1 (0.6)	0 (0.0)	1 (0.5)
...Chest X-Ray 2	11 (100.0)	13 (100.0)	24 (100.0)
.....1. normal	0 (0.0)	2 (15.4)	2 (8.3)
.....2. alveolar segmento	0 (0.0)	0 (0.0)	0 (0.0)
.....3. multifocal	0 (0.0)	1 (7.7)	1 (4.2)
.....4. ground-glass opacities	10 (90.9)	8 (61.5)	18 (75.0)

.....5. other	1 (9.1)	2 (15.4)	3 (12.5)
...Chest CT 1	241 (100.0)	301 (100.0)	542 (100.0)
.....1. normal	35 (14.5)	56 (18.6)	91 (16.8)
.....2. alveolar segmento	15 (6.2)	19 (6.3)	34 (6.3)
.....3. multifocal	19 (7.9)	53 (17.6)	72 (13.3)
.....4. ground-glass opacities	167 (69.3)	164 (54.5)	331 (61.1)
.....5. other	5 (2.1)	9 (3.0)	14 (2.6)
...Chest CT 2	43 (100.0)	12 (100.0)	55 (100.0)
.....1. normal	1 (2.3)	1 (8.3)	2 (3.6)
.....2. alveolar segmento	0 (0.0)	0 (0.0)	0 (0.0)
.....3. multifocal	0 (0.0)	1 (8.3)	1 (1.8)
.....4. ground-glass opacities	41 (95.3)	10 (83.3)	51 (92.7)
.....5. other	1 (2.3)	0 (0.0)	1 (1.8)
...Chest X-Ray 1
.....plus chest CT 1	8 (12.7)	9 (23.7)	17 (16.8)
.....plus chest CT 2	0 (0.0)	0 (0.0)	0 (0.0)
.....plus chest CT 3	3 (4.8)	0 (0.0)	3 (3.0)
.....plus chest CT 4	7 (11.1)	2 (5.3)	9 (8.9)
.....plus chest CT 5	0 (0.0)	0 (0.0)	0 (0.0)
Laboratory results [num. (%)]
..... [median (IQR)]
...Lymphocyte count	323 (100.0)	287 (100.0)	610 (100.0)
.....	1369 (995-1827)	1302 (893-1768)	1336 (936-1796)
.....Lymphocyte <1,500	184 (57.0)	171 (59.6)	355 (58.2)
...White-cell count	324 (100.0)	319 (100.0)	643 (100.0)
.....	6900 (5100-9625)	5300 (4200-6450)	5900 (4600-8000)
..... <4,500	48 (14.8)	95 (29.8)	143 (22.2)
..... >10,000	73 (22.5)	19 (6.0)	92 (14.3)
...Platelet	324 (100.0)	318 (100.0)	642 (100.0)
.....	211800 (164675-278500)	2e+05 (166250-245750)	207050 (166000-257750)
..... <150,000	58 (17.9)	46 (14.5)	104 (16.2)
...ESR	206 (100.0)	163 (100.0)	369 (100.0)
.....	47 (27-72)	25 (14-45)	37 (20-63)
..... >50	93 (45.1)	33 (20.2)	126 (34.1)
...Creatinine	323 (100.0)	329 (100.0)	652 (100.0)
.....	1 (1-1)	1 (1-1)	1 (1-1)
..... >1.20	53 (16.4)	30 (9.1)	83 (12.7)
...Lactate dehydrogenase	314 (100.0)	249 (100.0)	563 (100.0)
.....	434 (321-650)	236 (171-327)	340 (228-532)
..... >400	182 (58.0)	41 (16.5)	223 (39.6)
..... >600	100 (31.8)	5 (2.0)	105 (18.7)
...C-reactive protein	177 (100.0)	265 (100.0)	442 (100.0)
.....	50 (13-113)	15 (5-42)	23 (7-73)
..... >10	136 (76.8)	165 (62.3)	301 (68.1)
..... >60	82 (46.3)	50 (18.9)	132 (29.9)
..... >100	59 (33.3)	23 (8.7)	82 (18.6)
...Ferritin	221 (100.0)	200 (100.0)	421 (100.0)
.....	612 (281-1607)	428 (200-907)	514 (231-1152)
..... >500	125 (56.6)	92 (46.0)	217 (51.5)
..... >600	112 (50.7)	80 (40.0)	192 (45.6)
...Bilirubin	297 (100.0)	306 (100.0)	603 (100.0)
.....	1 (0-1)	0 (0-1)	0 (0-1)
...Alanine aminotransferase	324 (100.0)	307 (100.0)	631 (100.0)
.....	33 (20-58)	24 (15-40)	28 (17-48)
..... >41	124 (38.3)	72 (23.5)	196 (31.1)
...Aspartate aminotransferase	322 (100.0)	307 (100.0)	629 (100.0)
<- <-	34 (23-52)	25 (19-35)	29 (21-44)
..... >40	126 (39.1)	52 (16.9)	178 (28.3)
...Procalcitonin	0 (0.0)	6 (100.0)	6 (100.0)

<- <-	-	0 (0-0)	0 (0-0)
...D-dimer	9 (100.0)	207 (100.0)	216 (100.0)
.....	1 (1-1)	0 (0-1)	0 (0-1)
...3 normal biomarkers	3 (0.9)	11 (3.2)	14 (2.1)
Treatements [num. (%)]
...With hidroxychloroquine	5 (1.5)	13 (3.8)	18 (2.7)
.....With IMV	1 (20.0)	5 (38.5)	6 (33.3)
.....deceased	1 (20.0)	1 (7.7)	2 (11.1)
...Without hidroxychloroquine	321 (98.5)	329 (96.2)	650 (97.3)
.....With IMV	31 (9.7)	12 (3.6)	43 (6.6)
.....deceased	62 (19.3)	19 (5.8)	81 (12.5)
...With lopinavir/ritonavir	8 (2.5)	11 (3.2)	19 (2.8)
.....With IMV	2 (25.0)	5 (45.5)	7 (36.8)
.....deceased	3 (37.5)	1 (9.1)	4 (21.1)
...Without lopinavir/ritonavir	318 (97.5)	331 (96.8)	649 (97.2)
.....With IMV	30 (9.4)	12 (3.6)	42 (6.5)
.....deceased	60 (18.9)	19 (5.7)	79 (12.2)
...With plasma	35 (10.7)	10 (2.9)	45 (6.7)
.....With IMV	11 (31.4)	2 (20.0)	13 (28.9)
.....deceased	6 (17.1)	1 (10.0)	7 (15.6)
...Without plasma	291 (89.3)	332 (97.1)	623 (93.3)
.....With IMV	21 (7.2)	15 (4.5)	36 (5.8)
.....deceased	57 (19.6)	19 (5.7)	76 (12.2)
...With azithromycin	225 (69.0)	158 (46.2)	383 (57.3)
.....With IMV	22 (9.8)	10 (6.3)	32 (8.4)
.....deceased	40 (17.8)	7 (4.4)	47 (12.3)
...Without azithromycin	101 (31.0)	184 (53.8)	285 (42.7)
.....With IMV	10 (9.9)	7 (3.8)	17 (6.0)
.....deceased	23 (22.8)	13 (7.1)	36 (12.6)
...With steroids	114 (35.0)	86 (25.1)	200 (29.9)
.....With IMV	24 (21.1)	12 (14.0)	36 (18.0)
.....deceased	33 (28.9)	10 (11.6)	43 (21.5)
...Without steroids	212 (65.0)	256 (74.9)	468 (70.1)
.....With IMV	8 (3.8)	5 (2.0)	13 (2.8)
.....deceased	30 (14.2)	10 (3.9)	40 (8.5)
Evolution [num. (%)]
...Temperature >38	27 (8.3)	52 (15.2)	79 (11.8)
...RR >30?	47 (14.4)	15 (4.4)	62 (9.3)
<- SAT <93?	101 (31.0)	51 (14.9)	152 (22.8)
...IMV	32 (9.8)	17 (5.0)	49 (7.3)
...NIV	0 (0.0)	3 (0.9)	3 (0.4)
...infiltrados <48 hs	21 (6.4)	13 (3.8)	34 (5.1)
...Altered conciousness	15 (4.6)	1 (0.3)	16 (2.4)
...Hemodynamic instability	17 (5.2)	5 (1.5)	22 (3.3)
...CURB >=2	6 (1.8)	7 (2.0)	13 (1.9)
...ICU admission	50 (15.3)	27 (7.9)	77 (11.5)
...IMV prone position	17 (5.2)	4 (1.2)	21 (3.1)
...Haemodialysis	0 (0.0)	0 (0.0)	0 (0.0)
...Arrhythmia	4 (1.2)	0 (0.0)	4 (0.6)
...Myocarditis/IM	0 (0.0)	0 (0.0)	0 (0.0)
...Inotropic agents	16 (4.9)	2 (0.6)	18 (2.7)