

Supplementary Appendix 1. Raw Data from 102 Patients with COVID-19

Column	Description
1	Serial Number
2	Clinical Trial Patient Number
3	Age range (years)
4	Sex (Man=1, Woman=2)
5	Hospitalization Period (day) (from hospitalization date to clinical trial date)
6	Hospitalization Period of Symptomatic case (day) (from symptoms onset date to clinical trial date)
7	Hospitalization Period of Asymptomatic case (day) (from initial confirmed date to clinical trial date)
8	Presence or absence of symptoms at diagnosis (presence=1, absence=2)
9	Clinical Symptoms at diagnosis
10	Routes of transmission/infection (close contact=1, unknown=2)
11	Presence of SARS-CoV-2 Variant (Alpha=1, Delta=2)
12	NPS_PCR_Ct value, E gene
13	NPS_PCR_Ct value, RdRP gene
14	NPS_PCR_Ct value, N gene
15	NPS_PCR_Result (Positive=1, Negative=2)
16	Saliva_SARS-CoV-2 Antigen RDT [STANDARD Q COVID-19 Ag Saliva test (SD BIOSENSOR)] (Positive=1, Negative=2)
17	Saliva_SARS-CoV-2 Antigen RDT [Gmate® COVID-19 Ag Saliva (Philosys)] (Positive=1, Negative=2)
18	Saliva_PCR_Result (Positive=1, Negative=2, Inconclusive=3)
19	Saliva_PCR_Ct value, RdRP gene
20	Saliva_PCR_Ct value, E gene

Supplementary Appendix 1. Raw Data from 102 Patients with COVID-19

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	J001	43~47	2	15	15	15	1	fever, sore throat	2		30.92	31.79	33.78	1	2	2	3	34.35	negative
2	J003	33~37	1	5	8	8	1	cough	1		31.02	31.49	30.70	1	2	2	3	34.32	negative
3	J005	36~40	1	5	7	7	2		1		28.73	29.17	28.69	1	2	2	1	26.77	26.06
4	J006	77~81	1	11	>11	11	1	cough	1		35.35	35.01	33.94	1	2	2	1	33.23	31.72
5	J008	68~72	1	11	13	13	1	fatigue, muscle ache	1		21.84	21.54	21.75	1	2	2	1	22.04	22.35
6	J009	45~49	1	7		7	2		1	1	27.54	28.88	26.74	1	1	1	1	19.82	19.53
7	J011	36~40	1	6	6	6	1	fever, sputum, sore throat	2	1	16.12	17.78	15.38	1	1	1	1	13.05	13.29
8	J012	44~48	1	6	6	6	1	cough	2	1	19.11	20.11	17.35	1	1	1	1	13.43	13.05
9	J015	63~67	1	9	11	11	1	fever, sore throat, cold sweat, chest tightness	2		30.24	31.00	32.40	1	2	2	3	negative	34.00
10	J016	61~65	2	9	11	11	1	fever	1		19.65	19.74	21.38	1	1	2	1	16.01	16.31
11	J018	54~58	2	6	14	14	2		1		31.05	31.43	30.76	1	2	2	1	31.44	30.92
12	J019	73~77	2	12		13	2	cough, headache	2		33.14	32.72	31.34	1	2	2	1	18.35	18.54
13	J020	32~36	1	5	5	5	2		1	1	17.69	17.91	15.65	1	1	1	1	19.08	18.97
14	J021	48~52	1	3	6	6	1	muscle ache, chills, headache	1	1	20.57	21.30	18.53	1	1	1	1	12.69	12.72
15	J022	61~65	2	4	4	4	1	fever, cough	1		20.64	20.43	19.62	1	1	1	1	17.59	17.84
16	J023	33~37	1	3	3	3	1	fever, sore throat, muscle ache	2		10.50	12.52	9.97	1	1	1	1	10.32	10.44
17	J024	53~57	1	3	5	5	1	fever, sore throat, muscle ache, cough	2		11.93	14.58	10.90	1	1	1	1	10.56	10.74
18	J025	51~55	1	3		4	2		1		24.43	21.57	21.21	1	1	1	1	17.46	17.64
19	J026	18~22	2	2		3	2		1		16.76	18.78	16.33	1	1	1	1	12.07	12.07
20	J027	53~57	1	4	4	4	1	fever, chest tightness, headache, foreign body sensation of throat	1	1	11.80	15.22	11.04	1	1	1	1	12.12	12.29
21	J028	58~62	1	8	>8	8	1	dry mouth, fatigue	1		32.56	31.92	33.08	1	2	2	1	21.31	20.89
22	J029	57~61	1	10	12	12	1	sore throat, fever, sputum, throat tightness	2		31.13	31.07	33.96	1	2	2	1	28.04	27.46
23	J031	81~85	1	9		9	2		1		37.87	36.69	37.67	1	2	2	1	29.19	28.24

Supplementary Appendix 1. Raw Data from 102 Patients with COVID-19

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
24	J032	32~36	1	6	6	6	1	fever, flu sensation	1	1	24.41	25.89	22.21	1	1	1	1	16.57	16.47
25	J033	32~36	1	11	12	12	1	fever, cough	1	1	21.50	22.89	21.07	1	2	2	1	22.31	21.84
26	J036	69~73	1	10	11	11	1	sore throat	2		34.38	34.95	33.19	1	2	2	3	35.96	negative
27	J037	62~66	2	10	11	11	1	dry mouth, fatigue	1		30.56	32.47	29.71	1	2	2	2	negative	negative
28	J038	60~64	1	11		11	2		1		38.65	39.3	38.73	1	2	2	2	negative	negative
29	J040	58~62	1	3		4	2		1		12.94	14.55	18.58	1	1	1	1	15.03	14.98
30	J041	19~23	1	3		4	2		1		16.26	15.7	19.59	1	1	1	1	10.13	10.15
31	J042	49~53	1	2		3	2		2		23.61	23.18	24.12	1	1	1	1	18.71	18.44
32	J043	36~40	1	2	2	2	1	fever, sore throat, muscle ache	2		15.78	15.95	17.27	1	1	1	1	17.14	15.61
33	J044	56~60	1	2	4	4	1	cough, rhinorrhea	2		24.15	23.66	24.22	1	1	1	1	17.43	17.22
34	J045	25~29	1	2	3	3	1	sore throat	1		15.94	15.52	19.08	1	1	1	1	13.63	13.2
35	J047	49~53	2	7		7	2		1		33.61	34.81	32.29	1	2	2	2	negative	negative
36	J048	34~38	1	2	3	3	1	sputum	1		13.25	14.54	16.6	1	1	1	1	13.41	12.73
37	J049	30~34	1	3	>10	10	1	decreased taste sense, anosmia	1		35.33	35.46	36.64	1	2	2	1	31.6	30.66
38	J050	74~78	2	4	>10	10	2		2		33.49	32.53	35.67	1	2	2	1	31.52	30.56
39	J051	51~55	2	5	12	12	1	chills, sputum	1		33.75	33.47	36.12	1	2	2	1	29.12	28.24
40	J052	70~74	2	5	15	15	1	cough	2		35.81	35.4	35.39	1	2	2	2	negative	negative
41	J054	27~31	1	2	5	5	1	cough, fever, cold sweating	1		16.09	16.18	18.78	1	1	1	1	12.74	12.04
42	J055	52~56	2	3	3	3	2		1		15.22	14.78	17.7	1	1	1	1	11.39	11.33
43	J056	35~39	1	3	3	3	1	cough, sputum, chills	2		11.88	12.68	15.84	1	1	1	1	10.95	10.8
44	J057	19~23	1	3	3	3	2		1		25.36	25.16	28.19	1	1	1	1	14.37	14.37
45	J058	42~46	2	2	4	4	1	cough, sputum	1		16.2	15.96	18.85	1	1	1	1	18.65	18.15
46	J060	50~54	2	14	>14	14	2		2		34.95	36.13	34.72	1	2	2	1	35.34	34.86
47	J061	30~34	1	2	3	3	1	cough, muscle ache, sputum, rhinorrhea	1		15.68	16.13	19.2	1	1	1	1	13.2	13.6
48	J062	43~47	1	2		2	2		1		12.65	14.43	16.69	1	1	1	1	15.81	15.05
49	J064	81~85	1	5	12	12	2		2		27.55	28.21	29.25	1	1	1	1	24.16	24.44

Supplementary Appendix 1. Raw Data from 102 Patients with COVID-19

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
50	J065	52~56	2	9	11	11	1	fever, cough	2		33.08	33.73	31.98	1	2	2	3	negative	35.54
51	J068	37~41	2	2		2	2		2		13.22	14.57	18.17	1	1	1	1	22.37	21.62
52	J069	29~33	1	2	2	2	1	fatigue, dizness	1		10.28	11.14	14.63	1	1	1	1	15.36	14.65
53	J070	74~78	2	5	8	8	1	fever and chills	2		36.74	35.49	37.58	1	2	2	3	negative	35.02
54	J071	28~32	1	6	6	6	1	cough, fever	2		25.33	26.20	25.07	1	1	1	1	15.55	15.55
55	J072	40~44	1	2	2	2	1	sore throat, rhinorrhea	2		15.48	15.30	18.6	1	1	1	1	14.03	13.2
56	J073	37~41	1	2	2	2	1	headache	1		19.97	19.48	22.45	1	1	1	1	12.83	12.35
57	J074	34~38	1	2	2	2	1	cough	1		16.2	16.51	19.09	1	1	1	1	23.34	21.82
58	J075	35~39	1	2	2	2	1	cough, muscle ache	1		15.75	15.74	18.53	1	1	1	1	17.21	15.74
59	J081	50~54	1	4	8	8	1	cough	2		21.03	20.54	24.21	1	1	1	1	23.38	23
60	J086	29~33	2	7	8	8	1	rhinorrhea, headache	1		35.56	38.91	33.52	1	2	2	3	negative	34.49
61	J093	18~22	1	6	6	6	1	headache, sore throat, cough	1		18.16	19.12	18.61	1	1	1	1	18.36	16.99
62	J094	70~74	1	6	6	6	2		1		24.00	24.72	23.71	1	1	1	1	18.21	17.00
63	J096	42~46	2	6	6	6	1	chills, cough	1		16.64	17.81	16.74	1	1	1	1	18.28	17.07
64	J097	46~50	2	6	9	9	1	headache, chills, fever	1		20.17	21.01	20.41	1	1	1	1	19.80	18.63
65	J101	41~45	2	3	8	8	1	cough, sputum, rhinorrhea	1		18.74	18.81	22.24	1	1	1	1	27.38	25.54
66	J105	22~26	2	7	10	10	1	sore throat, cough, nasal stuffness	1		31.35	33.08	31.21	1	2	2	2	negative	negative
67	J107	57~61	1	9	>10	10	2		1		28.79	30.09	28.73	1	2	2	1	31.51	29.40
68	J116	24~28	2	3	4	4	1	chills, cough, headache	1		10.64	11.84	16.87	1	1	1	1	21.11	20.68
69	J117	21~25	2	3	6	6	1	sore throat, abdominal pain, diarrhea	1		20.61	20.37	24.58	1	1	1	1	12.74	12.79
70	J121	34~38	1	7	9	9	1	cough, muscle ache	1		18.48	19.54	18.65	1	1	1	1	24.50	24.05
71	J122	41~45	2	5	5	5	1	dizness, sputum, fever, nasal stuffness	2		26.74	27.51	30.08	1	1	1	1	20.72	19.70
72	J123	27~31	1	6		7	2	4/12, AstraZeneca first shot	1		34.47	34.01	36.96	1	2	2	3	negative	34.67

Supplementary Appendix 1. Raw Data from 102 Patients with COVID-19

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
73	J126	55~59	1	4	6	6	1	chills, cough, sore throat	1		20.06	19.95	22.49	1	1	1	1	16.53	15.71
74	J127	50~54	1	5	6	6	1	cough	1		19.29	18.98	22.25	1	1	1	1	12.99	12.39
75	J129	21~25	2	9	12	12	1	sore throat, abdominal pain, diarrhea	1		29.72	29.58	32.44	1	2	2	1	26.65	25.62
76	J130	55~59	2	7	10	10	1	chills, muscle ache	1		34.88	35.04	32.97	1	2	2	2	negative	negative
77	J131	31~35	2	6	7	7	1	headache, muscle ache	1		27.17	27.18	26.31	1	1	1	1	16.13	15.62
78	J144	46~50	1	9	10	10	1	cough, muscle ache, fever	1		29.95	30.70	31.90	1	2	2	1	32.10	30.09
79	J145	55~59	1	7	13	13	1	sputum, sore throat	1		24.73	34.37	28.64	1	1	1	1	24.51	22.89
80	J146	67~71	1	11	12	12	1	muscle ache	1		24.71	24.56	27.66	1	2	2	1	29.52	27.01
81	J147	44~48	1	11	12	12	1	fever, entry from Cambodia	2		35.82	38.11	35.94	1	2	2	1	34.44	32.41
82	J148	40~44	1	13	14	14	1	fever, sputum, 5/27, AstraZeneca first shot	1		28.85	29.17	32.65	1	1	1	1	17.40	16.06
83	J149	25~29	2	12	12	12	1	cough, sputum, nasal stuffness, diarrhea, muscle ache, fever	1		31.66	31.25	33.91	1	2	2	2	negative	negative
84	J150	50~54	2	6	6	6	1	cough, sputum, fever	1		22.71	23.11	24.70	1	1	1	1	24.10	21.82
85	J151	46~50	2	5	9	9	2		1		30.90	31.30	33.10	1	2	2	1	27.34	25.61
86	J152	46~50	2	11	13	13	1	headache, cough	1		31.25	31.79	34.32	1	2	2	1	27.11	25.20
87	J153	20~24	1	13	15	15	1	fever	1		31.78	32.64	31.67	1	2	2	2	negative	negative
88	J154	56~60	1	12	15	15	1	common cold sense	2		34.65	37.05	36.33	1	2	2	2	negative	negative
89	J155	44~48	2	14	14	14	1	fever	1		27.67	28.67	27.53	1	2	2	1	30.20	28.40
90	J157	38~42	1	7	12	12	1	chills, common cold sense	1		28.92	29.12	31.42	1	2	2	1	24.79	23.17
91	J158	59~63	1	3	13	13	2		1		34.66	34.20	32.29	1	2	2	3	negative	33.28
92	J159	20~24	1	3	10	10	1	fever, cough, diarrhea, body weight loss (5kg)	1		33.68	34.87	32.95	1	2	2	3	negative	33.23

Supplementary Appendix 1. Raw Data from 102 Patients with COVID-19

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
93	J160	62~66	2	2	9	9	1	chills, muscle ache, anosmia, headache	2		27.18	27.79	30.50	1	2	2	1	27.30	26.19
94	J161	44~48	1	2	11	11	1	nausea, anosmia	1		30.82	31.94	30.61	1	2	2	1	33.84	33.28
95	J162	37~41	1	4	6	6	1	muscle ache, fever, cold sweating, entry from Russia	2	2	18.84	19.25	19.37	1	1	1	1	17.85	17.52
96	J165	35~39	1	6	12	12	1	fever, cough, headache	1		21.79	22.62	21.87	1	2	2	1	23.85	23.36
97	J166	44~48	1	6	12	12	2		1		22.95	24.28	22.47	1	2	2	1	30.24	29.53
98	J167	23~27	2	3	6	6	1	chills, cough	2		25.39	26.59	24.99	1	2	2	1	29.18	28.42
99	J168	16~20	1	6	9	9	2		1		19.15	18.92	22.07	1	2	2	1	26.01	25.14
100	J171	16~20	1	7	8	8	1	fever, rhinorrhea	1		22.62	23.98	23.06	1	2	2	1	27.46	26.73
101	J173	43~47	2	4	5	5	1	headache, sore throat, fever sensation	1	2	16.93	17.41	17.21	1	1	1	1	18.82	18.64
102	J174	22~26	2	3	3	3	1	headache, eye pain, fever, cough	1	2	12.59	12.94	17.74	1	1	1	1	16.42	16.35

Supplementary Appendix 2. Raw Data from 100 Healthy Individuals as Negative Control

No.	Clinical Trial Healthy Control Number	Sex (Man=1, Woman=2)	Age range (years)	NPS_PCR_Ct value E gene	NPS_PCR_Ct value RdRP gene	NPS_PCR_Ct value N gene	NPS_PCR_Result (Positive=1, Negative=2)	Antigen RDT [STANDARD Q COVID-19 Ag Saliva test (SD BIOSENSOR)] (Positive=1, Negative=2)	Antigen RDT [Gmate® COVID-19 Ag Saliva (Philosys)] (Positive=1, Negative=2)	Saliva_PCR_Result (Positive=1, Negative=2, Inconclusive=3)	Saliva_PCR_Ct value RdRP gene	Saliva_PCR_Ct value E gene
1	N001	2	55~59	negative	negative	negative	2	2	2	2	negative	negative
2	N002	1	37~41	negative	negative	negative	2	2	2	2	negative	negative
3	N003	2	44~48	negative	negative	negative	2	2	2	2	negative	negative
4	N004	2	23~27	negative	negative	negative	2	2	2	2	negative	negative
5	N005	2	45~49	negative	negative	negative	2	2	2	2	negative	negative
6	N006	1	54~58	negative	negative	negative	2	2	2	2	negative	negative
7	N007	2	54~58	negative	negative	negative	2	2	2	2	negative	negative
8	N008	2	39~43	negative	negative	negative	2	2	2	2	negative	negative
9	N009	2	23~27	negative	negative	negative	2	2	2	2	negative	negative
10	N010	2	50~54	negative	negative	negative	2	2	2	2	negative	negative
11	N011	2	51~55	negative	negative	negative	2	2	2	2	negative	negative
12	N012	2	22~26	negative	negative	negative	2	2	2	2	negative	negative
13	N013	2	48~52	negative	negative	negative	2	2	2	2	negative	negative
14	N014	1	42~46	negative	negative	negative	2	2	2	2	negative	negative
15	N015	2	29~33	negative	negative	negative	2	2	2	2	negative	negative
16	N016	2	28~32	negative	negative	negative	2	2	2	2	negative	negative
17	N017	1	49~53	negative	negative	negative	2	2	2	2	negative	negative
18	N018	2	49~53	negative	negative	negative	2	2	2	2	negative	negative
19	N019	2	46~50	negative	negative	negative	2	2	2	2	negative	negative
20	N020	2	48~52	negative	negative	negative	2	2	2	2	negative	negative
21	N021	2	23~27	negative	negative	negative	2	2	2	2	negative	negative
22	N022	2	24~28	negative	negative	negative	2	2	2	2	negative	negative
23	N023	2	41~45	negative	negative	negative	2	2	2	2	negative	negative

Supplementary Appendix 2. Raw Data from 100 Healthy Individuals as Negative Control

No.	Clinical Trial Healthy Control Number	Sex (Man=1, Woman=2)	Age range (years)	NPS_PCR_Ct value E gene	NPS_PCR_Ct value RdRP gene	NPS_PCR_Ct value N gene	NPS_PCR_Result (Positive=1, Negative=2)	Antigen RDT [STANDARD Q COVID-19 Ag Saliva test (SD BIOSENSOR)] (Positive=1, Negative=2)	Antigen RDT [Gmate® COVID-19 Ag Saliva (Philosys)] (Positive=1, Negative=2)	Saliva_PCR_Result (Positive=1, Negative=2, Inconclusive=3)	Saliva_PCR_Ct value RdRP gene	Saliva_PCR_Ct value E gene
24	N024	2	46~50	negative	negative	negative	2	2	2	2	negative	negative
25	N025	1	46~50	negative	negative	negative	2	2	2	2	negative	negative
26	N026	2	41~45	negative	negative	negative	2	2	2	2	negative	negative
27	N027	2	23~27	negative	negative	negative	2	2	2	2	negative	negative
28	N028	2	47~51	negative	negative	negative	2	2	2	2	negative	negative
29	N029	2	22~26	negative	negative	negative	2	2	2	2	negative	negative
30	N030	2	45~49	negative	negative	negative	2	2	2	2	negative	negative
31	N031	2	38~42	negative	negative	negative	2	2	2	2	negative	negative
32	N032	2	45~49	negative	negative	negative	2	2	2	2	negative	negative
33	N033	2	54~58	negative	negative	negative	2	2	2	2	negative	negative
34	N034	1	51~55	negative	negative	negative	2	2	2	2	negative	negative
35	N035	2	54~58	negative	negative	negative	2	2	2	2	negative	negative
36	N036	2	50~54	negative	negative	negative	2	2	2	2	negative	negative
37	N037	2	48~52	negative	negative	negative	2	2	2	2	negative	negative
38	N038	2	39~43	negative	negative	negative	2	2	2	2	negative	negative
39	N039	2	41~45	negative	negative	negative	2	2	2	2	negative	negative
40	N040	2	38~42	negative	negative	negative	2	2	2	2	negative	negative
41	N041	2	41~45	negative	negative	negative	2	2	2	2	negative	negative
42	N042	2	47~51	negative	negative	negative	2	2	2	2	negative	negative
43	N043	2	41~45	negative	negative	negative	2	2	2	2	negative	negative
44	N044	1	42~46	negative	negative	negative	2	2	2	2	negative	negative
45	N045	1	34~38	negative	negative	negative	2	2	2	2	negative	negative
46	N046	2	23~27	negative	negative	negative	2	2	2	2	negative	negative

Supplementary Appendix 2. Raw Data from 100 Healthy Individuals as Negative Control

No.	Clinical Trial Healthy Control Number	Sex (Man=1, Woman=2)	Age range (years)	NPS_PCR_Ct value E gene	NPS_PCR_Ct value RdRP gene	NPS_PCR_Ct value N gene	NPS_PCR_Result (Positive=1, Negative=2)	Antigen RDT [STANDARD Q COVID-19 Ag Saliva test (SD BIOSENSOR)] (Positive=1, Negative=2)	Antigen RDT [Gmate® COVID-19 Ag Saliva (Philosys)] (Positive=1, Negative=2)	Saliva_PCR_Result (Positive=1, Negative=2, Inconclusive=3)	Saliva_PCR_Ct value RdRP gene	Saliva_PCR_Ct value E gene
47	N047	2	22~26	negative	negative	negative	2	2	2	2	negative	negative
48	N048	1	27~31	negative	negative	negative	2	2	2	2	negative	negative
49	N049	2	22~26	negative	negative	negative	2	2	2	2	negative	negative
50	N050	1	24~28	negative	negative	negative	2	2	2	2	negative	negative
51	N051	1	24~28	negative	negative	negative	2	2	2	2	negative	negative
52	N052	2	30~34	negative	negative	negative	2	2	2	2	negative	negative
53	N053	2	23~27	negative	negative	negative	2	2	2	2	negative	negative
54	N054	2	26~30	negative	negative	negative	2	2	2	2	negative	negative
55	N055	1	53~57	negative	negative	negative	2	2	2	2	negative	negative
56	N056	1	28~32	negative	negative	negative	2	2	2	2	negative	negative
57	N057	1	29~33	negative	negative	negative	2	2	2	2	negative	negative
58	N058	1	29~33	negative	negative	negative	2	2	2	2	negative	negative
59	N059	1	56~60	negative	negative	negative	2	2	2	2	negative	negative
60	N060	2	57~61	negative	negative	negative	2	2	2	2	negative	negative
61	N061	2	39~43	negative	negative	negative	2	2	2	2	negative	negative
62	N062	2	28~32	negative	negative	negative	2	2	2	2	negative	negative
63	N063	1	37~41	negative	negative	negative	2	2	2	2	negative	negative
64	N064	1	27~31	negative	negative	negative	2	2	2	2	negative	negative
65	N065	1	36~40	negative	negative	negative	2	2	2	2	negative	negative
66	N066	1	30~34	negative	negative	negative	2	2	2	2	negative	negative
67	N067	2	25~29	negative	negative	negative	2	2	2	2	negative	negative
68	N068	1	29~33	negative	negative	negative	2	2	2	2	negative	negative
69	N069	2	53~57	negative	negative	negative	2	2	2	2	negative	negative

Supplementary Appendix 2. Raw Data from 100 Healthy Individuals as Negative Control

No.	Clinical Trial Healthy Control Number	Sex (Man=1, Woman=2)	Age range (years)	NPS_PCR_Ct value E gene	NPS_PCR_Ct value RdRP gene	NPS_PCR_Ct value N gene	NPS_PCR_Result (Positive=1, Negative=2)	Antigen RDT [STANDARD Q COVID-19 Ag Saliva test (SD BIOSENSOR)] (Positive=1, Negative=2)	Antigen RDT [Gmate® COVID-19 Ag Saliva (Philosys)] (Positive=1, Negative=2)	Saliva_PCR_Result (Positive=1, Negative=2, Inconclusive=3)	Saliva_PCR_Ct value RdRP gene	Saliva_PCR_Ct value E gene
70	N070	2	31~35	negative	negative	negative	2	2	2	2	negative	negative
71	N071	1	37~41	negative	negative	negative	2	2	2	2	negative	negative
72	N072	2	38~42	negative	negative	negative	2	2	2	2	negative	negative
73	N073	2	22~26	negative	negative	negative	2	2	2	2	negative	negative
74	N074	2	36~40	negative	negative	negative	2	2	2	2	negative	negative
75	N075	1	52~56	negative	negative	negative	2	2	2	2	negative	negative
76	N076	2	43~47	negative	negative	negative	2	2	2	2	negative	negative
77	N077	2	43~47	negative	negative	negative	2	2	2	2	negative	negative
78	N078	2	31~35	negative	negative	negative	2	2	2	2	negative	negative
79	N079	1	56~60	negative	negative	negative	2	2	2	2	negative	negative
80	N080	2	29~33	negative	negative	negative	2	2	2	2	negative	negative
81	N081	2	46~50	negative	negative	negative	2	2	2	2	negative	negative
82	N082	2	46~50	negative	negative	negative	2	2	2	2	negative	negative
83	N083	1	48~52	negative	negative	negative	2	2	2	2	negative	negative
84	N084	2	37~41	negative	negative	negative	2	2	2	2	negative	negative
85	N085	2	36~40	negative	negative	negative	2	2	2	2	negative	negative
86	N086	2	25~29	negative	negative	negative	2	2	2	2	negative	negative
87	N087	2	21~25	negative	negative	negative	2	2	2	2	negative	negative
88	N088	2	34~38	negative	negative	negative	2	2	2	2	negative	negative
89	N089	2	24~28	negative	negative	negative	2	2	2	2	negative	negative
90	N090	1	42~46	negative	negative	negative	2	2	2	2	negative	negative
91	N091	2	26~30	negative	negative	negative	2	2	2	2	negative	negative
92	N092	2	24~28	negative	negative	negative	2	2	2	2	negative	negative

Supplementary Appendix 2. Raw Data from 100 Healthy Individuals as Negative Control

No.	Clinical Trial Healthy Control Number	Sex (Man=1, Woman=2)	Age range (years)	NPS_PCR _Ct value E gene	NPS_PCR _Ct value RdRP gene	NPS_PCR _Ct value N gene	NPS_PCR _Result (Positive=1, Negative=2)	Antigen RDT [STANDARD Q COVID-19 Ag Saliva test (SD BIOSENSOR)] (Positive=1, Negative=2)	Antigen RDT [Gmate® COVID-19 Ag Saliva (Philosys)] (Positive=1, Negative=2)	Saliva_PCR _Result (Positive=1, Negative=2, Inconclusive=3)	Saliva_PCR _Ct value RdRP gene	Saliva_PCR _Ct value E gene
93	N093	1	26~30	negative	negative	negative	2	2	2	2	negative	negative
94	N094	1	58~62	negative	negative	negative	2	2	2	2	negative	negative
95	N095	2	58~62	negative	negative	negative	2	2	2	2	negative	negative
96	N096	2	49~53	negative	negative	negative	2	2	2	2	negative	negative
97	N097	1	56~60	negative	negative	negative	2	2	2	2	negative	negative
98	N098	1	38~42	negative	negative	negative	2	2	2	2	negative	negative
99	N099	1	40~44	negative	negative	negative	2	2	2	2	negative	negative
100	N100	2	56~60	negative	negative	negative	2	2	2	2	negative	negative