

Appendix Table A. Responses to Knowledge and Beliefs Questions Among 81 Medical Faculty Surveyed in 2020 in Chicago, IL

Statement	K or B	1 Strongly Disagree n ^a (%)	2 Disagree n ^a (%)	3 Neither Agree nor Disagree n ^a (%)	4 Agree n ^a (%)	5 Strongly Agree n ^a (%)	Mean (SD)	“Correct”/ “Favorable” Response Rate (%)
1. Childhood experiences have a significant impact on physical health.	K	0/81 (0.0)	0/81 (0.0)	4/81 (4.9)	27/81 (33.3)	50/81 (61.7)	4.57 (0.59)	95.1
2. Events that occurred in childhood do not have an effect on health in adulthood.	K	59/81 (72.8)	17/81 (21.0)	2/81 (2.5)	1/81 (1.2)	2/81 (2.5)	1.40 (0.82)	93.8
3. Childhood adversity is preventable.	K	1/81 (1.2)	14/81 (17.3)	27/81 (33.3)	36/81 (44.4)	3/81 (3.7)	3.32 (0.85)	48.2
4. The consequences of childhood adversity can be mitigated and treated.	K	0/81 (0.0)	1/81 (1.2)	9/81 (11.1)	60/81 (74.1)	11/81 (13.6)	4.00 (0.55)	87.7
5. I believe that people are fully responsible for their health or illness. Childhood adversity is an excuse for bad behavior.	B	48/81 (59.3)	27/81 (33.3)	5/81 (6.2)	1/81 (1.2)	0/81 (0.0)	1.49 (0.67)	92.6
6. Knowing about the impact of childhood adversity on health is relevant to patient care in my specialty.	B	1/81 (1.2)	0/81 (0.0)	8/81 (9.9)	23/81 (28.4)	49/81 (60.5)	4.47 (0.78)	88.9
7. Patients who present with unexplained symptoms, severe or rare presentations, and/or multiple chronic health problems often have a history of childhood adversity.	K	1/81 (1.2)	1/81 (1.2)	36/81 (44.4)	31/81 (38.3)	12/81 (14.8)	3.64 (0.80)	53.1

8. Providing opportunities for my patients to discuss their history of childhood adversity can be more upsetting than helpful for them.	B	16/81 (19.8)	40/81 (49.4)	23/81 (28.4)	2/81 (2.5)	0/81 (0.0)	2.14 (0.75)	69.1
9. I don't have time to ask patients about their childhood history.	B	12/81 (14.8)	20/81 (24.7)	16/81 (19.8)	30/81 (37.0)	3/81 (3.7)	2.90 (1.17)	39.5
10. I feel uncomfortable asking patients about their childhood history.	B	18/81 (22.2)	38/81 (46.9)	14/81 (17.3)	10/81 (12.3)	1/81 (1.2)	2.23 (0.98)	69.1
11. Patients should primarily discuss experiences of childhood adversity and trauma with a mental health provider.	B	9/79 (11.4)	35/79 (44.3)	19/79 (24.1)	15/79 (19.0)	1/79 (1.3)	2.54 (0.97)	55.7
12. Patients should have the opportunity to discuss experiences of childhood adversity and trauma with their medical doctor.	B	0/80 (0.0)	1/80 (1.2)	1/80 (1.2)	38/80 (47.5)	40/80 (50.0)	4.46 (0.59)	97.5
13. Childhood adversity is extremely common and affects patients and health-care practitioners of all racial and socioeconomic backgrounds.	K	0/80 (0.0)	0/80 (0.0)	7/80 (8.8)	30/80 (37.5)	43/80 (53.8)	4.45 (0.65)	91.3
14. It is my responsibility as a clinician to create a safe environment where patients feel comfortable disclosing their childhood history.	B	0/80 (0.0)	0/80 (0.0)	1/80 (1.2)	24/80 (30.0)	55/80 (68.8)	4.67 (0.50)	98.8
15. Patients will disclose their childhood history if and when they are ready and at their own pace if I create a safe and respectful environment.	B	0/80 (0.0)	1/80 (1.2)	17/80 (21.2)	36/80 (45.0)	26/80 (32.5)	4.09 (0.77)	77.5

16. It is my responsibility as a clinician to offer prevention, mitigation, and treatment strategies for the consequences of childhood adversity.	B	1/79 (1.3)	3/79 (3.8)	13/79 (16.5)	34/79 (43.0)	28/79 (35.4)	4.08 (0.89)	78.5
17. I have direct access to resources that can help my patients prevent and/or address the consequences of childhood adversity.	B	9/80 (11.2)	25/80 (31.2)	21/80 (26.2)	17/80 (21.2)	8/80 (10.0)	2.88 (1.17)	31.3

Abbreviations: K = Knowledge; B = Belief; SD = Standard Deviation

^aNumber of respondents

Appendix Table B. Responses to Exposure Questions Among 81 Medical Faculty Surveyed in 2020 in Chicago, IL

Statement	Exposure Score ^a (%)		n ^b /N ^c (%)		n ^b /N ^c (%)
18. Individual, family, community, structural and historical childhood experiences, both positive and negative, are powerful influences of health across the lifespan.	96.3	Formal Training	33/86 (38.4)	Informal training	35/86 (40.7)
		Undergrad	7	Not sure where exposed	15/86 (17.4)
		Med School	21	No Exposure	3/86 (3.5)
		Residency	30		
		Fellowship	9		
19. Experiences of abuse, neglect and household challenges are at the root of the majority of leading causes of death in the US as well as a myriad of other health and social problems.	77.8	Formal Training	26/87 (29.9)	Informal training	26/87 (29.9)
		Undergrad	3	Not sure where exposed	17/87 (19.5)
		Med School	8	No Exposure	18/87 (20.7)
		Residency	24		
		Fellowship	8		
20. Healthcare professionals are more likely to have experienced childhood adversity themselves compared to the general population.	13.6	Formal Training	3/78 (3.8)	Informal training	1/78 (1.3)
		Undergrad	1	Not sure where exposed	4/78 (5.1)
		Med School	1	No Exposure	70/78 (89.7)
		Residency	3		
		Fellowship	1		
21. Clinicians are at risk for additional trauma through exposure to patient suffering and punitive training and work situations.	71.6	Formal Training	12/79 (15.2)	Informal training	17/79 (21.5)
		Undergrad	1	Not sure where exposed	27/79 (34.2)
		Med School	5	No Exposure	23/79 (29.1)
		Residency	10		
		Fellowship	3		

<p>22. Protective factors such as having basic needs met and caring relationships with adults can prevent and mitigate the consequences of childhood adversity.</p>	<p>90.1</p>	<p>Formal Training</p> <p>Undergrad</p> <p>Med School</p> <p>Residency</p> <p>Fellowship</p>	<p>23/84 (27.4)</p> <p>6</p> <p>15</p> <p>17</p> <p>6</p>	<p>Informal training</p> <p>Not sure where exposed</p> <p>No Exposure</p>	<p>28/84 (33.3)</p> <p>25/84 (29.8)</p> <p>8/84 (9.5)</p>
<p>23. Childhood experiences shape the growth, development, and structure of the brain.</p>	<p>96.3</p>	<p>Formal Training</p> <p>Undergrad</p> <p>Med School</p> <p>Residency</p> <p>Fellowship</p>	<p>39/84 (46.4)</p> <p>8</p> <p>24</p> <p>24</p> <p>8</p>	<p>Informal training</p> <p>Not sure where exposed</p> <p>No Exposure</p>	<p>25/84 (29.8)</p> <p>17/84 (20.2)</p> <p>3/84 (3.6)</p>
<p>24. Human brains have the capacity for neuroplasticity, or the brain's ability to change, across the lifespan, with the greatest capacity early in life.</p>	<p>96.3</p>	<p>Formal Training</p> <p>Undergrad</p> <p>Med School</p> <p>Residency</p> <p>Fellowship</p>	<p>56/83 (67.5)</p> <p>17</p> <p>45</p> <p>29</p> <p>14</p>	<p>Informal training</p> <p>Not sure where exposed</p> <p>No Exposure</p>	<p>15/83 (18.1)</p> <p>9/83 (10.8)</p> <p>3/83 (3.6)</p>
<p>25. The timing, spacing, frequency and intensity of positive and negative childhood experiences determines the degree of their impact on health or illness across the lifespan.</p>	<p>69.1</p>	<p>Formal Training</p> <p>Undergrad</p> <p>Med School</p> <p>Residency</p> <p>Fellowship</p>	<p>17/80 (21.3)</p> <p>3</p> <p>7</p> <p>11</p> <p>4</p>	<p>Informal training</p> <p>Not sure where exposed</p> <p>No Exposure</p>	<p>19/80 (23.8)</p> <p>19/80 (23.8)</p> <p>25/80 (31.3)</p>
<p>26. Childhood adversity, along with insufficient protective factors, is a toxic stressor and root cause of brain-body</p>	<p>69.1</p>	<p>Formal Training</p> <p>Undergrad</p>	<p>19/83 (22.9)</p> <p>2</p>	<p>Informal training</p> <p>Not sure where exposed</p>	<p>26/83 (31.3)</p> <p>13/83 (15.7)</p>

dysregulation, driving physiologic processes like chronic inflammation that cause disease.		Med School	5	No Exposure	25/83 (30.1)
		Residency	15		
		Fellowship	4		
27. Rhythmic regulatory activities such as sleep, movement, quiet reflection, and creative expression build and support optimal development and function of brains and bodies.	85.2	Formal Training	30/81 (37.0)	Informal training	19/81 (23.5)
		Undergrad	3	Not sure where exposed	20/81 (24.7)
		Med School	17	No Exposure	12/81 (14.8)
		Residency	24		
		Fellowship	9		
28. Evidence informed prevention and treatment strategies are based on principles of optimal mind-body development and include: equitable educational, job, and income opportunities for all families; perinatal home-visiting; parenting support and education; rhythmic regulatory activities and more.	65.4	Formal Training	18/81 (22.2)	Informal training	19/81 (23.5)
		Undergrad	3	Not sure where exposed	16/81 (19.8)
		Med School	6	No Exposure	28/81 (34.6)
		Residency	13		
		Fellowship	3		

Abbreviations: US = United States; Undergrad = Undergraduate; Med School = Medical School

^aPercent of Respondents with any exposure to concept: $100 \times [(Total\ Respondents - Respondents\ Selecting\ "No\ Exposure")/81]$ where Total Respondents=81 Respondents who completed the survey.

^bNumber of responses per type of exposure

^cTotal number of responses