

Suppl. Table 2: Tested model architectures and parameters

LOGISTIC REGRESSION			
Symbol	Regularization	Class weights	Intercept
LR _B	no regularization	balanced	intercept excluded
LR _{BI}			intercept included
LR _E		equal	intercept excluded
LR _{EI}			intercept included

MULTILAYER PERCEPTRON (MLP)		
Symbol	Training parameters	Hidden layer(s) size(s)
MLP ₂	learning rate: 0.1	2
MLP ₃	no regularization	3
MLP ₄	activation function: logistic	4
MLP ₅	max. iteration number: 1000	5
MLP _{3,3}		3, 3
MLP _{4,2}		4, 2

K NEAREST NEIGHBORS CLASSIFIER	
Symbol	Number of neighbors
KNN ₃	3
KNN ₅	5
KNN ₇	7

SUPPORT VECTOR CLASSIFIER (SVC)			
Symbol	Class weights	Kernel	Probability estimation
SVC _B	balanced	RBF	enabled
SVC _E	equal	RBF	enabled

DECISION TREE	
Symbol	Class weights
DT _B	balanced
DT _E	equal

RANDOM FOREST		
Symbol	Class weights	Number of decision trees
RF _{3B}	balanced	3
RF _{3E}	equal	3
RF _{5B}	balanced	5
RF _{5E}	equal	5

ADA BOOST CLASSIFIER		
Symbol	Basic estimator type	Number of estimators
AB ₃	decision tree	3
AB ₅	decision tree	5

OTHER MODELS		
Symbol	Model type	Parameters
GPC	Gaussian process classifier	
GNB	Gaussian Naive Bayes classifier	priors=[0.5, 0.5]
QDA	Quadratic discriminant analysis	priors=[0.5, 0.5]