

**Table 1: Demographics of Study Sample**

Number of Term Pregnancies	Overall, N = 1,016	0, N = 116	1-2, N = 420	3-4, N = 339	5 or more, N = 141	p- value <sup>a</sup>
Age, Mean (SD)	67.3 (5.4)	67.1 (5.4)	66.4 (5.0)	67.7 (5.5)	69.3 (5.6)	<b>&lt;0.001</b>
Race, n (%)						<b>&lt;0.001</b>
Hispanic	206 (20%)	16 (14%)	67 (16%)	77 (23%)	46 (33%)	
White	466 (46%)	57 (49%)	212 (50%)	151 (45%)	46 (33%)	
Black	240 (24%)	23 (20%)	90 (21%)	86 (25%)	41 (29%)	
Asian	90 (8.9%)	16 (14%)	47 (11%)	22 (6.5%)	5 (3.5%)	
Multi-Cultural	14 (1.4%)	4 (3.4%)	4 (1.0%)	3 (0.9%)	3 (2.1%)	
Education Level, n (%)						<b>&lt;0.001</b>
High school graduate/GED	249 (25%)	22 (19%)	101 (24%)	92 (27%)	34 (24%)	
Less than 9th grade	90 (8.9%)	7 (6.0%)	18 (4.3%)	28 (8.3%)	37 (26%)	
9-11th grade	138 (14%)	6 (5.2%)	37 (8.8%)	62 (18%)	33 (23%)	
Some College	323 (32%)	34 (29%)	154 (37%)	107 (32%)	28 (20%)	
College graduate or above	216 (21%)	47 (41%)	110 (26%)	50 (15%)	9 (6.4%)	
PIR, Mean (SD)	2.58 (1.62)	2.78 (1.69)	2.95 (1.69)	2.42 (1.50)	1.68 (1.21)	<b>&lt;0.001</b>
Reproductive Span, Mean (SD)	33 (8)	34 (8)	34 (8)	33 (8)	33 (7)	0.2
BMI, Mean (SD)	30 (7)	29 (8)	30 (8)	30 (7)	31 (7)	<b>0.048</b>
Smoked at least 100 cigarettes in life?,	400 (39%)	50 (43%)	169 (40%)	125 (37%)	56 (40%)	0.6
PHQ (Depression Screener), Mean (SD)	3.9 (4.9)	3.4 (4.6)	3.7 (4.7)	4.0 (4.9)	4.9 (5.6)	0.2
Medical Conditions, Mean (SD)	1.34 (1.06)	1.29 (1.01)	1.27 (1.03)	1.33 (1.07)	1.61 (1.14)	<b>0.017</b>
Incomplete Pregnancies, n (%)						0.081
0	645 (63%)	83 (72%)	264 (63%)	215 (63%)	83 (59%)	
1-2	322 (32%)	27 (23%)	135 (32%)	114 (34%)	46 (33%)	
3 or more	49 (4.8%)	6 (5.2%)	21 (5.0%)	10 (2.9%)	12 (8.5%)	

<sup>a</sup>Kruskal-Wallis rank sum test; Pearson's Chi-squared test

Note: PIR = Poverty Index Ratio; Reproductive Span = Age Menopause--Age of Menarche; PHQ = Patient Health Questionnaire (Depression Screener); Medical Conditions = Diabetes + Heart Disease + Thyroid Disease + History of Stroke + Sleep Disorders + Hypertension. Values: 0=No, 1=Yes, 0.5=Borderline (diabetes only), the higher an individual's score the higher number of the aforementioned conditions participant self-reported.

**Table 2: Linear Regression Continuous Pregnancy Variables**

Cognitive Test	Type of Pregnancy	Model 1			Model 2			Model 3			Model 4		
		Beta <sup>a</sup>	SE <sup>b</sup>	95% CI <sup>b</sup>	Beta <sup>a</sup>	SE <sup>b</sup>	95% CI <sup>b</sup>	Beta <sup>a</sup>	SE <sup>b</sup>	95% CI <sup>b</sup>	Beta <sup>a</sup>	SE <sup>b</sup>	95% CI <sup>b</sup>
DSST	Term	-0.09***	0.014	-0.12, -0.06	-0.03*	0.014	-0.06, -0.01	-0.07***	0.014	-0.09, -0.04	-0.03	0.013	-0.05, 0.00
	Incomplete	0.01	0.028	-0.05, 0.06	0	0.025	-0.05, 0.05	0.01	0.027	-0.04, 0.06	0.01	0.025	-0.04, 0.05
	R <sup>2</sup>	0.329			0.455			0.386			0.474		
AF	Term	-0.03*	0.016	-0.07, 0.00	0	0.016	-0.03, 0.03	-0.02	0.016	-0.05, 0.01	0	0.016	-0.03, 0.03
	Incomplete	0.06*	0.031	0.00, 0.12	0.06	0.03	0.00, 0.11	0.06*	0.03	0.00, 0.12	0.06	0.03	0.00, 0.12
	R <sup>2</sup>	0.189			0.24			0.203			0.241		
CERAD-WL	Term	-0.02	0.016	-0.05, 0.01	0.01	0.017	-0.02, 0.04	-0.01	0.016	-0.04, 0.02	0.01	0.017	-0.02, 0.05
	Incomplete	0.05	0.031	-0.01, 0.11	0.05	0.031	-0.01, 0.11	0.05	0.031	-0.01, 0.11	0.05	0.03	-0.01, 0.11
	R <sup>2</sup>	0.126			0.176			0.141			0.179		
CERAD-DR	Term	-0.04**	0.017	-0.08, -0.01	-0.02	0.017	-0.05, 0.02	-0.03*	0.017	-0.07, 0.00	-0.01	0.017	-0.05, 0.02
	Incomplete	0.07*	0.032	0.01, 0.13	0.07*	0.031	0.00, 0.13	0.07*	0.032	0.01, 0.13	0.07*	0.031	0.01, 0.13
	R <sup>2</sup>	0.119			0.149			0.132			0.153		

<sup>a</sup>\*p<0.05; \*\*p<0.01; \*\*\*p<0.001

<sup>b</sup>SE = Standard Error, CI = Confidence Interval

**Model 1/Base Model:** Age at Screening, Race, Length of Reproductive Span, BMI, Smoking Status, Medical Conditions Score, and PHQ (depression screener); **Model 2:**

Model 1 + Education Level; **Model 3:** Model 1 + Federal Income-to-Poverty Ratio (PIR); **Model 4:** Model 1 + Education Level and PIR

**DSST:** Digit Symbol Substitution Test, **AF:** Animal Fluency, **CERAD-WL:** CERAD Word Learning, **CERAD-DR:** CERAD Delayed Recall

**Table 3:** Mediation Analysis of PIR for Number of Pregnancies by Cognitive Test

	Estimate	95% CI Lower	95% CI Upper	Proportion Mediated (95%CI)
<b>DSST</b>				0.28 (0.17-0.42)
Average Indirect Effects	-0.02	-0.03	-0.02	
Average Direct Effects	-0.07	-0.09	-0.04	
Total Effect	-0.09	-0.12	-0.06	
<b>AF</b>				0.34 (0.03-1.84)
Average Indirect Effects	-0.01	-0.02	-0.01	
Average Direct Effects	-0.02	-0.06	0.01	
Total Effect	-0.03	-0.07	0.00	
<b>CERAD-WL</b>				0.56 (-4.60-5.96)
Average Indirect Effects	-0.01	-0.02	-0.01	
Average Direct Effects	-0.01	-0.05	0.03	
Total Effect	-0.02	-0.06	0.02	
<b>CERAD-DR</b>				0.26 (0.10-1.48)
Average Indirect Effects	-0.01	-0.02	-0.01	
Average Direct Effects	-0.03	-0.07	0.01	
Total Effect	-0.04	-0.08	-0.01	

Note: **DSST:** Digit Symbol Substitution Test, **AF:** Animal Fluency, **CERAD-WL:** CERAD Word Learning, **CERAD-DR:** CERAD Delayed Recall

**Table 4:** Mediation Analysis of Education Level for Number of Pregnancies by Cognitive Test

	Estimate	95% CI Lower	95% CI Upper	Proportion Mediated (95%CI)
<b>DSST</b>				0.42 (-0.50-0.94)
Average Indirect Effects	-0.02	-0.06	0.02	
Average Direct Effects	-0.03	-0.06	0.00	
Total Effect	-0.06	-0.10	-0.01	
<b>AF</b>				1.14 (-7.64-8.13)
Average Indirect Effects	-0.01	-0.04	0.00	
Average Direct Effects	0.00	-0.03	0.04	
Total Effect	-0.01	-0.06	0.02	
<b>CERAD-WL</b>				3.10 (-7.89-12.36)
Average Indirect Effects	-0.02	-0.04	0.01	
Average Direct Effects	0.01	-0.03	0.05	
Total Effect	-0.01	-0.05	0.04	
Prop. Mediated	2.05	-7.88	15.39	
<b>CERAD-DR</b>				0.14 (-1.94-2.85)
Average Indirect Effects	0.00	-0.03	0.00	
Average Direct Effects	-0.02	-0.06	0.02	
Total Effect	-0.02	-0.07	0.01	

Note: **DSST:** Digit Symbol Substitution Test, **AF:** Animal Fluency, **CERAD-WL:** CERAD Word Learning, **CERAD-DR:** CERAD Delayed Recall

**Supplemental Table 1: Linear Regression Categorical Pregnancy Variables**

Cognitive Exercise	Type of Pregnancy	Model 1			Model 2			Model 3			Model 4		
		Beta <sup>a</sup>	SE <sup>b</sup>	95% CI <sup>b</sup>	Beta <sup>a</sup>	SE <sup>b</sup>	95% CI <sup>b</sup>	Beta <sup>a</sup>	SE <sup>b</sup>	95% CI <sup>b</sup>	Beta <sup>a</sup>	SE <sup>b</sup>	95% CI <sup>b</sup>
<b>DSST</b>	<b>Term</b>												
	0	—	—	—	—	—	—	—	—	—	—	—	—
	1-2	-0.05	0.087	0.22, 0.12	-0.02	0.078	0.17, 0.14	-0.08	0.083	0.24, 0.08	-0.05	0.077	-0.20, 0.10
	3-4	-0.16	0.09	0.33, 0.02	-0.02	0.082	0.18, 0.14	-0.12	0.086	0.28, 0.05	-0.03	0.081	-0.19, 0.13
	5 or more	0.46***	0.106	0.67, 0.26	-0.12	0.098	0.31, 0.07	0.34**	0.102	0.54, 0.14	-0.1	0.097	-0.29, 0.09
	<b>Incomplete</b>												
	0	—	—	—	—	—	—	—	—	—	—	—	—
	1-2	0.05	0.057	0.07, 0.16	0.02	0.052	0.08, 0.12	0.05	0.054	0.06, 0.15	0.02	0.051	-0.08, 0.12
	3 or more	-0.09	0.126	0.34, 0.15	-0.06	0.113	0.28, 0.16	-0.05	0.12	0.29, 0.18	-0.04	0.112	-0.26, 0.18
		R <sup>2</sup>	0.323			0.454			0.382			0.472	
<b>AF</b>	<b>Term</b>												
	0	—	—	—	—	—	—	—	—	—	—	—	—
	1-2	0.16	0.095	0.02, 0.35	0.21*	0.092	0.03, 0.39	-0.02	0.096	0.21, 0.17	0.21*	0.093	0.03, 0.39

	3-4	0.07	0.098	- 0.12, 0.26	0.19*	0.097	0.00, 0.38	0.03	0.1	- 0.17, 0.22	0.19*	0.097	0.00, 0.38
	5 or more	-0.11	0.116	- 0.33, 0.12	0.12	0.116	- 0.11, 0.34	0.01	0.119	- 0.22, 0.24	0.12	0.116	-0.11, 0.35
	<b>Incomplete</b>												
	0	—	—	—	—	—	—	—	—	—	—	—	—
	1-2	0.12	0.062	0.00, 0.24	0.09	0.061	- 0.03, 0.21	0.04	0.063	- 0.08, 0.17	0.09	0.061	-0.02, 0.21
	3 or more	0.14	0.137	- 0.13, 0.41	0.15	0.133	- 0.11, 0.41	0.2	0.14	- 0.08, 0.47	0.15	0.133	-0.11, 0.42
	<b>R<sup>2</sup></b>	0.194			0.244			0.14			0.245		
<b>CERAD-WL</b>	<b>Term</b>												
	0	—	—	—	—	—	—	—	—	—	—	—	—
	1-2	0	0.097	- 0.19, 0.19	0.03	0.095	- 0.16, 0.21	-0.02	0.096	- 0.21, 0.17	0.01	0.095	-0.17, 0.20
	3-4	0.01	0.1	- 0.19, 0.20	0.09	0.099	- 0.11, 0.28	0.03	0.1	- 0.17, 0.22	0.08	0.099	-0.11, 0.28
	5 or more	-0.05	0.119	- 0.29, 0.18	0.15	0.119	- 0.08, 0.39	0.01	0.119	- 0.22, 0.24	0.16	0.119	-0.07, 0.40
	<b>Incomplete</b>												
	0	—	—	—	—	—	—	—	—	—	—	—	—
	1-2	0.04	0.064	- 0.08, 0.17	0.03	0.062	- 0.09, 0.16	0.04	0.063	- 0.08, 0.17	0.04	0.062	-0.09, 0.16

	3 or more	0.18	0.141	- 0.10, 0.45	0.2	0.137	- 0.07, 0.47	0.2	0.14	- 0.08, 0.47	0.21	0.137	-0.06, 0.48
	R <sup>2</sup>	0.124			0.177			0.14			0.181		
<b>CERAD-DR</b>	<b>Term</b>												
	0	—	—	—	—	—	—	—	—	—	—	—	—
	1-2	-0.02	0.099	- 0.22, 0.17	0	0.098	- 0.19, 0.20	-0.04	0.098	- 0.23, 0.16	-0.01	0.098	-0.20, 0.18
	3-4	-0.1	0.102	- 0.30, 0.10	-0.03	0.102	- 0.23, 0.17	-0.08	0.102	- 0.28, 0.12	-0.03	0.102	-0.23, 0.17
	5 or more	-0.21	0.121	- 0.45, 0.03	-0.04	0.123	- 0.28, 0.20	-0.15	0.121	- 0.38, 0.09	-0.03	0.123	-0.27, 0.21
	<b>Incomplete</b>												
	0	—	—	—	—	—	—	—	—	—	—	—	—
	1-2	0.1	0.065	- 0.03, 0.23	0.09	0.064	- 0.04, 0.21	0.1	0.065	- 0.03, 0.23	0.09	0.064	-0.04, 0.21
	3 or more	0.18	0.144	- 0.10, 0.47	0.2	0.141	- 0.08, 0.48	0.21	0.143	- 0.07, 0.49	0.21	0.141	-0.07, 0.49
	R <sup>2</sup>	0.115			0.148			0.129			0.152		

<sup>a</sup>\*p<0.05; \*\*p<0.01; \*\*\*p<0.001

<sup>b</sup>SE = Standard Error, CI = Confidence Interval

Note: 0 Term or incomplete pregnancies are the reference groups; **DSST**: Digit Symbol Substitution Test, **AF**: Animal Fluency, **CERAD-WL**: CERAD Word Learning, **CERAD-DR**: CERAD Delayed Recall