

**Supplementary Table 1. Characteristics of the study population according to RT-PCR testing**

		RT-PCR testing		P-value
		Yes (%)	No (%)	
<b>Occupation category</b>				0.02
	Physician	269 (51.1)	257 (48.9)	
	Registered nurse	224(47.6)	247(52.4)	
	Nursing assistant	110 (42.0)	152 (58.0)	
	Physical therapist	108(41.2)	154(58.8)	
<b>Sex</b>				0.43
	Female	530 (46.2)	618 (53.8)	
	Male	181 (48.5)	192 (51.5)	
<b>Age group, years</b>				0.15
	< 30	523 (45.7)	622 (54.3)	
	≥ 30	188 (50.0)	188 (50.0)	
<b>Any comorbidity</b>				< 0.001
	Yes	246 (56.8)	187 (43.2)	
	No	465 (42.7)	623 (57.3)	
<b>Number of workplaces (hospitals/clinics)</b>				< 0.01
	<3	247 (54.0)	210 (46.0)	
	≥3	462 (43.5)	599 (56.5)	
<b>Work setting</b>				0.39
	Emerg/ICU	565 (47.3)	629 (52.7)	
	Outpat/Inpatients	146 (44.7)	181 (55.3)	
<b>Institution provider</b>				< 0.001
	Private	48 (42.1)	66 (57.9)	
	Public	393 (43.0)	522 (57.0)	
	Both	270 (54.9)	222 (45.1)	
<b>Performed aerosol generating procedure</b>				0.36
	Yes	600 (47.3)	669 (52.7)	
	No	110 (44.5)	137 (55.5)	
	Missing	1 (20.0)	4 (80.0)	
<b>Same N95 respirator, use duration, days</b>				0.023
	≤ 7	458 (49.00)	476 (51.0)	
	> 7	243 (43.0)	322 (57.0)	
<b>Self-perceived risk</b>				0.85
	None/Low	36 (45.1)	43 (54.9)	
	Medium/High	665 (46.7)	760 (53.3)	
<b>Accident involving biological fluid/respiratory secretion</b>				0.644
	Yes	84 (45.2)	102 (54.8)	
	No	627 (47.0)	708 (53.0)	
<b>Sick leave due to COVID-19 symptoms</b>				< 0.001
	Yes	576 (79.7)	147 (20.3)	
	No	130 (16.5)	659 (83.5)	
<b>Had COVID-19-like symptoms/signs</b>				< 0.001
	Yes	601 (68.2)	280 (31.8)	
	No	110 (17.0)	530 (82.8)	

COVID-19, coronavirus disease 2019; RT-PCR, reverse transcription polymerase chain reaction