

S1 Demographics for Population of Interest

Table S1.1: Demographics for population of interest.

Characteristic	Variable	Summary
Number of participants		2,730,111
Age (in years)	<i>n</i>	2,730,111
	<i>n</i> missing	0
	Mean (standard deviation)	42.1 (23.7)
	Median (Q1, Q3)	42.0 (23.0, 61.0)
	Range	0.0-109.0
Sex	<i>n</i>	2,730,029
	<i>n</i> missing	82
	Male, <i>n</i> (%)	1,360,509 (49.8%)
	Female, <i>n</i> (%)	1,369,520 (50.2%)
Ethnicity	<i>n</i>	2,186,803
	<i>n</i> missing	543,308
	Black, African, Black British, or Caribbean	19,674 (0.9%)
	Asian or Asian British	37,353 (1.7%)
	Another ethnic group	83,079 (3.8%)
	Mixed or multiple ethnic group	47,322 (2.2%)
	White	1,999,375 (91.4%)

Table S1.2: Vaccine doses administered by age group.¹

Age Group (years)	<i>n</i>	<i>n</i> missing	No Doses	One Dose	Both Doses
<18	518,696	0*	495,612 (95.5%)	20,040 (3.9%)	3,044 (0.6%)
18-39	772,847	0*	274,896 (35.6%)	115,213 (14.9%)	382,738 (49.5%)
40-59	678,147	0*	111,745 (16.4%)	30,041 (4.4%)	536,361 (79.1%)
60-79	545,019	0*	43,884 (8.1%)	8,515 (1.6%)	492,620 (90.4%)
≥80	158,964	0*	22,810 (14.3%)	3,720 (2.3%)	132,434 (83.3%)
All	2,730,111	0*	954,189 (35.0%)	178,699 (6.5%)	1,597,223 (58.5%)

¹As extracted on 3rd Sep 2021, not excluding those who died prior to having the vaccine or those who moved into or out of the area over the time period.

*No missing values due to the definition that no recorded values means no doses administered.

S2 MCMC Parameter Estimates, Trace Plots and Posterior Distributions

Table S2.1: Parameter median estimates and 95% credible interval for all model fits.

Parameter	Core Model ($\gamma = 1/7$)	Sensitivity to γ ($\gamma = 1/3$)	Sensitivity to γ ($\gamma = 1/11$)	Double Recovered ($\gamma = 1/7$)
β	0.406 [0.3893, 0.4425]	0.7581 [0.7239, 0.8146]	0.3104 [0.2953, 0.3448]	0.4303 [0.4121, 0.4702]
e_{1A}	0.3851 [0.3425, 0.426]	0.3528 [0.3117, 0.3918]	0.408 [0.3624, 0.4515]	0.3637 [0.3194, 0.4058]
e_{2A}	0.6402 [0.614, 0.6647]	0.6618 [0.6378, 0.6843]	0.6247 [0.5964, 0.6513]	0.633 [0.6066, 0.6582]
e_{1P}	0.1954 [0.1041, 0.2809]	0.263 [0.1815, 0.3399]	0.1436 [0.0452, 0.2353]	0.1834 [0.0914, 0.2692]
e_{2P}	0.8392 [0.8212, 0.8559]	0.8425 [0.8254, 0.8583]	0.8369 [0.8181, 0.8549]	0.8365 [0.8183, 0.8534]
Initial I	54.0151 [48.4328, 59.5435]	46.6017 [40.3953, 52.3173]	56.2925 [50.9526, 61.6423]	54.0704 [48.4778, 59.5674]
Initial I_{1A}	14.8932 [10.3012, 19.8382]	12.8806 [8.042, 18.6471]	15.6489 [11.369, 20.1298]	14.8604 [10.2687, 19.7842]
Initial I_{2A}	2.4775 [0.93, 4.7359]	2.5871 [0.8709, 5.4459]	2.6046 [1.0844, 4.7457]	2.4337 [0.9037, 4.739]
Initial I_{1P}	0.7469 [0.1234, 2.0681]	1.0026 [0.1587, 2.9233]	0.6512 [0.1119, 1.7435]	0.7594 [0.1288, 2.1112]
Initial I_{2P}	2.9717 [1.3856, 5.1267]	3.5131 [1.409, 6.6521]	2.8499 [1.4196, 4.7717]	2.9786 [1.3647, 5.1574]
μ_1	0.8836 [0.4464, 0.9955]	0.8809 [0.5336, 0.9949]	0.864 [0.3271, 0.9951]	0.8809 [0.4259, 0.9957]
μ_2	0.0545 [0.0021, 0.2734]	0.0787 [0.0031, 0.3343]	0.0592 [0.002, 0.309]	0.0556 [0.0022, 0.2809]

β : Transmission Rate, e_{ij} : Effectiveness of i doses of vaccine j , Initial I : Initial number of unvaccinated infected individuals, Initial I_{ij} : Initial number of infected individuals who have received i doses of vaccine j , μ_i : Infectiveness of an infected individual with i doses of either vaccine. For number of doses we have $i \in \{1, 2\}$ and for vaccines $j \in \{A, P\}$ for Oxford-AstraZeneca and Pfizer-BioNTech respectively.




Figure S2.1: MCMC trace and posterior distributions for Core Model fit.




Figure S2.2: MCMC trace and posterior distributions for Sensitivity to γ ($\gamma = 1/3$) fit.




Figure S2.3: MCMC trace and posterior distributions for Sensitivity to γ ($\gamma = 1/11$) fit.




Figure S2.4: MCMC trace and posterior distributions for Double Removed fit.