

Effects of a multimedia campaign on HIV self-testing and PrEP outcomes among young people in South Africa: A mixed-methods impact evaluation of ‘MTV Shuga Down South’

Isolde Birdthistle^{1§}, Sarah Mulwa¹, Sophie Sarrassat¹, Venetia Baker¹, David Khanyile², Dominique O’Donnell², Cherie Cawood^{2*} & Simon Cousens^{1*}

1. Faculty of Epidemiology & Population Health, London School of Hygiene & Tropical Medicine, Keppel Street, London WC1E 7HT, United Kingdom
2. Epicentre Health Research, Hillcrest, Durban, KwaZulu-Natal 3610, South Africa

[§]Corresponding author: Isolde Birdthistle
Keppel Street
London, WC1E 7HT, United Kingdom
Isolde.Birdthistle@lshtm.ac.uk

* These authors have contributed equally to the work, for shared last authorship.

E-mail addresses of authors:

IB: Isolde.Birthistle@lshtm.ac.uk
SM: Sarah.Mulwa@lshtm.ac.uk
SS: Sophie.Sarrassat@lshtm.ac.uk
VB: Venetia.Baker1@lshtm.ac.uk
DK: davidk@epicentre.org.za
DO: domo@epicentre.org.za
CC: cheriec@epicentre.org.za
SC: Simon.Cousens@lshtm.ac.uk

Keywords: HIV prevention, adolescents, young people, media, evaluation, South Africa

1 ABSTRACT

2
3 **Introduction:** Innovative HIV technologies can help to reduce HIV incidence, yet uptake of
4 such tools is relatively low among young people. To create awareness and demand among
5 adolescents and young adults, a new campaign of the pan-African MTV Shuga series (“Down
6 South 2”; DS2), featured storylines and messages about HIV self-testing (HIVST) and pre-
7 exposure prophylaxis (PrEP) through television, radio and accompanying multimedia
8 activities in 2019-2020.

9
10 **Methods:** We conducted a mixed-methods evaluation of the new MTV Shuga series among
11 15-24 year-olds in Eastern Cape, South Africa, in 2020. A web-based survey, promoted via
12 social media platforms of schools, universities, and communities, assessed exposure to MTV
13 Shuga and knowledge of HIV status; secondary outcomes included awareness and uptake of
14 HIVST and PrEP. An embedded qualitative evaluation explored mechanisms of MTV Shuga’s
15 impact through in-depth individual and group interviews.

16
17 **Results:** Among 3,431 online survey participants, 43% had engaged with MTV Shuga and
18 24% with DS2 specifically. Knowledge of HIV status was higher among those exposed to DS2
19 (58%) versus those who were not (35%; adjusted OR=2.06 [95% CI:1.64-2.58]). Exposure was
20 also associated with increased awareness of HIVST (60% vs 28%; aOR=1.99[1.61-2.47]) and
21 use of HIVST (29% vs 10%; aOR=2.49[1.95-3.19]). One-third of respondents were aware of
22 PrEP, with higher proportions among those exposed versus non-exposed to DS2 (52% vs
23 27%; aOR=1.90[1.53-2.35]). Qualitative insights identified mechanisms by which DS2
24 increased awareness, confidence and motivation to use HIVST and PrEP, but had less
25 influence on service access.

26
27 **Conclusions:** We found evidence consistent with a positive causal impact of the MTV Shuga
28 DS2 campaign on HIV prevention outcomes among young people in a high-prevalence
29 setting. As diverse testing and PrEP technologies become accessible, an immersive
30 edutainment campaign can help to expand HIV prevention choices and close age and gender
31 gaps in HIV testing and prevention goals.

32 Introduction

33 Biomedical innovations in HIV prevention are expanding the options and tools to avoid HIV
34 acquisition and accelerate declines in HIV incidence. By diversifying HIV testing choices, HIV
35 self-test (HIVST) kits have enabled more people to know their HIV status and access
36 pathways into treatment and prevention.[1] Confirmation of positive status can link those
37 living with HIV/AIDS to life-saving treatment, viral suppression and improved health, while
38 reducing onward transmission.[2] Knowledge of negative HIV status can link individuals to
39 prevention services, including highly efficacious pre-exposure prophylaxis (PrEP), to remain
40 uninfected.

41
42 New tools like HIVST and PrEP can be particularly valuable for young people, an important
43 demographic group for HIV epidemic control and the least likely to know their HIV status.[2]
44 As yet, no country in sub-Saharan Africa has achieved the first step of the UNAIDS
45 “90:90:90” targets for the HIV treatment cascade (90% knowledge of status) among 15-24
46 year-olds, despite significant gains in diagnostic coverage overall.[3] This represents a
47 missed opportunity for early diagnosis to avoid illness and transmission, and for more young
48 people to avail themselves of high-impact prevention options like PrEP.[4, 5]

49
50 When offered HIV self-testing in the context of research studies, young people have
51 welcomed the opportunity to test in private, without the judgment, stigma or discrimination
52 they often face in facility-based services.[6-8] In real-world conditions, relatively few young
53 people are aware of or utilising HIVST.[9] Similarly, while research has shown PrEP to be an
54 acceptable HIV prevention method for young men and women, awareness and uptake of
55 PrEP via national programmes is lower than expected, and annual growth has slowed over
56 time since 2016.[10-13] Identifying ways to expand the reach and engagement of young
57 people in HIV prevention, particularly testing services and PrEP, has become a priority for
58 HIV epidemic control.[1, 3]

59
60 MTV Shuga is a multimedia campaign based around a popular dramatic series that promotes
61 HIV prevention and positive sexual health messaging with entertaining storylines and
62 characters. Since the first series based in Nairobi in 2009, MTV Shuga has been broadcast on
63 179 terrestrial channels reaching an estimated 719 million households. All episodes are
64 available rights-free on internet platforms and MTV Staying Alive Foundation estimates 42
65 million people have been reached through social media.[14] In 2019-2020, a new series
66 entitled ‘Down South 2’ was produced in South Africa and incorporated storylines designed
67 to increase awareness and demand for HIV testing, including self-testing, and PrEP in ways
68 that resonate with young people. The show was complemented by wrap-around, “360-
69 media” activities including a radio series, documentary films, and online resources.[14]
70 (Figure S1) In the town of Mthatha in Eastern Cape, South Africa, peer-education and
71 community events and a graphic novel distributed through schools enabled opportunities
72 for offline engagement among those underserved by television and internet.

73
74 To date, the efficacy of MTV Shuga has been demonstrated in a cluster-randomised trial of
75 community viewings in Nigeria, which showed a positive impact on HIV and STI testing.[15]
76 However, evidence of effectiveness in non-trial conditions is limited.[16, 17] We sought to
77 evaluate the impact of MTV Shuga Down South on HIV prevention outcomes, including
78 awareness and uptake of HIVST and PrEP, among young people in South Africa.

79

80 **Methods**

81

82 A mixed-methods evaluation was conducted in 2020 to determine whether and how MTV
83 Shuga Down South 2 (DS2) impacted HIV prevention outcomes among young people. All
84 research activities were conducted remotely to avoid risk of SARS-CoV-2 transmission.

85

86 First, an online survey was hosted on a website, free of charge for users through reverse-
87 charging arrangements with the service provider. Those who completed the survey received
88 mobile data credit of SAR50 transferred to a phone number provided for this purpose only.
89 The survey was open to 15-24 year-old males and females and promoted through virtual
90 marketing on Facebook, Instagram, and social media platforms of schools, universities,
91 community groups and clinics in Mthatha, Eastern Cape. This setting was targeted due to:
92 recent distribution of HIV self-testing kits and availability of oral PrEP (ensuring a supply to
93 meet any demand generated by the DS2 campaign);[18] availability of the offline
94 components of the DS2 campaign, described above; less HIV prevention research and lower
95 HIV testing levels in Eastern Cape relative to other provinces; and the recommendation of
96 the South African Department of Health.

97

98 The self-administered questionnaire ([File S1](#)) was anonymised with no name or other
99 personal identifying information requested and questions designed to measure exposure to
100 the MTV Shuga DS2 campaign (primary exposure) and any other MTV Shuga campaign
101 (secondary exposure). The primary outcome was knowledge of HIV status, i.e., the
102 proportion who tested for HIV in the past year and received the result, or ever tested HIV
103 positive. Secondary outcomes included awareness, willingness to use, and uptake of HIVST
104 and PrEP.

105

106 We constructed a directed acyclic graph (DAG) to represent the hypothesised causal
107 relationship between intervention exposure, the study outcomes, and other socio-
108 demographic characteristics.[19] ([Figure S2](#)) The DAG was interrogated to identify the
109 minimal set of constructs needed to control for confounding. We calculated the proportion
110 of respondents who knew their HIV status, and each secondary outcome, by exposure to
111 DS2, and estimated associations between the intervention and outcomes using
112 multivariable logistic regression to adjust for confounding variables informed by the DAG.
113 Interaction terms were included where there was evidence of effect modification by age or
114 gender. Each logistic regression model was restricted to individuals with non-missing
115 responses for each outcome of interest.

116

117 A sample of participants who reportedly engaged with DS2 (watched or listened to at least
118 one episode on TV, internet or radio) and opted into further research were invited to
119 participate in an embedded qualitative evaluation to explore mechanisms of MTV Shuga's
120 impact. Qualitative research activities included in-depth interviews (18 female, 13 male) and
121 six group discussions, held in age- and gender-specific groups of 4-6 participants. Topic
122 guides ([Files S2, S3](#)) were based on the 'COM-B' behavioural wheel model to explore MTV
123 Shuga DS2's influence on participants' capability, opportunity, and motivation to adopt
124 attitudes and behaviours supportive of HIVST and PrEP.[20] Video clips with DS2 scenes

125 about HIVST and PrEP were shown to generate discussion. Trained researchers who were
126 bilingual (in either isiXhosa or Zulu and English), and aged under 30 years, facilitated the
127 individual and group interviews via phone, Zoom or WhatsApp. Participants received data
128 transfers in advance, to facilitate participation, and SAR100 airtime credit upon completion.
129 Researchers transcribed all interviews into English and transcripts were analysed using a
130 hybrid (deductive and inductive) thematic coding process.[21] Deductive codes were
131 generated around the three conditions of the COM-B behavioural framework. A stage of
132 open coding was conducted to allow other mechanisms of influence to emerge inductively.

133

134 **Research Ethics Statement**

135 Ethics approvals were received by the University of KwaZulu-Natal, London School of
136 Hygiene & Tropical Medicine, and the World Health Organisation. Participants provided
137 online consent and parents or guardians provided consent for participants under 18 years.

138

139 **Patient and Public Involvement**

140 Members of the public are engaged in the dissemination and discussion of results, via social
141 media platforms and a public webinar on MTV Shuga evidence.

142

143 **Results**

144

145 **Online Survey**

146 *Characteristics of the survey sample*

147 The web-based survey was available online from September to December 2020, during
148 which 4,145 records were created. After removing records without full consent (n=407) or
149 gender (n=144), and likely duplicates (n=163), 3,431 (83%) records were taken forward for
150 analysis.(Table 1) Of those, respondents were predominantly female (59%), aged 20-24
151 years (69% versus 31% aged 15-19), and spoke isiXhosa at home (80%). Most respondents
152 (83%) were enrolled in education, including 34% in university, 28% in technical/vocational
153 college, and 21% in primary or secondary school, while 3.1% were employed and 10.4%
154 unemployed. The majority resided in urban settings (85%), primarily in Mthatha town (72%)
155 or elsewhere in Eastern Cape province (11%), while 16% lived in other provinces of South
156 Africa (6%, 4% and 3% in Western Cape, Gauteng, and KwaZulu-Natal, respectively). About
157 40% of participants reported experiencing food insecurity (going to bed hungry in the past
158 month) either sometimes, often or always.

159

160 Most participants lived in a household with a television (83%), internet (75%), radio (72%),
161 and a computer or other digital device (57%); household ownership of all these was higher
162 among older (20-24 year-olds) than younger respondents (15-19 year-olds).(Table 2) Most
163 respondents owned their own smartphone (85% for both age groups), while about half
164 owned their own computer and fewer (35%) owned a radio. Digital media engagement was
165 high with 86% using the internet and social media platforms at least once a week, most
166 commonly Facebook (72%), YouTube (44%), and Instagram (37%). Fewer than 1% reported
167 never using the internet or social media. Most watched TV (74%) and listened to the radio
168 (62%) at least weekly. Use of all media types was higher among older than younger
169 respondents, although data were more often missing among the younger group.

170

171 *Reported sexual experience*

172 Similarly, younger respondents were more likely to skip questions about sex and
173 relationships: 31% of younger and 20% of older participants did not answer if they had ever
174 had sex.(Table 2) Of those who responded, 43% of younger and 53% of older respondents
175 reported ever having had sex, and 38% of younger and 47% of older respondents were
176 currently in a relationship. A small minority (3%) had ever been married or co-habited with a
177 partner. Among those who answered the questions, females were more likely than males to
178 report ever having had sex (54% vs 45%), and being in a relationship (48% vs 41%).
179 However, female respondents were more likely than males to skip questions about sex and
180 relationships: 21% of female participants and 16% of males did not answer both questions.

181

182 *Exposure to MTV Shuga Down South 2 and other MTV Shuga campaigns*

183 Almost one-quarter (24%) of all respondents reported engagement with the campaign
184 linked to the most recent MTV Shuga series: ‘Down South Season 2’ (DS2): 29% of the
185 younger and 22% of older respondents.(Table 3) Engagement most often involved attending
186 a peer educator-led group discussion about DS2 (15%), followed by watching the affiliated
187 ‘In Real Life’ documentary (11%), reading the DS2 graphic novel (10%), attending a DS2
188 community event (9%), and watching DS2 on television (TV) or the internet and identifying it
189 as season 2 (7%). Only a small proportion reported listening to DS2 on the radio (2%).

190

191 Overall, 43% (50% of the younger and 40% of the older respondents) had engaged with any
192 MTV Shuga campaign.(Table 3) This included 30% of all respondents who ever watched
193 ‘MTV Shuga Down South’ (either season 1 or 2) on TV or internet; 25% who watched the
194 MTV preview show ‘16 and Pregnant’; 17% who watched MTV public service
195 announcements related to Down South; as well as those who listened to either season 1 or
196 2 of Down South on the radio (10%), watched the COVID-19 related ‘Alone Together’ mini-
197 series (8%), or interacted with the campaign by posting comments about an episode on
198 social media (9%), answering a phone-based polling question (8%), or searching the MTV
199 Shuga website (6%).

200

201 Engagement with MTV Shuga was higher among younger respondents (15-19 year-olds
202 versus 20-24 year-olds) for the DS2 series specifically and any MTV Shuga campaign more
203 broadly, and for all media formats and engagement activities.(Tables 4, S1) Exposure to MTV
204 Shuga was also higher among females versus males, and to a lesser extent, those in school
205 or university compared to those in technical/vocational colleges or out-of-school; and those
206 who speak English or Zulu at home, compared to isiXhosa. Exposure was much higher
207 among those who had ever been sexually active compared to those who had not, and for
208 those currently in a relationship (for both DS2 and any MTV Shuga campaign).

209

210 *HIV outcomes and associations with MTV Shuga exposure*

211 About 40% of respondents said they were aware of their HIV status, either because they had
212 ever tested HIV-positive (~11%; 136 out of 1294 who knew their status) or because they had
213 tested in the past year and received their result.(Table 5) Knowledge of HIV status was
214 higher among those who were exposed to MTV Shuga DS2 (58%) compared to those who
215 were not (35%) (adjusted odds ratio (aOR)=2.06 [95% confidence interval 1.64-2.58]), after
216 controlling for possible confounders, including alternative sources of HIV information.(Table
217 5, Figure 1a, Table S2) The association between DS2 exposure and knowledge of HIV status

218 was stronger among older respondents (aOR=2.61) than younger respondents (aOR=1.60;
219 $p<0.001$ for test of interaction by age group).

220

221 The proportion of respondents who had ever heard of HIV self-testing was also higher
222 among those exposed to DS2 versus the non-exposed (60% vs 28%; aOR=1.99 [1.61-2.47]),
223 with a stronger effect size among older versus younger respondents ($p<0.001$). (Table 5,
224 Figure 1a) The proportions who had used an HIV self-test, either ever in their lifetime (29%
225 vs 10%; aOR=2.49 [1.95-3.19]) or within the past year (21% vs 7%; aOR=2.61 [1.97-3.47])
226 were higher among those exposed versus non-exposed to DS2, with no evidence of a
227 difference by age group. Among those who had never used an HIV self-test before, interest
228 in using a self-test was high overall (83%), and association with DS2 exposure differed by
229 age group: specifically, exposure to DS2 was associated with more interest in HIV self-
230 testing among younger respondents (aOR=1.66 [1.05-2.64]) and with less interest among
231 older respondents (aOR=0.50 [0.34-0.72]). Similarly, interest in giving an HIV self-test kit to a
232 partner was high, with DS2 exposure associated with more interest among younger
233 respondents (aOR=1.84 [1.13-3.0]) and with less interest among the older (aOR=0.52 [0.36-
234 0.77]), compared to the non-exposed.

235

236 One-third of respondents were aware of PrEP, with higher proportions aware of PrEP among
237 those exposed versus not exposed to DS2 (52% vs 27%; aOR=1.90 [1.53-2.35]). Demand for
238 PrEP (i.e., willingness to take PrEP every day) was high overall with weak evidence of higher
239 demand among those exposed to DS2 (85% vs 80% among non-exposed; aOR=1.31 [0.97-
240 1.76]), and no differences by age group. (Table 5, Table S2)

241

242 Respondents who were exposed to DS2 were more likely to have had sex, ever in their
243 lifetime (74% vs 44% of the non-exposed; aOR=2.86 [2.19-3.72]) and in the past 12 months
244 (64% vs 37%); aOR=2.13 [1.65-2.74]), than non-exposed respondents. This was particularly
245 true for older respondents, with those exposed to DS2 much more likely to have ever had
246 sex than those not exposed (aOR=8.05 [5.57-11.65]). Among those who reported sex within
247 the past 12 months, DS2 audiences were more likely to report condom use at last sex than
248 those not exposed to DS2 (66% vs 59%; aOR=1.42 [1.07-1.89]). (Table 5, Table S2)

249

250 In sensitivity analyses in which multiple imputation was conducted for all participants with
251 missing values, results were consistent with the complete case analysis. (Table S3) In analysis
252 of the secondary exposure measure (exposure to any MTV Shuga campaign, including but
253 not limited to DS2), most outcomes were more common among those exposed to any MTV
254 Shuga compared to those with no MTV Shuga exposure of any kind, and associations
255 between exposure and outcomes were similar to those observed with exposure to MTV
256 Shuga DS2 specifically. (Table 5B, Figure 1b)

257

258 In more detailed reports of HIV testing experiences, those exposed to DS2 accessed HIV
259 testing services more frequently than those not exposed (ever and within the past year).
260 (Table S4) This was true of HIV self-testing as well as testing with a community health
261 worker and within ante-natal care services (for females). HIV self-test kits were accessed
262 from a range of outlets, most often government clinics, community health centres, or
263 hospitals, and university/TVET settings. Pharmacies were also a common source, particularly
264 for younger (15-19 year-old) participants, and more so among young DS2 audiences (27%)

265 than those not exposed (17%). DS2 viewers were also more likely to have paid fees for their
266 last self-test (36% vs 21% of non-exposed), among both age groups. Respondents cited a
267 range of reasons for their last HIV self-test, with the most common motivation being to
268 learn their HIV status (>80% of those who self-tested). Of those exposed to DS2, 32% of the
269 younger respondents and 18% of older respondents cited MTV Shuga as the reason they got
270 their most recent HIV self-test. Following their self-test, DS2 viewers were more likely than
271 non-viewers to seek a laboratory test to confirm the result (66% vs 56% of self-testers).

272

273 **Qualitative research**

274

275 In analysis of qualitative data, themes emerged about the behavioural mechanisms through
276 which MTV Shuga DS2 influenced participants' capability, motivation and opportunity
277 related to HIV self-testing and PrEP outcomes. (Table S5) **Awareness** (an aspect of capability)
278 of HIVST and PrEP was enhanced by watching the show, with some learning about these
279 resources for the first time from DS2 – "*Honestly speaking, I didn't know about the self-*
280 *testing until I watched the show now. I now know that you can test yourself*"– while others
281 gained a greater understanding through the show: "*Before seeing the show, PrEP was just*
282 *something I saw in books. I didn't know that it is actually out there.*" Participants expressed
283 ways in which this understanding, and storylines (about Bongi and Arrabella living with HIV),
284 helped to reduce their fear about HIV and knowing their own status, "*The show showed me*
285 *that knowing your status is better than just living with an unknown status... [it] won't mean*
286 *the end of the world.*" Some also gained **confidence** to enquire and learn more, e.g., from
287 internet searches and approaching health service staff. Young people described how scenes
288 and storylines from DS2 helped them feel more **prepared** to access HIV services: "*I know*
289 *what I will be experiencing from the whole situation.*" This included participants who were
290 not yet sexually active and felt better prepared for future relationships, "*Now that I have*
291 *information about PrEP, it will help me when I meet someone. I will know what I need to do*
292 *and know how PrEP will help me.*" Scenarios presented through the show also helped young
293 people to **reflect** on their own needs and preferences for HIV prevention options, at
294 different times of their life. After watching the show, some realised they prefer self-testing
295 at home, for the privacy and convenience, while others would be more anxious testing at
296 home and would prefer the support available at a clinic: "*For me, this thing of testing at*
297 *home really scared me... At home, there will be no one to help you [after getting the*
298 *results].*" Participants were also able to imagine scenarios in which they could use PrEP, e.g.,
299 "*I like the fact that it protects you from getting HIV when your partner has tested positive,*"
300 though some preferred to rely on condoms for HIV prevention. While capability and
301 motivation were clearly enhanced for many, the show had less influence on **opportunity to**
302 **access** services like HIVST and PrEP. While they saw ways in which they could get such
303 resources, from the show, many doubted the availability in their own setting ("*I wouldn't be*
304 *confident that if I go to the hospital, I'd get them. The hospitals here are not the same as*
305 *those in Joburg.*"), especially during closures related to COVID-19 lockdowns.

306 The qualitative data also illustrated ways in which DS2 had a broader influence, beyond its
307 immediate audience. (Table S6) It helped some viewers initiate conversations and discussion
308 with partners and parents, with whom they said conversations about sex are often avoided
309 or awkward, although some remained hesitant to engage in such discussions. Some young
310 males described ways in which the show changed the tone of conversations with peers, to

311 more substantive discussions about PrEP and contraception. Many felt enlightened by the
312 show and wished more young people would have access to the information about PrEP and
313 HIV self-screening. Some felt that this should be done through more government and health
314 campaigns, and many saw the role they themselves could play as educators and advocates
315 for HIV testing and prevention: *“People are usually afraid of the pain and pricking when it*
316 *comes to taking HIV test. So, I’ll definitely be an advocate for the self-screening HIV test now*
317 *because of the show,”* and within their own family: *“I can be able to give my little brother*
318 *advice on when he wants to date... Now I can explain to him how to be safe when he’s*
319 *having sex, testing, everything.”*

320

321 Some participants said they were unaffected by the show and didn’t learn anything about
322 PrEP and HIV self-testing. These topics featured in four different scenes (8 minutes of
323 content) in the 10 episodes of the DS2 series, and some viewers missed those scenes, or
324 were distracted at the time. Some were confused by the scenes and didn’t gain confidence
325 or motivation to use PrEP or self-testing: *“Since they say HIV is something that is tested*
326 *through blood, I kind of don’t understand what they are doing there [with HIV self-screening]*
327 *’cause there’s only saliva inside the mouth.”*

328

329 **Table 1. Socio-demographic characteristics of online survey participants, overall and by**
 330 **age group (N=3,431)**

	Age group					
	15-19 years (N=1079)		20-24 years (N=2352)		Total (N=3431)	
	n	%	n	%	n	%
Socio-demographic characteristics						
Gender						
Male	372	34.5	945	40.2	1,317	38.4
Female	656	60.8	1,364	58.0	2,020	58.9
Other	51	4.7	43	1.8	94	2.7
Current schooling/employment status						
In school (primary/secondary)	597	55.3	129	5.5	726	21.2
TVET [†]	144	13.3	823	35.0	967	28.2
University	228	21.1	936	39.8	1,164	33.9
Employed	12	1.1	94	4.0	106	3.1
Unemployed	49	4.5	308	13.1	357	10.4
Unknown	49	4.5	62	2.6	111	3.2
Language spoken at home						
English	99	9.2	160	6.8	259	7.5
IsiXhosa	798	74.0	1,947	82.8	2,745	80.0
Zulu	100	9.3	124	5.3	224	6.5
Other	72	6.7	119	5.1	191	5.6
Unknown	10	0.9	2	0.1	12	0.3
Province						
Eastern Cape (EC) - Mthatha	716	66.4	1,746	74.2	2,462	71.8
Eastern Cape - O.R. Tambo	24	2.2	46	2.0	70	2.0
Eastern Cape - other EC	102	9.5	192	8.2	294	8.6
Western Cape	57	5.3	157	6.7	214	6.2
Kwa-Zulu Natal	65	6.0	38	1.6	103	3.0
Gauteng	56	5.2	80	3.4	136	4.0
Other provinces	36	3.3	47	2.0	83	2.4
Unknown	23	2.1	46	2.0	69	2.0
Urban/Rural residence[‡]						
Urban setting	891	82.6	2,032	86.4	2,923	85.2
Rural setting	95	8.8	192	8.2	287	8.4
Unknown	93	8.6	128	5.4	221	6.4
Food insecurity						
Never/rarely	610	56.5	1,268	53.9	1,878	54.7
Sometimes	319	29.6	820	34.9	1,139	33.2
Often/always	72	6.7	146	6.2	218	6.4
Unknown	78	7.2	118	5.0	196	5.7
Called a helpline or searched for information on HIV on the internet[§]						
No	485	44.9	1,182	50.3	1,667	48.6
Yes	422	39.1	930	39.5	1,352	39.4
Unknown	172	15.9	240	10.2	412	12.0

331 [†] TVET: Technical Vocational Educational and Training colleges

332 [‡] coding Mthatha to urban setting; [§] this measure includes the following sites/helplines: Bwise, Loveline,
 333 Childline, but excludes MTV Shuga website

Table 2. Media ownership and sexual experiences reported by online survey participants, overall and by age group and gender (N=3,431)

	15-19 years								20-24 years							
	Male (N=372)		Female (N=656)		Other (N=51)		Total (N=1,079)		Male (N=945)		Female (N=1,364)		Other (N=43)		Total (N=2,352)	
	n	%	n	%	n	%	n	%	n	%	n	%	n	%	n	%
Media assets																
Household ownership																
Radio	240	64.5	463	70.6	17	33.3	720	66.7	727	76.9	1,002	73.5	15	34.9	1,744	74.1
Television (TV)	291	78.2	533	81.3	19	37.3	843	78.1	811	85.8	1,160	85	18	41.9	1,989	84.6
Computer / device	200	53.8	334	50.9	11	21.6	545	50.5	589	62.3	801	58.7	14	32.6	1,404	59.7
Internet	270	72.6	464	70.7	18	35.3	752	69.7	752	79.6	1,038	76.1	20	46.5	1,810	77.0
TV subscription	184	49.5	352	53.7	10	19.6	546	50.6	428	45.3	657	48.2	9	20.9	1,094	46.5
Unknown	33	8.9	51	7.8	1	2.0	85	7.9	47	5.0	84	6.2	2	4.7	133	5.7
Household media assets index																
Low	125	33.6	245	37.3	40	78.4	410	38	294	31.1	453	33.2	26	60.5	773	32.9
Medium	111	29.8	168	25.6	2	3.9	281	26	330	34.9	433	31.7	8	18.6	771	32.8
High	103	27.7	192	29.3	8	15.7	303	28.1	274	29.0	394	28.9	7	16.3	675	28.7
Unknown	33	8.9	51	7.8	1	2.0	85	7.9	47	5.0	84	6.2	2	4.7	133	5.7
Personal ownership																
Radio	133	35.8	215	32.8	3	5.9	351	32.5	373	39.5	455	33.4	10	23.3	838	35.6
Smartphone	322	86.6	573	87.3	18	35.3	913	84.6	813	86.0	1,179	86.4	17	39.5	2,009	85.4
Computer / device	166	44.6	265	40.4	6	11.8	437	40.5	540	57.1	755	55.4	12	27.9	1,307	55.6
Unknown	32	8.6	51	7.8	1	2.0	84	7.8	899	95.1	1,279	93.8	41	95.3	2,219	94.3
Individual media assets index																
Low	133	35.8	249	38	44	86.3	426	39.5	291	30.8	453	33.2	27	62.8	771	32.8
Medium	125	33.6	246	37.5	5	9.8	376	34.8	342	36.2	500	36.7	6	14	848	36.1
High	82	22	110	16.8	1	2.0	193	17.9	266	28.1	326	23.9	8	18.6	600	25.5
Unknown	32	8.6	51	7.8	1	2.0	84	7.8	46	4.9	85	6.2	2	4.7	133	5.7
How often do you watch TV																
Never	8	2.2	17	2.6	3	5.9	28	2.6	21	2.2	20	1.5	3	7	44	1.9
Less than weekly	46	12.4	105	16	6	11.8	157	14.6	125	13.2	169	12.4	4	9.3	298	12.7
At least once per week	274	73.7	453	69.1	16	31.4	743	68.9	727	76.9	1,058	77.6	14	32.6	1,799	76.5

Unknown	44	11.8	81	12.3	26	51.0	151	14	72	7.6	117	8.6	22	51.2	211	9
How often do you listen to the radio																
Never	45	12.1	79	12	6	11.8	130	12	55	5.8	113	8.3	6	14	174	7.4
Less than weekly	57	15.3	154	23.5	7	13.7	218	20.2	128	13.5	244	17.9	2	4.7	374	15.9
At least once per week	225	60.5	341	52	13	25.5	579	53.7	682	72.2	865	63.4	15	34.9	1,562	66.4
Unknown	45	12.1	82	12.5	25	49.0	152	14.1	80	8.5	142	10.4	20	46.5	242	10.3
How often do you use the internet																
Never	3	0.8	2	0.3	2	3.9	7	0.6	2	0.2	5	0.4	1	2.3	8	0.3
Less than weekly	19	5.1	65	9.9	6	11.8	90	8.3	33	3.5	47	3.4	2	4.7	82	3.5
At least once per week	314	84.4	527	80.3	19	37.3	860	79.7	851	90.1	1,223	89.7	19	44.2	2,093	89
Unknown	36	9.7	62	9.5	24	47.1	122	11.3	59	6.2	89	6.5	21	48.8	169	7.2
How often do you use social media platforms																
Never	3	0.8	11	1.7	3	5.9	17	1.6	6	0.6	2	0.1	1	2.3	9	0.4
Less than weekly	19	5.1	40	6.1	5	9.8	64	5.9	45	4.8	45	3.3	2	4.7	92	3.9
At least once per week	316	84.9	540	82.3	19	37.3	875	81.1	838	88.7	1,231	90.2	19	44.2	2,088	88.8
Unknown	34	9.1	65	9.9	24	47.1	123	11.4	56	5.9	86	6.3	21	48.8	163	6.9
Sexual experience																
Relationship status																
Not in a relationship	176	47.3	288	43.9	30	58.8	494	45.8	446	47.2	493	36.1	20	46.5	959	40.8
In a relationship	108	29	200	30.5	8	15.7	316	29.3	339	35.9	555	40.7	11	25.6	905	38.5
Ever married/lived with someone	4	1.1	4	0.6	9	17.6	17	1.6	24	2.5	51	3.7	4	9.3	79	3.4
Unknown	84	22.6	164	25	4	7.8	252	23.4	136	14.4	265	19.4	8	18.6	409	17.4
Ever had sex																
No	157	42.2	258	39.3	12	23.5	427	39.6	422	44.7	440	32.3	2	4.7	864	36.7
Yes	110	29.6	208	31.7	4	7.8	322	29.8	368	38.9	627	46.0	13	30.2	1,008	42.9
Prefer not to say	22	5.9	27	4.1	33	64.7	82	7.6	26	2.8	41	3.0	23	53.5	90	3.8
Unknown	83	22.3	163	24.8	2	3.9	248	23.0	129	13.7	256	18.8	5	11.6	390	16.6

335 **Table 3. Proportions exposed to MTV Down South 2 and any MTV Shuga campaign, overall**
 336 **and by age group**

	Age group					
	15-19		20-24		Total	
	years	years	years	years		
	(N=1079)	(N=2352)	(N=1079)	(N=2352)	(N=3431)	
	n	%	n	%	n	%
<i>MTV Shuga Down South 2 (MTV DS2)</i>						
Ever watched MTV DS2 on TV, MTV website or YouTube	100	9.3	138	5.9	238	6.9
Ever listened to MTV DS2 on the radio	29	2.7	42	1.8	71	2.1
Read the MTV Shuga DS2 graphic novel	140	13.0	204	8.7	344	10.0
Watched the documentary called MTV Shuga in real life that was broadcast at the end of DS2	144	13.3	242	10.3	386	11.3
Attended small group discussion facilitated by a peer educator (at a clinic, school, university, TVET or somewhere else) on DS2 anywhere	182	16.9	331	14.1	513	15.0
Attended a community event on DS2 anywhere	107	9.9	185	7.9	292	8.5
Exposure to MTV DS2: Said Yes to at least one of the above (primary exposure measure)	309	28.6	518	22.0	827	24.1
<i>Any MTV Shuga campaign</i>						
Ever watched MTV Shuga: Down South 1 or 2 on TV, MTV Shuga website or YouTube	368	34.1	666	28.3	1,034	30.1
Ever listened to MTV Shuga: Down South on the radio	132	12.2	201	8.5	333	9.7
Read the MTV Shuga DS2 graphic novel	140	13.0	204	8.7	344	10.0
Watched the documentary called MTV Shuga in real life that was broadcast at the end of DS2	144	13.3	242	10.3	386	11.3
Attended small group discussion facilitated by a peer educator (at a clinic, school, university, TVET or somewhere else) on DS2 anywhere	182	16.9	331	14.1	513	15.0
Attended a community event on DS2 anywhere	107	9.9	185	7.9	292	8.5
Watched the MTV preview show called 16 and Pregnant	329	30.5	527	22.4	856	24.9
Watched MTV PSA spots (Public Service Announcements) short MTV videos with health messages	215	19.9	381	16.2	596	17.4
Watched any MTV Shuga Alone Together episodes on YouTube or the MTV Shuga website	79	7.3	201	8.5	280	8.2
Searched for information on HIV on the MTV Shuga website (since this was a multiple choice question, any selection of MTV Shuga website implies exposure)	79	7.3	131	5.6	210	6.1
Answered a polling question about a MTV Shuga: Down South episode	110	10.2	157	6.7	267	7.8
Ever posted any comments about an episode of MTV Shuga: Down South Season 2	119	11.0	175	7.4	294	8.6
Watched/accessed/participated in any MTV Shuga videos/shows/resources (secondary exposure measure)	539	50.0	948	40.3	1,487	43.3

337 Table 4. Factors associated with exposure to MTV Down South 2 and any MTV Shuga campaign

	Exposure to Down South 2					Exposure to any MTV Shuga campaign				
	Total N	Outcome n	Row % Outcome %	age-adjusted OR [†] aOR (95% CI)		Total N	Outcome n	Row % Outcome %	age-adjusted OR [†] aOR (95% CI)	
Overall	3,198	805	25.2			3,198	1,458	45.6		
Age group										
15-19	988	300	30.4	1		988	527	53.3	1	
20-24	2,210	505	22.9	0.68	0.57 0.80	2,210	931	42.1	0.64	0.55 0.74
Gender										
Male	1,233	257	20.8	1		1,233	455	36.9	1	
Female	1,874	538	28.7	1.50	1.27 1.78	1,874	984	52.5	1.86	1.61 2.16
Other	91	10	11.0	0.42	0.21 0.82	91	19	20.9	0.39	0.23 0.66
Current schooling/employment status										
In school (primary/secondary)	653	223	34.2	1		653	386	59.1		
TVET [†]	921	120	13.0	0.31	0.23 0.42	921	196	21.3	0.2	0.16 0.26
University	1,094	369	33.7	1.06	0.83 1.35	1,094	646	59	1.08	0.85 1.36
Other	428	78	18.2	0.47	0.34 0.65	428	191	44.6	0.61	0.46 0.8
Unknown	102	15	14.7	0.35	0.2 0.62	102	39	38.2	0.45	0.29 0.69
Language spoken at home										
English	231	74	32.0	1		231	133	57.6	1	
isiXhosa	2,563	629	24.5	0.71	0.53 0.96	2,563	1,129	44.0	0.6	0.46 0.79
Zulu	216	65	30.1	0.89	0.59 1.33	216	116	53.7	0.83	0.57 1.21
Other [§]	188	37	19.7	0.52	0.33 0.81	188	80	42.6	0.54	0.36 0.8
Urban/Rural residence										
Urban setting	2,741	686	25.0	1		2,741	1,232	44.9	1	
Rural setting	255	81	31.8	1.37	1.04 1.81	255	152	59.6	1.78	1.37 2.32
Unknown	202	38	18.8	0.66	0.45 0.94	202	74	36.6	0.66	0.49 0.89
Province										
Eastern Cape (EC) - Mthatha	2,305	573	24.9	1		2,305	969	42.0	1	
Eastern Cape - O.R. Tambo or other EC	321	94	29.3	1.22	0.94 1.58	321	189	58.9	1.93	1.52 2.45

Other provinces	509	120	23.6	0.89	0.71	1.12	509	265	52.1	1.43	1.18	1.74
Unknown	63	18	28.6	1.18	0.68	2.06	63	35	55.6	1.68	1.02	2.79
Food insecurity												
Never/rarely	1,785	371	20.8	1			1,785	735	41.2	1		
Sometimes	1,048	321	30.6	1.71	1.44	2.04	1,048	550	52.5	1.61	1.38	1.88
Often/always	204	77	37.7	2.31	1.70	3.14	204	121	59.3	2.09	1.55	2.81
Unknown	161	36	22.4	1.05	0.71	1.56	161	52	32.3	0.65	0.46	0.91
Household media assets index												
Low	1,176	320	27.2	1			1,176	570	48.5	1		
Medium	1,048	217	20.7	0.72	0.59	0.88	1,048	439	41.9	0.79	0.67	0.94
High	974	268	27.5	1.03	0.85	1.25	974	449	46.1	0.92	0.78	1.09
Individual media assets index												
Low	1,190	250	21.0	1			1,190	503	42.3	1		
Medium	1,218	341	28.0	1.50	1.24	1.81	1,218	638	52.4	1.54	1.31	1.82
High	790	214	27.1	1.47	1.19	1.82	790	317	40.1	0.96	0.80	1.16
Relationship status												
Not in a relationship	1,453	287	19.8	1			1,453	528	36.3	1		
In a relationship	1,221	313	25.6	1.45	1.21	1.74	1,221	604	49.5	1.80	1.54	2.10
Ever married/lived with someone	96	24	25.0	1.45	0.90	2.35	96	45	46.9	1.68	1.11	2.56
Unknown	428	181	42.3	2.96	2.35	3.73	428	281	65.7	3.34	2.66	4.20
Ever had sex												
No	1,291	162	12.5	1			1,291	286	22.2	1		
Yes	1,330	453	34.1	3.84	3.13	4.70	1,330	868	65.3	7.52	6.28	9.01
Prefer not to say	172	12	7.0	0.48	0.26	0.89	172	27	15.7	0.57	0.37	0.89
Unknown	405	178	44.0	5.41	4.18	7.00	405	277	68.4	7.78	6.05	10.01
Called a helpline or searched for information on HIV on the internet												
No	1,667	296	17.8	1			1,667	495	29.7	1	1	1
Yes	1,352	456	33.7	2.35	1.98	2.78	1,352	888	65.7	4.57	3.91	5.33
Unknown	179	53	29.6	1.84	1.30	2.60	179	75	41.9	1.59	1.15	2.18

338 [†]OR = Odds Ratio; [‡]TVET - Technical and Vocational Education and Training; [§]includes 5 respondents whose language was unknown

339
340

Table 5. Associations between exposure to MTV Down South 2 (A) and any MTV Shuga campaign (B) with HIV self-testing and PrEP outcomes

	Exposed	Total	Outcome	Row % Outcome	Age Adjusted OR [†]			Fully adjusted [‡] OR [†] (overall)			
		N	n	%	aOR	(95% CI)	p value	aOR	(95% CI)	p value	
(A) MTV Down South 2											
HIV Status											
Knowledge of HIV status (N=3,198)	No	2,393	828	34.6	1			1			
	Yes	805	466	57.9	2.75	2.33	3.25	<0.001	2.06	1.64	2.58
HIV Self Testing/Screening outcomes											
Ever heard about HIV Self Screening Kit (N=2,727)	No	2,077	589	28.4	1			1			
	Yes	650	387	59.5	3.90	3.24	4.70	<0.001	1.99	1.61	2.47
Ever tested for HIV using HIV Self Screening Kit (N=2,694)	No	2,049	211	10.3	1			1			
	Yes	645	186	28.8	3.65	2.92	4.57	<0.001	2.49	1.95	3.19
Tested for HIV using HIV Self Screening Kit in the last 12 months (N=2,689)	No	2,044	132	6.5	1			1			
	Yes	645	136	21.1	4.12	3.17	5.35	<0.001	2.61	1.97	3.47
Demand for HIV Self Screening - to screen oneself (N=2,213)[§]	No	1,786	1,498	83.9	1			1			
	Yes	427	335	78.5	0.78	0.60	1.02	0.069	0.80	0.59	1.09
Demand for HIV Self Screening - willing to give kit to partner (N=2,188)[§]	No	1,774	1,502	84.7	1			1			
	Yes	414	330	79.7	0.79	0.60	1.04	0.092	0.86	0.63	1.17
PrEP Outcomes											
Ever Heard About PrEP (N=2,649)	No	2,023	548	27.1	1			1			
	Yes	626	323	51.6	2.93	2.43	3.53	<0.001	1.90	1.53	2.35
Demand for PrEP - willing to take PrEP everyday (N=2,284)	No	1,747	1,394	79.8	1			1			
	Yes	537	457	85.1	1.54	1.17	2.01	0.002	1.31	0.97	1.76
Sexual behaviour outcomes											
Ever had sex (N=2,621)	No	2,006	877	43.7	1			1			
	Yes	615	453	73.7	3.95	3.22	4.85	<0.001	2.86	2.19	3.72

Had sex in the past 12 months (N=2,492)	No	1,918	717	37.4	1				1			
	Yes	574	366	63.8	3.25	2.66	3.96	<0.001	2.13	1.65	2.74	<0.001
Condom use at last sex with current or last partner (in the last 12 months) (N=1,056)	No	699	410	58.7	1				1			
	Yes	357	234	65.5	1.35	1.03	1.76	0.028	1.42	1.07	1.89	0.014
(B) Any MTV Shuga campaign												
HIV status												
Knowledge of HIV status (N=3,198)	No	1,740	431	24.8	1				1			
	Yes	1,458	863	59.2	4.84	4.15	5.66	<0.001	2.52	2.04	3.12	<0.001
HIV Self Testing/Screening outcomes												
Ever heard about HIV Self Screening Kit (N=2,727)	No	1,509	284	18.8	1				1			
	Yes	1,218	692	56.8	6.12	5.12	7.31	<0.001	3.00	2.45	3.68	<0.001
Ever tested for HIV using HIV Self Screening Kit (N=2,694)	No	1,483	115	7.8	1				1			
	Yes	1,211	282	23.3	3.75	2.97	4.74	<0.001	2.15	1.64	2.81	<0.001
Tested for HIV using HIV Self Screening Kit in the last 12 months (N=2,689)	No	1,478	70	4.7	1				1			
	Yes	1,211	198	16.4	4.19	3.14	5.58	<0.001	2.23	1.61	3.07	<0.001
Demand for HIV Self Screening - to screen oneself (N=2,213) [§]	No	1,342	1,143	85.2	1				1			
	Yes	871	690	79.2	0.74	0.59	0.92	0.008	0.73	0.55	0.97	0.031
Demand for HIV Self Screening - willing to give kit to partner (N=2,188) [§]	No	1,338	1,145	85.6	1				1			
	Yes	850	687	80.8	0.78	0.62	0.99	0.041	0.87	0.65	1.17	0.364
PrEP Outcomes												
Ever Heard About PrEP (N=2,649)	No	1,469	251	17.1	1				1			
	Yes	1,180	620	52.5	5.63	4.7	6.74	<0.001	2.8	2.26	3.47	<0.001
Demand for PrEP - willing to take PrEP everyday (N=2,284)	No	1,292	1,011	78.3	1				1			
	Yes	992	840	84.7	1.65	1.32	2.06	<0.001	1.26	0.96	1.65	0.095
Sexual behaviour outcomes												
Ever had sex (N=2,621)	No	1,467	462	31.5	1				1			
	Yes	1,154	868	75.2	7.85	6.53	9.45	<0.001	4.29	3.36	5.48	<0.001
Had sex in the past 12 months (N=2,492)	No	1,419	377	26.6	1				1			
	Yes	1,073	706	65.8	6.21	5.18	7.46	<0.001	3.03	2.39	3.84	<0.001

Condom use at last sex with current or last partner (in the last 12 months) (N=1,056)

No	365	206	56.4	1					1			
Yes	691	438	63.4	1.34	1.04	1.74	0.025	1.61	1.21	2.13	0.001	

341 [†]OR-Odds Ratio; [‡]all models (except models on sexual behaviours) include the following variables: main exposure, age, gender, schooling, home language, rural/urban
 342 setting, province, food insecurity, household media index, individual media index, relationship status, ever had sex, and exposure to other non-MTV resources; models for
 343 sexual behaviours include all the above variables except ever had sex; [§]among those who had never used an HIV self-test before.
 344

345 Discussion

346 Through a mixed methods evaluation of MTV Shuga’s multimedia edutainment campaign,
347 we found evidence consistent with a causal impact of the campaign on important HIV
348 prevention outcomes among young people in South Africa. Among 3,431 15-24 year-old
349 participants of an online survey, based predominantly in Eastern Cape province, substantial
350 proportions had been exposed to MTV Shuga: one-quarter had engaged with the most
351 recent MTV Shuga series (Down South 2; DS2) and 43% with any component or past series
352 of the MTV Shuga campaign. Exposure to DS2 and the wider MTV Shuga campaign was
353 strongly associated with the primary outcome of the study, knowledge of HIV status, as well
354 as increased awareness and use of HIV self-testing (HIVST) and knowledge of PrEP.
355 Respondents’ interest to use HIVST and PrEP was very high overall; it was higher among
356 MTV Shuga audiences for the younger (15-19 year-olds) but not among older respondents
357 aged 20-24 years.

358
359 An embedded qualitative study offered insights into ways in which MTV Shuga DS2 may
360 have influenced these outcomes. DS2 enhanced young people’s capability and motivation to
361 adopt HIV prevention behaviours, while its influence on opportunity (e.g., to access
362 prevention services) was more limited.[20] Some viewers were introduced to HIV self-
363 testing and PrEP for the first time through the show, and greater awareness helped to
364 reduce fear and boost confidence to learn their HIV status and seek further HIV information
365 and services. For others, HIV information that had previously seemed abstract or academic
366 was made real and relevant in DS2 scenarios and storylines, with viewers given an
367 opportunity to observe behaviours that were typically kept private, e.g., couples self-testing
368 together at home. This was evidence of observational learning, consistent with Social
369 Learning Theory.[22] While not all felt they currently needed to use resources like HIV self-
370 testing and PrEP, they imagined future circumstances in which they would benefit from
371 them. Some reflected on options presented by DS2 storylines, to think through their
372 personal preferences for HIV prevention, and this may help to explain the differences in
373 demand for HIV self-testing by age group, e.g., if older viewers generally valuing the support
374 available from provider-led testing and younger adolescents preferring the privacy of self-
375 testing at home. For some, the scenes on HIVST and PrEP were too short or unclear to have
376 any influence.

377
378 The findings suggest ways in which a popular, immersive multimedia campaign like MTV
379 Shuga can accelerate achievement of HIV prevention goals for young people. MTV Shuga’s
380 influence is consistent with a person-centred approach to HIV prevention: through engaging
381 storylines and characters, young people are offered accurate and relevant information on
382 HIV prevention options and enabled to make their own choices (in contrast to assuming that
383 young people are ‘passive beneficiaries’).[23] Respecting personal choice and agency in this
384 way can help people to adopt HIV prevention choices at different time points, as their needs
385 and situations change, analogous to offering a ‘contraceptive method mix’ reflecting users’
386 diverse preferences and circumstances.[24] This can help young people to prepare for
387 changes that may increase their HIV risk, for example, to know prevention options before
388 their first sexual experience. In southern Africa, many young people do not engage with SRH
389 services until they are already sexually active, pregnant or married, at which point many are
390 already at risk for HIV/STI (in settings where HIV incidence escalates from an early age) [25,

391 26]. The first sexual experience is often one in which young people are not well prepared,
392 e.g., with information, contraception, condoms or HIV/STI testing.[27] While MTV Shuga
393 audiences were more likely to have had sex than those who never engaged with the
394 campaign, viewers who had never had sex felt more aware and prepared for HIV prevention
395 choices once they became sexually active. Acquiring a new sexual partner is another high-
396 risk transition point for young people, for which they can be prepared in advance, and MTV
397 Shuga viewers anticipated prevention choices they could make with new partners, e.g., to
398 use PrEP with a partner who is living with HIV.

399

400 The benefits of MTV Shuga may be greatest for those who are most connected to digital
401 media for access to the dramatic television series with high production values, and the
402 ability to be immersed in all episodes. However, in the study setting of Mthatha, more
403 respondents reported experiencing 'offline' components of the DS2 campaign than the
404 televised or internet-streamed episodes. Many had engaged with community-based viewing
405 events, peer-led Shuga discussions, and the DS2 graphic novels distributed through schools.
406 Our qualitative research found that Shuga opened up dialogue about sex and HIV with
407 peers, parents and partners, and this ability for Shuga to stimulate real-life discussions can
408 happen across all its formats. Also, some viewers were inspired to become 'advocates' for
409 the new HIV prevention information they learned via DS2, suggesting that, by reaching the
410 most digitally connected young people, MTV Shuga can inspire early adopters of HIV
411 preventive innovations, who are well placed to diffuse those messages to peers online and
412 in real life.[28]

413

414 An important limitation to a multimedia campaign like MTV Shuga is its lack of influence on
415 supply of services, either actual or perceived supply, including the HIV prevention
416 technologies it promoted through DS2. Viewers were typically sceptical about the
417 opportunity to access HIV self-testing and PrEP in their area of Eastern Cape, despite recent
418 investments in HIV self-test and PrEP distribution.[18] The survey showed that DS2 viewers
419 were more likely than non-viewers to have paid a fee for their last HIV self-test kit,
420 suggesting that the ability to pay or access a pharmacy may help to explain the observed
421 differences in use of self-testing, even if MTV Shuga boosted motivation for HIV testing. To
422 ensure equitable access to prevention tools and services, media campaigns that generate
423 demand should be directly linked to distribution efforts that are available and acceptable to
424 young people.

425

426 The findings are consistent with a small but growing number of studies that demonstrate
427 benefits of MTV Shuga. The afore-mentioned trial in Nigeria found increases in HIV and STI
428 testing in communities randomly selected to receive group showings of MTV Shuga
429 episodes.[15] Among a cohort of adolescent girls and young women in rural KwaZulu,
430 exposure to MTV Shuga was relatively low by 2019 (~15% of randomly sampled 15-24 year
431 old females), but associated with a range of sexual and reproductive health benefits
432 (although not with HIV testing, perhaps due to regular HIV surveillance in the study
433 area).[17] In this study, the higher prevalence of exposure to MTV Shuga (>40%) may be due
434 to better media access as well as more concerted efforts to offer MTV Shuga activities
435 offline, through schools and communities in Eastern Cape.

436

437 Our study had a number of limitations. It is likely that the sample does not represent the
438 general population of Eastern Cape, but is skewed in favour of those young people who
439 frequently engage with digital media. Compared to a representative sample in urban areas
440 of Eastern Cape in 2016, cell-phone ownership was similar among 20-24 year olds, but
441 higher among our younger respondents (15-19 years).[29] This may reflect recent growth in
442 phone ownership among teenagers, throughout South Africa and Mthatha. Only 1% of our
443 study participants reported that they never used the internet. This may reflect the virtual,
444 internet-based study methods we used to comply with COVID-19 restrictions in South Africa
445 and avoid SARS-CoV-2 transmission risk, however, connectedness and social media use is
446 rapidly growing across South Africa. A recent study in Mthatha described young people's
447 social media use as "pervasive".[30] We tried to minimise cost barriers to participation, by
448 making the internet survey free to access (through reverse-charging) and providing data
449 credit to all participants, however, participation was most likely easier for those with digital
450 devices, more reliable internet access and greater literacy.

451
452 Our design also relied on self-reported measures of MTV Shuga engagement and
453 misclassification may have under- or over-estimated exposure. Many respondents opted
454 not to answer some questions, particularly the questions on sexual experiences, suggesting
455 that online surveys are not ideal for collecting such private information from young people,
456 even if anonymised. However, the study findings were largely unchanged in sensitivity
457 analyses with imputation of missing values. Another limitation is that the increased
458 associations observed may be explained by unknown or unmeasured confounders,
459 especially as the questionnaire length was kept as short as possible for online use.
460 Nevertheless, associations remained strong after accounting for numerous potential
461 confounders, including other sources of HIV prevention information and campaigns, and
462 were consistent across multiple outcomes. Also, the strengths of associations observed
463 across outcomes, and the connections between mechanisms (identified in qualitative
464 analysis) and the observed outcomes offered evidence of causality consistent with a realist
465 evaluation.[31]

466

467 Conclusions

468 As new HIV testing and PrEP options become available, we sought evidence of a multimedia
469 edutainment campaign's influence on awareness and demand for such tools, among young
470 men and women in a high-prevalence setting of South Africa. Together, findings from a large
471 online survey and embedded qualitative research are consistent with a causal impact of
472 MTV Shuga on young people's awareness and use of HIV self-testing and PrEP, and
473 knowledge of their own HIV status, although we cannot exclude other possible explanations
474 for the observed associations. With online and offline components, the '360-degree' media
475 campaign reached sizeable proportions of young people through TV, internet, schools and
476 community events, especially adolescent girls – a group at particularly high risk of HIV
477 acquisition in high-burden countries. Positive effects were equally strong for females and
478 males, and the diverse characters and storylines enabled MTV Shuga viewers to reflect on
479 their personal needs and HIV prevention choices. With stronger, more direct links to the
480 supply and distribution of prevention tools like self-test kits and PrEP, growing use of digital
481 media among young people, and the potential for early adopters to diffuse innovation, a

482 popular edutainment campaign like MTV Shuga has an important role to play in closing age
483 and gender gaps in HIV testing and prevention goals.

Additional information

Competing interests

The authors declare no competing interests.

Authors' contributions

IB, SC, SS, CC, DK, VB co-designed the study protocol, and CC, DK, DOD and VB managed the data collection. SS led the survey questionnaire development and DOD programmed the questionnaire. SM led the management and analysis of survey data, VB led the analysis of qualitative data, and IB led the triangulation. IB wrote the first draft, all authors contributed to revisions and reviewed the final draft.

Acknowledgements

The authors wish to thank all the young people who contributed their time to this study. We thank Michel Carael, Oona Campbell, Hasina Subedar, Sian Floyd, Heather Ingold, Ombeni Mwerindi, Rachel Baggaley, Kathering Fielding and Melissa Newman for valuable ideas to strengthen this research. We are grateful to Antonio Duran-Aparicio for all the support to make this project possible. We acknowledge the dedication of MTV Shuga peer educators and coordinators (Yvonne Diogo, Lesedi Thwala) in South Africa and appreciate the trust of the MTV Staying Alive Foundation, especially Georgia Arnold and Sara Piot.

Funding

This work was supported through a grant from Unitaid through a sub-contract from MTV Staying Alive Foundation to London School of Hygiene & Tropical Medicine, grant 1317919.

Additional files

Figure S1. Activities in MTV Shuga Down South 2 360-degree media campaign

Figure S2. Hypothesised common causes of MTV Shuga exposure and HIV outcomes

Table S1. Factors associated with exposure to MTV Down South 2 and any MTV Shuga campaign, among 15-19 year-olds (A) and 20-24 year-olds (B)

Table S2. Associations between exposure to MTV Down South 2 (A) and any MTV Shuga campaign (B) with HIV self-testing and PrEP outcomes: Age specific estimates

Table S3. Results from multiple imputation with primary exposure: m=10 imputations

Table S4. Experiences with HIV self-testing and PrEP, among those ever and never exposed to MTV Shuga DS2

Table S5. Mechanisms by which MTV Shuga Down South 2 influenced behaviour through Capability, Motivation and Opportunity to improve HIV self-testing and PrEP outcomes: themes emerging from deductive analysis of qualitative research in Mthatha, Eastern Cape

Table S6. Evidence of broader social mechanisms by which MTV Shuga DS2 influenced HIV self-testing and PrEP outcomes: themes emerging from open code analysis of qualitative research in Mthatha, Eastern Cape

File S1. Online survey questionnaire

File S2. Topic guides for the qualitative research activities

References

1. Gupta-Wright A, Barnabas RV, Ingold H et al. HIV self-testing: lessons learnt and priorities for adaptation in a shifting landscape. *BMJ Glob Health* 2021;6(Suppl 4).
2. UNAIDS. Knowledge is Power: Know your status, know your viral load. 2018.
3. Giguere K, Eaton JW, Marsh K et al. Trends in knowledge of HIV status and efficiency of HIV testing services in sub-Saharan Africa, 2000-20: a modelling study using survey and HIV testing programme data. *Lancet HIV* 2021;8(5):e284-e93.
4. Wong VJ, Murray KR, Phelps BR et al. Adolescents, young people, and the 90-90-90 goals: a call to improve HIV testing and linkage to treatment. *AIDS* 2017;31 Suppl 3:S191-S4.
5. Wong V, Jenkins E, Ford N et al. To thine own test be true: HIV self-testing and the global reach for the undiagnosed. *J Int AIDS Soc* 2019;22 Suppl 1:e25256.
6. Indravudh PP, Sibanda EL, d'Elbee M et al. 'I will choose when to test, where I want to test': investigating young people's preferences for HIV self-testing in Malawi and Zimbabwe. *AIDS* 2017;31 Suppl 3:S203-S12.
7. Ashburn K, Antelman G, N'Goran MK et al. Willingness to use HIV self-test kits and willingness to pay among urban antenatal clients in Cote d'Ivoire and Tanzania: a cross-sectional study. *Trop Med Int Health* 2020;25(9):1155-65.
8. Obiezu-Umeh C, Gbajabiamila T, Ezechi O et al. Young people's preferences for HIV self-testing services in Nigeria: a qualitative analysis. *BMC Public Health* 2021;21(1):67.
9. Tonen-Wolyec S, Koyalta D, Mboumba Bouassa RS et al. HIV self-testing in adolescents living in Sub-Saharan Africa. *Med Mal Infect* 2020;50(8):648-51.
10. Celum C, Hosek S, Tsholwana M et al. PrEP uptake, persistence, adherence, and effect of retrospective drug level feedback on PrEP adherence among young women in southern Africa: Results from HPTN 082, a randomized controlled trial. *PLoS Med* 2021;18(6):e1003670.
11. Yoshioka E, Giovenco D, Kuo C et al. "I'm doing this test so I can benefit from PrEP": exploring HIV testing barriers/facilitators and implementation of pre-exposure prophylaxis among South African adolescents. *Afr J AIDS Res* 2020;19(2):101-8.
12. Muhumuza R, Ssemata AS, Kakande A et al. Exploring Perceived Barriers and Facilitators of PrEP Uptake among Young People in Uganda, Zimbabwe, and South Africa. *Arch Sex Behav* 2021;50(4):1729-42.
13. Segal KF, L; Riaz, F; Rodrigues, J; Warren, M. The evolution of oral PrEP access: tracking trends in global oral PrEP use over time. HIV Research for Prevention 2021; Virtual: International AIDS Society; 2021.
14. MTV Staying Alive Foundation 2021 Available from: <https://www.mtvstayingalive.org/campaign/shuga/>.
15. Banerjee A LFE, Orozco V. The Entertaining Way to Behavioral Change. 1st TCD/LSE/ CEPR Workshop in Development Economics; Dublin2017.
16. Orozco-Olvera V, Shen F, Cluver L. The effectiveness of using entertainment education narratives to promote safer sexual behaviors of youth: A meta-analysis, 1985-2017. *PLoS One* 2019;14(2):e0209969.
17. Shahmanesh MM, N; Chimbindi, N; Zuma, T; Dreyer, J; Birdthistle, I; Floyd, S; . 'MTV Shuga': Mass Media Communication, HSV2 and sexual health in adolescent girls and young women in rural South Africa STI & HIV World Congress (Joint Meeting of the 23rd ISSTD and 20th IUSTI); Vancouver: Sexually Transmitted Infections; 2019.
18. Matsimela K, Sande LA, Mostert C et al. The cost and intermediary cost-effectiveness of oral HIV self-test kit distribution across 11 distribution models in South Africa. *BMJ Glob Health* 2021;6(Suppl 4).
19. Greenland S, Pearl J, Robins JM. Causal diagrams for epidemiologic research. *Epidemiology* 1999;10(1):37-48.

20. Michie S, van Stralen MM, West R. The behaviour change wheel: a new method for characterising and designing behaviour change interventions. *Implement Sci* 2011;6:42.
21. Braun VC, V. Using thematic analysis in psychology. *Qualitative Research in Psychology* 2006;3(2):77-101.
22. A B. Social learning theory. Englewood Cliffs, NJ: Prentice-Hall; 1977.
23. Pantelic M, Stegling C, Shackleton S et al. Power to participants: a call for person-centred HIV prevention services and research. *J Int AIDS Soc* 2018;21 Suppl 7:e25167.
24. Bertrand JT, Ross J, Sullivan TM et al. Contraceptive Method Mix: Updates and Implications. *Glob Health Sci Pract* 2020;8(4):666-79.
25. Nkosi B, Seeley J, Ngwenya N et al. Exploring adolescents and young people's candidacy for utilising health services in a rural district, South Africa. *BMC Health Serv Res* 2019;19(1):195.
26. Sam-Agudu NA, Folayan MO, Ezeanolue EE. Seeking wider access to HIV testing for adolescents in sub-Saharan Africa. *Pediatr Res* 2016;79(6):838-45.
27. Biney AA, Dodoo FN. What are the characteristics of 'sexually ready' adolescents? Exploring the sexual readiness of youth in urban poor Accra. *BMC Public Health* 2016;16:9.
28. Bertrand JT. Diffusion of innovations and HIV/AIDS. *J Health Commun* 2004;9 Suppl 1:113-21.
29. National Department of Health - NDoH SSA-SS, South African Medical Research Council - SAMRC, and ICF. South Africa Demographic and Health Survey 2016. Pretoria, South Africa, and Rockville, Maryland, USA; 2019.
30. Matenda S NG, Rugbeer H. A study of young people's use of social media for social capital in Mthatha, Eastern Cape. *Communitas* 2020;25.
31. Pawson R, Tilley, N. An introduction to scientific realist evaluation. Shadish ECWR, editor: Sage Publications, Inc.; 1997.

Outcome

Agegroup

Knowledge of HIV status

Ever heard about HIV self-testing

Ever used an HIV ST kit

Used an HIVST in the past year

Interested to use an HIVST kit

All

15-19

20-24

Interested to give HIVST kit to a partner

All

15-19

20-24

Ever heard about PrEP

Willing to take PrEP every day

Condom use at last sex

0 .5 1 1.5 2 2.5 3 3.5 4
adjusted Odds Ratio for association with exposure to Down South 2

Outcome

Agegroup

Knowledge of HIV status

Ever heard about HIV self-testing

Ever used an HIV ST kit

Used an HIVST in the past year

Interested to use an HIVST kit

All

15-19

20-24

Interested to give HIVST kit to a partner

All

15-19

20-24

Ever heard about PrEP

Willing to take PrEP every day

All

15-19

20-24

Condom use at last sex

0 .5 1 1.5 2 2.5 3 3.5 4
adjusted Odds Ratio for association with exposure to any MTV Campaign

medRxiv preprint doi: <https://doi.org/10.1101/2022.08.18.22281104>; this version posted October 18, 2022. The copyright holder for this preprint (which was not certified by peer review) is the author/funder, who has granted medRxiv a license to display the preprint in perpetuity. It is made available under a [CC-BY-NC-ND 4.0 International license](https://creativecommons.org/licenses/by-nc-nd/4.0/).