

1 Online Supplement of "Regional excess mortality during the 2020
2 COVID-19 pandemic: a study of five European countries"

3 Garyfallos Konstantinoudis^{1,*}, Michela Cameletti², Virgilio Gómez-Rubio³, Inmaculada León
4 Gómez^{5,6}, Monica Pirani¹, Gianluca Baio⁴, Amparo Larrauri^{5,6}, Julien Riou⁷, Matthias
5 Egger^{7, 8}, Paolo Vineis¹, and Marta Blangiardo¹

6 ¹MRC Centre for Environment and Health, Department of Epidemiology and Biostatistics,
7 School of Public Health, Imperial College London, London, UK

8 ²Department of Economics, University of Bergamo, Bergamo, Italy

9 ⁴Department of Statistical Sciences, University College London, UK

10 ³Departamento de Matemáticas, Escuela Técnica Superior de Ingenieros Industriales,
11 Universidad de Castilla-La Mancha, Albacete, Spain

12 ⁵National Centre of Epidemiology (CNE), Institute of Health Carlos III, Madrid, Spain

13 ⁶Consortium for Biomedical Research in Epidemiology and Public Health (CIBERESP),
14 Institute of Health Carlos III, Madrid, Spain

15 ⁷Institute of Social and Preventive Medicine, University of Bern, Bern, Switzerland

16 ⁸Population Health Sciences, Bristol Medical School, University of Bristol, Bristol, UK

17 *Corresponding author, email: g.konstantinoudis@imperial.ac.uk

18 List of Tables

19	S1	Cross-validation results: correlation between predicted and observed number of deaths, and 95% coverage probability across the different countries and age and sex groups.	4
20			
21	S2	Median relative excess deaths and 95% credible intervals in 2020 per NUTS2 regions in England.	5
22	S3	Median relative excess deaths and 95% credible intervals in 2020 per NUTS2 regions in Greece.	6
23	S4	Median relative excess deaths and 95% credible intervals in 2020 per NUTS2 regions in Italy.	7
24	S5	Median relative excess deaths and 95% credible intervals in 2020 per NUTS2 regions in Spain.	8
25	S6	Median relative excess deaths and 95% credible intervals in 2020 per NUTS2 regions in Switzerland.	9
26	S7	Frequency of population by age and sex groups in England, Greece, Italy, Spain and Switzerland in 2019.	10
27			
28	S8	Data sources for deaths and population across the different countries.	11

29 List of Figures

30	S1	NUTS2 (black) and NUTS3 (grey) region borders in England, Greece, Italy, Spain and Switzerland.	12
31	S2	Weekly trends for all-cause total number of deaths by gender and age in England. The blue curve represents the posterior mean predicted from the 2015–2019 model, while the shaded blue ribbon describes the posterior 95% interval. The black line shows the observed number of deaths for 2020.	13
32			
33			
34	S3	Weekly trends for all-cause total number of deaths by gender and age in Greece. The blue curve represents the posterior mean predicted from the 2015–2019 model, while the shaded blue ribbon describes the posterior 95% interval. The black line shows the observed number of deaths for 2020.	14
35			
36			
37	S4	Weekly trends for all-cause total number of deaths by gender and age in Italy. The blue curve represents the posterior mean predicted from the 2015–2019 model, while the shaded blue ribbon describes the posterior 95% interval. The black line shows the observed number of deaths for 2020.	15
38			
39			
40	S5	Weekly trends for all-cause total number of deaths by gender and age in Switzerland. The blue curve represents the posterior mean predicted from the 2015–2019 model, while the shaded blue ribbon describes the posterior 95% interval. The black line shows the observed number of deaths for 2020.	16
41			
42			
43			

44	S6	Weekly trends for all-cause total number of deaths by gender and age in Switzerland. The blue	
45		curve represents the posterior mean predicted from the 2015–2019 model, while the shaded blue	
46		ribbon describes the posterior 95% interval. The black line shows the observed number of deaths	
47		for 2020.	17
48	S7	Relative excess mortality during 2020 by NUTS3 regions in England stratified by age and sex. . .	18
49	S8	Posterior probability that the relative excess mortality is larger than zero during 2020 by NUTS3	
50		regions in England stratified by age and sex.	19
51	S9	Relative excess mortality during 2020 by NUTS3 regions in Greece stratified by age and sex. . .	20
52	S10	Posterior probability that the relative excess mortality is larger than zero during 2020 by NUTS3	
53		regions in Greece stratified by age and sex.	21
54	S11	Relative excess mortality during 2020 by NUTS3 regions in Italy stratified by age and sex. . . .	22
55	S12	Posterior probability that the relative excess mortality is larger than zero during 2020 by NUTS3	
56		regions in Italy stratified by age and sex.	23
57	S13	Relative excess mortality during 2020 by NUTS3 regions in Spain stratified by age and sex. . . .	24
58	S14	Posterior probability that the relative excess mortality is larger than zero during 2020 by NUTS3	
59		regions in Spain stratified by age and sex.	25
60	S15	Relative excess mortality during 2020 by NUTS3 regions in Switzerland stratified by age and sex.	26
61	S16	Posterior probability that the relative excess mortality is larger than zero during 2020 by NUTS3	
62		regions in Switzerland stratified by age and sex.	27

Table S1: Cross-validation results: correlation between predicted and observed number of deaths, and 95% coverage probability across the different countries and age and sex groups.

Males										
Age group	England		Greece		Italy		Spain		Switzerland	
	Correlation	Coverage	Correlation	Coverage	Correlation	Coverage	Correlation	Coverage	Correlation	Coverage
< 40	0.23 (0.21, 0.24)	0.94	0.56 (0.57, 0.62)	0.92	0.51 (0.50, 0.52)	0.94	0.69 (0.68, 0.70)	0.93	0.41 (0.38, 0.44)	0.93
40-59	0.45 (0.44, 0.46)	0.95	0.87 (0.86, 0.87)	0.94	0.83 (0.83, 0.84)	0.95	0.90 (0.90, 0.91)	0.94	0.69 (0.67, 0.71)	0.94
60-69	0.55 (0.54, 0.55)	0.95	0.90 (0.89, 0.90)	0.95	0.87 (0.85, 0.88)	0.95	0.92 (0.92, 0.93)	0.94	0.74 (0.72, 0.76)	0.94
70-79	0.70 (0.69, 0.71)	0.95	0.93 (0.92, 0.93)	0.95	0.93 (0.91, 0.93)	0.95	0.95 (0.94, 0.95)	0.93	0.84 (0.83, 0.85)	0.95
<i>geq80</i>	0.83 (0.82, 0.84)	0.94	0.96 (0.95, 0.96)	0.95	0.95 (0.94, 0.95)	0.93	0.97 (0.97, 0.97)	0.91	0.92 (0.91, 0.93)	0.95
Females										
40 <	0.15 (0.14, 0.16)	0.93	0.43 (0.40, 0.46)	0.88	0.38 (0.37, 0.40)	0.92	0.58 (0.56, 0.59)	0.92	0.28 (0.26, 0.31)	0.89
40-59	0.35 (0.34, 0.36)	0.95	0.81 (0.79, 0.81)	0.93	0.78 (0.77, 0.79)	0.95	0.86 (0.85, 0.86)	0.94	0.57 (0.55, 0.59)	0.93
60-69	0.46 (0.45, 0.47)	0.95	0.86 (0.85, 0.86)	0.94	0.83 (0.82, 0.83)	0.95	0.88 (0.87, 0.88)	0.95	0.64 (0.63, 0.66)	0.94
70-79	0.65 (0.63, 0.65)	0.95	0.92 (0.91, 0.92)	0.95	0.91 (0.90, 0.92)	0.95	0.92 (0.91, 0.93)	0.94	0.81 (0.80, 0.82)	0.94
<i>geq80</i>	0.87 (0.82, 0.84)	0.94	0.97 (0.96, 0.97)	0.94	0.96 (0.95, 0.96)	0.92	0.97 (0.97, 0.98)	0.90	0.94 (0.93, 0.95)	0.94

Table S2: Median relative excess deaths and 95% credible intervals in 2020 per NUTS2 regions in England.

Region	Males	Females
Outer London - West and North West	0.21 (0.15, 0.28)	0.12 (0.05, 0.28)
Outer London - East and North East	0.20 (0.14, 0.26)	0.15 (0.07, 0.26)
West Midlands	0.19 (0.13, 0.25)	0.14 (0.06, 0.25)
Inner London - East	0.19 (0.13, 0.26)	0.15 (0.08, 0.26)
Outer London - South	0.16 (0.10, 0.24)	0.08 (-0.00, 0.24)
South Yorkshire	0.16 (0.10, 0.22)	0.12 (0.05, 0.22)
Lancashire	0.15 (0.09, 0.21)	0.08 (0.01, 0.21)
Greater Manchester	0.14 (0.09, 0.20)	0.09 (0.02, 0.20)
West Yorkshire	0.14 (0.08, 0.20)	0.08 (0.01, 0.20)
Kent	0.14 (0.07, 0.20)	0.08 (0.01, 0.20)
Merseyside	0.13 (0.07, 0.19)	0.10 (0.02, 0.19)
Leicestershire, Rutland and Northamptonshire	0.13 (0.07, 0.19)	0.07 (-0.01, 0.19)
Bedfordshire and Hertfordshire	0.12 (0.06, 0.18)	0.08 (0.00, 0.18)
Shropshire and Staffordshire	0.11 (0.06, 0.18)	0.07 (0.00, 0.18)
Tees Valley and Durham	0.11 (0.05, 0.17)	0.09 (0.00, 0.17)
Essex	0.11 (0.05, 0.17)	0.03 (-0.04, 0.17)
Cumbria	0.10 (0.03, 0.17)	0.06 (-0.02, 0.17)
Herefordshire, Worcestershire and Warwickshire	0.10 (0.04, 0.16)	0.07 (-0.00, 0.16)
East Yorkshire and Northern Lincolnshire	0.09 (0.03, 0.16)	0.04 (-0.03, 0.16)
Inner London - West	0.09 (0.03, 0.16)	0.02 (-0.06, 0.16)
Derbyshire and Nottinghamshire	0.09 (0.04, 0.15)	0.04 (-0.04, 0.15)
Lincolnshire	0.09 (0.03, 0.16)	0.06 (-0.02, 0.16)
Northumberland and Tyne and Wear	0.08 (0.03, 0.14)	0.05 (-0.02, 0.14)
Berkshire, Buckinghamshire and Oxfordshire	0.08 (0.02, 0.14)	0.06 (-0.02, 0.14)
Surrey, East and West Sussex	0.07 (0.01, 0.12)	0.05 (-0.03, 0.12)
Cheshire	0.07 (0.01, 0.13)	0.06 (-0.02, 0.13)
Gloucestershire, Wiltshire and Bath/Bristol area	0.06 (0.01, 0.12)	0.04 (-0.03, 0.12)
Hampshire and Isle of Wight	0.04 (-0.01, 0.10)	0.02 (-0.05, 0.10)
East Anglia	0.04 (-0.01, 0.09)	0.03 (-0.05, 0.09)
North Yorkshire	0.04 (-0.02, 0.10)	0.03 (-0.05, 0.10)
Dorset and Somerset	0.02 (-0.03, 0.08)	-0.00 (-0.08, 0.08)
Cornwall and Isles of Scilly	-0.02 (-0.08, 0.04)	-0.05 (-0.11, 0.04)
Devon	-0.03 (-0.08, 0.03)	-0.05 (-0.12, 0.03)
England	0.11 (0.05, 0.16)	0.06 (-0.01, 0.16)

Table S3: Median relative excess deaths and 95% credible intervals in 2020 per NUTS2 regions in Greece.

Region	Males	Females
Eastern Macedonia and Thrace	0.17 (0.09, 0.25)	0.14 (0.06, 0.25)
Western Macedonia	0.16 (0.08, 0.27)	0.19 (0.08, 0.27)
Central Macedonia	0.15 (0.08, 0.24)	0.13 (0.05, 0.24)
Thessaly	0.08 (0.01, 0.17)	0.09 (0.01, 0.17)
Western Greece	0.05 (-0.02, 0.12)	0.01 (-0.07, 0.12)
Ionian Islands	0.04 (-0.04, 0.13)	0.01 (-0.08, 0.13)
Attica	0.02 (-0.04, 0.09)	0.02 (-0.05, 0.09)
Central Greece	0.02 (-0.05, 0.10)	-0.00 (-0.08, 0.10)
Epirus	-0.00 (-0.08, 0.09)	0.01 (-0.07, 0.09)
Peloponnese	-0.00 (-0.07, 0.08)	0.05 (-0.04, 0.08)
Crete	-0.01 (-0.08, 0.06)	0.02 (-0.06, 0.06)
North Aegean	-0.01 (-0.10, 0.08)	0.06 (-0.04, 0.08)
South Aegean	-0.03 (-0.10, 0.05)	0.02 (-0.06, 0.05)
Greece	0.06 (-0.01, 0.13)	0.06 (-0.02, 0.13)

Table S4: Median relative excess deaths and 95% credible intervals in 2020 per NUTS2 regions in Italy.

Region	Males	Females
Lombardia	0.29 (0.20, 0.38)	0.25 (0.17, 0.38)
Piemonte	0.18 (0.10, 0.27)	0.17 (0.08, 0.27)
Trentino-Alto Adige	0.16 (0.08, 0.25)	0.20 (0.11, 0.25)
Valle d'Aosta	0.15 (0.05, 0.28)	0.23 (0.10, 0.28)
Liguria	0.15 (0.06, 0.23)	0.12 (0.04, 0.23)
Emilia-Romagna	0.13 (0.04, 0.21)	0.12 (0.04, 0.21)
Veneto	0.10 (0.02, 0.17)	0.11 (0.02, 0.17)
Marche	0.07 (-0.01, 0.15)	0.08 (0.01, 0.15)
Puglia	0.07 (-0.00, 0.14)	0.05 (-0.02, 0.14)
Friuli Venezia Giulia	0.06 (-0.02, 0.13)	0.08 (-0.00, 0.13)
Sardegna	0.05 (-0.02, 0.12)	0.06 (-0.02, 0.12)
Abruzzo	0.04 (-0.04, 0.11)	0.01 (-0.06, 0.11)
Toscana	0.03 (-0.04, 0.11)	0.04 (-0.03, 0.11)
Campania	0.03 (-0.03, 0.10)	-0.00 (-0.07, 0.10)
Sicilia	0.02 (-0.05, 0.09)	0.02 (-0.05, 0.09)
Basilicata	0.02 (-0.05, 0.10)	0.03 (-0.06, 0.10)
Umbria	0.01 (-0.06, 0.09)	0.01 (-0.07, 0.09)
Calabria	0.01 (-0.06, 0.08)	0.00 (-0.07, 0.08)
Lazio	0.00 (-0.07, 0.06)	-0.02 (-0.09, 0.06)
Molise	-0.00 (-0.08, 0.08)	0.06 (-0.03, 0.08)
Italy	0.10 (0.03, 0.18)	0.09 (0.02, 0.18)

Table S5: Median relative excess deaths and 95% credible intervals in 2020 per NUTS2 regions in Spain.

Region	Males	Females
Madrid	0.33 (0.27, 0.39)	0.28 (0.20, 0.35)
Castile-la Mancha	0.32 (0.26, 0.38)	0.32 (0.23, 0.40)
Castile-leon	0.28 (0.22, 0.34)	0.28 (0.20, 0.36)
La Rioja	0.18 (0.11, 0.28)	0.16 (0.06, 0.26)
Catalonia	0.15 (0.09, 0.20)	0.18 (0.10, 0.25)
Aragon	0.15 (0.09, 0.21)	0.20 (0.12, 0.28)
Extremadura	0.12 (0.06, 0.18)	0.15 (0.07, 0.23)
Ceuta	0.11 (-0.02, 0.30)	0.31 (0.14, 0.54)
Navarre	0.10 (0.04, 0.17)	0.15 (0.07, 0.23)
Principality Of Asturias	0.08 (0.03, 0.13)	0.10 (0.03, 0.16)
Basque Community	0.07 (0.02, 0.12)	0.09 (0.02, 0.16)
Region Of Murcia	0.04 (-0.01, 0.10)	0.02 (-0.04, 0.09)
Cantabria	0.04 (-0.02, 0.10)	0.06 (-0.01, 0.14)
Andalusia	0.03 (-0.01, 0.08)	0.04 (-0.02, 0.10)
Valencian Community	0.03 (-0.02, 0.07)	0.02 (-0.04, 0.08)
Melilla	-0.01 (-0.13, 0.16)	0.13 (-0.01, 0.30)
Galicia	-0.02 (-0.06, 0.03)	0.01 (-0.06, 0.07)
Canary Islands	-0.08 (-0.12, -0.03)	-0.05 (-0.10, 0.01)
Balearic Islands	-0.08 (-0.13, -0.04)	-0.07 (-0.13, -0.01)
Spain	0.12 (0.06, 0.19)	0.12 (0.06, 0.19)

Table S6: Median relative excess deaths and 95% credible intervals in 2020 per NUTS2 regions in Switzerland.

Region	Males	Females
Ticino	0.20 (0.11, 0.32)	0.18 (0.09, 0.32)
Lake Geneva region	0.16 (0.08, 0.25)	0.14 (0.07, 0.25)
Eastern Switzerland	0.08 (0.00, 0.16)	0.07 (0.01, 0.16)
Espace Mittelland	0.08 (0.00, 0.16)	0.05 (-0.01, 0.16)
Northwestern Switzerland	0.06 (-0.01, 0.15)	0.04 (-0.02, 0.15)
Central Switzerland	0.05 (-0.02, 0.13)	0.01 (-0.05, 0.13)
Zurich	0.02 (-0.06, 0.10)	0.05 (-0.01, 0.10)
Switzerland	0.08 (0.01, 0.16)	0.07 (0.01, 0.16)

Table S7: Frequency of population by age and sex groups in England, Greece, Italy, Spain and Switzerland in 2019.


Age	Sex	England	Greece	Italy	Spain	Switzerland
40<	female	0.25	0.23	0.19	0.21	0.23
40<	male	0.25	0.23	0.20	0.22	0.24
40-59	female	0.13	0.15	0.16	0.16	0.14
40-59	male	0.13	0.14	0.15	0.16	0.15
60-69	female	0.05	0.06	0.06	0.06	0.06
60-69	male	0.05	0.06	0.06	0.05	0.05
70-79	female	0.04	0.05	0.05	0.04	0.04
70-79	male	0.04	0.04	0.05	0.04	0.04
80+	female	0.03	0.02	0.05	0.04	0.03
80+	male	0.02	0.02	0.03	0.02	0.02

Table S8: Data sources for deaths and population across the different countries.

country	Deaths	Population	Time point
England	Small Area Health Statistics Unit (SAHSU)	Office for National Statistics (ONS)	30-06
Greece	Hellenic Statistical Authority (ELSTAT)	ELSTAT	01-01
Italy	Italian National Institute of Statistics (ISTAT)	ISTAT	01-01
Spain	National Statistics Institute (INE)	INE	01-01
Switzerland	Federal Statistical Office (BFS)	BFS	01-01

Fig. S1: NUTS2 (black) and NUTS3 (grey) region borders in England, Greece, Italy, Spain and Switzerland.

England




Greece



Italy



Spain



Switzerland




Fig. S2: Weekly trends for all-cause total number of deaths by gender and age in England. The blue curve represents the posterior mean predicted from the 2015–2019 model, while the shaded blue ribbon describes the posterior 95% interval. The black line shows the observed number of deaths for 2020.




Fig. S3: Weekly trends for all-cause total number of deaths by gender and age in Greece. The blue curve represents the posterior mean predicted from the 2015–2019 model, while the shaded blue ribbon describes the posterior 95% interval. The black line shows the observed number of deaths for 2020.




Fig. S4: Weekly trends for all-cause total number of deaths by gender and age in Italy. The blue curve represents the posterior mean predicted from the 2015–2019 model, while the shaded blue ribbon describes the posterior 95% interval. The black line shows the observed number of deaths for 2020.




Fig. S5: Weekly trends for all-cause total number of deaths by gender and age in Switzerland. The blue curve represents the posterior mean predicted from the 2015–2019 model, while the shaded blue ribbon describes the posterior 95% interval. The black line shows the observed number of deaths for 2020.




Fig. S6: Weekly trends for all-cause total number of deaths by gender and age in Switzerland. The blue curve represents the posterior mean predicted from the 2015–2019 model, while the shaded blue ribbon describes the posterior 95% interval. The black line shows the observed number of deaths for 2020.




Fig. S7: Relative excess mortality during 2020 by NUTS3 regions in England stratified by age and sex.




Fig. S8: Posterior probability that the relative excess mortality is larger than zero during 2020 by NUTS3 regions in England stratified by age and sex.




Fig. S9: Relative excess mortality during 2020 by NUTS3 regions in Greece stratified by age and sex.




Fig. S10: Posterior probability that the relative excess mortality is larger than zero during 2020 by NUTS3 regions in Greece stratified by age and sex.




Fig. S11: Relative excess mortality during 2020 by NUTS3 regions in Italy stratified by age and sex.




Fig. S12: Posterior probability that the relative excess mortality is larger than zero during 2020 by NUTS3 regions in Italy stratified by age and sex.




Fig. S13: Relative excess mortality during 2020 by NUTS3 regions in Spain stratified by age and sex.




Fig. S14: Posterior probability that the relative excess mortality is larger than zero during 2020 by NUTS3 regions in Spain stratified by age and sex.




Fig. S15: Relative excess mortality during 2020 by NUTS3 regions in Switzerland stratified by age and sex.




Fig. S16: Posterior probability that the relative excess mortality is larger than zero during 2020 by NUTS3 regions in Switzerland stratified by age and sex.

