

## Supporting Information

**sAppendix.** Carnegie Mellon University (CMU) Delphi Group's COVID Trends and Impact Survey (CTIS): select questions and response sets.

**sTable 1.** Participant flow for Carnegie Mellon University (CMU) Delphi Group's COVID Trends and Impact Survey (CTIS) by month (January-May, 2021)

**sTable 2.** Weighted demographics of the report sample by month. The distribution of responses is provided including and excluding missing responses for each item.

**sTable 3.** COVID-19 vaccine receipt and intent by month (January-May, 2021), among US adults

**sTable 4.** COVID-19 vaccine hesitancy by race/ethnicity, education level, US region and county Trump vote share in the 2020 presidential election, respectively, by month (January-May, 2021), among US adults

**sTable 5.** COVID-19 vaccine hesitancy in May 2021 by age groups, stratified by race/ethnicity<sup>a</sup> among US adults

**sTable 6.** COVID-19 vaccine hesitancy in May 2021 by race/ethnicity<sup>a</sup>, stratified by age groups, among US adults

**sTable 7.** COVID-19 vaccine hesitancy in May 2021 by health condition and status<sup>a</sup> among US adults

**sTable 8.** Sensitivity analysis: COVID-19 vaccine hesitancy in May 2021 by demographics among US adults, including those that self-described gender (N=529,658)

**sTable 9.** Sensitivity analysis: COVID-19 vaccine hesitancy in May 2021 political/by COVID-19 environment, health status, beliefs and behaviors among US adults, including those that self-described gender (N=529,658)

**sTable 10.** Reasons for COVID-19 vaccine hesitancy in May 21 by race/ethnicity<sup>a</sup> among hesitant US adults (N=73362)<sup>b</sup>

**sAppendix.** Carnegie Mellon University (CMU) Delphi Group’s COVID Trends and Impact Survey (CTIS): select questions and response sets.

Below are the survey items used in this study. Unless otherwise noted, the survey items remained unchanged during the study period. The full text of each survey instrument is available online: <https://cmu-delphi.github.io/delphi-epidata/symptom-survey/coding.html>

D1 What is your gender?

1. Male
2. Female
3. Non-binary
4. Prefer to self-describe \_\_\_\_\_
5. Prefer not to answer

D2 What is your age?

1. 18-24 years
2. 25-34 years
3. 35-44 years
4. 45-54 years
5. 55-64 years
6. 65-74 years
7. 75 years or older

D6 Are you of Hispanic, Latino, or Spanish origin?

1. Yes
2. No, not of Hispanic, Latino, or Spanish origin

D7 What is your race? Please select all that apply.

1. American Indian or Alaska Native
2. Asian
3. Black or African American
4. Native Hawaiian or other Pacific Islander
5. White
6. Some other race

Continued next page

D8 What is the highest degree or level of school you have completed?

1. Less than high school
2. High school graduate or equivalent (GED)
3. Some college
4. 2 year degree
5. 4 year degree
6. Master's degree
7. Professional degree (e.g. MD, JD, DVM)
8. Doctorate

D9 In the past 4 weeks, did you do any kind of work for pay?

1. Yes
2. No

D10 [Displayed if D9 = "Yes"] Was any of your work for pay in the last four weeks outside your home?

1. Yes
2. No

A3 What is your current ZIP code? \_\_\_\_\_

B11 Have you **ever** tested positive for coronavirus (COVID-19)?

1. Yes
2. No
3. I don't know

C1 Have you ever been told by a doctor, nurse, or other health professional that you have any of the following medical conditions? Please select all that apply.

1. Cancer (other than skin cancer)
2. Heart attack, heart disease, or other heart condition
3. High blood pressure
4. Asthma
5. Chronic lung disease such as COPD, chronic bronchitis, or emphysema
6. Kidney disease
7. Autoimmune disorder such as rheumatoid arthritis or Crohn's disease
8. Type 1 diabetes
9. Type 2 diabetes
10. Weakened or compromised immune system
11. Obesity
12. None of these

A5 How many people, including you, are currently staying in your household?

1. Children under 18 years old \_\_\_\_\_
2. Adults between 18 and 64 years old \_\_\_\_\_
3. Adults 65 years old or older \_\_\_\_\_

C9 How worried do you feel that you or someone in your immediate family might become seriously ill from COVID-19 (coronavirus disease)?

1. Very worried
2. Somewhat worried
3. Not too worried
4. Not worried at all

C17 Have you gotten a seasonal flu vaccine since June 2020?

1. Yes, I have gotten a seasonal flu vaccine since June 2020
2. No, I have not gotten a seasonal flu vaccine since June 2020
3. I don't know if I have gotten a seasonal flu vaccine since June 2020

C7 To what extent are you intentionally avoiding contact with other people?

1. All of the time
2. Most of the time; I only leave my home to buy food and other essentials
3. Some of the time; I have reduced the amount of times I am in public spaces, social gatherings, or at work
4. None of the time

V1 Have you had a COVID-19 vaccination?

1. Yes
2. No
3. I don't know

V3 If a vaccine to prevent COVID-19 were offered to you today, would you choose to get vaccinated?

1. Yes, definitely
2. Yes, probably
3. No, probably not
4. No, definitely not

V5

- a) [Displayed if V3 = "Yes, probably"] Which of the following, if any, are reasons that you only probably will\* get a COVID-19 vaccine? Please select all that apply.
- b) [Displayed if V3 = "No, probably not"] Which of the following, if any, are reasons that you probably won't\* get a COVID-19 vaccine? Please select all that apply.
- c) [Displayed if V3 = "No, definitely not"] Which of the following, if any, are reasons that you definitely won't\* get a COVID-19 vaccine? Please select all that apply.

\*The wording of the response sets was changed from "will get" to "would choose to get," and "won't get" to "wouldn't choose to get," on February 8, 2021.

Answer choices:

- 1. I am concerned about possible side effects of a COVID-19 vaccine.
- 2. I am concerned about having an allergic reaction to a COVID-19 vaccine.
- 3. I don't know if a COVID-19 vaccine will work.
- 4. I don't believe I need a COVID-19 vaccine.
- 5. I don't like vaccines.
- 6. My doctor has not recommended it.
- 7. I plan to wait and see if it is safe and may get it later.
- 8. I think other people need it more than I do right now.
- 9. I am concerned about the cost of a COVID-19 vaccine.
- 10. I don't trust COVID-19 vaccines.
- 11. I don't trust the government.
- 12. It is against my religious beliefs.
- 13. I have a health condition and am concerned about the safety of the vaccine for people with my condition.
- 14. I am currently/planning to be pregnant and/or breastfeeding and do not want to get vaccinated at this time.
- 15. Other

**sTable 1.** Participant flow for Carnegie Mellon University (CMU) Delphi Group’s COVID Trends and Impact Survey (CTIS) by month (January-May, 2021)

	January <sup>a</sup>	February	March	April	May <sup>b</sup>	Total
	<b>N</b>					
Offered survey	106,387,320	95,953,902	104,768,154	103,399,752	66,138,989	476,648,117
Did not respond	105,073,194	94,721,211	103,476,197	102,315,236	65,576,417	471,162,255
Responded	1,314,126	1,232,691	1,291,957	1,084,516	562,572	5,485,862
Response rate	1.24%	1.28%	1.23%	1.05%	0.85%	1.15%
Did not report hesitancy	112,319	83,829	74,468	61,896	32,914	365,426
Reported self-describe gender <sup>c</sup>	6,157	6,667	7,953	6,873	4,014	31,664
<b>Report sample</b>	1,195,650	1,142,195	1,209,536	1,015,747	525,644	5,088,772
Vaccinated/Definitely Yes	x	x	x	x	435,393	x
Did not provide reasons	x	x	x	x	2,267	x
<b>Reasons sample</b>	x	x	x	x	87,984	x

<sup>a</sup> January data was subset to January 6-31 because January 6 was the first date both vaccine questions (receipt and intent) were both asked.

<sup>b</sup> May data was subset to include only those receiving the survey prior to an update to the vaccine questions; on May 20 a new survey version was offered to approximately 85% of potential respondents.

<sup>c</sup> A review of fill-in responses for self-described gender suggested the majority of participants who selected this category did not complete the survey in good faith (e.g., wrote-in discriminatory statements, and as a group had a high frequency of extreme responses such as the oldest age group and highest education level). Thus, they were excluded from the main analysis. They are included in a sensitivity analysis (sTable 8-9).

**sTable 2.** Weighted demographics of the report sample by month. The distribution of responses is provided including and excluding missing responses for each item.

	January		February		March		April		May	
	Full sample	Not missing	Full sample	Not missing	Full sample	Not missing	Full sample	Not missing	Full sample	Not missing
<b>Gender</b>										
Male	40.04	46.03	39.34	46.09	38.79	46.01	38.93	45.94	38.76	45.68
Female	46.19	53.11	45.25	53.02	44.75	53.09	44.96	53.06	45.13	53.18
Non-binary	0.75	0.86	0.76	0.89	0.76	0.90	0.84	1.00	0.97	1.14
Missing	13.03	NA	14.65	NA	15.70	NA	15.26	NA	15.14	NA
<b>Age group</b>										
18-24 years	9.03	10.26	8.73	10.13	8.46	9.94	8.40	9.82	8.46	9.87
25-34 years	14.16	16.08	13.64	15.84	13.28	15.60	13.37	15.62	13.56	15.82
35-44 years	14.42	16.39	14.21	16.50	14.02	16.47	14.18	16.57	14.13	16.49
45-54 years	15.40	17.50	14.98	17.39	14.72	17.29	14.88	17.39	14.72	17.17
55-64 years	15.65	17.79	15.41	17.89	15.43	18.12	15.64	18.28	15.81	18.45
65-74 years	13.48	15.31	13.34	15.48	13.49	15.85	13.40	15.66	13.24	15.46
≥ 75 years	5.87	6.67	5.83	6.77	5.72	6.72	5.70	6.66	5.78	6.75
Missing	11.99	NA	13.86	NA	14.88	NA	14.44	NA	14.31	NA
<b>Race/ethnicity</b>										
White	59.70	69.21	58.49	69.39	57.63	69.16	57.84	69.08	57.87	69.07
Hispanic	14.68	17.02	14.14	16.78	13.82	16.59	13.90	16.60	13.77	16.44
Black	6.33	7.34	6.10	7.23	5.76	6.91	5.54	6.62	5.46	6.52
Asian	2.42	2.80	2.46	2.92	2.51	3.01	2.84	3.39	3.01	3.59
Native American	0.92	1.07	0.89	1.05	0.75	0.90	0.71	0.84	0.71	0.84
Pacific Islander	0.23	0.26	0.23	0.27	0.21	0.26	0.21	0.25	0.21	0.24
Multi-racial	1.98	2.30	1.99	2.36	2.65	3.17	2.69	3.22	2.76	3.30
Unknown (other or missing)	13.74	NA	15.71	NA	16.67	NA	16.28	NA	16.22	NA

Continued on next page

<b>Education level</b>										
≤ High school	20.91	24.05	19.94	23.43	19.01	22.61	18.90	22.38	19.03	22.51
Some college	32.00	36.81	31.13	36.59	30.73	36.55	30.68	36.33	30.84	36.46
4 year degree	19.76	22.73	19.57	23.00	19.83	23.58	20.20	23.91	20.12	23.79
Master's	10.15	11.67	10.27	12.07	10.35	12.30	10.44	12.36	10.30	12.18
Professional (e.g., MD, JD)	2.50	2.87	2.53	2.98	2.53	3.01	2.54	3.01	2.57	3.03
Doctorate	1.61	1.86	1.64	1.93	1.63	1.94	1.70	2.01	1.71	2.02
No response	13.06	NA	14.92	NA	15.91	NA	15.54	NA	15.43	NA
<b>Employment status</b>										
Work outside home	35.66	41.44	35.27	41.80	35.39	42.41	35.59	42.48	35.99	42.89
Work at home	11.81	13.72	11.06	13.11	10.82	12.97	10.95	13.07	10.61	12.65
Does not work for pay	38.59	44.84	38.04	45.09	37.23	44.62	37.24	44.45	37.31	44.46
Missing	13.95	NA	15.63	NA	16.55	NA	16.21	NA	16.09	NA



**sTable 3.** COVID-19 vaccine receipt and intent by month (January-May, 2021), among US adults

	<b>January</b>	<b>February</b>	<b>March</b>	<b>April</b>	<b>May</b>	<b>Difference (May - January)</b>
Already vaccinated	10.9 (10.8, 10.9)	24.3 (24.2, 24.4)	44.7 (44.6, 44.8)	68.3 (68.1, 68.4)	76.4 (76.2, 76.6)	65.5 (65.4, 65.7)
Yes, definitely	45.4 (45.3, 45.5)	37.4 (37.3, 37.5)	24.3 (24.2, 24.4)	8.1 (8.0, 8.2)	3.3 (3.2, 3.4)	-42.1 (-42.2, -42.0)
Yes, probably	18.3 (18.2, 18.4)	14.6 (14.5, 14.7)	10.6 (10.5, 10.7)	5.9 (5.8, 6.0)	3.7 (3.7, 3.8)	-14.6 (-14.7, -14.5)
No, probably not	13.0 (13.0, 13.1)	11.5 (11.5, 11.6)	9.3 (9.2, 9.3)	7.1 (7.0, 7.1)	6.0 (5.9, 6.1)	-7.1 (-7.2, -6.9)
No, definitely not	12.4 (12.3, 12.4)	12.1 (12.1, 12.2)	11.0 (11.0, 11.1)	10.7 (10.6, 10.7)	10.6 (10.5, 10.7)	-1.8 (-1.9, -1.7)
Hesitant <sup>a</sup>	25.4 (25.3, 25.5)	23.7 (23.6, 23.8)	20.3 (20.2, 20.4)	17.7 (17.6, 17.8)	16.6 (16.4, 16.7)	-8.9 (-9.0, -8.7)

<sup>a</sup> Answered that they probably or definitely would not choose to get vaccinated if offered a vaccine to prevent COVID-19

**sTable 4.** COVID-19 vaccine hesitancy by race/ethnicity, education level, US region and county Trump vote share in the 2020 presidential election, respectively, by month (January-May, 2021), among US adults

	January	February	March	April	May	Difference (May - January)
	<b>% (95% CI)</b>					
<b>Race/ethnicity among 18 - 34 year olds<sup>a</sup></b>						
White	31.0 (30.7, 31.3)	29.7 (29.4, 30.0)	27.2 (26.8, 27.5)	23.9 (23.6, 24.3)	22.5 (22.0, 23.0)	-8.5 (-9.1, -7.9)
Hispanic	31.7 (31.2, 32.3)	28.5 (27.9, 29.1)	23.6 (23.0, 24.2)	19.0 (18.4, 19.7)	16.3 (15.5, 17.1)	-15.4 (-16.4, -14.4)
Black	58.9 (57.7, 60.0)	53.0 (51.8, 54.3)	43.1 (41.8, 44.5)	34.0 (32.5, 35.6)	27.4 (25.3, 29.4)	-31.5 (-33.8, -29.2)
Asian	12.4 (11.4, 13.4)	11.6 (10.6, 12.7)	8.0 (7.1, 8.9)	4.6 (3.9, 5.2)	3.2 (2.4, 4.0)	-9.2 (-10.5, -7.9)
Native American	43.2 (40.4, 46.0)	39.4 (36.4, 42.4)	32.4 (29.2, 35.7)	30.8 (27.3, 34.4)	33.7 (28.1, 39.3)	-9.4 (-15.7, -3.2)
Pacific Islander	43.0 (37.0, 49.0)	30.5 (24.9, 36.1)	30.8 (24.3, 37.4)	27.0 (18.4, 35.5)	15.8 (7.9, 23.6)	-27.2 (-37.1, -17.4)
Multi-racial	38.2 (36.9, 39.6)	37.6 (36.2, 39.1)	35.5 (34.1, 36.8)	31.2 (29.7, 32.7)	29.0 (26.9, 31.1)	-9.2 (-11.7, -6.7)
<b>Education level</b>						
≤ High school	34.8 (34.6, 35.1)	31.9 (31.6, 32.2)	26.5 (26.2, 26.7)	22.9 (22.6, 23.2)	20.3 (20.0, 20.7)	-14.5 (-14.9, -14.0)
Some college	27.2 (27.0, 27.3)	25.3 (25.1, 25.5)	21.6 (21.5, 21.8)	18.9 (18.7, 19.1)	17.9 (17.7, 18.2)	-9.2 (-9.5, -9.0)
4 year degree	15.2 (15.1, 15.4)	14.3 (14.2, 14.5)	12.2 (12.0, 12.4)	10.8 (10.7, 11.0)	10.8 (10.5, 11.0)	-4.5 (-4.8, -4.2)
Master's	11.5 (11.4, 11.7)	10.5 (10.3, 10.7)	9.0 (8.8, 9.2)	8.0 (7.8, 8.2)	7.8 (7.6, 8.1)	-3.7 (-4.0, -3.4)
Professional (e.g., MD, JD)	11.9 (11.4, 12.3)	11.8 (11.3, 12.2)	11.0 (10.6, 11.4)	10.0 (9.5, 10.4)	11.1 (10.4, 11.8)	-0.8 (-1.6, 0.0)
Doctorate	16.5 (15.8, 17.1)	16.1 (15.4, 16.8)	14.6 (13.9, 15.2)	14.8 (14.1, 15.5)	14.6 (13.5, 15.6)	-1.9 (-3.1, -0.7)
<b>US Region</b>						
Midwest	26.3 (26.1, 26.5)	24.7 (24.5, 24.9)	21.6 (21.5, 21.8)	19.0 (18.8, 19.2)	17.7 (17.4, 17.9)	-8.6 (-9.0, -8.3)
South	28.5 (28.3, 28.7)	26.8 (26.6, 26.9)	22.9 (22.7, 23.1)	20.0 (19.8, 20.2)	18.8 (18.6, 19.1)	-9.7 (-10.0, -9.4)
Pacific	20.0 (19.7, 20.2)	18.0 (17.8, 18.3)	15.2 (15.0, 15.4)	12.6 (12.3, 12.8)	11.7 (11.3, 12.0)	-8.3 (-8.7, -7.9)
Mountain	24.4 (24.0, 24.7)	22.9 (22.6, 23.3)	20.3 (19.9, 20.6)	18.2 (17.9, 18.6)	17.5 (17.0, 18.0)	-6.8 (-7.4, -6.2)
Northeast	21.6 (21.4, 21.8)	19.6 (19.4, 19.8)	16.1 (15.8, 16.3)	13.7 (13.5, 13.9)	12.2 (11.9, 12.5)	-9.4 (-9.7, -9.0)
<b>County Trump vote share</b>						
Lowest quartile	21.7 (21.6, 21.8)	19.7 (19.6, 19.8)	16.3 (16.2, 16.4)	13.7 (13.6, 13.8)	12.4 (12.3, 12.6)	-9.3 (-9.5, -9.1)
Second lowest quartile	29.7 (29.5, 29.9)	28.4 (28.2, 28.7)	25.2 (24.9, 25.4)	22.5 (22.3, 22.7)	21.4 (21.1, 21.8)	-8.3 (-8.7, -7.9)
Second highest quartile	35.1 (34.7, 35.4)	33.6 (33.3, 34.0)	30.2 (29.9, 30.5)	27.9 (27.5, 28.3)	27.0 (26.5, 27.6)	-8.1 (-8.7, -7.4)
Highest quartile	38.8 (38.2, 39.3)	38.4 (37.8, 38.9)	35.4 (34.8, 35.9)	32.6 (32.0, 33.2)	31.9 (31.1, 32.8)	-6.8 (-7.8, -5.8)

Juris Doctorate= JD; MD=Doctor of Medicine.

<sup>a</sup> Race/ethnicity categories are reported among young adults (18-34 years) only, because there was an interaction between race/ethnicity and age, such that race/ethnic comparisons differed by age group. Younger adults were selected because hesitancy was higher among younger versus older adults. Race/ethnicity groups other than the group labeled “Hispanic” are non-Hispanic.

**sTable 5.** COVID-19 vaccine hesitancy in May 2021 by age groups, stratified by race/ethnicity<sup>a</sup> among US adults

	Sample		COVID-19 vaccine hesitant		
	n	%	% (95% CI)	RR (95% CI)	Adj. RR (95% CI)
<b>White</b>					
18-24 years	9858	1.9	23.5 (22.5, 24.6)	2.89 (2.75, 3.04)	1.46 (1.38, 1.53)
25-34 years	35244	6.7	21.9 (21.3, 22.4)	2.69 (2.60, 2.79)	1.64 (1.57, 1.70)
35-44 years	49337	9.4	18.6 (18.2, 19.0)	2.29 (2.21, 2.37)	1.47 (1.42, 1.53)
45-54 years	54805	10.4	18.2 (17.9, 18.6)	2.24 (2.17, 2.32)	1.42 (1.37, 1.48)
55-64 years	74941	14.3	13.3 (13.0, 13.6)	1.64 (1.58, 1.69)	1.21 (1.16, 1.25)
65-74 years	76794	14.6	8.1 (7.9, 8.3)	1.00 (NA)	1.00 (NA)
≥ 75 years	36019	6.9	6.0 (5.7, 6.2)	0.73 (0.69, 0.77)	0.76 (0.73, 0.80)
<b>Hispanic</b>					
18-24 years	3043	0.6	17.1 (15.5, 18.7)	2.84 (2.44, 3.24)	1.64 (1.42, 1.86)
25-34 years	8668	1.6	15.7 (14.8, 16.6)	2.61 (2.30, 2.92)	1.74 (1.54, 1.93)
35-44 years	11700	2.2	12.5 (11.7, 13.3)	2.08 (1.82, 2.34)	1.42 (1.25, 1.59)
45-54 years	12943	2.5	9.0 (8.5, 9.6)	1.50 (1.32, 1.69)	1.13 (1.00, 1.26)
55-64 years	11507	2.2	7.7 (7.1, 8.2)	1.27 (1.11, 1.44)	1.05 (0.93, 1.18)
65-74 years	6481	1.2	6.0 (5.4, 6.7)	1.00 (NA)	1.00 (NA)
≥ 75 years	1921	0.4	15.2 (13.1, 17.4)	2.53 (2.08, 2.97)	1.61 (1.39, 1.84)
<b>Black</b>					
18-24 years	626	0.1	30.9 (26.6, 35.2)	7.26 (5.92, 8.61)	3.51 (2.77, 4.24)
25-34 years	2205	0.4	25.3 (23.3, 27.4)	5.96 (5.09, 6.83)	3.73 (3.18, 4.28)
35-44 years	3785	0.7	18.7 (17.3, 20.0)	4.39 (3.77, 5.01)	2.96 (2.54, 3.37)
45-54 years	5536	1.1	12.2 (11.2, 13.1)	2.86 (2.45, 3.28)	2.13 (1.83, 2.44)
55-64 years	8289	1.6	7.8 (7.2, 8.5)	1.84 (1.57, 2.11)	1.47 (1.26, 1.69)
65-74 years	6390	1.2	4.3 (3.7, 4.8)	1.00 (NA)	1.00 (NA)
≥ 75 years	1669	0.3	3.0 (2.1, 4.0)	0.71 (0.47, 0.95)	0.75 (0.51, 0.98)
<b>Asian</b>					
18-24 years	612	0.1	4.0 (2.1, 6.0)	2.45 (0.96, 3.94)	1.68 (0.68, 2.68)
25-34 years	2288	0.4	2.7 (2.0, 3.4)	1.65 (0.90, 2.41)	1.42 (0.78, 2.06)
35-44 years	2745	0.5	2.9 (2.2, 3.6)	1.75 (0.96, 2.55)	1.56 (0.87, 2.24)
45-54 years	2234	0.4	3.3 (2.4, 4.2)	2.02 (1.08, 2.95)	1.70 (0.93, 2.47)
55-64 years	1957	0.4	2.8 (2.0, 3.6)	1.69 (0.88, 2.49)	1.50 (0.80, 2.21)
65-74 years	1527	0.3	1.7 (1.0, 2.3)	1.00 (NA)	1.00 (NA)
≥ 75 years	586	0.1	2.4 (0.9, 3.9)	1.48 (0.41, 2.54)	1.51 (0.44, 2.58)
<b>Native American</b>					
18-24 years	142	0.0	37.3 (26.0, 48.7)	2.76 (1.73, 3.79)	1.60 (0.95, 2.24)
25-34 years	406	0.1	31.3 (25.8, 36.7)	2.31 (1.66, 2.96)	1.28 (0.98, 1.58)
35-44 years	574	0.1	27.2 (23.1, 31.4)	2.01 (1.48, 2.55)	1.32 (1.03, 1.61)
45-54 years	841	0.2	24.3 (21.1, 27.6)	1.80 (1.34, 2.26)	1.19 (0.94, 1.45)
55-64 years	1031	0.2	21.8 (19.0, 24.6)	1.61 (1.20, 2.02)	1.18 (0.93, 1.43)
65-74 years	691	0.1	13.5 (10.6, 16.5)	1.00 (NA)	1.00 (NA)
≥ 75 years	244	0.0	17.7 (12.1, 23.3)	1.31 (0.80, 1.81)	1.36 (0.92, 1.81)

Continued next page

Pacific Islander <sup>a</sup>					
18-24 years	20	0.0	6.0 (-4.3, 16.2)	0.81 (-0.66, 2.28)	0.62 (-0.45, 1.69)
25-34 years	68	0.0	21.2 (11.2, 31.1)	2.87 (0.77, 4.97)	1.47 (0.46, 2.47)
35-44 years	150	0.0	14.1 (7.9, 20.4)	1.92 (0.55, 3.29)	1.46 (0.50, 2.43)
45-54 years	230	0.0	16.5 (10.8, 22.1)	2.24 (0.77, 3.70)	1.54 (0.59, 2.48)
55-64 years	277	0.1	11.6 (7.2, 16.1)	1.58 (0.51, 2.65)	1.28 (0.46, 2.09)
65-74 years	190	0.0	7.4 (3.3, 11.5)	1.00 (NA)	1.00 (NA)
≥ 75 years	56	0.0	14.5 (2.6, 26.4)	1.97 (0.01, 3.92)	1.64 (0.44, 2.83)
Multi-racial					
18-24 years	880	0.2	29.7 (26.0, 33.4)	1.90 (1.58, 2.23)	1.20 (1.03, 1.38)
25-34 years	2209	0.4	28.5 (26.3, 30.7)	1.83 (1.57, 2.08)	1.27 (1.11, 1.42)
35-44 years	2557	0.5	30.0 (28.0, 32.0)	1.92 (1.67, 2.18)	1.29 (1.13, 1.44)
45-54 years	2385	0.5	28.3 (26.3, 30.4)	1.82 (1.57, 2.07)	1.23 (1.08, 1.38)
55-64 years	2491	0.5	24.6 (22.7, 26.5)	1.58 (1.36, 1.80)	1.16 (1.02, 1.30)
65-74 years	1803	0.3	15.6 (13.8, 17.4)	1.00 (NA)	1.00 (NA)
≥ 75 years	660	0.1	17.6 (13.6, 21.6)	1.13 (0.84, 1.42)	0.89 (0.72, 1.05)

<sup>a</sup> Race/ethnicity groups other than the group labeled “Hispanic” are non-Hispanic.

<sup>b</sup> The Hispanic ≥ 75 years group has unusually high rates of self-describe gender; results were attenuated in a sensitivity analysis with that group (self-describe gender) removed.

<sup>c</sup> Due to the limited sample size of age groups among Pacific Islanders, the 95% CI of the RR estimates are large.

**sTable 6.** COVID-19 vaccine hesitancy in May 2021 by race/ethnicity<sup>a</sup>, stratified by age groups, among US adults

	Sample		COVID-19 vaccine hesitant		
	n	%	% (95% CI)	RR (95% CI)	Adj. RR (95% CI)
<b>18-24 years</b>					
White	9858	1.9	23.5 (22.5, 24.6)	1.00 (NA)	1.00 (NA)
Hispanic	3043	0.6	17.1 (15.5, 18.7)	0.73 (0.65, 0.80)	0.92 (0.84, 1.01)
Black	626	0.1	30.9 (26.6, 35.2)	1.31 (1.12, 1.51)	1.47 (1.21, 1.73)
Asian	612	0.1	4.0 (2.1, 6.0)	0.17 (0.09, 0.25)	0.38 (0.20, 0.55)
Native American	142	0.0	37.3 (26.0, 48.7)	1.59 (1.10, 2.08)	1.43 (0.92, 1.95)
Pacific Islander	20	0.0	6.0 (-4.3, 16.2)	0.25 (-0.18, 0.69)	0.44 (-0.29, 1.17)
Multi-racial	880	0.2	29.7 (26.0, 33.4)	1.26 (1.09, 1.43)	1.26 (1.12, 1.39)
<b>25-34 years</b>					
White	35244	6.7	21.9 (21.3, 22.4)	1.00 (NA)	1.00 (NA)
Hispanic	8668	1.6	15.7 (14.8, 16.6)	0.72 (0.68, 0.76)	0.87 (0.82, 0.92)
Black	2205	0.4	25.3 (23.3, 27.4)	1.16 (1.06, 1.26)	1.38 (1.26, 1.50)
Asian	2288	0.4	2.7 (2.0, 3.4)	0.12 (0.09, 0.16)	0.28 (0.21, 0.36)
Native American	406	0.1	31.3 (25.8, 36.7)	1.43 (1.18, 1.68)	1.02 (0.87, 1.18)
Pacific Islander	68	0.0	21.2 (11.2, 31.1)	0.97 (0.51, 1.43)	0.93 (0.52, 1.35)
Multi-racial	2209	0.4	28.5 (26.3, 30.7)	1.30 (1.20, 1.41)	1.18 (1.09, 1.26)
<b>35-44 years</b>					
White	49337	9.4	18.6 (18.2, 19.0)	1.00 (NA)	1.00 (NA)
Hispanic	11700	2.2	12.5 (11.7, 13.3)	0.67 (0.63, 0.72)	0.79 (0.74, 0.84)
Black	3785	0.7	18.7 (17.3, 20.0)	1.00 (0.93, 1.08)	1.22 (1.13, 1.32)
Asian	2745	0.5	2.9 (2.2, 3.6)	0.16 (0.12, 0.20)	0.34 (0.26, 0.43)
Native American	574	0.1	27.2 (23.1, 31.4)	1.46 (1.24, 1.69)	1.17 (1.03, 1.32)
Pacific Islander	150	0.0	14.1 (7.9, 20.4)	0.76 (0.42, 1.10)	1.04 (0.62, 1.46)
Multi-racial	2557	0.5	30.0 (28.0, 32.0)	1.61 (1.50, 1.73)	1.33 (1.25, 1.41)
<b>45-54 years</b>					
White	54805	10.4	18.2 (17.9, 18.6)	1.00 (NA)	1.00 (NA)
Hispanic	12943	2.5	9.0 (8.5, 9.6)	0.50 (0.47, 0.53)	0.65 (0.61, 0.69)
Black	5536	1.1	12.2 (11.2, 13.1)	0.67 (0.61, 0.72)	0.91 (0.84, 0.98)
Asian	2234	0.4	3.3 (2.4, 4.2)	0.18 (0.13, 0.23)	0.39 (0.29, 0.49)
Native American	841	0.2	24.3 (21.1, 27.6)	1.33 (1.16, 1.51)	1.10 (0.97, 1.23)
Pacific Islander	230	0.0	16.5 (10.8, 22.1)	0.90 (0.59, 1.21)	1.13 (0.76, 1.49)
Multi-racial	2385	0.5	28.3 (26.3, 30.4)	1.55 (1.44, 1.67)	1.32 (1.23, 1.40)
<b>55-64 years</b>					
White	74941	14.3	13.3 (13.0, 13.6)	1.00 (NA)	1.00 (NA)
Hispanic	11507	2.2	7.7 (7.1, 8.2)	0.58 (0.53, 0.62)	0.71 (0.66, 0.76)
Black	8289	1.6	7.8 (7.2, 8.5)	0.59 (0.54, 0.64)	0.74 (0.68, 0.81)
Asian	1957	0.4	2.8 (2.0, 3.6)	0.21 (0.15, 0.27)	0.41 (0.29, 0.52)
Native American	1031	0.2	21.8 (19.0, 24.6)	1.64 (1.42, 1.85)	1.27 (1.14, 1.41)
Pacific Islander	277	0.1	11.6 (7.2, 16.1)	0.88 (0.54, 1.21)	1.10 (0.69, 1.51)
Multi-racial	2491	0.5	24.6 (22.7, 26.5)	1.85 (1.71, 2.00)	1.46 (1.37, 1.56)

Continued next page

65-74 years					
White	76794	14.6	8.1 (7.9, 8.3)	1.00 (NA)	1.00 (NA)
Hispanic	6481	1.2	6.0 (5.4, 6.7)	0.74 (0.66, 0.82)	0.82 (0.74, 0.90)
Black	6390	1.2	4.3 (3.7, 4.8)	0.52 (0.46, 0.59)	0.61 (0.53, 0.68)
Asian	1527	0.3	1.7 (1.0, 2.3)	0.20 (0.13, 0.28)	0.33 (0.21, 0.45)
Native American	691	0.1	13.5 (10.6, 16.5)	1.67 (1.30, 2.03)	1.31 (1.07, 1.55)
Pacific Islander	190	0.0	7.4 (3.3, 11.5)	0.91 (0.40, 1.41)	1.04 (0.50, 1.59)
Multi-racial	1803	0.3	15.6 (13.8, 17.4)	1.92 (1.69, 2.15)	1.52 (1.36, 1.68)
≥ 75 years					
White	36019	6.9	6.0 (5.7, 6.2)	1.00 (NA)	1.00 (NA)
Hispanic	1921	0.4	15.2 (13.1, 17.4)	2.56 (2.18, 2.94)	1.73 (1.54, 1.92)
Black	1669	0.3	3.0 (2.1, 4.0)	0.50 (0.34, 0.67)	0.59 (0.42, 0.77)
Asian	586	0.1	2.4 (0.9, 3.9)	0.41 (0.16, 0.66)	0.65 (0.26, 1.03)
Native American	244	0.0	17.7 (12.1, 23.3)	2.97 (2.02, 3.91)	2.33 (1.69, 2.98)
Pacific Islander	56	0.0	14.5 (2.6, 26.4)	2.43 (0.43, 4.43)	2.23 (1.09, 3.38)
Multi-racial	660	0.1	17.6 (13.6, 21.6)	2.95 (2.27, 3.64)	1.77 (1.48, 2.06)

<sup>a</sup> Race/ethnicity groups other than the group labeled “Hispanic” are non-Hispanic.

<sup>b</sup> The Hispanic ≥ 75 years has unusually high rates of self-describe gender; results were attenuated in a sensitivity analysis with that group (self-describe gender) removed

**sTable 7.** COVID-19 vaccine hesitancy in May 2021 by health condition and status<sup>a</sup> among US adults

	Sample		COVID-19 vaccine hesitant		
	n	%	% (95% CI)	RR (95% CI)	Adj. RR (95% CI)
None	182782	34.8	18.7 (18.5, 19.0)	1.0 (NA)	1.0 (NA)
Cancer (other than skin)	10355	2.0	8.9 (8.2, 9.5)	0.47 (0.44, 0.51)	0.80 (0.75, 0.85)
Diabetes Type II	19671	3.7	9.6 (9.1, 10.1)	0.51 (0.49, 0.54)	0.83 (0.79, 0.86)
Obesity	50985	9.7	10.9 (10.5, 11.3)	0.58 (0.56, 0.60)	0.79 (0.76, 0.81)
Diabetes Type I	2614	0.5	12.2 (10.7, 13.8)	0.65 (0.57, 0.74)	0.86 (0.75, 0.96)
High blood pressure	48953	9.3	13.2 (12.8, 13.6)	0.70 (0.68, 0.73)	0.95 (0.92, 0.98)
Kidney disease	2344	0.4	13.3 (11.6, 15.0)	0.71 (0.62, 0.80)	1.07 (0.94, 1.19)
Chronic obstructive pulmonary disease	6380	1.2	13.7 (12.5, 15.0)	0.73 (0.67, 0.80)	1.03 (0.96, 1.11)
Multiple conditions	127693	24.3	14.0 (13.7, 14.2)	0.75 (0.73, 0.76)	1.13 (1.11, 1.15)
Heart attack, heart disease, or other heart condition	12821	2.4	14.6 (13.9, 15.4)	0.78 (0.74, 0.83)	1.11 (1.06, 1.17)
Autoimmune disorder	9700	1.8	15.1 (14.2, 16.0)	0.80 (0.76, 0.85)	1.06 (1.01, 1.12)
Asthma	26313	5.0	16.6 (15.9, 17.2)	0.89 (0.85, 0.92)	1.03 (0.99, 1.06)
Weakened or compromised immune system	4359	0.8	20.7 (19.1, 22.2)	1.10 (1.02, 1.19)	1.43 (1.33, 1.52)
No response	20674	3.9	35.5 (34.6, 36.3)	1.89 (1.84, 1.95)	1.71 (1.66, 1.76)

<sup>a</sup> Participants were categorized as having high blood pressure only, each of the other conditions with or without high blood pressure, or “multiple conditions,” defined as at least two conditions excluding high blood pressure, which was relatively common and has limited support as a risk-factor for poor COVID-19 outcomes.



**sTable 8.** Sensitivity analysis: COVID-19 vaccine hesitancy in May 2021 by demographics among US adults, including those that self-described gender (N=529,658)

	Sample		COVID-19 vaccine hesitant		
	n	%	% (95% CI)	RR (95% CI)	Adj. RR (95% CI)
<b>Gender</b>					
Male	159427	30.1	16.6 (16.4, 16.9)	1.0 (NA)	1.0 (NA)
Female	294983	55.7	13.2 (13.1, 13.4)	0.79 (0.78, 0.81)	1.12 (1.10, 1.14)
Non-binary	3232	0.6	18.2 (16.1, 20.3)	1.10 (0.97, 1.22)	0.99 (0.88, 1.10)
Self-described	4014	0.8	64.2 (62.3, 66.1)	3.86 (3.73, 3.99)	1.42 (1.37, 1.47)
Missing	68002	12.8	26.3 (25.8, 26.7)	1.58 (1.54, 1.61)	1.39 (1.34, 1.44)
<b>Age group</b>					
18-24 years	15678	3.0	22.9 (22.1, 23.7)	2.79 (2.67, 2.91)	<sup>b</sup>
25-34 years	52640	9.9	21.3 (20.8, 21.7)	2.60 (2.52, 2.68)	
35-44 years	73245	13.8	18.4 (18.1, 18.8)	2.25 (2.18, 2.32)	
45-54 years	81578	15.4	17.0 (16.7, 17.3)	2.07 (2.01, 2.13)	
55-64 years	103380	19.5	12.9 (12.7, 13.1)	1.57 (1.53, 1.62)	
65-74 years	95964	18.1	8.2 (8.0, 8.4)	1.0 (NA)	
≥ 75 years	42657	8.1	9.8 (9.4, 10.2)	1.20 (1.14, 1.25)	
Missing	64516	12.2	24.6 (24.1, 25.0)	3.00 (2.91, 3.09)	
<b>Race/ethnicity</b>					
White	338578	63.9	15.8 (15.6, 16.0)	1.0 (NA)	<sup>b</sup>
Hispanic	57608	10.9	13.4 (13.0, 13.7)	0.85 (0.82, 0.87)	
Black	28625	5.4	13.0 (12.5, 13.5)	0.82 (0.79, 0.86)	
Asian	12012	2.3	3.2 (2.8, 3.6)	0.20 (0.17, 0.23)	
Native American	3993	0.8	25.3 (23.4, 27.2)	1.60 (1.48, 1.72)	
Pacific Islander	1002	0.2	13.9 (11.3, 16.5)	0.88 (0.71, 1.04)	
Multi-racial	13433	2.5	29.2 (28.2, 30.2)	1.85 (1.78, 1.92)	
Missing	74407	14.0	26.5 (26.1, 27.0)	1.68 (1.65, 1.71)	
<b>Education level</b>					
≤ High school	92557	17.5	20.8 (20.4, 21.1)	1.88 (1.83, 1.93)	1.56 (1.52, 1.60)
Some college	167096	31.5	18.3 (18.1, 18.6)	1.66 (1.62, 1.70)	1.37 (1.34, 1.40)
4 year degree	110944	20.9	11.0 (10.8, 11.3)	1.0 (NA)	1.0 (NA)
Master's	62862	11.9	8.3 (8.1, 8.6)	0.75 (0.72, 0.78)	0.90 (0.87, 0.92)
Professional (e.g., MD, JD)	14970	2.8	12.3 (11.6, 13.0)	1.12 (1.05, 1.18)	1.09 (1.04, 1.15)
Doctorate	10969	2.1	23.9 (22.7, 25.1)	2.16 (2.05, 2.28)	1.20 (1.14, 1.25)
Missing	70260	13.3	23.9 (23.5, 24.3)	2.16 (2.10, 2.22)	1.18 (1.10, 1.25)
<b>Employment status</b>					
Work outside home	176197	33.3	21.2 (20.9, 21.4)	2.48 (2.39, 2.57)	1.33 (1.28, 1.37)
Work at home	57246	10.8	8.5 (8.2, 8.8)	1.0 (NA)	1.0 (NA)
Does not work for pay	223071	42.1	12.7 (12.5, 12.9)	1.49 (1.43, 1.54)	1.34 (1.29, 1.38)
Missing	73144	13.8	23.9 (23.5, 24.3)	2.80 (2.69, 2.91)	1.33 (1.25, 1.41)

Continued on next page

US Region					
Midwest	126686	23.9	18.1 (17.9, 18.4)	1.50 (1.46, 1.55)	1.10 (1.07, 1.13)
South	182852	34.5	19.2 (19.0, 19.5)	1.59 (1.55, 1.64)	1.13 (1.10, 1.16)
Pacific	73521	13.9	12.1 (11.7, 12.4)	1.0 (NA)	1.0 (NA)
Mountain	42261	8.0	17.9 (17.4, 18.5)	1.49 (1.43, 1.55)	1.11 (1.07, 1.15)
Northeast	88229	16.7	12.6 (12.3, 12.9)	1.04 (1.01, 1.08)	0.96 (0.93, 0.99)
Territories	191	<0.05	12.0 (6.3, 17.8)	1.00 (0.52, 1.48)	0.64 (0.44, 0.84)
Missing	15918	3.0	33.3 (32.3, 34.3)	2.76 (2.64, 2.87)	<sup>c</sup>
County urban classification					
Large central metro	120722	22.8	11.7 (11.5, 12.0)	1.0 (NA)	1.0 (NA)
Large fringe metro	115854	21.9	14.3 (14.0, 14.5)	1.22 (1.18, 1.25)	1.03 (1.01, 1.06)
Medium metro	138457	26.1	16.8 (16.5, 17.1)	1.43 (1.39, 1.47)	1.13 (1.10, 1.16)
Small metro	57778	10.9	21.0 (20.6, 21.5)	1.79 (1.74, 1.85)	1.18 (1.15, 1.22)
Micropolitan	49266	9.3	24.2 (23.7, 24.7)	2.06 (2.00, 2.12)	1.19 (1.15, 1.23)
Non-core	31472	5.9	27.4 (26.8, 28.1)	2.34 (2.27, 2.41)	1.23 (1.19, 1.27)
Missing	16109	3.0	33.0 (32.0, 34.0)	2.82 (2.71, 2.92)	<sup>c</sup>

Juris Doctorate= JD; MD=Doctor of Medicine; NA=not applicable; NH=Non-Hispanic

<sup>a</sup> Race/ethnicity groups other than the group labeled “Hispanic” are non-Hispanic.

<sup>b</sup> Due to an interaction between age group and race/ethnicity, adjusted relative risks from the multivariable model are not reported in this table.

<sup>c</sup> Reliable estimates could not be calculated for the missing category for variables based on participants’ zip code, due to collinearity.

**sTable 9.** Sensitivity analysis: COVID-19 vaccine hesitancy in May 2021 political/by COVID-19 environment, health status, beliefs and behaviors among US adults, including those that self-described gender (N=529,658)

	Sample		COVID-19 vaccine hesitant		
	N	%	% (95% CI)	RR (95% CI)	Adj. RR (95% CI)
State governor's political party					
Democratic	282446	53.3	14.4 (14.2, 14.6)	1.0 (NA)	<sup>a</sup>
Republican	230264	43.5	19.2 (19.0, 19.4)	1.33 (1.31, 1.36)	
Missing	16948	3.2	31.8 (30.8, 32.7)	2.21 (2.13, 2.28)	
County Trump vote total minus Biden vote total in 2020 presidential election					
Lowest quartile	343255	64.8	12.8 (12.6, 12.9)	1.0 (NA)	1.0 (NA)
Second lowest quartile	101627	19.2	21.9 (21.6, 22.3)	1.72 (1.69, 1.75)	1.27 (1.25, 1.30)
Second highest quartile	47422	9.0	27.6 (27.0, 28.1)	2.16 (2.11, 2.21)	1.34 (1.30, 1.37)
Highest quartile	19712	3.7	32.5 (31.7, 33.4)	2.55 (2.48, 2.62)	1.42 (1.38, 1.47)
Missing	17642	3.3	32.4 (31.5, 33.4)	2.54 (2.46, 2.62)	<sup>b</sup>
County COVID-19 April 2021 county death rate					
Lowest quartile	26160	4.9	24.3 (23.7, 25.0)	1.0 (NA)	1.0 (NA)
Second lowest quartile	168948	31.9	16.2 (15.9, 16.4)	0.66 (0.64, 0.69)	0.97 (0.94, 1.00)
Second highest quartile	214630	40.5	15.7 (15.5, 15.9)	0.65 (0.63, 0.67)	1.00 (0.97, 1.03)
Highest quartile	103804	19.6	17.1 (16.8, 17.4)	0.70 (0.68, 0.73)	1.01 (0.98, 1.04)
Missing	16116	3.0	33.0 (32.0, 34.0)	1.36 (1.30, 1.41)	<sup>b</sup>
Ever tested positive for COVID-19					
Yes	55851	10.5	20.7 (20.2, 21.1)	1.24 (1.22, 1.27)	1.10 (1.08, 1.13)
No or unsure	470576	88.8	16.6 (16.5, 16.8)	1.0 (NA)	1.0 (NA)
Missing	3231	0.6	19.6 (17.8, 21.4)	1.18 (1.07, 1.29)	0.94 (0.86, 1.01)
Ever diagnosed with high-risk medical condition					
One or more conditions	324323	61.2	13.8 (13.6, 13.9)	1.0 (NA)	1.0 (NA)
No condition	184503	34.8	19.4 (19.2, 19.7)	1.41 (1.39, 1.43)	1.01 (0.99, 1.02)
Missing	20832	3.9	35.9 (35.0, 36.8)	2.60 (2.53, 2.67)	1.70 (1.65, 1.75)
Extent worried that you or someone in immediate family might become seriously ill from COVID-19					
Worried	209897	39.6	8.8 (8.6, 9.0)	1.0 (NA)	1.0 (NA)
Not too worried	164794	31.1	13.7 (13.5, 13.9)	1.55 (1.52, 1.59)	1.31 (1.28, 1.35)
Not worried at all	98919	18.7	33.7 (33.3, 34.1)	3.82 (3.74, 3.91)	1.78 (1.74, 1.83)
Missing	56048	10.6	24.8 (24.3, 25.3)	2.81 (2.74, 2.89)	1.30 (1.11, 1.49)
Lives with someone or is 65 years or older					
Yes	209290	39.5	12.6 (12.4, 12.8)	1.0 (NA)	1.0 (NA)
No	204999	38.7	18.1 (17.9, 18.3)	1.44 (1.41, 1.46)	1.07 (1.04, 1.09)
No response	115369	21.8	21.2 (20.9, 21.6)	1.68 (1.65, 1.72)	1.11 (1.08, 1.13)
Past-year flu vaccine					
Yes	280787	53.0	5.6 (5.5, 5.7)	1.0 (NA)	1.0 (NA)
No or unsure	193242	36.5	28.3 (28.0, 28.5)	5.06 (4.94, 5.18)	3.24 (3.16, 3.32)
Missing	55629	10.5	24.9 (24.4, 25.4)	4.46 (4.33, 4.59)	2.12 (1.79, 2.45)

Continued on next page

Extent intentionally avoiding contact with others					
All of the time	67156	12.7	11.0 (10.7, 11.3)	1.0 (NA)	1.0 (NA)
Most of the time	142287	26.9	8.4 (8.2, 8.6)	0.76 (0.73, 0.79)	0.87 (0.84, 0.90)
Some of the time	187201	35.3	9.0 (8.8, 9.1)	0.81 (0.78, 0.84)	0.88 (0.86, 0.91)
None of the time	85930	16.2	44.5 (44.1, 45.0)	4.03 (3.92, 4.15)	2.43 (2.35, 2.50)
Missing	47084	8.9	26.2 (25.6, 26.7)	2.37 (2.29, 2.45)	1.46 (1.37, 1.54)

NA=not applicable

<sup>a</sup> State governor's political party was excluded from the multivariable model due to collinearity with county Trump vote share.

<sup>b</sup> Reliable estimates could not be calculated for the missing category for variables based on participants' zip code, due to collinearity.

**sTable 10.** Reasons for COVID-19 vaccine hesitancy in May 21 by race/ethnicity<sup>a</sup> among hesitant US adults (N=73362)<sup>b</sup>

	White	Hispanic	Black	Asian	NA	PI	Multi-racial	Unknown
N	44067	6028	3126	339	824	124	3117	15737
	% (95% CI)							
Concerned about possible side effects	51.5 (50.9, 52.1)	49.3 (47.6, 50.9)	51.4 (49.3, 53.5)	48.5 (41.6, 55.5)	41.4 (37.1, 45.7)	43.7 (33.5, 53.9)	58.5 (56.3, 60.7)	42.0 (41.0, 43.0)
Don't trust COVID-19 vaccines	50.5 (49.9, 51.0)	44.8 (43.1, 46.5)	46.1 (43.9, 48.2)	38.4 (31.5, 45.4)	45.7 (41.2, 50.1)	45.0 (34.8, 55.1)	55.1 (52.9, 57.3)	44.8 (43.7, 45.8)
Don't trust the government	43.2 (42.6, 43.8)	35.9 (34.3, 37.6)	34.3 (32.2, 36.3)	26.2 (20.1, 32.2)	42.9 (38.3, 47.5)	34.4 (24.8, 44.1)	50.0 (47.8, 52.3)	40.0 (39.0, 41.0)
Don't believe I need it	41.8 (41.2, 42.4)	32.3 (30.6, 33.9)	22.3 (20.4, 24.3)	33.1 (26.2, 40.1)	32.6 (28.6, 36.6)	28.5 (18.9, 38.1)	47.0 (44.7, 49.2)	33.8 (32.9, 34.8)
Plan to wait and to see if safe	33.9 (33.3, 34.5)	41.8 (40.1, 43.4)	41.1 (39.0, 43.2)	42.5 (35.5, 49.5)	27.0 (23.1, 30.8)	35.5 (26.0, 45.1)	34.4 (32.2, 36.5)	31.2 (30.3, 32.2)
Concerned about an allergic reaction	23.2 (22.7, 23.7)	26.6 (25.1, 28.1)	33.1 (31.0, 35.1)	26.8 (20.0, 33.6)	24.6 (21.0, 28.2)	27.4 (18.5, 36.2)	32.5 (30.4, 34.5)	21.1 (20.3, 21.9)
Don't know if it will work	22.1 (21.6, 22.6)	22.7 (21.2, 24.1)	21.2 (19.4, 23.0)	26.4 (19.4, 33.4)	17.2 (14.0, 20.3)	24.7 (16.1, 33.4)	27.6 (25.6, 29.6)	20.1 (19.2, 20.9)
Don't like vaccines	13.7 (13.3, 14.2)	15.4 (14.0, 16.8)	14.4 (12.9, 15.9)	13.7 (9.5, 17.8)	13.1 (10.5, 15.8)	14.2 (7.2, 21.3)	18.3 (16.5, 20.1)	16.1 (15.3, 16.9)
Safety concern because of my health condition	12.0 (11.7, 12.3)	11.9 (10.7, 13.0)	15.9 (14.5, 17.4)	11.8 (8.0, 15.5)	13.1 (10.8, 15.5)	10.3 (4.4, 16.2)	18.9 (17.3, 20.6)	10.6 (10.1, 11.1)
Other people need it more	11.9 (11.5, 12.3)	16.9 (15.4, 18.4)	10.4 (9.0, 11.7)	17.6 (11.6, 23.6)	10.6 (7.9, 13.2)	15.5 (8.1, 22.8)	15.7 (14.0, 17.5)	12.3 (11.6, 13.0)
Doctor has not recommended	9.0 (8.7, 9.3)	9.7 (8.5, 11.0)	7.6 (6.3, 8.9)	7.7 (4.5, 10.8)	9.5 (7.2, 11.8)	2.8 (0.2, 5.4)	14.7 (13.0, 16.3)	9.2 (8.7, 9.8)
Against religious beliefs	6.7 (6.4, 7.1)	10.3 (9.1, 11.5)	7.5 (6.4, 8.7)	5.6 (3.1, 8.1)	13.0 (10.3, 15.8)	3.1 (0.4, 5.8)	13.5 (12.0, 15.0)	9.7 (9.1, 10.3)
Currently/planning to be pregnant/breastfeeding	6.1 (5.8, 6.4)	10.0 (8.8, 11.2)	7.0 (5.9, 8.1)	11.4 (7.5, 15.3)	4.1 (2.3, 5.8)	4.1 (0.4, 7.9)	8.5 (7.2, 9.8)	6.2 (5.7, 6.6)
Concerned about cost	2.3 (2.1, 2.5)	4.9 (3.8, 6.1)	3.3 (2.5, 4.0)	3.9 (-0.2, 8.0)	2.1 (1.0, 3.2)	2.5 (-0.5, 5.4)	5.5 (4.4, 6.6)	4.3 (3.9, 4.8)
Other	15.2 (14.8, 15.6)	13.2 (12.2, 14.2)	11.5 (10.2, 12.9)	16.8 (10.6, 23.0)	19.5 (16.2, 22.7)	17.9 (10.3, 25.6)	22.9 (21.0, 24.8)	19.0 (18.3, 19.8)

NA=Native American; NH=Non-Hispanic; PI=Pacific Islander.

<sup>a</sup> Race/ethnicity groups other than the group labeled "Hispanic" are non-Hispanic.

<sup>b</sup> Answered that they probably or definitely would not choose to get vaccinated if offered a vaccine to prevent COVID-19.