



1
2
3
4
5
6
7
8

Supplementary Figure 1. The African Descent PCOS_{PRS} PheWAS is Underpowered. No associations passed Bonferroni correction ($P = 8.14 \times 10^{-5}$) for PCOS_{PRS} calculated in African ancestry individuals. The red line represents the Bonferroni correction and the blue represents the false discovery rate of $P < 0.05$.

A.




B.




9 **Supplementary Figure 2. Pleiotropic Associations are Influenced by Phenotypic Features of PCOS.** To determine the
 10 robustness of the observed significant associations with PCOS_{PRS}, sensitivity analyses were employed. First, (A) PCOS_{PRS} was
 11 adjusted for BMI in everyone. No associations passed Bonferroni correction, represented by the red line ($P=3.74e-05$). The blue line
 12 represents a false discovery rate of 0.05. To identify what phenotypes were not the result of a diagnosis, (B) females were stratified
 13 and further adjusted for PCOS case status ($P=4.57e-05e$).

A.




B.




14 **Supplementary Figure 3. Associations Driven by Sex Differentiated PCOS_{PRS} Can Be Explained by BMI.** Sex stratified
 15 analyses were adjusted for body mass index (BMI) in a sensitivity analysis. Results are shown for (A) females (P=5.07e-05) and (B)
 16 males (P=4.90e-05). The red line represents the Bonferroni correction and the blue represents the false discovery rate of P < 0.05.
 17
 18

A.




B.



19

20 **Supplementary Figure 4. Accounting for BMI_{residual} in the PCOS_{PRS} PheWAS Analysis Improves Associations.** PCOS_{PRS} were
 21 stratified by sex and adjusted for BMI_{residual} in addition to age and the top ten principal components for (A) females and (B) males. The
 22 Bonferroni correction for females was P=4.59e-05 and P=5.07e-05 for males. The red line represents the Bonferroni correction and
 23 the blue represents the false discovery rate of P < 0.05.



24
25
26
27
28
29

Supplementary Figure 5. Accounting for BMI_{residual} Improves Detection of Obesity in the Sex-Combined Dataset. The model was adjusted for adjusted for BMI_{residual}, age, and the top ten principal components. The red line represents the Bonferroni correction of $P = 3.74 \times 10^{-5}$ and the blue represents the false discovery rate of $P < 0.05$.