

## Supplementary Information Appendix 2 for

### ROR1 is a novel putative druggable target for diffuse glioma

Miya John<sup>a</sup>, Padmashree Rao<sup>b</sup>, Humaira Noor<sup>c</sup> and Caroline Ford<sup>a</sup>

<sup>a</sup> Gynaecological Cancer Research Group, Lowy Cancer Research Centre, School of Women's and Children's Health, Faculty of Medicine and Health, University of New South Wales, Sydney, New South Wales 2052, Australia

<sup>b</sup> Children's Cancer Institute, University of New South Wales, Sydney, NSW 2031, Australia.

<sup>c</sup> Cure Brain Cancer Biomarkers and Translational Research Group, Prince of Wales Clinical School, University of New South Wales, Sydney, NSW 2031, Australia

Corresponding authors: Miya John and Caroline Ford.

Email: miya.john@unsw.edu.au and caroline.ford@unsw.edu.au"

#### TCGA Abbreviations:

ACC (adrenocortical carcinoma), BLCA (bladder urothelial carcinoma), BRCA (breast invasive carcinoma), CESC (cervical squamous cell carcinoma and endocervical adenocarcinoma), CHOL (cholangiocarcinoma), COAD (colon adenocarcinoma), DLBC (lymphoid neoplasm diffuse large B-cell lymphoma), ESCA (esophageal carcinoma), GBM (glioblastoma multiforme), HNSC (head and neck squamous cell carcinoma), KICH (kidney chromophobe), KIRC (kidney renal clear cell carcinoma), KIRP (kidney renal papillary cell carcinoma), LAML (acute myeloid leukemia), LGG (brain lower grade glioma), LIHC (liver hepatocellular carcinoma), LUAD (lung adenocarcinoma), LUSC (lung squamous cell carcinoma), MESO (mesothelioma), OV (ovarian serous cystadenocarcinoma), PAAD (pancreatic adenocarcinoma), PCPG (pheochromocytoma and paraganglioma), PRAD (prostate adenocarcinoma), READ (rectum adenocarcinoma), SARC (sarcoma), SKCM (skin cutaneous melanoma), STAD (stomach adenocarcinoma), TGCT (testicular germ cell tumours), THCA (thyroid carcinoma), THYM (thymoma), UCEC (uterine corpus endometrial carcinoma), UCS (uterine carcinosarcoma) and UVM (uveal melanoma).

#### Multivariate Analysis

##### ROR1 in ACC (n=79):

Model: Surv(OS, EVENT) ~ `ROR1` + Age + Gender + Race

68 patients with 26 dying ( 11 missing obs. )

	coef	HR	se(coef)	95%CI_l	95%CI_u	z	p	signif
ROR1	0.542	1.72	0.454	0.706	4.189	1.194	0.233	
Age	0.005	1.005	0.014	0.978	1.032	0.342	0.732	
Gendermale	0.055	1.056	0.401	0.481	2.318	0.136	0.891	
RaceBlack	1.421	4.143	11699.01	0	Inf	0	1	<NA>
RaceWhite	18.409	98814492.01	10046.1	0	Inf	0.002	0.999	

Rsquare = 0.051 (max possible = 9.43e-01 )

Likelihood ratio test p = 6.17e-01

Wald test p = 9.16e-01

Score (logrank) test p = 7.44e-01

##### ROR1 in BLCA (n=408):

Model: Surv(OS, EVENT) ~ `ROR1` + Age + Gender + Race + Stage

385 patients with 169 dying ( 23 missing obs. )

	coef	HR	se(coef)	95%CI_l	95%CI_u	z	p	signif
ROR1	0.196	1.216	0.146	0.913	1.62	1.338	0.181	
Age	0.033	1.033	0.008	1.017	1.05	3.962	0	***
Gendermale	-0.156	0.855	0.173	0.609	1.201	-0.903	0.367	
RaceBlack	0.509	1.664	0.438	0.706	3.923	1.163	0.245	
RaceWhite	0.036	1.037	0.354	0.518	2.076	0.102	0.919	
Stage2	14.467	1918663.287	1918.804	0	Inf	0.008	0.994	
Stage3	14.872	2875091.382	1918.804	0	Inf	0.008	0.994	
Stage4	15.423	4990663.309	1918.804	0	Inf	0.008	0.994	

Rsquare = 0.122 (max possible = 9.9e-01 )

Likelihood ratio test p = 4.19e-08

Wald test p = 2.13e-07

Score (logrank) test p = 5.67e-08

##### ROR1 in BRCA (n=1100):

Model: Surv(OS, EVENT) ~ `ROR1` + Age + Gender + Race + Stage

976 patients with 136 dying ( 124 missing obs. )

	coef	HR	se(coef)	95%CI_l	95%CI_u	z	p	signif
--	------	----	----------	---------	---------	---	---	--------

ROR1	0.191	1.211	0.103	0.989	1.482	1.855	0.064	.
Age	0.035	1.036	0.007	1.022	1.05	5.018	0	***
Gendermale	-0.516	0.597	1.012	0.082	4.337	-0.51	0.61	
RaceBlack	0.126	1.134	0.616	0.339	3.789	0.204	0.838	
RaceWhite	-0.176	0.838	0.595	0.261	2.69	-0.297	0.767	
Stage2	0.579	1.785	0.281	1.029	3.096	2.062	0.039	*
Stage3	1.244	3.471	0.296	1.942	6.205	4.198	0	***
Stage4	2.697	14.834	0.38	7.045	31.233	7.099	0	***

Rsquare = 0.075 (max possible = 7.93e-01 )

Likelihood ratio test p = 3.43e-13

Wald test p = 6.74e-17

Score (logrank) test p = 6.65e-23

#### ROR1 in BRCA-Basal (n=191):

Model: Surv(OS, EVENT) ~ `ROR1` + Age + Race + Stage

177 patients with 26 dying ( 14 missing obs. )

	coef	HR	se(coef)	95%CI_l	95%CI_u	z	p	signif
ROR1	-0.085	9.18E-01	0.208	0.61	1.382	-0.409	0.683	
Age	0.007	1.01E+00	0.017	0.975	1.041	0.437	0.662	
RaceBlack	-1.026	3.58E-01	1.084	0.043	3.001	-0.946	0.344	
RaceWhite	-1.537	2.15E-01	1.124	0.024	1.946	-1.368	0.171	
Stage2	18.845	1.53E+08	6162.592	0	Inf	0.003	0.998	
Stage3	20.225	6.08E+08	6162.592	0	Inf	0.003	0.997	
Stage4	21.167	1.56E+09	6162.592	0	Inf	0.003	0.997	

Rsquare = 0.153 (max possible = 7.23e-01 )

Likelihood ratio test p = 1.22e-04

Wald test p = 3.22e-03

Score (logrank) test p = 8.56e-07

#### ROR1 in BRCA-Her2 (n=82):

Model: Surv(OS, EVENT) ~ `ROR1` + Age + Race + Stage

66 patients with 13 dying ( 16 missing obs. )

	coef	HR	se(coef)	95%CI_l	95%CI_u	z	p	signif
ROR1	-0.113	0.893	0.667	0.242	3.3	-0.17	0.865	
Age	0.048	1.049	0.03	0.989	1.113	1.59	0.112	
RaceBlack	-2.902	0.055	1.745	0.002	1.679	-1.663	0.096	.
RaceWhite	-1.511	0.221	1.438	0.013	3.692	-1.051	0.293	
Stage2	-0.431	0.65	1.154	0.068	6.242	-0.374	0.709	
Stage3	0.674	1.961	1.204	0.185	20.769	0.559	0.576	
Stage4	NA	NA	0	NA	NA	NA	NA	<NA>

Rsquare = 0.326 (max possible = 7.08e-01 )

Likelihood ratio test p = 2.22e-04

Wald test p = 1.14e-01

Score (logrank) test p = 6.28e-17

#### ROR1 in BRCA-LumA (n=568):

Model: Surv(OS, EVENT) ~ `ROR1` + Age + Gender + Race + Stage

513 patients with 59 dying ( 55 missing obs. )

	coef	HR	se(coef)	95%CI_l	95%CI_u	z	p	signif
ROR1	0.355	1.426	0.17	1.022	1.991	2.088	0.037	*
Age	0.047	1.048	0.011	1.026	1.071	4.342	0	***
Gendermale	-15.492	0	3837.774	0	Inf	-0.004	0.997	
RaceBlack	-0.246	0.782	1.173	0.078	7.793	-0.21	0.834	
RaceWhite	0.222	1.248	1.028	0.166	9.365	0.215	0.829	
Stage2	0.458	1.581	0.363	0.776	3.224	1.261	0.207	
Stage3	0.873	2.394	0.393	1.108	5.174	2.22	0.026	*
Stage4	2.411	11.149	0.592	3.494	35.571	4.074	0	***

Rsquare = 0.069 (max possible = 6.74e-01 )

Likelihood ratio test p = 1.35e-05

Wald test p = 1.13e-06

Score (logrank) test p = 1.29e-08

#### ROR1 in BRCA-LumB (n=219):

Model: Surv(OS, EVENT) ~ `ROR1` + Age + Gender + Race + Stage

181 patients with 31 dying ( 38 missing obs. )

	coef	HR	se(coef)	95%CI_l	95%CI_u	z	p	signif
ROR1	0.227	1.254	0.339	0.645	2.439	0.668	0.504	
Age	0.034	1.035	0.016	1.002	1.069	2.068	0.039	*
Gendermale	-0.337	0.714	1.069	0.088	5.803	-0.316	0.752	
RaceBlack	16.305	12051610.07	4995.883	0	Inf	0.003	0.997	
RaceWhite	15.822	7439054.81	4995.883	0	Inf	0.003	0.997	
Stage2	1.178	3.247	0.801	0.675	15.609	1.47	0.142	
Stage3	1.773	5.888	0.819	1.182	29.339	2.164	0.03	*
Stage4	2.557	12.9	0.963	1.952	85.239	2.654	0.008	**

Rsquare = 0.081 (max possible = 7.35e-01 )

Likelihood ratio test p = 5.29e-02

Wald test p = 8.47e-02

Score (logrank) test p = 3.43e-02

#### ROR1 in CESC (n=306):

Model: Surv(OS, EVENT) ~ `ROR1` + Age + Race

255 patients with 63 dying ( 51 missing obs. )

	coef	HR	se(coef)	95%CI_l	95%CI_u	z	p	signif
ROR1	0.69	1.993	0.224	1.284	3.092	3.077	0.002	**
Age	0.02	1.02	0.009	1.001	1.039	2.096	0.036	*
RaceBlack	0.54	1.716	0.801	0.357	8.243	0.674	0.5	
RaceWhite	0.525	1.69	0.725	0.408	7.004	0.724	0.469	

Rsquare = 0.047 (max possible = 9.02e-01 )

Likelihood ratio test p = 1.61e-02

Wald test p = 7.51e-03

Score (logrank) test p = 6.62e-03

#### ROR1 in CHOL (n=36):

Model: Surv(OS, EVENT) ~ `ROR1` + Age + Gender + Race + Stage

36 patients with 18 dying ( 0 missing obs. )

	coef	HR	se(coef)	95%CI_l	95%CI_u	z	p	signif
ROR1	-0.298	0.742	0.28	0.429	1.285	-1.064	0.287	
Age	0.017	1.017	0.023	0.972	1.064	0.733	0.464	
Gendermale	0.172	1.188	0.557	0.399	3.537	0.31	0.757	
RaceBlack	0.52	1.683	1.506	0.088	32.23	0.345	0.73	
RaceWhite	-0.583	0.558	0.936	0.089	3.491	-0.624	0.533	
Stage2	0.892	2.44	0.697	0.622	9.572	1.279	0.201	
Stage3	-17.197	0	6920.755	0	Inf	-0.002	0.998	
Stage4	0.938	2.556	0.658	0.704	9.275	1.427	0.154	

Rsquare = 0.198 (max possible = 9.46e-01 )

Likelihood ratio test p = 4.4e-01

Wald test p = 6.18e-01

Score (logrank) test p = 4.51e-01

#### ROR1 in COAD (n=458):

Model: Surv(OS, EVENT) ~ `ROR1` + Age + Gender + Race + Stage

268 patients with 64 dying ( 190 missing obs. )

	coef	HR	se(coef)	95%CI_l	95%CI_u	z	p	signif
ROR1	0.26	1.297	0.247	0.799	2.107	1.052	0.293	
Age	0.029	1.029	0.011	1.007	1.052	2.537	0.011	*
Gendermale	0.173	1.189	0.268	0.702	2.012	0.644	0.52	
RaceBlack	-0.451	0.637	0.808	0.131	3.104	-0.558	0.577	
RaceWhite	-0.573	0.564	0.758	0.128	2.492	-0.755	0.45	
Stage2	0.195	1.216	0.562	0.404	3.66	0.348	0.728	
Stage3	0.802	2.23	0.55	0.76	6.547	1.459	0.144	
Stage4	1.927	6.871	0.556	2.309	20.448	3.464	0.001	**

Rsquare = 0.112 (max possible = 8.99e-01 )

Likelihood ratio test p = 9.51e-05

Wald test p = 4.19e-05

Score (logrank) test p = 6.4e-06

#### ROR1 in DLBC (n=48):

Model: Surv(OS, EVENT) ~ `ROR1` + Age + Gender + Race

47 patients with 9 dying ( 1 missing obs. )

	coef	HR	se(coef)	95%CI_l	95%CI_u	z	p	signif
--	------	----	----------	---------	---------	---	---	--------

ROR1	-0.403	0.668	1.289	0.053	8.367	-0.312	0.755	
Age	-0.002	0.998	0.031	0.94	1.06	-0.063	0.95	
Gendermale	0.452	1.572	0.8	0.328	7.54	0.565	0.572	
RaceBlack	1.01	2.747	1.277	0.225	33.529	0.792	0.429	
RaceWhite	-1.534	0.216	0.926	0.035	1.325	-1.656	0.098	.

Rsquare = 0.102 (max possible = 6.72e-01 )

Likelihood ratio test p = 4.07e-01

Wald test p = 4.43e-01

Score (logrank) test p = 2.88e-01

#### ROR1 in ESCA (n=185):

Model: Surv(OS, EVENT) ~ `ROR1` + Age + Gender + Race + Stage

142 patients with 47 dying ( 43 missing obs. )

	coef	HR	se(coef)	95%CI_l	95%CI_u	z	p	signif
ROR1	-0.349	0.706	0.157	0.518	0.961	-2.216	0.027	*
Age	0.019	1.019	0.014	0.991	1.048	1.315	0.188	
Gendermale	0.546	1.726	0.541	0.598	4.988	1.009	0.313	
RaceBlack	0.165	1.179	1.07	0.145	9.599	0.154	0.878	
RaceWhite	0.136	1.145	0.452	0.472	2.777	0.3	0.764	
Stage2	0.802	2.23	0.651	0.622	7.988	1.232	0.218	
Stage3	1.531	4.624	0.664	1.259	16.978	2.307	0.021	*
Stage4	2.903	18.226	0.763	4.089	81.234	3.807	0	***

Rsquare = 0.168 (max possible = 9.3e-01 )

Likelihood ratio test p = 1.02e-03

Wald test p = 4.37e-04

Score (logrank) test p = 2.56e-05

#### ROR1 in GBM (n=153):

Model: Surv(OS, EVENT) ~ `ROR1` + Age + Gender + Race

149 patients with 119 dying ( 4 missing obs. )

	coef	HR	se(coef)	95%CI_l	95%CI_u	z	p	signif
ROR1	-0.233	0.792	0.156	0.584	1.075	-1.494	0.135	
Age	0.032	1.032	0.008	1.016	1.049	3.932	0	***
Gendermale	-0.071	0.932	0.197	0.633	1.372	-0.357	0.721	
RaceBlack	0.468	1.597	0.723	0.387	6.595	0.647	0.517	
RaceWhite	-0.19	0.827	0.607	0.251	2.717	-0.314	0.754	

Rsquare = 0.124 (max possible = 9.98e-01 )

Likelihood ratio test p = 1.44e-03

Wald test p = 2.84e-03

Score (logrank) test p = 2.61e-03

#### ROR1 in HNSC (n=522):

Model: Surv(OS, EVENT) ~ `ROR1` + Age + Gender + Race + Stage

431 patients with 184 dying ( 91 missing obs. )

	coef	HR	se(coef)	95%CI_l	95%CI_u	z	p	signif
ROR1	0.148	1.159	0.125	0.908	1.481	1.184	0.236	
Age	0.021	1.021	0.007	1.007	1.036	2.861	0.004	**
Gendermale	-0.271	0.763	0.166	0.55	1.057	-1.629	0.103	
RaceBlack	0.069	1.072	0.559	0.358	3.209	0.124	0.901	
RaceWhite	-0.323	0.724	0.513	0.265	1.978	-0.63	0.529	
Stage2	0.775	2.17	0.545	0.746	6.317	1.422	0.155	
Stage3	0.951	2.588	0.54	0.899	7.452	1.763	0.078	.
Stage4	1.381	3.981	0.511	1.461	10.845	2.702	0.007	**

Rsquare = 0.07 (max possible = 9.9e-01 )

Likelihood ratio test p = 1.26e-04

Wald test p = 3.09e-04

Score (logrank) test p = 2.12e-04

#### ROR1 in HNSC-HPV+ (n=98):

Model: Surv(OS, EVENT) ~ `ROR1` + Age + Gender + Race + Stage

67 patients with 24 dying ( 31 missing obs. )

	coef	HR	se(coef)	95%CI_l	95%CI_u	z	p	signif
ROR1	0.243	1.275	0.307	0.698	2.329	0.791	0.429	
Age	0.006	1.006	0.024	0.96	1.053	0.237	0.812	
Gendermale	-0.061	0.941	0.524	0.337	2.627	-0.117	0.907	

RaceBlack	18.255	84761125.65	12151.84	0	Inf	0.002	0.999	
RaceWhite	17.353	34377091.71	12151.84	0	Inf	0.001	0.999	
Stage2	17.175	28767347.72	5343.627	0	Inf	0.003	0.997	
Stage3	16.16	10428062.73	5343.627	0	Inf	0.003	0.998	
Stage4	17.331	33646617.36	5343.627	0	Inf	0.003	0.997	

Rsquare = 0.081 (max possible = 9.24e-01 )

Likelihood ratio test p = 6.83e-01

Wald test p = 9.35e-01

Score (logrank) test p = 8.22e-01

**ROR1 in HNSC-HPV- (n=422):**

Model: Surv(OS, EVENT) ~ `ROR1` + Age + Gender + Race + Stage

364 patients with 160 dying ( 58 missing obs. )

	coef	HR	se(coef)	95%CI_l	95%CI_u	z	p	signif
ROR1	0.118	1.125	0.14	0.855	1.479	0.842	0.4	
Age	0.024	1.024	0.008	1.008	1.041	3.009	0.003	**
Gendermale	-0.294	0.746	0.176	0.528	1.053	-1.665	0.096	.
RaceBlack	-0.063	0.939	0.567	0.309	2.851	-0.112	0.911	
RaceWhite	-0.445	0.641	0.516	0.233	1.762	-0.862	0.389	
Stage2	0.55	1.734	0.555	0.584	5.148	0.991	0.322	
Stage3	0.873	2.394	0.544	0.824	6.956	1.604	0.109	
Stage4	1.29	3.634	0.514	1.328	9.944	2.512	0.012	*

Rsquare = 0.081 (max possible = 9.89e-01 )

Likelihood ratio test p = 1.57e-04

Wald test p = 3.74e-04

Score (logrank) test p = 2.72e-04

**ROR1 in KICH (n=66):**

Model: Surv(OS, EVENT) ~ `ROR1` + Age + Gender + Race + Stage

63 patients with 9 dying ( 3 missing obs. )

	coef	HR	se(coef)	95%CI_l	95%CI_u	z	p	signif
ROR1	0.127	1.14E+00	0.51	0.418	3.08E+00	0.249	0.804	
Age	0.072	1.07E+00	0.029	1.016	1.14E+00	2.499	0.012	*
Gendermale	-0.885	4.13E-01	0.728	0.099	1.72E+00	-1.215	0.224	
RaceBlack	-17.003	0.00E+00	6326.393	0	Inf	-0.003	0.998	
RaceWhite	-1.837	1.59E-01	1.161	0.016	1.55E+00	-1.582	0.114	
Stage2	16.083	9.65E+06	0.849	1826607.177	5.10E+07	18.934	0	****
Stage3	17.145	2.79E+07	0.776	6102805.105	1.28E+08	22.097	0	****
Stage4	19.591	3.22E+08	0.899	55280881.16	1.88E+09	21.78	0	****

Rsquare = 0.345 (max possible = 6.71e-01 )

Likelihood ratio test p = 7.96e-04

Wald test p = 3.7e-282

Score (logrank) test p = 3.63e-09

**ROR1 in KIRC (n=533):**

Model: Surv(OS, EVENT) ~ `ROR1` + Age + Gender + Race + Stage

519 patients with 170 dying ( 14 missing obs. )

	coef	HR	se(coef)	95%CI_l	95%CI_u	z	p	signif
ROR1	-0.447	0.64	0.116	0.509	0.804	-3.836	0	***
Age	0.031	1.032	0.007	1.017	1.047	4.206	0	***
Gendermale	-0.144	0.866	0.165	0.627	1.197	-0.87	0.384	
RaceBlack	0.372	1.451	1.053	0.184	11.428	0.353	0.724	
RaceWhite	0.551	1.735	1.013	0.238	12.642	0.544	0.587	
Stage2	0.232	1.262	0.321	0.672	2.368	0.723	0.47	
Stage3	0.91	2.484	0.213	1.635	3.773	4.265	0	***
Stage4	1.884	6.579	0.201	4.439	9.749	9.386	0	***

Rsquare = 0.236 (max possible = 9.75e-01 )

Likelihood ratio test p = 2.78e-26

Wald test p = 5.31e-26

Score (logrank) test p = 4.89e-32

**ROR1 in KIRP (n=290):**

Model: Surv(OS, EVENT) ~ `ROR1` + Age + Gender + Race + Stage

243 patients with 38 dying ( 47 missing obs. )

	coef	HR	se(coef)	95%CI_l	95%CI_u	z	p	signif
--	------	----	----------	---------	---------	---	---	--------

ROR1	0.172	1.187	0.181	0.832	1.694	0.948	0.343	
Age	0.014	1.014	0.016	0.983	1.045	0.871	0.384	
Gendermale	-0.253	0.777	0.364	0.38	1.586	-0.693	0.488	
RaceBlack	-2.08	0.125	1.158	0.013	1.209	-1.796	0.073	.
RaceWhite	-2.299	0.1	1.149	0.011	0.955	-2	0.045	*
Stage2	0.001	1.001	0.769	0.222	4.517	0.001	0.999	
Stage3	1.428	4.17	0.389	1.946	8.939	3.671	0	***
Stage4	2.703	14.92	0.464	6.014	37.014	5.83	0	***

Rsquare = 0.15 (max possible = 7.65e-01 )

Likelihood ratio test p = 4.22e-06

Wald test p = 5.48e-07

Score (logrank) test p = 3.47e-11

#### ROR1 in LAML (n=173):

Model: Surv(OS, EVENT) ~ `ROR1` + Age + Gender + Race

149 patients with 93 dying ( 24 missing obs. )

	coef	HR	se(coef)	95%CI_l	95%CI_u	z	p	signif
ROR1	0.536	1.709	0.543	0.59	4.949	0.987	0.323	
Age	0.036	1.037	0.008	1.02	1.054	4.357	0	***
Gendermale	-0.115	0.891	0.213	0.587	1.352	-0.542	0.588	
RaceBlack	-0.418	0.659	1.108	0.075	5.781	-0.377	0.706	
RaceWhite	-0.785	0.456	1.021	0.062	3.374	-0.769	0.442	

Rsquare = 0.161 (max possible = 9.96e-01 )

Likelihood ratio test p = 8.5e-05

Wald test p = 2.12e-04

Score (logrank) test p = 1.28e-04

#### ROR1 in LGG (n=516):

Model: Surv(OS, EVENT) ~ `ROR1` + Age + Gender + Race

500 patients with 124 dying ( 16 missing obs. )

	coef	HR	se(coef)	95%CI_l	95%CI_u	z	p	signif
ROR1	0.933	2.543	0.133	1.961	3.297	7.042	0	***
Age	0.059	1.061	0.007	1.046	1.076	8.146	0	***
Gendermale	0.241	1.273	0.191	0.876	1.85	1.266	0.206	
RaceBlack	15.336	4573467.195	2533.119	0	Inf	0.006	0.995	
RaceWhite	15.778	7117335.446	2533.119	0	Inf	0.006	0.995	

Rsquare = 0.188 (max possible = 9.16e-01 )

Likelihood ratio test p = 6.95e-21

Wald test p = 1.24e-21

Score (logrank) test p = 2.4e-25

#### ROR1 in LIHC (n=371):

Model: Surv(OS, EVENT) ~ `ROR1` + Age + Gender + Race + Stage

330 patients with 112 dying ( 41 missing obs. )

	coef	HR	se(coef)	95%CI_l	95%CI_u	z	p	signif
ROR1	0.295	1.343	0.158	0.985	1.831	1.862	0.063	.
Age	0.012	1.012	0.008	0.997	1.028	1.557	0.119	
Gendermale	-0.174	0.84	0.214	0.552	1.279	-0.812	0.417	
RaceBlack	0.668	1.95	0.481	0.76	5.001	1.39	0.165	
RaceWhite	-0.103	0.902	0.224	0.582	1.399	-0.461	0.645	
Stage2	0.263	1.3	0.257	0.786	2.151	1.023	0.306	
Stage3	0.974	2.648	0.224	1.706	4.109	4.342	0	***
Stage4	1.734	5.664	0.616	1.693	18.951	2.814	0.005	**

Rsquare = 0.087 (max possible = 9.67e-01 )

Likelihood ratio test p = 2.07e-04

Wald test p = 9.67e-05

Score (logrank) test p = 3.12e-05

#### ROR1 in LUAD (n=515):

Model: Surv(OS, EVENT) ~ `ROR1` + Age + Gender + Race + Stage

439 patients with 160 dying ( 76 missing obs. )

	coef	HR	se(coef)	95%CI_l	95%CI_u	z	p	signif
ROR1	-0.029	0.972	0.093	0.811	1.165	-0.311	0.756	
Age	0.005	1.005	0.009	0.988	1.022	0.594	0.552	
Gendermale	0.041	1.042	0.163	0.757	1.434	0.254	0.8	

RaceBlack	0.936	2.55	1.036	0.335	19.429	0.904	0.366	
RaceWhite	1.162	3.196	1.007	0.444	23.017	1.154	0.249	
Stage2	0.85	2.34	0.195	1.595	3.432	4.349	0	***
Stage3	1.074	2.927	0.209	1.943	4.41	5.136	0	***
Stage4	1.149	3.154	0.317	1.695	5.868	3.626	0	***

Rsquare = 0.089 (max possible = 9.77e-01 )

Likelihood ratio test p = 2.16e-06

Wald test p = 3.87e-06

Score (logrank) test p = 9.72e-07

#### ROR1 in LUSC (n=501):

Model: Surv(OS, EVENT) ~ `ROR1` + Age + Gender + Race + Stage

382 patients with 168 dying ( 119 missing obs. )

	coef	HR	se(coef)	95%CI_l	95%CI_u	z	p	signif
ROR1	0.171	1.186	0.105	0.966	1.458	1.627	0.104	
Age	0.015	1.016	0.009	0.998	1.034	1.697	0.09	.
Gendermale	0.472	1.604	0.191	1.104	2.33	2.477	0.013	*
RaceBlack	0.218	1.243	0.619	0.37	4.179	0.352	0.725	
RaceWhite	-0.332	0.718	0.571	0.235	2.195	-0.582	0.561	
Stage2	0.236	1.266	0.182	0.885	1.81	1.291	0.197	
Stage3	0.606	1.832	0.212	1.209	2.778	2.853	0.004	**
Stage4	1.199	3.318	0.664	0.903	12.187	1.807	0.071	.

Rsquare = 0.058 (max possible = 9.88e-01 )

Likelihood ratio test p = 3.36e-03

Wald test p = 1.89e-03

Score (logrank) test p = 1.34e-03

#### ROR1 in MESO (n=87):

Model: Surv(OS, EVENT) ~ `ROR1` + Age + Gender + Race + Stage

86 patients with 73 dying ( 1 missing obs. )

	coef	HR	se(coef)	95%CI_l	95%CI_u	z	p	signif
ROR1	0.235	1.265	0.119	1.002	1.596	1.981	0.048	*
Age	0.018	1.019	0.016	0.988	1.05	1.178	0.239	
Gendermale	-0.263	0.769	0.335	0.399	1.483	-0.784	0.433	
RaceBlack	-0.791	0.453	1.598	0.02	10.39	-0.495	0.62	
RaceWhite	-1.059	0.347	1.074	0.042	2.845	-0.986	0.324	
Stage2	-0.226	0.798	0.458	0.325	1.959	-0.492	0.622	
Stage3	-0.04	0.961	0.409	0.431	2.143	-0.097	0.922	
Stage4	-0.228	0.796	0.459	0.324	1.957	-0.496	0.62	

Rsquare = 0.084 (max possible = 9.98e-01 )

Likelihood ratio test p = 4.78e-01

Wald test p = 4.93e-01

Score (logrank) test p = 4.8e-01

#### ROR1 in OV (n=303):

Model: Surv(OS, EVENT) ~ `ROR1` + Age + Race

289 patients with 178 dying ( 14 missing obs. )

	coef	HR	se(coef)	95%CI_l	95%CI_u	z	p	signif
ROR1	0.011	1.011	0.081	0.862	1.186	0.137	0.891	
Age	0.031	1.032	0.008	1.017	1.047	4.147	0	***
RaceBlack	0.112	1.118	0.564	0.37	3.381	0.198	0.843	
RaceWhite	-0.068	0.934	0.515	0.34	2.564	-0.133	0.894	

Rsquare = 0.059 (max possible = 9.97e-01 )

Likelihood ratio test p = 1.5e-03

Wald test p = 1.34e-03

Score (logrank) test p = 1.2e-03

#### ROR1 in PAAD (n=179):

Model: Surv(OS, EVENT) ~ `ROR1` + Age + Gender + Race + Stage

171 patients with 90 dying ( 8 missing obs. )

	coef	HR	se(coef)	95%CI_l	95%CI_u	z	p	signif
ROR1	0.213	1.238	0.142	0.938	1.634	1.505	0.132	
Age	0.023	1.023	0.011	1.001	1.046	2.089	0.037	*
Gendermale	-0.246	0.782	0.215	0.514	1.191	-1.145	0.252	
RaceBlack	-0.022	0.978	0.701	0.248	3.865	-0.032	0.975	

RaceWhite	0.269	1.308	0.479	0.511	3.347	0.56	0.575	
Stage2	0.846	2.33	0.439	0.986	5.505	1.928	0.054	.
Stage3	0.151	1.163	1.088	0.138	9.806	0.139	0.889	
Stage4	0.286	1.331	0.834	0.259	6.825	0.342	0.732	

Rsquare = 0.087 (max possible = 9.9e-01 )

Likelihood ratio test p = 5.05e-02

Wald test p = 8.26e-02

Score (logrank) test p = 6.92e-02

#### ROR1 in PCPG (n=181):

Model: Surv(OS, EVENT) ~ `ROR1` + Age + Gender + Race

176 patients with 7 dying ( 5 missing obs. )

	coef	HR	se(coef)	95%CI_l	95%CI_u	z	p	signif
ROR1	0.294	1.342	0.957	0.206	8.763	0.308	0.758	
Age	0.031	1.031	0.025	0.982	1.083	1.236	0.216	
Gendermale	1.552	4.719	0.954	0.727	30.627	1.626	0.104	
RaceBlack	0.128	1.137	21211.75	0	Inf	0	1	<NA>
RaceWhite	17.777	52532118.43	17295.11	0	Inf	0.001	0.999	

Rsquare = 0.032 (max possible = 2.95e-01 )

Likelihood ratio test p = 3.38e-01

Wald test p = 7.28e-01

Score (logrank) test p = 4.26e-01

#### ROR1 in PRAD (n=498):

Model: Surv(OS, EVENT) ~ `ROR1` + Age + Race

481 patients with 10 dying ( 17 missing obs. )

	coef	HR	se(coef)	95%CI_l	95%CI_u	z	p	signif
ROR1	-0.496	0.609	0.463	0.246	1.508	-1.073	0.283	
Age	0.044	1.045	0.052	0.944	1.157	0.844	0.399	
RaceBlack	15.809	7343392.664	6678.002	0	Inf	0.002	0.998	
RaceWhite	16.195	10797687.38	6678.002	0	Inf	0.002	0.998	

Rsquare = 0.006 (max possible = 1.72e-01 )

Likelihood ratio test p = 6.01e-01

Wald test p = 7.1e-01

Score (logrank) test p = 6.64e-01

#### ROR1 in READ (n=166):

Model: Surv(OS, EVENT) ~ `ROR1` + Age + Gender + Race + Stage

78 patients with 14 dying ( 88 missing obs. )

	coef	HR	se(coef)	95%CI_l	95%CI_u	z	p	signif
ROR1	1.212	3.361	0.664	0.916	12.339	1.827	0.068	.
Age	0.141	1.151	0.053	1.038	1.277	2.663	0.008	**
Gendermale	-0.009	0.991	0.701	0.251	3.919	-0.013	0.99	
RaceBlack	12.85	380660.485	6979.641	0	Inf	0.002	0.999	
RaceWhite	11.073	64436.966	6979.641	0	Inf	0.002	0.999	
Stage2	-1.765	0.171	1.261	0.014	2.028	-1.399	0.162	
Stage3	-0.215	0.806	0.913	0.135	4.828	-0.236	0.814	
Stage4	-0.462	0.63	1.014	0.086	4.597	-0.455	0.649	

Rsquare = 0.236 (max possible = 7.16e-01 )

Likelihood ratio test p = 7.24e-03

Wald test p = 1e-01

Score (logrank) test p = 1.66e-02

#### ROR1 in SARC (n=260):

Model: Surv(OS, EVENT) ~ `ROR1` + Age + Gender + Race

248 patients with 94 dying ( 12 missing obs. )

	coef	HR	se(coef)	95%CI_l	95%CI_u	z	p	signif
ROR1	0.118	1.125	0.083	0.957	1.323	1.423	0.155	
Age	0.021	1.021	0.008	1.005	1.038	2.602	0.009	**
Gendermale	-0.115	0.892	0.217	0.583	1.363	-0.529	0.597	
RaceBlack	-0.019	0.981	1.074	0.119	8.059	-0.018	0.986	
RaceWhite	-0.368	0.692	1.019	0.094	5.101	-0.361	0.718	

Rsquare = 0.04 (max possible = 9.74e-01 )

Likelihood ratio test p = 6.86e-02

Wald test p = 8.44e-02

Score (logrank) test p = 8.46e-02

**ROR1 in SKCM (n=471):**

Model: Surv(OS, EVENT) ~ `ROR1` + Age + Gender + Race + Stage

400 patients with 191 dying ( 71 missing obs. )

	coef	HR	se(coef)	95%CI_l	95%CI_u	z	p	signif
ROR1	-0.01	0.99	0.085	0.838	1.169	-0.123	0.902	
Age	0.02	1.02	0.005	1.01	1.03	3.882	0	***
Gendermale	-0.02	0.981	0.156	0.722	1.332	-0.125	0.901	
RaceWhite	-1.359	0.257	0.401	0.117	0.564	-3.387	0.001	**
Stage2	0.26	1.297	0.216	0.849	1.983	1.204	0.229	
Stage3	0.588	1.8	0.202	1.212	2.674	2.914	0.004	**
Stage4	1.235	3.437	0.349	1.735	6.808	3.54	0	***

Rsquare = 0.101 (max possible = 9.92e-01 )

Likelihood ratio test p = 4.06e-07

Wald test p = 1.05e-07

Score (logrank) test p = 1.78e-08

**ROR1 in SKCM-Primary (n=103):**

Model: Surv(OS, EVENT) ~ `ROR1` + Age + Gender + Race + Stage

94 patients with 26 dying ( 9 missing obs. )

	coef	HR	se(coef)	95%CI_l	95%CI_u	z	p	signif
ROR1	0.009	1.01E+00	0.267	0.598	1.701	0.032	0.974	
Age	0.013	1.01E+00	0.016	0.982	1.045	0.794	0.427	
Gendermale	0.235	1.27E+00	0.43	0.545	2.937	0.548	0.584	
RaceWhite	-1.293	2.74E-01	0.615	0.082	0.916	-2.102	0.036	*
Stage2	17.475	3.88E+07	6203.221	0	Inf	0.003	0.998	
Stage3	17.967	6.35E+07	6203.221	0	Inf	0.003	0.998	
Stage4	20.127	5.51E+08	6203.221	0	Inf	0.003	0.997	

Rsquare = 0.146 (max possible = 8.69e-01 )

Likelihood ratio test p = 3.86e-02

Wald test p = 3.47e-02

Score (logrank) test p = 2.44e-03

**ROR1 in SKCM-Metastasis (n=368):**

Model: Surv(OS, EVENT) ~ `ROR1` + Age + Gender + Race + Stage

306 patients with 165 dying ( 62 missing obs. )

	coef	HR	se(coef)	95%CI_l	95%CI_u	z	p	signif
ROR1	0.018	1.018	0.09	0.853	1.215	0.196	0.845	
Age	0.022	1.023	0.006	1.011	1.034	4.017	0	***
Gendermale	-0.03	0.97	0.171	0.694	1.355	-0.178	0.859	
RaceWhite	-1.16	0.313	0.599	0.097	1.013	-1.938	0.053	.
Stage2	0.144	1.155	0.227	0.739	1.803	0.632	0.527	
Stage3	0.54	1.716	0.206	1.146	2.57	2.622	0.009	**
Stage4	0.971	2.641	0.396	1.215	5.738	2.453	0.014	*

Rsquare = 0.103 (max possible = 9.95e-01 )

Likelihood ratio test p = 2.48e-05

Wald test p = 1.97e-05

Score (logrank) test p = 9.79e-06

**ROR1 in STAD (n=415):**

Model: Surv(OS, EVENT) ~ `ROR1` + Age + Gender + Race + Stage

323 patients with 125 dying ( 92 missing obs. )

	coef	HR	se(coef)	95%CI_l	95%CI_u	z	p	signif
ROR1	0.233	1.263	0.088	1.063	1.5	2.661	0.008	**
Age	0.033	1.034	0.01	1.014	1.054	3.403	0.001	**
Gendermale	0.108	1.114	0.192	0.765	1.622	0.563	0.574	
RaceBlack	0.226	1.254	0.441	0.528	2.974	0.513	0.608	
RaceWhite	-0.033	0.968	0.236	0.609	1.537	-0.14	0.889	
Stage2	0.594	1.811	0.383	0.855	3.835	1.551	0.121	
Stage3	1.025	2.788	0.359	1.381	5.63	2.859	0.004	**
Stage4	1.838	6.284	0.486	2.426	16.273	3.786	0	***

Rsquare = 0.085 (max possible = 9.81e-01 )

Likelihood ratio test p = 3.66e-04

Wald test p = 4.94e-04

Score (logrank) test p = 4e-04

**ROR1 in TGCT (n=150):**

Model: Surv(OS, EVENT) ~ `ROR1` + Age + Race + Stage

77 patients with 2 dying ( 73 missing obs. )

	coef	HR	se(coef)	95%CI_l	95%CI_u	z	p	signif
ROR1	-7.35	0.001	12310.66	0	Inf	-0.001	1	<NA>
Age	-2.392	0.091	1734.582	0	Inf	-0.001	0.999	
RaceBlack	5.344	209.278	3804039	0	Inf	0	1	<NA>
RaceWhite	-38.366	0	3811962	0	Inf	0	1	<NA>
Stage2	1.531	4.624	33496.55	0	Inf	0	1	<NA>
Stage3	11.142	69011.398	103956.3	0	Inf	0	1	<NA>

Rsquare = 0.137 (max possible = 1.37e-01 )

Likelihood ratio test p = 7.73e-02

Wald test p = 1e+00

Score (logrank) test p = 8.82e-03

**ROR1 in THCA (n=509):**

Model: Surv(OS, EVENT) ~ `ROR1` + Age + Gender + Race + Stage

411 patients with 16 dying ( 98 missing obs. )

	coef	HR	se(coef)	95%CI_l	95%CI_u	z	p	signif
ROR1	0.381	1.46E+00	0.463	0.59	3.628	0.821	0.411	
Age	0.153	1.17E+00	0.03	1.099	1.235	5.137	0	***
Gendermale	0.442	1.56E+00	0.584	0.495	4.89	0.756	0.45	
RaceBlack	18.545	1.13E+08	8109.587	0	Inf	0.002	0.998	
RaceWhite	18.17	7.78E+07	8109.587	0	Inf	0.002	0.998	
Stage2	0.322	1.38E+00	1.063	0.172	11.078	0.303	0.762	
Stage3	-0.115	8.92E-01	0.849	0.169	4.709	-0.135	0.893	
Stage4	0.715	2.05E+00	0.888	0.359	11.656	0.805	0.421	

Rsquare = 0.137 (max possible = 3.38e-01 )

Likelihood ratio test p = 3.53e-10

Wald test p = 2.59e-04

Score (logrank) test p = 1.53e-10

**ROR1 in THYM (n=120):**

Model: Surv(OS, EVENT) ~ `ROR1` + Age + Gender + Race

117 patients with 9 dying ( 3 missing obs. )

	coef	HR	se(coef)	95%CI_l	95%CI_u	z	p	signif
ROR1	-0.316	0.729	0.464	0.293	1.813	-0.679	0.497	
Age	0.064	1.066	0.033	1	1.137	1.952	0.051	.
Gendermale	-0.295	0.745	0.718	0.182	3.044	-0.41	0.682	
RaceBlack	-16.815	0	9219.931	0	Inf	-0.002	0.999	
RaceWhite	0.489	1.631	1.1	0.189	14.088	0.444	0.657	

Rsquare = 0.048 (max possible = 4.44e-01 )

Likelihood ratio test p = 3.25e-01

Wald test p = 4.83e-01

Score (logrank) test p = 3.98e-01

**ROR1 in UCEC (n=545):**

Model: Surv(OS, EVENT) ~ `ROR1` + Age + Race

497 patients with 85 dying ( 48 missing obs. )

	coef	HR	se(coef)	95%CI_l	95%CI_u	z	p	signif
ROR1	-0.145	0.865	0.148	0.647	1.156	-0.98	0.327	
Age	0.041	1.042	0.011	1.019	1.066	3.605	0	***
RaceBlack	0.823	2.278	0.75	0.524	9.912	1.098	0.272	
RaceWhite	0.726	2.067	0.726	0.498	8.57	1	0.317	

Rsquare = 0.037 (max possible = 8.48e-01 )

Likelihood ratio test p = 9.47e-04

Wald test p = 1.82e-03

Score (logrank) test p = 1.64e-03

**ROR1 in UCS (n=57):**

Model: Surv(OS, EVENT) ~ `ROR1` + Age + Race

54 patients with 34 dying ( 3 missing obs. )

	coef	HR	se(coef)	95%CI_l	95%CI_u	z	p	signif
--	------	----	----------	---------	---------	---	---	--------

ROR1	-0.324	0.723	0.215	0.475	1.102	-1.509	0.131	
Age	0.062	1.064	0.025	1.013	1.117	2.47	0.014	*
RaceBlack	16.887	21567091.11	4076.792	0	Inf	0.004	0.997	
RaceWhite	17.189	29171120.97	4076.792	0	Inf	0.004	0.997	

Rsquare = 0.153 (max possible = 9.84e-01 )

Likelihood ratio test p = 6.22e-02

Wald test p = 1.23e-01

Score (logrank) test p = 8.24e-02

**ROR1 in UVM (n=80):**

Model: Surv(OS, EVENT) ~ `ROR1` + Age + Gender + Stage

79 patients with 22 dying ( 1 missing obs. )

	coef	HR	se(coef)	95%CI l	95%CI u	z	p	signif
ROR1	1.516	4.553	1.085	0.543	38.183	1.397	0.162	
Age	0.032	1.033	0.019	0.995	1.072	1.7	0.089	.
Gendermale	0.365	1.44	0.48	0.562	3.689	0.76	0.447	
Stage3	-0.083	0.92	0.507	0.341	2.486	-0.164	0.87	
Stage4	3.792	44.365	1.225	4.021	489.522	3.096	0.002	**

Rsquare = 0.238 (max possible = 8.67e-01 )

Likelihood ratio test p = 6.55e-04

Wald test p = 1.29e-03

Score (logrank) test p = 3.58e-10