

Supplementary document




Figure S1. Principal component analysis (PCA) biplots of RNA-seq samples from color-coded groups (related to **Figure 2**). Yellow boxes indicate combination of principal components that can distinguish two groups.




Figure S2. Relative mRNA levels of 2 genes as reported in normal lung and lung cancer tissues (related to **Figure 2**).




Figure S3. Differential gene expression meta-analysis on annotated genes (related to **Figure 3**).








Figure S4. Pairwise similarity of filtered marker genes in 7 cell subsets as finalized in the updated AImmune approach. Pairwise similarity was computed based on gene expression across all subjects. DCs, dendritic cells.




Figure S5. Immune cell scores of 5 cell subsets produced by Monte Carlo simulation (n=20 v 20), utilizing original leukocyte scores produced by from res and non-res subjects.

Supplemental Table S1 DEG lists identified from this study

Table S1a List of DEGs identified by comparison of post- versus pre- treatment

Table S1b List of DEGs identified by comparison of responders versus non-responders

Supplemental Table S2 Summary of validation results

Table S2a Validation summary of top 10 DEGs identified by comparison of post- versus pre- treatment

Table S2b Validation summary of top 10 DEGs identified by comparison of responders versus non-responders

Supplemental Table S3 List of PCR primers used in this study