

Supplemental Material

Cunningham JW et al: “Machine Learning to Understand Genetic and Clinical Factors Associated with the Pulse Waveform Dicrotic Notch”

Table of Contents

Supplemental Table 1: Clinical Outcome Definitions.....	2
Supplemental Table 2: Comparative Assessment of 20 Polygenic Risk Scores for Notch Smoothness	10
Supplemental Table 3: Baseline Characteristics of Participants With and Without Binary Absent Notch.....	11
Supplemental Table 4: Multivariable Adjusted Association of Binary Absent Notch & Notch Smoothness with Prevalent Cardiovascular Disease at Baseline	13
Supplemental Table 5: Variants Associated with Binary Absent Notch.....	14
Supplemental Table 6: Variants Associated with Notch Smoothness in Participants of European Ancestry	15
Supplemental Table 7: Association of Notch Smoothness with Incident Cardiovascular Events in Participants Free of Cardiovascular Disease at Baseline	16
Supplemental Table 8: Association of Binary Absent Notch with Incident Cardiovascular Events in Participants Free of Cardiovascular Disease at Baseline	17
Supplemental Table 9: C-Statistics for Incident Cardiovascular Disease With Binary Absent Notch and Notch Smoothness Traits.....	18
Supplemental Table 10: Cross-Sectional Association of Notch Smoothness & Cardiac MRI Traits at Imaging Visit	19
Supplemental Table 11: Annotation of Genome Wide Significant Loci for Notch Smoothness.....	21
Supplemental Figure 1: CONSORT Diagram.....	23
Supplemental Figure 2: Q-Q Plot for Notch Smoothness GWAS	24
Supplemental Figure 3: Locus Zoom Plots for Loci Associated with Notch Smoothness.....	25

Supplemental Table 1: Clinical Outcome Definitions

Myocardial Infarction or Coronary Artery Disease

Source	Code
ICD9	410 Acute myocardial infarction
ICD9	4109 Acute myocardial infarction
ICD9	411 Other acute and subacute forms of ischaemic heart disease
ICD9	4119 Other acute and subacute forms of ischaemic heart disease
ICD9	412 Old myocardial infarction
ICD9	4129 Old myocardial infarction
ICD9	4140 Coronary atherosclerosis
ICD9	4148 Other specified forms of chronic ischaemic heart disease
ICD9	4149 Chronic ischaemic heart disease, unspecified
ICD10	I21 Acute myocardial infarction
ICD10	I21.0 Acute transmural myocardial infarction of anterior wall
ICD10	I21.1 Acute transmural myocardial infarction of inferior wall
ICD10	I21.2 Acute transmural myocardial infarction of other sites
ICD10	I21.3 Acute transmural myocardial infarction of unspecified site
ICD10	I21.4 Acute subendocardial myocardial infarction
ICD10	I21.9 Acute myocardial infarction, unspecified
ICD10	I22 Subsequent myocardial infarction
ICD10	I22.0 Subsequent myocardial infarction of anterior wall
ICD10	I22.1 Subsequent myocardial infarction of inferior wall
ICD10	I22.8 Subsequent myocardial infarction of other sites
ICD10	I22.9 Subsequent myocardial infarction of unspecified site
ICD10	I23 Certain current complications following acute myocardial infarction
ICD10	I23.0 Haemopericardium as current complication following acute myocardial infarction
ICD10	I23.1 Atrial septal defect as current complication following acute myocardial infarction
ICD10	I23.2 Ventricular septal defect as current complication following acute myocardial infarction
ICD10	I23.3 Rupture of cardiac wall without haemopericardium as current complication following acute myocardial infarction
ICD10	I23.4 Rupture of chordae tendineae as current complication following acute myocardial infarction
ICD10	I23.5 Rupture of papillary muscle as current complication following acute myocardial infarction
ICD10	I23.6 Thrombosis of atrium, auricular appendage and ventricle as current complications following acute myocardial infarction
ICD10	I23.8 Other current complications following acute myocardial infarction

ICD10	I24 Other acute ischaemic heart diseases
ICD10	I24.0 Coronary thrombosis not resulting in myocardial infarction
ICD10	I24.1 Dressler's syndrome
ICD10	I24.8 Other forms of acute ischaemic heart disease
ICD10	I24.9 Acute ischaemic heart disease, unspecified
ICD10	I25.1 Atherosclerotic heart disease
ICD10	I25.2 Old myocardial infarction
ICD10	I25.5 Ischaemic cardiomyopathy
ICD10	I25.6 Silent myocardial ischaemia
ICD10	I25.8 Other forms of chronic ischaemic heart disease
ICD10	I25.9 Chronic ischaemic heart disease, unspecified
OPCS4	K40 Saphenous vein graft replacement of coronary artery
OPCS4	K40.1 Saphenous vein graft replacement of one coronary artery
OPCS4	K40.2 Saphenous vein graft replacement of two coronary arteries
OPCS4	K40.3 Saphenous vein graft replacement of three coronary arteries
OPCS4	K40.4 Saphenous vein graft replacement of four or more coronary arteries
OPCS4	K40.8 Other specified saphenous vein graft replacement of coronary artery
OPCS4	K40.9 Unspecified saphenous vein graft replacement of coronary artery
OPCS4	K41 Other autograft replacement of coronary artery
OPCS4	K41.1 Autograft replacement of one coronary artery NEC
OPCS4	K41.2 Autograft replacement of two coronary arteries NEC
OPCS4	K41.3 Autograft replacement of three coronary arteries NEC
OPCS4	K41.4 Autograft replacement of four or more coronary arteries NEC
OPCS4	K41.8 Other specified other autograft replacement of coronary artery
OPCS4	K41.9 Unspecified other autograft replacement of coronary artery
OPCS4	K42 Allograft replacement of coronary artery
OPCS4	K42.1 Allograft replacement of one coronary artery
OPCS4	K42.2 Allograft replacement of two coronary arteries
OPCS4	K42.3 Allograft replacement of three coronary arteries
OPCS4	K42.4 Allograft replacement of four or more coronary arteries
OPCS4	K42.8 Other specified allograft replacement of coronary artery
OPCS4	K42.9 Unspecified allograft replacement of coronary artery
OPCS4	K43 Prosthetic replacement of coronary artery
OPCS4	K43.1 Prosthetic replacement of one coronary artery
OPCS4	K43.2 Prosthetic replacement of two coronary arteries
OPCS4	K43.3 Prosthetic replacement of three coronary arteries
OPCS4	K43.4 Prosthetic replacement of four or more coronary arteries
OPCS4	K43.8 Other specified prosthetic replacement of coronary artery
OPCS4	K43.9 Unspecified prosthetic replacement of coronary artery

OPCS4	K44 Other replacement of coronary artery
OPCS4	K44.1 Replacement of coronary arteries using multiple methods
OPCS4	K44.2 Revision of replacement of coronary artery
OPCS4	K44.8 Other specified other replacement of coronary artery
OPCS4	K44.9 Unspecified other replacement of coronary artery
OPCS4	K45.1 Double anastomosis of mammary arteries to coronary arteries
OPCS4	K45.2 Double anastomosis of thoracic arteries to coronary arteries NEC
OPCS4	K45.3 Anastomosis of mammary artery to left anterior descending coronary artery
OPCS4	K45.4 Anastomosis of mammary artery to coronary artery NEC
OPCS4	K45.5 Anastomosis of thoracic artery to coronary artery NEC
OPCS4	K45.6 Revision of connection of thoracic artery to coronary artery
OPCS4	K45.8 Other specified connection of thoracic artery to coronary artery
OPCS4	K45.9 Unspecified connection of thoracic artery to coronary artery
OPCS4	K46 Other bypass of coronary artery
OPCS4	K46.1 Double implantation of mammary arteries into heart
OPCS4	K46.2 Double implantation of thoracic arteries into heart NEC
OPCS4	K46.3 Implantation of mammary artery into heart NEC
OPCS4	K46.4 Implantation of thoracic artery into heart NEC
OPCS4	K46.5 Revision of implantation of thoracic artery into heart
OPCS4	K46.8 Other specified other bypass of coronary artery
OPCS4	K46.9 Unspecified other bypass of coronary artery
OPCS4	K49.1 Percutaneous transluminal balloon angioplasty of one coronary artery
OPCS4	K49.2 Percutaneous transluminal balloon angioplasty of multiple coronary arteries
OPCS4	K49.3 Percutaneous transluminal balloon angioplasty of bypass graft of coronary artery
OPCS4	K49.4 Percutaneous transluminal cutting balloon angioplasty of coronary artery
OPCS4	K49.8 Other specified transluminal balloon angioplasty of coronary artery
OPCS4	K49.9 Unspecified transluminal balloon angioplasty of coronary artery
OPCS4	K50.1 Percutaneous transluminal laser coronary angioplasty
OPCS4	K50.2 Percutaneous transluminal coronary thrombolysis using streptokinase
OPCS4	K50.4 Percutaneous transluminal atherectomy of coronary artery
OPCS4	K75.1 Percutaneous transluminal balloon angioplasty and insertion of 1-2 drug-eluting stents into coronary artery
OPCS4	K75.2 Percutaneous transluminal balloon angioplasty and insertion of 3 or more drug-eluting stents into coronary artery
OPCS4	K75.3 Percutaneous transluminal balloon angioplasty and insertion of 1-2 stents into coronary artery
OPCS4	K75.4 Percutaneous transluminal balloon angioplasty and insertion of 3 or more stents into coronary artery NEC

OPCS4	K75.8 Other specified percutaneous transluminal balloon angioplasty and insertion of stent into coronary artery
OPCS4	K75.9 Unspecified percutaneous transluminal balloon angioplasty and insertion of stent into coronary artery
Self Report	heart attack/myocardial infarction
Operation code	coronary angioplasty (ptca) +/- stent
Operation code	coronary artery bypass grafts (cabg)
Operation code	triple heart bypass
Vascular/heart problems diagnosed by doctor	Heart attack

Heart Failure

Source	Code
ICD10	I11.0 Hypertensive heart disease with (congestive) heart failure
ICD10	I13.0 Hypertensive heart and renal disease with (congestive) heart failure
ICD10	I13.2 Hypertensive heart and renal disease with both (congestive) heart failure and renal failure
ICD10	I25.5 Ischaemic cardiomyopathy
ICD10	I42.0 Dilated cardiomyopathy
ICD10	I42.5 Other restrictive cardiomyopathy
ICD10	I42.8 Other cardiomyopathies
ICD10	I42.9 Cardiomyopathy, unspecified
ICD10	I50 Heart failure
ICD10	I50.0 Congestive heart failure
ICD10	I50.1 Left ventricular failure
ICD10	I50.9 Heart failure, unspecified
ICD9	4254 Other primary cardiomyopathies
ICD9	4280 Congestive heart failure
ICD9	4281 Left heart failure
Self Report	heart failure/pulmonary odema
Self Report	cardiomyopathy
ICD10	I42.1 Obstructive hypertrophic cardiomyopathy
ICD10	I42.2 Other hypertrophic cardiomyopathy
Self Report	hypertrophic cardiomyopathy (hcm / hocm)

Aortic Stenosis

Source	Code
--------	------

ICD10	I06.0 Rheumatic aortic stenosis
ICD10	I06.2 Rheumatic aortic stenosis with insufficiency
ICD10	I35.0 Aortic (valve) stenosis
ICD10	I35.2 Aortic (valve) stenosis with insufficiency
Self Report	aortic stenosis

Stroke

Source	Code
Source of stroke report	Self-reported only
Source of stroke report	Hospital admission
Source of stroke report	Death only

Hypertension

Source	Code
ICD10	I10 Essential (primary) hypertension
ICD10	I11 Hypertensive heart disease
ICD10	I11.0 Hypertensive heart disease with (congestive) heart failure
ICD10	I11.9 Hypertensive heart disease without (congestive) heart failure
ICD10	I12 Hypertensive renal disease
ICD10	I12.0 Hypertensive renal disease with renal failure
ICD10	I12.9 Hypertensive renal disease without renal failure
ICD10	I13 Hypertensive heart and renal disease
ICD10	I13.0 Hypertensive heart and renal disease with (congestive) heart failure
ICD10	I13.1 Hypertensive heart and renal disease with renal failure
ICD10	I13.2 Hypertensive heart and renal disease with both (congestive) heart failure and renal failure
ICD10	I13.9 Hypertensive heart and renal disease, unspecified
ICD10	I15 Secondary hypertension
ICD10	I15.0 Renovascular hypertension
ICD10	I15.1 Hypertension secondary to other renal disorders
ICD10	I15.2 Hypertension secondary to endocrine disorders
ICD10	I15.8 Other secondary hypertension
ICD10	I15.9 Secondary hypertension, unspecified
ICD9	401 Essential hypertension
ICD9	4010 Essential hypertension, specified as malignant
ICD9	4011 Essential hypertension, specified as benign
ICD9	4019 Essential hypertension, not specified as malignant or benign
ICD9	402 Hypertensive heart disease

ICD9	4020 Hypertensive heart disease, specified as malignant
ICD9	4021 Hypertensive heart disease, specified as benign
ICD9	4029 Hypertensive heart disease, not specified as malignant or benign
ICD9	403 Hypertensive renal disease
ICD9	4030 Hypertensive renal disease, specified as malignant
ICD9	4031 Hypertensive renal disease, specified as benign
ICD9	4039 Hypertensive renal disease, not specified as malignant or benign
ICD9	404 Hypertensive heart and renal disease
ICD9	4040 Hypertensive heart and renal disease, specified as malignant
ICD9	4041 Hypertensive heart and renal disease, specified as benign
ICD9	4049 Hypertensive heart and renal disease, not specified as malignant or benign
ICD9	405 Secondary hypertension
ICD9	4050 Secondary hypertension, specified as malignant
ICD9	4051 Secondary hypertension, specified as benign
ICD9	4059 Secondary hypertension, not specified as malignant or benign
Self Report	hypertension
Self Report	essential hypertension
Vascular/heart problems diagnosed by doctor	High blood pressure

Atrial Fibrillation

Type	Code
ICD10	I48 Atrial fibrillation and flutter
ICD10	I48.0 Paroxysmal atrial fibrillation
ICD10	I48.1 Persistent atrial fibrillation
ICD10	I48.2 Chronic atrial fibrillation
ICD10	I48.3 Typical atrial flutter
ICD10	I48.4 Atypical atrial flutter
OPCS4	K62.1 Percutaneous transluminal ablation of pulmonary vein to left atrium conducting system
OPCS4	K62.2 Percutaneous transluminal ablation of atrial wall for atrial flutter
OPCS4	K62.3 Percutaneous transluminal ablation of conducting system of heart for atrial flutter NEC
Self Report	atrial fibrillation
Self Report	atrial flutter

Diabetes Mellitus

Source	Code
ICD10	E10 Insulin-dependent diabetes mellitus
ICD10	E10.0 With coma
ICD10	E10.1 With ketoacidosis
ICD10	E10.2 With renal complications
ICD10	E10.3 With ophthalmic complications
ICD10	E10.4 With neurological complications
ICD10	E10.5 With peripheral circulatory complications
ICD10	E10.6 With other specified complications
ICD10	E10.7 With multiple complications
ICD10	E10.8 With unspecified complications
ICD10	E10.9 Without complications
Self Report	type 1 diabetes
ICD10	E11 Non-insulin-dependent diabetes mellitus
ICD10	E11.0 With coma
ICD10	E11.1 With ketoacidosis
ICD10	E11.2 With renal complications
ICD10	E11.3 With ophthalmic complications
ICD10	E11.4 With neurological complications
ICD10	E11.5 With peripheral circulatory complications
ICD10	E11.6 With other specified complications
ICD10	E11.7 With multiple complications
ICD10	E11.8 With unspecified complications
ICD10	E11.9 Without complications
Self Report	type 2 diabetes

Hypercholesterolemia

Source	Code
ICD10	E10 Insulin-dependent diabetes mellitus
ICD10	E10.0 With coma
ICD10	E10.1 With ketoacidosis
ICD10	E10.2 With renal complications
ICD10	E10.3 With ophthalmic complications
ICD10	E10.4 With neurological complications
ICD10	E10.5 With peripheral circulatory complications
ICD10	E10.6 With other specified complications
ICD10	E10.7 With multiple complications
ICD10	E10.8 With unspecified complications

ICD10	E10.9 Without complications
Self Report	type 1 diabetes
ICD10	E11 Non-insulin-dependent diabetes mellitus
ICD10	E11.0 With coma
ICD10	E11.1 With ketoacidosis
ICD10	E11.2 With renal complications
ICD10	E11.3 With ophthalmic complications
ICD10	E11.4 With neurological complications
ICD10	E11.5 With peripheral circulatory complications
ICD10	E11.6 With other specified complications
ICD10	E11.7 With multiple complications
ICD10	E11.8 With unspecified complications
ICD10	E11.9 Without complications
Self Report	type 2 diabetes

Cancer

Source	Code
Cancer record origin	Originating from England/Wales
Cancer record origin	Hospital Episode Statistics from England
Cancer record origin	National Cancer Intelligence Network
Cancer record origin	Patient Episode Database for Wales
Cancer record origin	Originating from Scotland
Cancer record origin	Scottish Morbidity Records

Abbreviations

ICD, International Classification of Diseases; OPCS4, OPCS Classifications of Interventions and Procedures, version 4

Supplemental Table 2: Comparative Assessment of 20 Polygenic Risk Scores for Notch Smoothness

Linear Regression Model	PRS tuning parameters		Linear Regression Model Fit in Validation Cohort	
	LD (r^2)	P-value	R^2	Improvement in R^2 over clinical model
Clinical Model: notch smoothness ~ age + sex + genotyping array + PCs 1-12	-	-	0.0808	-
Clinical model + PRS1	0.8	5×10^{-8}	0.0828	0.002
Clinical model + PRS2	0.6	5×10^{-8}	0.0828	0.002
Clinical model + PRS3	0.4	5×10^{-8}	0.0827	0.002
Clinical model + PRS4	0.2	5×10^{-8}	0.0827	0.002
Clinical model + PRS5	0.05	5×10^{-8}	0.0827	0.002
Clinical model + PRS6	0.8	5×10^{-6}	0.0828	0.002
Clinical model + PRS7	0.6	5×10^{-6}	0.0828	0.002
Clinical model + PRS8	0.4	5×10^{-6}	0.0826	0.002
Clinical model + PRS9	0.2	5×10^{-6}	0.0827	0.002
Clinical model + PRS10	0.05	5×10^{-6}	0.0827	0.002
Clinical model + PRS11	0.8	5×10^{-4}	0.0832	0.002
Clinical model + PRS12	0.6	5×10^{-4}	0.0830	0.002
Clinical model + PRS13	0.4	5×10^{-4}	0.0825	0.002
Clinical model + PRS14	0.2	5×10^{-4}	0.0822	0.001
Clinical model + PRS15	0.05	5×10^{-4}	0.0821	0.001
Clinical model + PRS16	0.8	0.05	0.0836	0.003
Clinical model + PRS17	0.6	0.05	0.0836	0.003
Clinical model + PRS18	0.4	0.05	0.0833	0.003
Clinical model + PRS19	0.2	0.05	0.0828	0.002
Clinical model + PRS20	0.05	0.05	0.0825	0.002

Bolding indicates top performing score in the validation cohort.

Supplemental Table 3: Baseline Characteristics of Participants With and Without Binary**Absent Notch**

	No Absent Notch	Absent Notch	
	n=144501	n=25286	p-value
Age	56.53 (8.20)	61.51 (6.36)	<0.001
Men	69124 (47.8)	8637 (34.2)	<0.001
Heart rate	68.57 (11.26)	70.09 (13.12)	<0.001
BMI	27.35 (4.79)	28.11 (4.99)	<0.001
SBP	139.26 (19.40)	147.36 (20.56)	<0.001
DBP	82.16 (10.66)	82.74 (10.79)	<0.001
<u>Prevalent Conditions</u>			
Ever Smoking	84939 (59.1)	15741 (62.8)	<0.001
Hypercholesterolemia	21642 (15.0)	5800 (22.9)	<0.001
Diabetes mellitus	4058 (2.8)	1135 (4.5)	<0.001
Heart Failure	798 (0.6)	207 (0.8)	<0.001
MI/CAD	5597 (3.9)	1608 (6.4)	<0.001
Aortic stenosis	204 (0.1)	76 (0.3)	<0.001
Stroke	1934 (1.3)	612 (2.4)	<0.001
Atrial fibrillation	2270 (1.6)	685 (2.7)	<0.001
Any Cancer	12477 (8.6)	2757 (10.9)	<0.001
<u>PPG Features</u>			
Position of Shoulder	20.28 (5.46)	26.08 (3.49)	<0.001

Position of Peak	21.56 (5.38)	26.39 (3.39)	<0.001
Position of Notch	43.48 (6.25)	43.97 (6.90)	<0.001
Wave Reflection Index	66.72 (31.42)	73.46 (35.37)	<0.001
Arterial Stiffness Index	8.95 (3.59)	11.54 (5.51)	<0.001

Supplemental Table 4: Multivariable Adjusted Association of Binary Absent Notch & Notch Smoothness with Prevalent Cardiovascular Disease at Baseline

	Binary Absent Notch		Notch Smoothness	
	Adj OR (95% CI)	P-Value	Adj OR per SD (95% CI)	P-Value
Hypertension	1.19 (1.15-1.23)	2.6E-24	1.07 (1.06-1.08)	1.7E-27
MI/CAD	1.23 (1.15-1.32)	7.3E-10	1.10 (1.07-1.13)	4.8E-12
Heart Failure	1.18 (1.00-1.38)	0.05	1.08 (1.01-1.15)	0.03
Stroke	1.43 (1.29-1.58)	1.1E-12	1.18 (1.13-1.23)	2.0E-15
Aortic Stenosis	1.3 (0.98-1.73)	0.07	1.16 (1.03-1.30)	0.01
Atrial Fibrillation	1.42 (1.29-1.56)	9.1E-14	1.17 (1.13-1.21)	6.7E-16
Any Cancer	0.94 (0.89-0.98)	0.01	0.97 (0.95-0.98)	1.7E-04

Covariates included: age, sex, HR, BMI, SBP, DBP, prevalent type II DM,

hypercholesterolemia, and ever smoking

Supplemental Table 5: Variants Associated with Binary Absent Notch in Multi-Ancestry

Population

Rsid	Chr	Position (hg18)	Nearest Gene	Effect Allele	Allele Frequency (%)	OR (95% CI)	P Value
2:145690116 CT C	2	145690116	<i>TEX41</i>	C	36%	1.07 (1.04,1.09)	2.24E-08
rs7652774	3	141579311	<i>ATP1B3</i>	C	38%	1.07 (1.05,1.1)	3.81E-10
rs11977526	7	46008110	<i>IGFBP3</i>	A	41%	0.91 (0.89,0.93)	1.02E-17
rs1926034	10	104829102	<i>CNNM2 / NT5C2</i>	A	38%	0.91 (0.89,0.93)	5.53E-18
rs11570072	11	47365276	<i>MYBPC3</i>	G	17%	0.91 (0.88,0.93)	4.89E-11
rs227424	14	70456804	<i>SMOC1</i>	A	43%	0.93 (0.91,0.95)	3.14E-10

Odds ratio indicates expected change in odds of binary absent notch per allele.

Abbreviations: Chr, chromosome; CI, confidence interval; OR, odds ratio.

Supplemental Table 6: Variants Associated with Notch Smoothness in Participants of European Ancestry

Rsid	Chr	Position (hg18)	Nearest Gene	Effect Allele	Allele Frequency (%)	Beta (95% CI)	P Value
rs13386034	2	145759899	<i>TEX41</i>	C	25%	0.025 (0.016,0.033)	4.12E-08
rs7652774	3	141579311	<i>ATP1B3</i>	C	39%	0.024 (0.016,0.032)	1.40E-09
rs744892	3	14871766	<i>FGD5</i>	A	12%	0.035 (0.024,0.047)	3.20E-09
rs6890990	5	122599707	<i>PRDM6 / CEP120</i>	G	20%	-0.027 (- 0.037,-0.017)	4.28E-08
rs9349379	6	12903957	<i>PHACTR1</i>	G	40%	-0.026 (- 0.034,-0.018)	4.53E-11
rs11977526	7	46008110	<i>IGFBP3</i>	A	40%	-0.03 (- 0.038,-0.023)	1.67E-14
rs1926034	10	104829102	<i>CNNM2 / NT5C2</i>	A	37%	-0.038 (- 0.046,-0.03)	1.13E-21
rs4751648	10	116132246	<i>AFAPIL2</i>	C	45%	0.025 (0.017,0.032)	1.91E-10
rs2269434	11	47360412	<i>MYBPC3</i>	C	35%	-0.024 (- 0.032,-0.016)	1.88E-09
rs10770612	12	20230639	<i>LOC100506393</i>	G	20%	-0.028 (- 0.038,-0.019)	4.78E-09
rs4773173	13	111025118	<i>COL4A2</i>	G	34%	-0.023 (- 0.031,-0.015)	2.19E-08
rs227439	14	70451780	<i>SMOC1</i>	G	42%	-0.024 (- 0.032,-0.016)	1.56E-09
rs17514846	15	91416550	<i>FURIN</i>	A	47%	0.023 (0.016,0.031)	2.15E-09

Beta coefficient indicates expected increase in standardized continuous trait per allele. European ancestry participants (n=123,644) were defined as self-identifying White participants after exclusion of outliers in 3 pairs of principal components (1-2, 3-4, and 5-6) using the R package aberrant (lambda=40).

Abbreviations: Chr, chromosome; CI, confidence interval

Supplemental Table 7: Association of Notch Smoothness with Incident Cardiovascular Events in Participants Free of Cardiovascular Disease at Baseline

Outcome	Events	Adjusted for Age & Sex		Adjusted for Clinical Covariates		Adjusted for Clinical Covariates & Arterial Stiffness Index	
		HR per SD (95% CI)	P-Value	HR per SD (95% CI)	P-Value	HR per SD (95% CI)	P-Value
Hypertension	12084	1.15 (1.13-1.17)	7.3E-51	1.06 (1.04-1.08)	7.0E-11	1.03 (1.01-1.05)	0.01
MI/CAD	8546	1.14 (1.11-1.16)	1.1E-31	1.08 (1.06-1.11)	8.6E-13	1.06 (1.04-1.09)	7.2E-07
Heart Failure	2560	1.17 (1.12-1.21)	1.4E-15	1.08 (1.04-1.13)	4.0E-05	1.08 (1.04-1.13)	2.9E-04
Stroke	1202	1.12 (1.06-1.18)	1.1E-04	1.08 (1.02-1.15)	0.01	1.08 (1.02-1.15)	0.01
Aortic Stenosis	911	1.24 (1.16-1.31)	3.5E-11	1.14 (1.07-1.21)	8.8E-05	1.14 (1.07-1.22)	1.5E-04
Atrial Fibrillation	6371	1.06 (1.03-1.08)	1.7E-05	1.02 (0.99-1.04)	0.13	1.03 (1-1.05)	0.06
Death	6816	1.13 (1.11-1.16)	5.2E-25	1.09 (1.07-1.12)	5.0E-13	1.09 (1.06-1.11)	6.9E-10
Cancer	11120	1 (0.98-1.02)	0.90	1 (0.98-1.02)	0.74	0.99 (0.96-1.01)	0.16

Analysis of incident events was restricted to participants free of cardiovascular disease

(MI/CAD, heart failure, stroke, aortic stenosis, or atrial fibrillation) at baseline (n=155,717).

Participants with prevalent CVD (myocardial infarction or coronary artery disease, heart failure, stroke, aortic stenosis, or atrial fibrillation) or the outcome of interest at baseline were excluded.

Clinical covariates: age, sex, heart rate, body mass index, systolic and diastolic blood pressure prevalent diabetes mellitus, hypercholesterolemia, and ever smoking. All results exclude patients with any of these conditions at baseline. CI, confidence interval; HR, hazard ratio; MI/CAD, myocardial infarction or coronary artery disease; SD, standard deviation.

Supplemental Table 8: Association of Binary Absent Notch with Incident Cardiovascular Events in Participants Free of Cardiovascular Disease at Baseline

Outcome	Events	Adjusted Age/Sex		Adjusted Clinical Covariates		Adjusted for Clinical Covariates & Arterial Stiffness Index	
		HR (95% CI)	P-Value	HR (95% CI)	P-Value	HR (95% CI)	P-Value
Hypertension	12084	1.39 (1.33-1.46)	3.8E-45	1.17 (1.11-1.22)	1.9E-10	1.09 (1.04-1.15)	6.9E-04
MI/CAD	8546	1.31 (1.24-1.38)	9.5E-23	1.19 (1.13-1.26)	7.2E-10	1.14 (1.08-1.21)	6.7E-06
Heart Failure	2560	1.40 (1.27-1.53)	1.7E-12	1.21 (1.10-1.33)	7.8E-05	1.20 (1.08-1.32)	4.5E-04
Stroke	1202	1.28 (1.12-1.48)	4.0E-04	1.2 (1.04-1.38)	0.01	1.19 (1.03-1.38)	0.02
Aortic Stenosis	911	1.49 (1.28-1.74)	2.4E-07	1.25 (1.07-1.46)	4.1E-03	1.24 (1.06-1.46)	8.0E-03
Atrial Fibrillation	6371	1.13 (1.06-1.2)	1.2E-04	1.06 (0.99-1.13)	0.08	1.07 (1-1.14)	0.05
Death	6816	1.32 (1.25-1.4)	5.8E-21	1.24 (1.17-1.32)	1.2E-12	1.22 (1.14-1.3)	5.6E-10
Cancer	11120	1.00 (0.95-1.05)	0.88	0.99 (0.94-1.04)	0.76	0.97 (0.92-1.03)	0.32

Analysis of incident events was restricted to participants free of cardiovascular disease (MI/CAD, heart failure, stroke, aortic stenosis, or atrial fibrillation) at baseline (n=155,717). Participants with prevalent hypertension were also excluded for hypertension outcome only. Clinical covariates: age, sex, heart rate, body mass index, systolic and diastolic blood pressure prevalent diabetes mellitus, hypercholesterolemia, and ever smoking. All results exclude patients with any of these conditions at baseline. MI/CAD, myocardial infarction or coronary artery disease.

Supplemental Table 9: C-Statistics for Incident Cardiovascular Disease With Binary

Absent Notch and Notch Smoothness Traits

	Univariable		Multivariable (with clinical covariates)		
	Binary Absent Notch	Notch Smoothness	Clinical Only	Binary Absent Notch	Notch Smoothness
Hypertension	0.538	0.566	0.757	0.758	0.758
MI/CAD	0.531	0.565	0.716	0.717	0.717
Heart Failure	0.546	0.581	0.749	0.749	0.749
Stroke	0.539	0.566	0.708	0.709	0.709
Aortic Stenosis	0.556	0.607	0.792	0.794	0.794
Atrial Fibrillation	0.531	0.559	0.745	0.745	0.745
Cancer	0.519	0.537	0.656	0.656	0.656
Death	0.540	0.569	0.717	0.718	0.718

C-statistics refer to Cox proportional hazards regression models restricted to patients free of cardiovascular disease (MI/CAD, heart failure, stroke, aortic stenosis, or atrial fibrillation) and the outcome of interest at baseline. Multivariable model includes the follow covariates: age, sex, body mass index, heart rate, systolic and diastolic blood pressure, ever smoking, prevalent hypercholesterolemia, and prevalent diabetes mellitus.

Supplemental Table 10: Cross-Sectional Association of Notch Smoothness & Cardiac MRI

Traits at Imaging Visit

Notch Smoothness

	Difference per SD Notch Smoothness (95% CI)		
	Unadjusted	Adj. Age & Sex	Adj Age, Sex, S/DBP, HR, & BMI
LV End Diastolic Volume Indexed to BSA (ml/m ²)	-1.81 (-1.67,-1.95), p=6x10 ⁻¹⁴³	-0.92 (-0.78,-1.05), p=2x10 ⁻³⁸	-0.48 (-0.35,-0.61), p=7x10 ⁻¹³
LV End Systolic Volume Indexed to BSA (ml/m ²)	-1.05 (-0.97,-1.14), p=7x10 ⁻¹³³	-0.57 (-0.49,-0.66), p=7x10 ⁻⁴³	-0.39 (-0.31,-0.48), p=7x10 ⁻²⁰
LV Ejection Fraction (%)	0.59 (0.50,0.66), p=2x10 ⁻⁷⁰	0.36 (0.30,0.43), p=7x10 ⁻²⁹	0.33 (0.30,0.40), p<=3x10 ⁻²¹

BMI, body mass index; BSA, body surface area; HR, heart rate; LV, left ventricle; S/DBP, systolic and diastolic blood pressure

Binary Absent Notch

	Difference in Absent Notch (95% CI)		
	Unadjusted	Adj. Age & Sex	Adj Age, Sex, S/DBP, HR, & BMI
LV End Diastolic Volume Indexed to BSA(ml/m ²)	-3.5 (-3.8,-3.1), p=6x10 ⁻¹⁰⁰	-1.5 (-1.8,-1.2), p=1x10 ⁻²⁰	-0.9 (-1.2,-0.6), p=6x10 ⁻⁹
LV End Systolic Volume Indexed to BSA (ml/m ²)	-2.1 (-2.3,-1.9), p=8x10 ⁻¹⁰⁰	-1.0 (-1.2,-0.8), p=6x10 ⁻²⁶	-0.7 (-0.9,-0.5), p=2x10 ⁻¹³

LV Ejection Fraction (%)	1.2 (1.1,1.4), p=6x10 ⁻⁶⁰	0.7 (0.6,0.8), p=4x10 ⁻²¹	0.6 (0.5,0.8), p=5x10 ⁻¹⁵
--------------------------	-----------------------------------------	-----------------------------------------	-----------------------------------------


BMI, body mass index; BSA, body surface area; HR, heart rate; LV, left ventricle; S/DBP, systolic and diastolic blood pressure

Supplemental Table 11: Annotation of Genome Wide Significant Loci for Notch Smoothness


Top SNP at Locus	Chr:Pos (hg18)	eQTL in Aorta or Left Ventricle	Nearest Gene	Closest Gene in TWAS (Aorta or LV)	Human disease in OMIM	Cardiovascular Effect of Gene Knockout
rs763944709	chr2:145700572	<i>ZEB2</i> (aorta)	<i>TEX41</i>	<i>ZEB2</i>	ZEB2 loss of function mutations cause Mowat-Wilson syndrome (microcephaly, mental retardation, hypertelorism, submucous cleft palate, and short stature (PMID: 11279515)	-
rs7652774	chr3:141579311		<i>ATP1B3</i>	<i>ATP1B3</i>	-	-
rs744892	chr3:14871766	-	<i>FGD5</i>	<i>MRPS25</i>	MRPS25 mutations cause familial oxidative phosphorylation deficiency-50 causing mitochondrial encephalopathy, consistent with role of the gene product (mitochondrial ribosomal protein S25)	-
rs6890990	chr5:122599707	<i>PRDM6</i> (aorta)	<i>PRDM6 & CEP120</i>	-	PRDM6 missense mutations cause autosomal dominant nonsyndromic patent ductus arteriosus (PMID 27181681)	-
rs9349379	chr6:12903957	<i>PHACTR1</i> (aorta)	<i>PHACTR1</i>	<i>PHACTR1</i>	PHACTR1 heterozygous transversion mutations cause developmental and epileptic encephalopathy (PMID: 30256902 & 23033978)	CRISPR-edited stem cell-derived endothelial cells demonstrate that PHACTR1 locus (6p24) regulates expression of endothelin 1, a vasoconstrictor.
rs11977526	chr7:46008110	<i>IGFBP3</i> (left ventricle)	<i>IGBP3</i>	<i>IGBP3</i>	-	IGBP3-deficient mice demonstrate dose-dependent increase in oxygen-induced retinal vessel loss and decrease in vessel regrowth (PMID 17567756).
rs1537370	chr9:22084310		<i>CDKN2B-AS1</i>			
rs1926034	chr10:104829102	<i>NT5C2, BORCS7 & AS3MT</i> (aorta)	<i>CNNM2 & NT5C2</i>	<i>NT5C2, BORCS7 & AS3MT</i>	NT5C2: homozygous nonsense mutations associated with spastic paraplegia (PMID 24482476).	NT5C2 knockout mice demonstrate reduced body weight, adipose tissue, and insulin resistance (PMID: 30803894).
rs4751648	chr10:116132246	-	<i>AFAPIL2</i>	-	-	-

rs2269434	chr11:47360412	<i>CIQTNF4</i> (aorta)	<i>MYBPC3</i>	-	Truncating mutations in MYBPC3 resulting in haploinsufficiency cause familial hypertrophic cardiomyopathy by augmentation of myosin contractility (PMID: 30674652)	-
rs28691743	chr11:69797119		<i>ANO1</i>			
rs10770612	chr12:20230639	-	<i>LOC100506393</i>	-	-	-
rs9521719	chr13:111017784	-	<i>COL4A2</i>	-	Missense mutations in COL4A2 are associated with porencephaly, a neurological disorder characterized by fluid-filled cysts due to small vessel hemorrhage (PMID 22209246).	Mice with heterozygous G646D mutation in COL4A2 developed multifocal intracerebral hemorrhages (PMID: 24203695) and myopathy (PMID: 22209247).
rs227424	chr14:70456804	-	<i>SMOC1</i>	<i>SMOC1</i>	Homozygous mutations in SMOC1 cause microphthalmia and limb abnormalities	-
rs6224	chr15:91423543	<i>FES & FURIN</i> (aorta)	<i>FURIN</i>	<i>FES</i>	-	-

Supplemental Figure 1: CONSORT Diagram




Supplemental Figure 2: Q-Q Plot for Notch Smoothness GWAS




Supplemental Figure 3: Locus Zoom Plots for Loci Associated with Notch Smoothness

Loci with lead variant p-value $< 5 \times 10^{-8}$ are shown.


Chromosome 2 (near *TEX41*)




Chromosome 3 (near *ATP1B3*)




Chromosome 3 (near *FGD5*)




Chromosome 5 (near *PRDM6* & *CEP120*)




Chromosome 6 (near *PHACTR1*)




Chromosome 7 (near *IGFBP3*)




Chromosome 9 (near CDKN2B-AS1)




Chromosome 10 (near *CNNM2* & *NT5C2*)




Chromosome 10 (near *AFAP1L2*)




Chromosome 11 (near *MYBPC3*)




Chromosome 11 (near *ANO1*)




Chromosome 12 (near *LOC100506393*)



Chromosome 13 (near *COL4A2*)



Chromosome 14 (near *SMOC1*)



Chromosome 15 (near *FURIN*)

