

Supplemental Figures

Supplemental table 1. Differences in plasma metabolites in response to glucose load compared to fasting. Results are from a regression SERRF normalized metabolites on sample type (OGTT vs fasting) adjusted for age, sex, race, weight, and batch. A p-value of <0.05 was used to determine significance (in bold). The fold change in response to oral glucose is the adjusted fold change associated with OGTT compared to fasting state (e.g., a fold change of 1.28 indicates a 28% increase in metabolite levels).

Metabolite Name	Fold change between OGTT/fasting (%95 CI)	p-value
Hippuric acid	3.28 (2.28, 4.73)	< 0.001
Erythrose	1.53 (1.2, 1.94)	< 0.001
Glycochenodeoxycholate	1.52 (0.94, 2.45)	0.089
Glycocholate	1.39 (0.94, 2.07)	0.1
Glucose	1.28 (1.17, 1.39)	< 0.001
Kynurenate	1.17 (1.04, 1.31)	0.0076
Creatine	1.16 (1.02, 1.32)	0.022
lactate	1.13 (0.98, 1.3)	0.091
Xanthine	1.11 (0.99, 1.24)	0.063
Cystamine	1.11 (0.91, 1.35)	0.29
Glucuronate	1.09 (0.95, 1.25)	0.24
Pyruvate	1.09 (0.92, 1.29)	0.31
Pyridoxal-5-P	1.04 (0.88, 1.24)	0.64
Aminoisobutyrate	1.03 (0.94, 1.14)	0.52
Carnitine	1.02 (0.96, 1.08)	0.58
L-Kynurenine	1.02 (0.93, 1.12)	0.67
Trimethylamine	1.01 (0.94, 1.07)	0.88
Betaine	1.01 (0.93, 1.1)	0.77
Urate	1 (0.95, 1.05)	0.9
5-Hydroxytryptophan	0.99 (0.94, 1.04)	0.73
Oxalic acid	0.99 (0.86, 1.13)	0.83
Uridine	0.97 (0.79, 1.19)	0.78
F16BP	0.95 (0.91, 1)	0.03

Inositol	0.95 (0.91, 0.98)	0.0028
Cystine	0.95 (0.88, 1.02)	0.14
Choline	0.95 (0.87, 1.04)	0.29
1-Methyladenosine	0.94 (0.89, 0.99)	0.026
Hypoxanthine	0.94 (0.83, 1.07)	0.36
Glycerate	0.94 (0.8, 1.1)	0.41
Fumaric acid	0.92 (0.83, 1.02)	0.12
Biotin	0.92 (0.82, 1.03)	0.14
Dimethylglycine	0.92 (0.79, 1.06)	0.25
Citraconic acid	0.92 (0.74, 1.14)	0.46
GTP	0.91 (0.87, 0.96)	< 0.001
Creatinine	0.91 (0.87, 0.96)	< 0.001
Propionate	0.91 (0.77, 1.08)	0.27
Allantoin	0.9 (0.81, 1)	0.049
Alanine	0.88 (0.81, 0.96)	0.005
Chenodeoxycholate	0.88 (0.81, 0.96)	0.0037
Homovanilate	0.88 (0.77, 1)	0.058
Glutamine	0.87 (0.81, 0.93)	< 0.001
D-Leucic acid	0.87 (0.72, 1.06)	0.17
G6P	0.86 (0.81, 0.92)	< 0.001
Melatonin	0.86 (0.67, 1.11)	0.25
Lysine	0.85 (0.8, 0.91)	< 0.001
Shikimic acid	0.85 (0.74, 0.99)	0.032
Histidine	0.84 (0.79, 0.88)	< 0.001
Adipic acid	0.84 (0.72, 0.96)	0.014
TMAO	0.84 (0.6, 1.16)	0.29
Glycine	0.83 (0.77, 0.9)	< 0.001
Pentothenate	0.83 (0.73, 0.94)	0.0036
Oxaloacetate	0.81 (0.74, 0.89)	< 0.001
GDP	0.8 (0.74, 0.88)	< 0.001
Tryptophan	0.78 (0.73, 0.84)	< 0.001
Aconitate	0.78 (0.72, 0.84)	< 0.001
Glyceraldehyde	0.78 (0.69, 0.9)	< 0.001
Oxypurinol	0.78 (0.67, 0.9)	< 0.001

Proline	0.77 (0.72, 0.83)	< 0.001
Asparagine	0.75 (0.71, 0.79)	< 0.001
Arginine	0.75 (0.66, 0.85)	< 0.001
Valine	0.74 (0.69, 0.8)	< 0.001
Ornithine	0.74 (0.68, 0.82)	< 0.001
Threonine	0.74 (0.68, 0.8)	< 0.001
Phenylalanine	0.73 (0.69, 0.77)	< 0.001
Guanidinoacetate	0.73 (0.66, 0.8)	< 0.001
N-AcetylGlycine	0.73 (0.64, 0.83)	< 0.001
Hydroxyproline	0.73 (0.61, 0.88)	< 0.001
MethylSuccinate	0.72 (0.67, 0.78)	< 0.001
Serine	0.71 (0.66, 0.76)	< 0.001
IMP	0.71 (0.47, 1.07)	0.098
2-Hydroxyglutarate	0.7 (0.62, 0.78)	< 0.001
Glutamic acid	0.7 (0.6, 0.82)	< 0.001
Cystathionine	0.7 (0.59, 0.84)	< 0.001
Methionine	0.67 (0.62, 0.71)	< 0.001
Sorbitol	0.66 (0.6, 0.72)	< 0.001
Tyrosine	0.65 (0.61, 0.69)	< 0.001
Succinate	0.61 (0.55, 0.68)	< 0.001
PGE	0.6 (0.53, 0.69)	< 0.001
Citrulline	0.58 (0.53, 0.62)	< 0.001
Leucine	0.56 (0.51, 0.61)	< 0.001
iso-Leucine	0.55 (0.5, 0.6)	< 0.001
Adenylosuccinate	0.53 (0.44, 0.65)	< 0.001
Aspartic acid	0.51 (0.43, 0.6)	< 0.001
Taurine	0.49 (0.41, 0.58)	< 0.001
Malonic acid	0.38 (0.28, 0.51)	< 0.001
Niacinamide	0.37 (0.29, 0.48)	< 0.001
ADP	0.21 (0.14, 0.32)	< 0.001
Linolenic acid	0.18 (0.15, 0.21)	< 0.001

Supplemental table 2. Differences in plasma metabolic response post glucose challenge by CKD status. Result from regression analysis using SERFF normalized on sample type (fasting vs OGTT) by CKD status adjusted for age, sex, race, weight, and batch. Fold changes represent changes in metabolite levels with fasting levels after glucose load. (e.g. a fold change of 0.92 indicates a reduction of %8 in metabolite level. P-value for interaction represents the heterogeneity in fold change by disease status.

Metabolite name	Fold change between OGTT/fasting for Non-CKD (%95 CI)	Fold change between OGTT/fasting for CKD (%95 CI)	p-value for interaction
Succinate	0.48 (0.37, 0.62)	0.78 (0.71, 0.85)	< 0.001
Taurine	0.41 (0.28, 0.6)	0.75 (0.66, 0.85)	0.0032
Adenylosuccinate	0.41 (0.26, 0.65)	0.84 (0.72, 0.98)	0.0037
Hippuric acid	1.56 (0.67, 3.59)	5.68 (4.29, 7.54)	0.004
ADP	0.17 (0.07, 0.42)	0.63 (0.47, 0.86)	0.0063
Biotin	0.74 (0.59, 0.93)	1.02 (0.94, 1.1)	0.011
Niacinamide	0.35 (0.2, 0.6)	0.7 (0.58, 0.84)	0.019
Glycochenodeoxycholate	0.47 (0.16, 1.35)	1.69 (1.18, 2.42)	0.025
Inositol	0.92 (0.85, 0.99)	1 (0.98, 1.03)	0.026
Kynurenate	1.07 (0.82, 1.4)	0.78 (0.71, 0.85)	0.026
IMP	0.18 (0.07, 0.48)	0.55 (0.39, 0.76)	0.037
Uridine	0.69 (0.49, 0.96)	0.99 (0.89, 1.11)	0.043
Glucose	1.07 (0.88, 1.31)	1.34 (1.25, 1.43)	0.043
GDP	0.73 (0.59, 0.89)	0.9 (0.84, 0.97)	0.05
Melatonin	0.48 (0.28, 0.84)	0.83 (0.69, 1)	0.067
Glycocholate	0.7 (0.29, 1.66)	1.61 (1.2, 2.15)	0.073
2-Hydroxyglutarate	0.57 (0.43, 0.76)	0.73 (0.67, 0.8)	0.1
iso-Leucine	0.49 (0.4, 0.59)	0.58 (0.54, 0.61)	0.12
Urate	1.06 (1.02, 1.1)	1.03 (1.01, 1.04)	0.12
D-Leucic.Acid	0.68 (0.44, 1.04)	0.96 (0.83, 1.11)	0.13
Creatinine	0.87 (0.78, 0.97)	0.95 (0.91, 0.98)	0.15
Aspartic.Acid	0.63 (0.47, 0.83)	0.78 (0.71, 0.86)	0.15
1-Methyladenosine	0.89 (0.81, 0.99)	0.97 (0.94, 1.01)	0.15
Guanidinoacetate	0.67 (0.54, 0.82)	0.78 (0.73, 0.83)	0.15
Pentothenate	0.72 (0.54, 0.96)	0.9 (0.81, 0.99)	0.17
Glycerate	0.75 (0.5, 1.11)	0.99 (0.87, 1.14)	0.18

Aconitate	0.83 (0.69, 1)	0.95 (0.9, 1.02)	0.18
Pyridoxal-5-P	0.82 (0.56, 1.18)	1.07 (0.94, 1.21)	0.18
Trimethylamine-N-oxide.(TMAO)	0.41 (0.19, 0.87)	0.69 (0.54, 0.9)	0.2
F16BP/F26BP/G16BP	0.92 (0.84, 1.02)	0.99 (0.96, 1.02)	0.2
Citraconic.Acid	1.29 (0.78, 2.13)	0.92 (0.78, 1.09)	0.21
Erythrose	1.45 (0.89, 2.37)	1.04 (0.89, 1.23)	0.21
Glutamic.acid	0.59 (0.44, 0.79)	0.72 (0.65, 0.79)	0.22
Leucine	0.51 (0.42, 0.62)	0.57 (0.54, 0.61)	0.28
Glutaric.Acid/Oxaloacetate	0.87 (0.72, 1.05)	0.97 (0.91, 1.03)	0.28
Aminoisobutyrate	1.04 (0.83, 1.29)	0.92 (0.86, 0.99)	0.32
Proline	0.77 (0.66, 0.9)	0.84 (0.79, 0.88)	0.32
Hydroxyproline/Aminolevulinate	0.64 (0.42, 0.98)	0.79 (0.69, 0.92)	0.34
Pyruvate	1.08 (0.71, 1.64)	1.34 (1.16, 1.54)	0.34
Serine	0.75 (0.64, 0.89)	0.82 (0.77, 0.87)	0.37
Cystamine	1.09 (0.74, 1.6)	0.9 (0.79, 1.03)	0.38
L-Kynurenine	1.09 (0.9, 1.32)	0.99 (0.93, 1.06)	0.38
Arginine	0.72 (0.53, 0.99)	0.84 (0.75, 0.93)	0.39
Adipic.Acid	1.04 (0.75, 1.43)	0.89 (0.8, 0.99)	0.39
Valine	0.7 (0.61, 0.82)	0.75 (0.72, 0.79)	0.4
Carnitine	0.97 (0.84, 1.11)	1.02 (0.98, 1.07)	0.42
Phenylalanine	0.74 (0.66, 0.84)	0.78 (0.75, 0.81)	0.42
Asparagine	0.75 (0.67, 0.84)	0.79 (0.76, 0.82)	0.44
Glyceraldehyde	0.8 (0.59, 1.07)	0.9 (0.81, 1)	0.44
Chenodeoxycholate	0.94 (0.79, 1.12)	0.88 (0.82, 0.93)	0.45
Citrulline	0.63 (0.53, 0.74)	0.67 (0.63, 0.71)	0.48
Shikimic.Acid	1.17 (0.89, 1.55)	1.06 (0.96, 1.16)	0.49
Hypoxanthine	0.92 (0.7, 1.21)	1.01 (0.92, 1.11)	0.52
Linolenic.Acid	0.23 (0.17, 0.32)	0.26 (0.23, 0.29)	0.52
5-Hydroxytryptophan	1.06 (0.97, 1.15)	1.03 (1, 1.06)	0.54
GTP	0.95 (0.86, 1.05)	0.98 (0.95, 1.02)	0.54
Glycine	0.8 (0.67, 0.94)	0.84 (0.79, 0.89)	0.56
Oxypurinol	0.63 (0.44, 0.9)	0.7 (0.62, 0.79)	0.6
Xanthine	0.92 (0.71, 1.19)	0.99 (0.9, 1.08)	0.61
Cystathionine	0.9 (0.66, 1.23)	0.82 (0.74, 0.92)	0.61

Dimethylglycine	0.79 (0.58, 1.06)	0.85 (0.77, 0.95)	0.62
Glutamine	0.92 (0.77, 1.09)	0.88 (0.83, 0.93)	0.62
N-AcetylGlycine	0.71 (0.52, 0.96)	0.77 (0.69, 0.85)	0.62
Betaine	1.01 (0.84, 1.2)	0.96 (0.9, 1.02)	0.63
Tyrosine	0.68 (0.59, 0.78)	0.7 (0.67, 0.74)	0.63
Lysine	0.83 (0.72, 0.96)	0.86 (0.82, 0.9)	0.64
Oxalic.Acid	1.26 (0.91, 1.74)	1.16 (1.04, 1.29)	0.64
Methionine	0.67 (0.58, 0.78)	0.7 (0.66, 0.73)	0.65
Alanine	0.89 (0.72, 1.11)	0.94 (0.87, 1.01)	0.67
Threonine	0.78 (0.67, 0.91)	0.75 (0.72, 0.79)	0.69
Malonic Acid	0.95 (0.63, 1.43)	1.04 (0.9, 1.19)	0.69
Histidine	0.86 (0.76, 0.96)	0.84 (0.8, 0.87)	0.7
MethylSuccinate	0.76 (0.64, 0.89)	0.78 (0.74, 0.82)	0.73
Homovanilate	0.98 (0.74, 1.29)	0.93 (0.85, 1.02)	0.73
Kuraridinol	1.07 (0.84, 1.37)	1.02 (0.95, 1.1)	0.74
Creatine	1.14 (0.85, 1.53)	1.08 (0.98, 1.2)	0.75
Trimethylamine (TMA)	1.04 (0.9, 1.21)	1.06 (1.01, 1.12)	0.78
Propionate	0.83 (0.58, 1.19)	0.79 (0.7, 0.89)	0.78
Sorbitol	0.67 (0.55, 0.8)	0.68 (0.64, 0.73)	0.8
lactate	1.15 (0.82, 1.61)	1.2 (1.08, 1.35)	0.81
Allantoin	0.93 (0.76, 1.14)	0.95 (0.89, 1.02)	0.81
Choline	0.98 (0.78, 1.22)	0.95 (0.88, 1.03)	0.83
Fumaric.Acid/Maleic.Acid	0.95 (0.77, 1.19)	0.94 (0.87, 1.01)	0.89
PGE	0.75 (0.59, 0.96)	0.77 (0.71, 0.83)	0.89
Glycochenodeoxycholic.acid	0.83 (0.07, 9.83)	0.7 (0.34, 1.44)	0.9
Ornithine	0.77 (0.62, 0.97)	0.76 (0.71, 0.82)	0.92
G1P/G6P/F6P/F1P	0.95 (0.85, 1.06)	0.95 (0.91, 0.98)	0.94
Glucuronate	0.92 (0.7, 1.22)	0.92 (0.84, 1.01)	0.98
Cystine	0.98 (0.83, 1.14)	0.98 (0.93, 1.03)	0.99
Tryptophan	0.86 (0.73, 1.01)	0.86 (0.81, 0.91)	1

Supplemental table 3. The list of metabolites in each module from the WGCNA analysis.

Module color	Metabolite name
black	Alanine
black	Pyruvate
black	lactate
black	Oxalic.Acid
blue	Glycine
blue	Aminoisobutyrate
blue	Choline
blue	Serine
blue	Asparagine
blue	Phenylalanine
blue	Arginine
blue	MethylSuccinate
blue	Citrulline
blue	G1P.G6P.F6P.F1P
blue	Prostaglandin E
brown	TMAO
brown	Dimethylglycine
brown	Proline
brown	Threonine
brown	Hydroxyproline
brown	Glutamine
brown	Propionate
brown	Hyppuric acid
brown	Linolenic acid
green	Malonic acid
green	D-Leucic acid
green	Urate
green	Inositol
green	Kynurenate
green	IMP
grey	Trimethylamine

grey	Creatinine
grey	Betaine
grey	Creatine
grey	Glutamic acid
grey	Carnitine
grey	13C-Arginine
grey	13C-Tyrosine
grey	L-Kynurenine
grey	5-Hydroxytryptophan
grey	Cystine
grey	Uridine
grey	1-Methyladenosine
grey	Glyceraldehyde
grey	C13-Lactate
grey	Glycerate
grey	N-AcetylGlycine
grey	Citraconic acid
grey	Hypoxanthine
grey	Adipic acid
grey	2-Hydroxyglutarate
grey	Oxypurinol
grey	Xanthine
grey	Allantoin
grey	Shikimic acid
grey	Aconitate
grey	Glucose
grey	13C-Glucose
grey	Glucuronate
grey	Pentothenate
grey	Cystathionine
grey	Melatonin
grey	Biotin
grey	Pyridoxal-5-P
grey	F16BP.F26BP.G16BP

grey	Chenodeoxycholate
grey	Glycochenodeoxycholate
grey	Glycocholate
grey	GTP
red	Fumaric acid
red	Glutaric acid
red	Homovanilate
red	Erythrose
turquoise	Valine
turquoise	Leucine
turquoise	Iso-Leucine
turquoise	Ornithine
turquoise	Lysine
turquoise	Methionine
turquoise	Cystamine
turquoise	Histidine
turquoise	Tyrosine
turquoise	Sorbitol
turquoise	Tryptophan
turquoise	Guanidinoacetate
yellow	Niacinamide
yellow	Taurine
yellow	Aspartic acid
yellow	Succinate
yellow	ADP
yellow	GDP
yellow	Adenylosuccinate