



Supplementary Figure S1 Diagram explaining the follow up time for PCR positive cases and their matched PCR negative control

Supplementary table S1 Individuals that had symptoms at their second test within population that had a positive PCR test (post hoc population) during the follow up period and results of univariable and multivariable logistical regression

	Number asymptomatic at positive test	Number with symptoms at positive test (% of total with symptom information)	Number with missing symptom information at second test (%)	Univariable odds ratio logistic regression for symptoms at second test	Multivariable odds ratio logistic regression for symptoms at second test * adjusted for all variables reported
First test					
Negative (Control)	2,983	5860 (66.3)	2875 (24.5)	1	1
Positive (Case)	1,163	499 (30)	599 (26.5)	0.22 (0.19 0.24)	0.23 (0.2 0.26)
Sex					
F	3,075	3948 (56.2)	2256 (24.3)	1	1
M	1,071	2411 (69.2)	1218 (25.9)	1.75 (1.61 1.91)	1.67 (1.51 1.84)
Age					
Aged 10-49 years	2,005	4728 (70.2)	1482 (18)	1	1
Aged 50 and above	2,141	1631 (43.2)	1992 (34.6)	0.32 (0.3 0.35)	0.33 (0.3 0.36)
Month of first test					
March	65	146 (69.2)	260 (55.2)	1.17 (0.86 1.6)	2.14 (1.48 3.08)
April	970	1687 (63.5)	1566 (37.1)	0.91 (0.79 1.04)	1.32 (1.14 1.54)
May	1,535	1715 (52.8)	944 (22.5)	0.58 (0.51 0.66)	0.84 (0.73 0.97)
June	542	747 (58)	312 (19.5)	0.72 (0.62 0.84)	0.86 (0.72 1.02)
July	254	536 (67.8)	150 (16)	1.1 (0.92 1.32)	1.19 (0.97 1.47)
August	260	531 (67.1)	99 (11.1)	1.07 (0.89 1.28)	1.2 (0.98 1.48)
September	520	997 (65.7)	143 (8.6)	1	1
Region					
London	313	803 (72)	427 (27.7)	1	1
East Midlands	529	681 (56.3)	275 (18.5)	0.5 (0.42 0.6)	0.56 (0.46 0.69)
East of England	369	490 (57)	351 (29)	0.52 (0.43 0.62)	0.62 (0.5 0.77)
North East	253	372 (59.5)	360 (36.5)	0.57 (0.47 0.7)	0.69 (0.54 0.87)
North West	805	1509 (65.2)	754 (24.6)	0.73 (0.63 0.85)	0.79 (0.65 0.94)
South East	583	640 (52.3)	496 (28.9)	0.43 (0.36 0.51)	0.47 (0.38 0.57)
South West	204	190 (48.2)	142 (26.5)	0.36 (0.29 0.46)	0.43 (0.33 0.57)
West Midlands	514	673 (56.7)	376 (24.1)	0.51 (0.43 0.61)	0.56 (0.46 0.69)
Yorkshire and Humber	576	1001 (63.5)	293 (15.7)	0.68 (0.57 0.8)	0.72 (0.59 0.87)

Ethnicity						
White	3,210	4548 (58.6)	2560 (24.8)		1	1
Asian or Asian British	305	917 (75)	332 (21.4)	2.12 (1.85 2.43)		1.56 (1.34 1.81)
Black or Black British	173	152 (46.8)	110 (25.3)	0.62 (0.5 0.77)		0.44 (0.34 0.56)
Mixed	57	103 (64.4)	40 (20)	1.28 (0.92 1.77)		0.97 (0.68 1.39)
Other ethnic groups	81	169 (67.6)	91 (26.7)	1.47 (1.13 1.93)		0.97 (0.72 1.31)
Missing	320	470 (59.5)	341 (30.2)			
IMD quintiles						
1	1,171	1780 (60.3)	915 (23.7)		1	
2	950	1419 (59.9)	789 (25)	0.98 (0.88 1.1)		
3	782	1161 (59.8)	660 (25.4)	0.98 (0.87 1.1)		
4	693	1087 (61.1)	623 (25.9)	1.03 (0.91 1.16)		
5	539	901 (62.6)	481 (25)	1.1 (0.97 1.25)		
Missing	11	11 (50)	6 (21.4)			
First test route						
Hospital testing	1,111	1760 (61.3)	2686 (48.3)		1	
Community testing	3,035	4599 (60.2)	788 (9.4)	0.96 (0.88 1.04)		

Supplementary table S2 Individuals that had S gene target failure (SGTF) at their second test within population that had a positive PCR test from 15 November onwards (N=3128 with S gene target information, 5307 missing S gene target information) and results of univariable and multivariable logistical regression

	Number positive for S gene at second test	Number with S gene target failure (% of total with S gene target)	Number tests after 15 Nov 2020 missing S gene target information (%)	Univariable odds ratio logistic regression for S gene negative	Multivariable odds ratio logistic regression for S gene negative at second test * adjusted for all variables reported
First test					
Negative (Control)	1,632	1205 (42.5)	4358 (60.6)	1	1
Positive (Case)	132	159 (54.6)	949 (76.5)	1.63 (1.28 2.08)	1.9 (1.43 2.51)
Region					
London, South East and East of England	247	689 (73.6)	2541 (73.1)	1	1
Rest of England	1,517	675 (30.8)	2766 (55.8)	0.16 (0.13 0.19)	0.14 (0.11 0.17)
Age					
Aged 10-49 years	1,256	1027 (45)	2823 (55.3)	1	1
Aged 50 and above	508	337 (39.9)	2484 (74.6)	0.81 (0.69 0.95)	0.9 (0.74 1.08)
Month of first test					
March	34	30 (46.9)	222 (77.6)	0.64 (0.38 1.06)	0.39 (0.22 0.71)
April	377	307 (44.9)	1591 (69.9)	0.59 (0.48 0.72)	0.4 (0.31 0.51)
May	448	241 (35)	1400 (67)	0.39 (0.32 0.48)	0.31 (0.24 0.39)
June	188	76 (28.8)	492 (65.1)	0.29 (0.22 0.4)	0.23 (0.16 0.32)
July	149	98 (39.7)	313 (55.9)	0.48 (0.36 0.64)	0.41 (0.29 0.57)
August	238	156 (39.6)	415 (51.3)	0.47 (0.37 0.61)	0.37 (0.28 0.49)
September	330	456 (58)	874 (52.7)	1	1
Ethnicity					
White	1,258	953 (43.1)	3926 (64)	1	1
Asian or Asian British	283	195 (40.8)	515 (51.9)	0.91 (0.74 1.11)	0.76 (0.61 0.96)
Black or Black British	38	48 (55.8)	208 (70.7)	1.67 (1.08 2.57)	1.05 (0.65 1.72)

Mixed	17	24 (58.5)	81 (66.4)	1.86 (1 3.49)	1.21 (0.59 2.48)
Other ethnic groups	33	46 (58.2)	155 (66.2)	1.84 (1.17 2.9)	0.9 (0.53 1.51)
Missing	135	98 (42.1)	422 (64.4)		
First test route					
Hospital testing	424	350 (45.2)	2431 (75.9)		1
Community testing	1,340	1014 (43.1)	2876 (55)	0.92 (0.78 1.08)	
Sex					
F	1,143	835 (42.2)	3565 (64.3)		1
M	621	529 (46)	1742 (60.2)	1.17 (1.01 1.35)	
IMD quintiles					
1	564	347 (38.1)	1235 (57.5)		1
2	394	312 (44.2)	1197 (62.9)	1.29 (1.05 1.57)	
3	318	284 (47.2)	1092 (64.5)	1.45 (1.18 1.79)	
4	260	229 (46.8)	988 (66.9)	1.43 (1.15 1.79)	
5	226	189 (45.5)	781 (65.3)	1.36 (1.07 1.72)	
Missing	2	3 (60)	14 (73.7)		