

Supplementary Table 1. Description of the cohort stratified by coded response to the free text question and selected predictors

Variable	Total	Code							P value†
		Do nothing	Educate, increase access or incentivise	Maintain restrictions	Specific restrictions for unvaccinated	Mandatory vaccination for HCW / social care staff	Mandatory vaccination for general population or limited access to vital services	Don't know	
	N=3235	580 (17.9)	1047 (32.4)	336 (10.4)	547 (16.9)	201 (6.2)	377 (11.7)	147 (4.5)	
Age, med(IQR)	46 (35 – 55)	46 (36 – 56)	48 (38 – 56)	41 (32 – 52)	46 (35 – 56)	54 (46 – 61)	49 (38 – 57.5)	46 (35 – 56)	<0.001
Missing	13 (0.4)	6 (1.0)	2 (0.2)	0 (0.0)	2 (0.4)	2 (1.0)	1 (0.3)	0 (0.0)	
Sex									
Male	824 (25.5)	132 (22.8)	292 (27.9)	65 (19.4)	138 (25.2)	43 (21.4)	128 (34.0)	26 (17.7)	<0.001
Female	2405 (74.3)	445 (76.7)	754 (72.0)	271 (80.7)	408 (74.6)	158 (78.6)	248 (65.8)	121 (82.3)	
Missing	6 (0.2)	3 (0.5)	1 (0.1)	0 (0.0)	1 (0.2)	0 (0.0)	1 (0.3)	0 (0.0)	
Ethnicity									
White	2336 (72.2)	444 (76.6)	688 (65.7)	231 (68.8)	411 (75.1)	170 (84.6)	275 (72.9)	117 (79.6)	<0.001
Asian	571 (17.7)	78 (13.5)	236 (22.5)	71 (21.1)	84 (15.4)	16 (8.0)	70 (18.6)	16 (10.9)	
Black	122 (3.8)	28 (4.8)	52 (5.0)	10 (3.0)	16 (2.9)	3 (1.5)	9 (2.4)	4 (2.7)	
Mixed	144 (4.5)	26 (4.5)	47 (4.5)	15 (4.5)	27 (4.9)	7 (3.5)	16 (4.2)	6 (4.1)	
Other	60 (1.9)	3 (0.5)	24 (2.3)	9 (2.7)	9 (1.7)	5 (2.5)	7 (1.9)	3 (2.0)	
Missing	2 (0.1)	1 (0.2)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	1 (0.7)	
Migration status									
Born in the UK	2356 (72.8)	447 (77.1)	709 (67.7)	233 (69.4)	424 (77.5)	164 (81.6)	267 (70.8)	112 (76.2)	<0.001
Born outside the UK	791 (24.5)	120 (20.7)	306 (29.2)	91 (27.1)	114 (20.8)	33 (16.4)	101 (26.8)	26 (17.7)	
Missing	88 (2.7)	13 (2.2)	32 (3.1)	12 (3.6)	9 (1.7)	4 (2.0)	9 (2.4)	9 (6.1)	
IMD quintile									
1 (most deprived)	275 (8.5)	55 (9.5)	88 (8.4)	42 (12.5)	33 (6.0)	9 (4.5)	36 (9.6)	12 (8.2)	0.002
2	472 (14.6)	102 (17.6)	147 (14.0)	53 (15.8)	60 (11.0)	29 (14.4)	55 (14.6)	26 (17.7)	
3	588 (18.2)	99 (17.1)	193 (18.4)	59 (17.6)	96 (17.6)	36 (17.9)	78 (20.7)	27 (18.4)	
4	727 (22.5)	117 (20.2)	243 (23.2)	78 (23.2)	136 (24.9)	36 (17.9)	84 (22.3)	33 (22.5)	
5 (least deprived)	808 (25.0)	124 (21.4)	283 (27.0)	67 (19.9)	149 (27.2)	68 (33.8)	86 (22.8)	31 (21.1)	

Missing	365 (11.3)	83 (14.3)	93 (8.9)	37 (11.0)	73 (13.4)	23 (11.4)	38 (10.1)	18 (12.2)	
Job role									
Medical	773 (23.9)	95 (16.4)	301 (28.8)	63 (18.8)	133 (24.3)	55 (27.4)	99 (26.3)	27 (18.4)	<0.001
Nursing (inc Midwives + HCAs)	698 (21.6)	139 (24.0)	196 (18.7)	75 (22.3)	115 (21.0)	52 (25.9)	82 (21.8)	39 (26.5)	
AHPs*	1303 (40.3)	247 (42.6)	416 (39.7)	155 (46.1)	218 (39.9)	65 (32.3)	135 (35.8)	67 (45.6)	
Dental	173 (5.4)	38 (6.6)	45 (4.3)	21 (6.3)	27 (4.9)	14 (7.0)	22 (5.8)	6 (4.1)	
Administrative/estates/other	195 (6.0)	42 (7.2)	58 (5.5)	16 (4.8)	39 (7.1)	10 (5.0)	24 (6.4)	6 (4.1)	
Missing	93 (2.9)	19 (3.3)	31 (3.0)	6 (1.8)	15 (2.7)	5 (2.4)	15 (4.0)	2 (1.4)	
Exposure to patients with COVID-19 (at time of second questionnaire)									
No contact/remote contact only	2518 (77.8)	458 (79.0)	809 (77.3)	249 (74.1)	431 (78.8)	165 (82.1)	291 (77.2)	115 (78.2)	0.26
Face to face but no physical contact	149 (4.6)	29 (5.0)	59 (5.6)	19 (5.7)	23 (4.2)	6 (3.0)	11 (2.9)	2 (1.4)	
Physical contact	377 (11.7)	68 (11.7)	116 (11.1)	43 (12.8)	65 (11.9)	16 (8.0)	49 (13.0)	20 (13.6)	
missing	191 (5.9)	25 (4.3)	63 (6.0)	25 (7.4)	28 (5.1)	14 (7.0)	26 (6.9)	10 (6.8)	
SARS-CoV-2 vaccine hesitancy									
Not hesitant	2239 (69.2)	333 (57.4)	750 (71.6)	206 (61.3)	412 (75.3)	174 (86.6)	285 (75.6)	79 (53.7)	<0.001
Hesitant	862 (26.7)	236 (40.7)	244 (23.3)	112 (33.3)	116 (21.2)	20 (10.0)	78 (20.7)	56 (38.1)	
Missing	134 (4.1)	11 (1.9)	53 (5.1)	18 (5.4)	19 (3.5)	7 (3.5)	14 (3.7)	12 (8.2)	
Number of influenza vaccines in previous 2 seasons									
0	456 (14.1)	119 (20.5)	142 (13.6)	48 (14.3)	64 (11.7)	16 (8.0)	43 (11.4)	24 (16.3)	<0.001
1	515 (15.9)	100 (17.2)	174 (16.6)	54 (16.1)	84 (15.4)	30 (14.9)	57 (15.1)	16 (10.9)	
2	2123 (65.6)	342 (59.0)	682 (65.1)	218 (64.9)	382 (69.8)	147 (73.1)	259 (68.7)	93 (63.3)	
Missing	141 (4.4)	19 (3.3)	49 (4.7)	16 (4.8)	17 (3.1)	8 (4.0)	18 (4.8)	18 (4.8)	
VAX score, med (IQR)	16 (14 – 17)	15 (13 – 17)	16 (14 – 17)	15 (13 – 17)	16 (15 – 17)	16 (15 – 18)	16 (14 – 18)	16 (13 – 17)	<0.001
Missing	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	
Number of comorbidities									
0	2465 (76.2)	451 (77.8)	810 (77.4)	258 (76.8)	412 (75.3)	147 (73.1)	285 (75.6)	102 (69.4)	0.9
≥1	249 (7.7)	43 (7.4)	78 (7.5)	27 (8.0)	41 (7.5)	20 (10.0)	28 (7.4)	12 (8.2)	
Missing	521 (16.1)	86 (14.8)	159 (15.2)	51 (15.2)	94 (17.2)	34 (16.9)	64 (17.0)	33 (22.5)	
Pregnant[‡]									
Not pregnant	2947 (91.1)	539 (92.9)	938 (89.6)	301 (89.6)	505 (92.3)	187 (93.0)	350 (92.8)	127 (86.4)	0.16

Pregnant	63 (2.0)	12 (2.1)	20 (1.9)	12 (3.6)	12 (2.2)	3 (1.5)	2 (0.5)	2 (1.4)	
Missing	225 (7.0)	29 (5.0)	89 (8.5)	23 (6.9)	30 (5.5)	11 (5.5)	25 (6.6)	18 (12.2)	
Previous COVID-19									
Never tested	278 (8.6)	55 (9.5)	99 (9.5)	31 (9.2)	37 (6.8)	21 (10.5)	28 (7.4)	7 (4.8)	0.22
Tested negative	2181 (67.4)	380 (65.5)	708 (67.6)	238 (70.8)	376 (68.7)	127 (63.2)	256 (67.9)	96 (65.3)	
Tested positive	763 (23.6)	141 (24.3)	237 (22.6)	65 (19.4)	133 (24.3)	51 (25.4)	92 (24.4)	44 (29.9)	
Missing	13 (0.4)	4 (0.7)	3 (0.3)	2 (0.6)	1 (0.2)	2 (1.0)	1 (0.3)	0 (0.0)	
Lives with a person ≥65 years old									
No	2808 (86.8)	510 (87.9)	902 (86.2)	294 (87.5)	483 (88.3)	166 (82.6)	328 (87.0)	125 (85.0)	0.25
Yes	320 (9.9)	56 (9.7)	108 (10.3)	29 (8.6)	52 (9.5)	30 (14.9)	35 (9.3)	10 (6.8)	
Missing	107 (3.3)	14 (2.4)	37 (3.5)	13 (3.9)	12 (2.2)	5 (2.5)	14 (3.7)	12 (8.2)	
Lives with other key workers									
No	1678 (51.9)	287 (49.5)	560 (53.5)	168 (50.0)	283 (51.7)	118 (58.7)	182 (48.3)	80 (54.4)	0.05
Yes	1444 (44.6)	279 (48.1)	450 (43.0)	155 (46.1)	250 (45.7)	74 (36.8)	183 (48.5)	53 (36.1)	
Missing	113 (3.5)	14 (2.4)	37 (3.5)	13 (3.9)	14 (2.6)	9 (4.5)	12 (3.2)	14 (9.5)	
Trusts employing organisation to deal with concern about unsafe clinical practice									
Does not trust organisation	844 (26.1)	165 (28.5)	248 (23.7)	88 (26.2)	149 (27.2)	45 (22.4)	116 (30.8)	33 (22.5)	0.07
Trusts organisation	2161 (66.8)	384 (66.2)	724 (69.2)	223 (66.4)	361 (66.0)	138 (68.7)	230 (61.0)	101 (68.7)	
Missing	230 (7.1)	31 (5.3)	75 (7.2)	25 (7.4)	37 (6.8)	18 (9.0)	31 (8.2)	13 (8.8)	
COVID-19 conspiracies score, med (IQR)	8 (7 – 10)	9 (8 – 11)	8 (7 – 10)	9 (8 – 10)	8 (7 – 10)	8 (7 – 9)	9 (7 – 10)	9 (8 – 10)	<0.001
Missing	128 (4.0)	17 (2.9)	44 (4.2)	16 (4.8)	16 (2.9)	6 (3.0)	15 (4.0)	14 (9.5)	

Also includes pharmacists, healthcare scientists, ambulance workers and those in optical roles. † groups compared using chi-squared tests for categorical variables and Kruskal-Wallis tests for continuous variables. Values expressed as n(%) unless stated otherwise. ‡ Participants are coded as pregnant if they indicated they were pregnant at baseline or at follow up (i.e. this category includes participants who were pregnant at baseline and who may have delivered by the time of completing the follow up questionnaire. IMD – index of multiple deprivation; IQR – interquartile range;