




9216-100_3 : Plexin-B2




3186-2_2 : Complement C2




4801-13_3 : Lactoperoxidase




8484-24_3 : Leptin




4413-3_2 : Antileukoproteinase




2687-2_1 : Melanoma-derived growth regulatory




2913-1_2 : C-C motif chemokine 23




11514-196_3 : CD59 glycoprotein







3049-61_2 : Trypsin-1




2748-3_2 : Inhibin beta A chain




5358-3_3 : Osteomodulin




3438-10_2 : Follistatin-related protein 3




4467-49_2 : SPARC-like protein 1




4568-17_2 : SLIT and NTRK-like protein 5



3042-7_2 : Myoglobin




4775-34_3 : Gelsolin




5115-31_3 : Tumor necrosis factor receptor
superfamily member 19L


3.0 3.2 3.4 3.6 3.8




2201-17_6 : Endostatin




5121-3_2 : Semaphorin-6B




3435-53_2 : Fibronectin Fragment 4




2728-62_2 : Laminin




5109-24_3 : Neuronal cell adhesion molecule




5508-62_3 : Cathepsin D




3303-23_2 : Cystatin-M




3431-54_2 : Ephrin type-A receptor 1




2834-54_1 : Kallikrein-8




5122-92_2 : Semaphorin-6A




3516-60_2 : Stromal cell-derived factor 1




4152-58_2 : Plasma kallikrein




3470-1_2 : E-selectin







4962-52_1 : Cerebral dopamine neurotrophic factor




2190-55_1 : Coagulation Factor XI




13126-52_3 : Desmocollin-2




3212-30_3 : Neutral ceramidase




131113-7_3 : Osteopontin




5412-53_3 : CD27 antigen




4160-49_1 : 72 kDa type IV collagenase




2436-49_4 : C-X-C motif chemokine 16




4157-2_1 : Thrombin




4920-10_1 : Lysozyme C




3028-36_2 : Ck-beta-8-1



5837-49_3 : Leukemia inhibitory factor receptor




3009-3_2 : Transforming growth factor beta
receptor type 3




2686-67_2 : Insulin-like growth factor-binding


protein 6




2752-62_2 : Growth/differentiation factor 5




2973-15_2 : Platelet glycoprotein 4




4272-46_2 : Glucose-6-phosphate isomerase




4280-47_2 : Proteasome subunit alpha type-2




4141-79_1 : C-X-C motif chemokine 10




4314-12_2 : dCTP pyrophosphatase 1




3509-1_1 : C-C motif chemokine 15




4474-19_2 : Ubiquitin




3362-61_2 : Chordin-like protein 1




3446-7_2 : Interleukin-18 receptor 1




3415-61_2 : Bone sialoprotein 2




2609-59_2 : Cystatin-C




14136-234_3 : Complement component C1q receptor




4154-57_2 : P-selectin




14583-49_3 : Growth/differentiation factor 8




3448-13_2 : Insulin receptor




3325-2_2 : Matrilin-2




4237-70_3 : Leucine carboxyl methyltransferase 1




2706-69_2 : Thyroxine-binding globulin




3707-12_2: Serum albumin




2765-4_3 : Growth/differentiation factor 11/8




3331-8_1 : RGM domain family member B




3234-23_2 : Coiled-coil domain-containing protein




5077-28_3 : Ephrin type-B receptor 2




3396-54_2 : Renin




5069-9_3 : Complement decay-accelerating factor




2515-14_3 : GDNF family receptor alpha-2




8465-52_3 : Cathepsin H




3378-49_2 : Kallikrein-7




3376-49_2 : Interleukin-17 receptor D




14114-18_3 : PILR alpha-associated neural protein




4498-62_2 : Neural cell adhesion molecule 1; 120




2949-6_2 : Group 10 secretory phospholipase A2




2991-9_2 : Interleukin-1 receptor type 1




3045-72_2 : Pleiotrophin




13122-19_3 : Leucine-rich repeat transmembrane protein FLRT2




14125-5_3 : Apolipoprotein M




4763-31_3 : Afamin




5456-59_2 : Beta-Ala-His dipeptidase




2900-53_3 : C-C motif chemokine 14




2771-35_2 : Insulin-like growth factor-binding




4829-43_6 : 14-3-3 protein sigma




3280-49_2 : Aggregran core protein




2836-68_2 : Neutrophil gelatinase-associated lipocalin




3817-18_1 : Protein kinase C theta type




2797-56_2 : Apolipoprotein B




3314-74_2 : GDNF family receptor alpha-1



2826-53_2 : Ectodysplasin-A; secreted form




4482-66_2 : Complement C5b-C6 complex



8463-2_3 : Extracellular superoxide dismutase

[Cu-Zn]

2.5 3.0 3.5 4.0



Clusters

Contr

T2D

SAID


SIDD

SIRD


MOD

MARD

9201-13_3 : Transgelin-2




5018-68_1 : Peroxiredoxin-6




3057-55_1 : WNT1-inducible-signaling pathway


protein 1




5954-62_3 : Parathyroid hormone




4982-54_1 : Elafin




2831-29_1 : Kallikrein-11




3340-53_1 : Thrombospondin-4




2278-61_4 : Metalloproteinase inhibitor 2







4998-50_2 : Tyrosine-protein kinase JAK2




2665-26_2 : Tumor necrosis factor receptor
superfamily member 17




3508-78_3 : C-C motif chemokine 22




3505-6_2 : Lymphotoxin alpha1:beta2




3379-29_1 : Protein kinase C iota type




3656-9_1 : Cadherin-12




3030-3_2 : C-type lectin domain family 4 member M




3896-5_2 : Phosphoglycerate mutase 1



4148-49_2 : Pappalysin-1



3485-28_2 : Beta-2-microglobulin



4815-25_3 : Thioredoxin domain-containing protein

12

4.0

3.5

3.0

Contr

T2D

SAID


SIDD

SIRD


MOD

MARD


Clusters




13095-51_3 : Lithostathine-1-alpha




4500-50_2 : Stem cell growth factor-alpha




14153-8_3 : Ephrin-A3




5132-71_3 : Interleukin-27 receptor subunit alpha




3332-57_1 : Hemojuvelin




2558-51_3 : Beta-endorphin




5404-53_3 : Tumor necrosis factor receptor
superfamily member 21




3518-54_2 : Carboxypeptidase B2




5392-73_2 : Tumor necrosis factor receptor
superfamily member 6




2585-2_5 : Prolactin




5339-49_3 : Protein S100-A9




3481-87_1 : Xaa-Pro aminopeptidase 1




9188-119_3 : C-X-C motif chemokine 9







5843-60_3 : Histone-lysine N-methyltransferase
EHMT2




2635-61_2 : Layilin




3296-92_2 : Contactin-2



4985-11_1 : Fatty acid-binding protein; epidermal




2888-49_2 : Complement component C7




5091-28_3 : Leukocyte immunoglobulin-like
receptor subfamily B member 2


3.4 3.6 3.8 4.0 4.2 4.4




3115-64_2 : Mitogen-activated protein kinase 1




3434-34_1 : Fibronectin Fragment 3




4246-40_2 : Neural cell adhesion molecule L1




3893-64_1 : Mesothelin




2774-10_3 : Interleukin-16




5087-5_3 : Interleukin-22 receptor subunit
alpha-2




2631-50_2 : Interleukin-10 receptor subunit beta




2944-66_2 : Neuroblastoma suppressor of tumorigenicity 1




2848-2_2 : Wnt inhibitory factor 1



3827-22_1 : Serine/threonine-protein kinase PAK 6




3077-66_2 : Coagulation factor Xa




3191-50_2 : WAP; kazal; immunoglobulin; kunitz
and NTR domain-containing protein 1


2.5 3.0 3.5



13094-75_3 : R-spondin-3



3366-51_2 : Extracellular matrix protein 1



10364-6_3 : Mothers against decapentaplegic

homolog 2

4.5

4.0

3.5

Contr

T2D

SAID


SIDD


SIRD

MOD


MARD

Clusters







5443-62_2 : Atrial natriuretic factor



8467-9_3 : Inhibin beta A chain:Inhibin beta B




4866-59_2 : BDNF/NT-3 growth factors receptor




2685-21_2 : Insulin-like growth factor-binding


protein 5




2643-57_2 : Cadherin-3




4546-27_3 : Adhesion G protein-coupled receptor
E2




3291-30_2 : Low affinity immunoglobulin epsilon




2813-11_2 : Agouti-related protein




3888-8_1 : Inhibitor of growth protein 1




2670-67_4 : Creatine kinase M-type




13109-82_3 : Neuronal growth regulator 1




11096-57_3 : HemK methyltransferase family member




4564-2_2 : Plexin-C1




2516-57_3 : C-C motif chemokine 21




3897-61_1 : Pyridoxal phosphate phosphatase







5034-79_1 : Trypsin-2




3848-14_2 : Glyceraldehyde-3-phosphate
dehydrogenase




3628-3_4 : Dual specificity mitogen-activated protein kinase kinase 2




4883-56_2 : Insulin



3879-50_1 : Hsp90 co-chaperone Cdc37




4163-5_2 : Histone H2A.z




2846-24_2 : Ubiquitin+1; truncated mutation for


UbbB




3343-1_4 : Aminoacylase-1




2796-62_2 : Fibrinogen




5870-23_2 : Bcl2-associated agonist of cell death




5092-51_3 : Protein jagged-1




3580-25_8 : Alpha-1-antitrypsin




5467-15_3 : Heat shock protein HSP 90-beta




4249-64_2 : Nucleoside diphosphate kinase B




9207-60_3 : Quinone oxidoreductase-like protein 1




2625-53_4 : Heat shock protein HSP 90-alpha/beta




2744-57_2 : Immunoglobulin G




2742-68_2 : Sialic acid-binding Ig-like lectin 7




14139-16_3 : Neuregulin-4




2878-66_2 : Tyrosine-protein kinase Yes





4963-19_1 : cAMP-regulated phosphoprotein 19






8474-6_3 : Tyrosine-protein kinase transmembrane receptor ROR1







14143-8_3 : Histone H2B type 2-E




4125-52_2 : Advanced glycosylation end product-specific receptor; soluble




4905-63_1 : Coactosin-like protein




7625-27_3 : 14-3-3 protein theta




5345-51_3 : Cytoskeleton-associated protein 2




5019-16_2 : Ubiquitin carboxyl-terminal hydrolase isozyme L1




5470-69_2 : Mediator of RNA polymerase II
transcription subunit 1




13093-6_3 : Secreted and transmembrane protein 1




4840-73_1 : Granulocyte colony-stimulating factor




14131-37_3 : Ephrin-B2




3503-4_2 : Integrin alpha-I: beta-1 complex




2638-12_2 : Macrophage colony-stimulating factor 1 receptor




5918-5_3 : Proteasome activator complex subunit 1




4996-66_1 : Histidine-rich glycoprotein




2429-27_4 : Complement component C8




3875-62_1 : AT-rich interactive domain-containing protein 3A




4460-8_2 : 3-phosphoinositide-dependent protein kinase 1




3035-80_2 : Interleukin-19




14121-24_3 : Tumor necrosis factor receptor
superfamily member 10D




3608-12_1 : Dipeptidyl peptidase 2



4131-72_2 : Fibronectin




3805-16_2 : Endothelial cell-specific molecule 1




4499-21_1 : Platelet-derived growth factor

subunit A


4.5
4.0
3.5




9169-14_3 : Small ubiquitin-related modifier 3




9204-33_3 : Pro-opiomelanocortin




3611-70_4 : Endothelin-converting enzyme 1




3326-58_2 : Cell adhesion molecule 1




5275-28_2 : Proto-oncogene vav




3152-57_1 : Tumor necrosis factor receptor
superfamily member 1B




4158-54_2 : Urokinase-type plasminogen activator




13118-5_3 : SPARC-related modular calcium-binding



3079-62_2 : Retinoic acid receptor responder
protein 2




5134-52_2 : Hepatitis A virus cellular receptor 2



4983-6_1 : Endoplasmic reticulum resident protein


29

3.4
3.6
3.8
4.0
4.2
4.4




Clusters


13097-11_3 : Bcl-2-like protein 2




5140-56_3 : Netrin receptor UNC5D




3836-51_2 : Ubiquitin-fold modifier 1




4993-16_1 : Glutathione S-transferase A3







4541-49_2 : Cell adhesion molecule-related/down-regulated by oncogenes




2614-28_2 : Ephrin-A4







4706-17_2 : Protein 4.1




8458-111_3 : Alpha-synuclein




5489-18_3 : Stress-induced-phosphoprotein 1




4453-83_3 : Leucine-rich repeat transmembrane neuronal protein 3




3397-7_4 : Tyrosine-protein phosphatase
non-receptor type 11




5225-50_3 : Casein kinase II 2-alpha:2-beta heterotetramer




4309-59_3 : Triosephosphate isomerase



5245-40_5 : AMP Kinase (alpha2beta2gamma1)




4867-15_2 : Vascular endothelial growth factor A;
isoform 121




4209-60_2 : Vacuolar protein sorting-associated protein VTA1 homolog


3.5
4.0
4.5




3177-49_2 : Carbonic anhydrase 4




2970-60_2 : Amphiregulin




10365-132_3 : Interleukin-23




4240-31_2 : Pyruvate kinase PKM







5080-131_3 : Transmembrane glycoprotein NMB




3872-2_1 : Translationally-controlled tumor




2697-7_2 : Platelet factor 4




2381-52_4 : Complement C5




3504-58_2 : Hepcidin




4490-65_2 : Interleukin-3 receptor subunit alpha




4294-16_2 : Sphingosine kinase 1




3399-31_2 : Stabilin-2







3044-3_2 : C-C motif chemokine 18




4374-45_2 : Growth/differentiation factor 15




11103-24_3 : Heat shock protein beta-1




5259-2_3 : Mitogen-activated protein kinase
kinase kinase 7: TGF-beta-activated kinase 1 and
3.0 MAP3K7-binding protein 4.0 fusion 4.5




5007-1_1 : Mitogen-activated protein kinase 14




5035-7_1 : Thymidylate synthase




14147-50_3 : Interferon gamma




4355-13_1 : Death-associated protein kinase 2




2998-53_2 : Junctional adhesion molecule C




2974-61_2 : Contactin-1




3474-19_2 : Thrombospondin-1



4393-3_1 : Fibroblast growth factor 16






5011-11_1 : Nicotinamide
phosphoribosyltransferase

2.5


3.0

3.5




Clusters


4989-7_1 : Fibrinogen gamma chain




3197-70_2 : Insulin-degrading enzyme




3083-71_1 : Tumor necrosis factor receptor
superfamily member 27




2790-54_2 : Neutrophil-activating peptide 2




2634-2_2 : Cytokine receptor common subunit gamma



2192-63_10 : C-C motif chemokine 27




3040-59_1 : C-C motif chemokine 3




2526-53_3 : Tumor necrosis factor receptor
superfamily member 11B


3.5 4.0 4.5




3587-53_2 : Bone morphogenetic protein 10




4332-6_2 : C-type lectin domain family 1 member B



4258-15_2 : Proliferation-associated protein 2G4



3839-60_2 : AH receptor-interacting protein



3815-14_1 : Interleukin-12 receptor subunit

beta-2

3.0 3.5 4.0 4.5 5.0

Contr

T2D

SAID


SIDD

SIRD


MOD

MARD


Clusters




2997-8_1 : Junctional adhesion molecule B




2637-77_2 : Macrophage mannose receptor 1




3506-49_1 : Lymphotoxin alpha2:beta1




3905-62_1 : Ubiquitin-conjugating enzyme E2 N




5012-67_1 : Adenylate kinase isoenzyme 1




3866-7_2 : Ribosome maturation protein SBDS




3294-55_2 : Cryptic protein




5480-49_3 : C-C motif chemokine 5




5487-7_3 : SLAM family member 7



5272-55_2 : SHC-transforming protein 1




3799-11_2 : Carbonic anhydrase 3




2950-57_2 : Insulin-like growth factor-binding


protein 4




5105-2_3 : Reticulon-4 receptor




3822-54_2 : MAP kinase-activated protein kinase 3




3495-15_2 : C-X-C motif chemokine 6



3902-21_2 : S-phase kinase-associated protein 1




2475-1_3 : Mast/stem cell growth factor receptor




2642-4_1 : Platelet-activating factor
acetylhydrolase IB subunit beta


3.5
4.0
4.5
5.0




4544-4_3 : Connective tissue-activating peptide




5483-1_3 : Repulsive guidance molecule A




3032-11_2 : Follicle stimulating hormone




3421-54_2 : Tumor necrosis factor ligand
superfamily member 8




4155-3_2 : Tenascin




3004-67_2 : Programmed cell death 1 ligand 2




2858-29_2 : Histone acetyltransferase type B catalytic subunit




3903-49_2 : Sorting nexin-4



4533-76_2 : A disintegrin and metalloproteinase
with thrombospondin motifs 15




3480-7_1 : Dual specificity protein phosphatase 3




4149-8_2 : Platelet-derived growth factor subunit


B




2891-1_3 : B-cell receptor CD22




3844-2_1 : Peptidyl-prolyl cis-trans isomerase A




4132-27_2 : Follistatin




2906-55_3 : Interleukin-4




3874-8_1 : Ubiquitin-conjugating enzyme E2 L3




2615-60_2 : Ephrin-A5







3773-15_4 : Angiopoietin-1 receptor; soluble




14156-33_3 : 14-3-3 protein beta/alpha




3472-40_2 : Baculoviral IAP repeat-containing protein 5




2580-83_2 : Myeloperoxidase



10363-13_3 : Mothers against decapentaplegic




3312-64_1 : High affinity immunoglobulin gamma Fc




7640-29_3 : Low-density lipoprotein
receptor-related protein 1B


4.2
4.4
4.6
4.8




2789-26_2 : Matrilysin




4136-40_2 : Interleukin-17D




9197-4_3 : Galectin-9




4188-1_2 : Aflatoxin B1 aldehyde reductase member




5464-52_3 : Growth factor receptor-bound protein²




5316-54_3 : Prothrombin




4306-4_2 : Transketolase




3593-72_3 : Caspase-3




5264-65_3 : Calreticulin




5242-37_3 : Dual specificity mitogen-activated protein kinase kinase 4




3066-12_1 : Galectin-3




4469-78_2 : Carbohydrate sulfotransferase 15




5957-30_3 : Somatostatin-28




3730-81_2 : Tumor necrosis factor receptor
superfamily member 4







5909-51_3 : Nucleoside diphosphate kinase A




4187-49_2 : 6-phosphogluconate dehydrogenase;
decarboxylating




2855-49_2 : Mitogen-activated protein kinase 3




4250-23_3 : NSFL1 cofactor p47




3441-64_2 : Glycogen synthase kinase-3 alpha/beta




2819-23_2 : Cadherin-5




5493-17_3 : Serine/threonine-protein kinase WNK3




9199-6_3 : Ubiquitin-conjugating enzyme E2 G2




5139-32_3 : Netrin receptor UNC5C




3416-2_2 : Tyrosine-protein kinase BTK




4292-5_3 : Alpha-soluble NSF attachment protein







2877-3_1 : SUMO-conjugating enzyme UBC9




13125-45_3 : Vitronectin




3072-4_2 : Interleukin-13




4924-32_1 : Interstitial collagenase




7660-21_3 : Tropomyosin alpha-4 chain







9202-309_3 : ATP synthase subunit O;
mitochondrial




3865-53_1 : Ribosomal protein S6 kinase alpha-5




5888-29_3 : Eukaryotic translation initiation factor 5A-1




3347-9_2 : beta-adrenergic receptor kinase 1




3043-49_2 : SPARC




2647-66_2 : Rab GDP dissociation inhibitor beta




3522-57_1 : Vasoactive Intestinal Peptide




4472-5_2 : Tropomyosin beta chain




3622-33_4 : Legumain




3373-5_2 : Granzyme H




3810-50_2 : Tyrosine-protein kinase Fgr




3630-27_4 : Cell adhesion molecule 3




3738-54_1 : Macrophage colony-stimulating factor




2682-68_1 : 60 kDa heat shock protein;
mitochondrial




5463-22_3 : Growth arrest-specific protein 1




5798-3_3 : BH3-interacting domain death agonist




5248-68_2 : Peptidyl-prolyl cis-trans isomerase F; mitochondrial







5351-52_3 : Heterogeneous nuclear
ribonucleoproteins A2/B1




3535-84_1 : Dickkopf-related protein 1




4811-33_3 : Inter-alpha-trypsin inhibitor heavy chain H4







3351-1_1 : Calcium/calmodulin-dependent protein kinase type II subunit beta




4217-49_3 : 3-hydroxyacyl-CoA dehydrogenase





3860-7_2 : Proteasome subunit alpha type-6






3820-68_2 : MAP kinase-activated protein kinase 2







14124-6_3 : Ephrin-A2




4874-3_1 : Angiogenin



4990-87_1 : Platelet glycoprotein Ib alpha chain




4994-178_1 : Heterogeneous nuclear
ribonucleoprotein K




5810-25_3 : Teratocarcinoma-derived growth factor


1




5885-55_3 : Eukaryotic translation initiation factor 4H



4437-56_3 : Ectonucleoside triphosphate
diphosphohydrolase 5




3859-50_2 : Proteasome subunit alpha type-1




3320-49_2 : Insulin-like growth factor-binding


protein 7

3.8 4.0 4.2 4.4 4.6 4.8 5.0




5131-15_3 : Tumor necrosis factor receptor
superfamily member 19







3284-75_1 : Biglycan




3174-2_1 : A disintegrin and metalloproteinase
with thrombospondin motifs 1




4336-2_1 : Serum amyloid A-1 protein




5475-10_3 : Protein kinase C beta type (splice variant beta-II)




3363-31_4 : Tyrosine-protein kinase CSK




5133-17_3 : TGF-beta receptor type-2




5061-27_3 : ICOS ligand




4468-21_2 : Sphingosine kinase 2




3046-31_1 : Resistin




10370-21_3 : Signal transducer and activator of transcription 1-alpha/beta




2441-2_4 : Fibroblast growth factor 10




3591-51_3 : Cadherin-6




10346-5_3 : Signal transducer and activator of transcription 3




4414-69_2 : Pulmonary surfactant-associated protein D




4179-57_3 : 14-3-3 protein family







10336-3_3 : E3 ubiquitin-protein ligase CHIP




2654-19_1 : Tumor necrosis factor receptor
superfamily member 1A




2816-50_2 : Basal Cell Adhesion Molecule




5076-53_2 : Ephrin type-A receptor 10




4907-56_1 : D-dimer




4556-10_2 : Interleukin-34




3232-28_2 : Tartrate-resistant acid phosphatase
type 5




3488-64_2 : Catalase




5088-175_3 : Interleukin-23 receptor




2644-11_2 : Protein kinase C alpha type




2828-82_2 : Kunitz-type protease inhibitor 1




4929-55_1 : Sex hormone-binding globulin




5430-66_3 : Tyrosine-protein phosphatase
non-receptor type substrate 1




4261-55_2 : Serum paraoxonase/arylesterase 1




5346-24_3 : Copine-1




4476-22_2 : Tyrosine-protein kinase ZAP-70




4192-10_2 : Alcohol dehydrogenase [NADP(+)]




3855-56_1 : Peroxiredoxin-1




4389-2_1 : Desert hedgehog protein N-product




5062-60_3 : CD226 antigen




9175-48_3 : Down syndrome cell adhesion molecule




3453-87_2 : Tyrosine-protein kinase Lyn




3170-6_1 : Methionine aminopeptidase 2




3484-60_2 : Angiotensinogen




3024-18_2 : Alpha-2-antiplasmin




4212-5_3 : Epidermal growth factor receptor
substrate 15-like 1




4220-39_2 : Tyrosine-protein kinase Fer




3052-8_2 : Tumor necrosis factor ligand
superfamily member 6; soluble form




3059-50_2 : Tumor necrosis factor ligand
superfamily member 13B




4145-58_2 : Neurotrophin-3




3852-19_2 : DnaJ homolog subfamily B member 1




2781-63_2 : C-C motif chemokine 4-like




4719-58_2 : Protein disulfide-isomerase A3




2480-58_3 : Metalloproteinase inhibitor 3




3381-24_2 : Tyrosine-protein kinase Lyn; isoform B




2778-10_2 : Interleukin-22




3208-2_4 : Matrilin-3







2751-16_2 : Azurocidin




5825-49_3 : Interferon gamma receptor 1




11089-7_3 : Immunoglobulin A




4328-2_2 : Brother of CDO




4984-83_1 : S-formylglutathione hydrolase




5801-72_3 : beta-nerve growth factor




4979-34_2 : Dermatopontin




4923-79_1 : Muellerman-inhibiting factor




3521-16_2 : Thyroid Stimulating Hormone




5252-33_3 : Dual 3':5'-cyclic-AMP and -GMP
phosphodiesterase 11A




4487-1_1 : Fibroblast growth factor 7




2948-58_2 : Growth hormone receptor




5178-5_3 : High affinity cAMP-specific
3';5'-cyclic phosphodiesterase 7A




3581-53_3 : Alpha-2-HS-glycoprotein







5356-2_3 : Macrophage migration inhibitory factor




2611-72_2 : Tyrosine-protein kinase receptor
TYRO3




5029-3_1 : Prolyl endopeptidase FAP




2962-50_2 : Parathyroid hormone-related protein




4917-62_1 : Integrin alpha-V: beta-5 complex




2946-52_2 : Complement factor D




2677-1_1 : Epidermal growth factor receptor




2915-6_2 : Proliferating cell nuclear antigen




3210-1_2 : Methionine aminopeptidase1




5254-69_3 : cGMP-inhibited 3':5'-cyclic
phosphodiesterase A




2986-49_2 : Gro-beta/gamma




2961-1_2 : Vitamin K-dependent protein C




3646-7_4 : Tyrosine-protein kinase Tec




14146-92_3 : Histone H3.1




4566-24_3 : R-spondin-2




2805-6_2 : Angiotensin-converting enzyme 2




4267-81_3 : Pescadillo homolog




5238-26_3 : Peptidyl-prolyl cis-trans isomerase E



3798-71_1 : Carbonic anhydrase 9




4128-27_2 : C-C motif chemokine 24




5927-4_3 : WNT1-inducible--signaling pathway

protein 3


3.0 3.5 4.0 4.5 5.0




3813-3_2 : Tyrosine-protein kinase Fyn




4165-2_1 : Thyroglobulin




4991-12_1 : Glypican-5




3041-55_2 : C-type mannose receptor 2




12060-28_3 : Growth/differentiation factor 11




3538-26_1 : Aromatic-L-amino-acid decarboxylase




7655-11_3 : N-terminal pro-BNP




5813-58_3 : Erythropoietin




2864-2_3 : Dual specificity mitogen-activated protein kinase kinase 1




4549-78_2 : Alpha-(1;3)-fucosyltransferase 5




2731-29_2 : NADPH--cytochrome P450 reductase




14116-129_3 : Protein S100-A4




4276-10_2 : Phosphatidylethanolamine-binding




2953-31_2 : Luteinizing hormone




5020-50_1 : Phosphoglycerate kinase 1




3489-9_2 : Ciliary neurotrophic factor




4553-65_3 : Hepatoma-derived growth factor-related protein 2




3000-66_1 : Mannose-binding protein C




14134-49_3 : Amphoterin-induced protein 2




4151-6_2 : Plasminogen




5202-4_3 : Peptidyl-prolyl cis-trans isomerase D




4146-58_2 : Neurotrophin-4







4318-12_3 : Tyrosine-protein phosphatase non-receptor type 6




2975-19_2 : Connective tissue growth factor




3473-78_2 : Thrombopoietin Receptor




4978-54_2 : Drebrin-like protein




5015-15_1 : Platelet-activating factor acetylhydrolase




14157-21_3: 14-3-3 protein epsilon




5488-74_3 : Proto-oncogene tyrosine-protein kinase Src




4878-3_1 : Coagulation Factor X




2871-73_2 : DNA repair protein RAD51 homolog 1




5021-13_1 : Inorganic pyrophosphatase




5858-6_5 : 14-3-3 protein zeta/delta




3534-14_2 : CD40 ligand




5936-53_3: Tumor necrosis factor




4137-57_2 : Interleukin-25




4842-62_2 : Glypican-3







8468-19_3 : Prostate-specific antigen




4712-28_2 : Apolipoprotein D




5307-12_3 : Coagulation factor IXab




3074-6_2 : Lipopolysaccharide-binding protein




5834-18_3 : Interleukin-9




3623-84_4 : Lymphocyte antigen 86




5280-68_5 : Mitochondrial glutamate carrier 2




9185-15_3 : Trefoil factor 1




3356-50_1 : Carbonic anhydrase 7




2524-56_3 : High mobility group protein B1




2860-19_2 : Importin subunit alpha-1




5268-49_3 : Matrix metalloproteinase-16




3709-4_2 : Alanine aminotransferase 1




8447-11_3 : Appetite-regulating hormone




5462-62_3 : Ficollin-3




3394-81_2 : Serine/threonine-protein kinase PLK1




9172-69_3 : Neutrophil collagenase




3616-3_5 : N-acetylglucosamine-6-sulfatase




3845-51_2 : Dynein light chain roadblock-type 1




3419-49_2 : Calcium/calmodulin-dependent protein kinase type II subunit delta




3452-17_2: Tyrosine-protein kinase Lck




4931-59_1 : Tissue Factor




3890-8_2 : L-lactate dehydrogenase B chain




2760-2_2 : Protein FAM107A




2666-53_2 : Decorin




5465-32_3 : Heparan-sulfate 6-O-sulfotransferase




2723-9_2 : Interleukin-37




5093-47_3 : Protein jagged-2




3171-57_2 : Amyloid beta A4 protein




3854-24_1 : Nascent polypeptide-associated complex subunit alpha




2889-37_2 : Cardiograph-1




3122-6_2 : Diablo homolog; mitochondrial




3412-7_1 : Apoptosis regulator Bcl-2




4359-87_1 : Dual specificity
tyrosine-phosphorylation-regulated kinase 3




2418-55_9 : Apolipoprotein E





3666-17_4 : Complement factor H-related protein 5




4834-61_2 : Ephrin type-A receptor 2









2693-20_3 : Oncostatin-M







5250-53_3 : Inosine-5'-monophosphate dehydrogenase 2




3220-40_2 : Proto-oncogene tyrosine-protein kinase receptor Ret




8446-4_3 : Pituitary adenylate cyclase-activating polypeptide 27







10339-48_3 : Gamma-enolase




9182-3_3 : Low-density lipoprotein receptor-related protein 1; soluble




11104-13_3 : Chitinase-3-like protein 1




3007-7_2 : Sialic acid-binding Ig-like lectin 9




4535-50_2 : ADP-ribosyl cyclase/cyclic ADP-ribose
hydrolase 2




3684-78_3 : Macrophage scavenger receptor types I and II




5921-58_3 : Protein S100-A7




3204-2_2 : Leukotriene A-4 hydrolase




3143-3_1 : T-cell surface glycoprotein CD4




2769-3_2 : Protein Rev_HV2BE




2770-51_2 : C-C motif chemokine 1




10358-33_3 : Induced myeloid leukemia cell
differentiation protein Mcl-1




2783-18_2 : C-C motif chemokine 3-like 1




2960-66_2 : Properdin







8470-213_3 : Ribonuclease H1




11105-171_3 : Alpha-enolase




5864-10_3 : Fructose-bisphosphate aldolase A




3449-58_2 : Kallistatin




4282-3_2 : GTP-binding nuclear protein Ran




3194-36_2 : Platelet glycoprotein VI




2937-10_2 : Apolipoprotein E (isoform E3)




3091-70_2 : Aurora kinase A




4234-8_2 : Interleukin-1 receptor-like 1




3289-19_2 : Carbonic anhydrase-related protein 10




5383-14_3 : Tumor necrosis factor receptor
superfamily member 13C




5486-73_3 : Intercellular adhesion molecule 2




5352-11_3: Tumor necrosis factor receptor
superfamily member 14




4301-58_2 : Thymidine kinase; cytosolic







5070-76_3 : Tumor necrosis factor receptor
superfamily member 6B




4876-32_1 : Coagulation factor IX




4559-64_2 : Kynureninase



5063-12_2 : Natural killer cell receptor 2B4



4922-13_1 : C-C motif chemokine 19



5108-72_3 : Neurogenic locus notch homolog

protein 3

4.0
3.5
3.0
2.5

Contr

T2D

SAID


SIDD

SIRD


MOD

MARD


Clusters




3796-79_2 : Angiopoietin-related protein 4




13088-397_3 : Betacellulin




2431-17_3 : Cathepsin G




2636-10_2 : Tumor necrosis factor receptor
superfamily member 3




5231-79_3 : Proprotein convertase
subtilisin/kexin type 9




4150-75_2 : Plasmin




5867-60_3 : Arginase-1




2849-49_1 : Allograft inflammatory factor 1




2865-77_2 : Histone acetyltransferase KAT6A




4337-49_2 : C-reactive protein




3832-51_1 : Protein-tyrosine kinase 6




14133-93_3 : Interleukin-1 receptor type 2




2853-68_2 : Serine/threonine-protein kinase Chk1




3627-71_4 : Membrane metallo-endopeptidase-like 1



3367-8_3 : Fetuin-B




5114-65_3 : Prolactin receptor





3714-49_2 : Creatine kinase M-type:Creatine kinase B-type heterodimer

2.0 2.5 3.0 3.5 4.0 4.5




4976-57_1 : Adapter molecule crk







14132-21_3 : HERV-H LTR-associating protein 2




4429-51_2 : Carbohydrate sulfotransferase 6




3881-49_2 : Dynein light chain 1; cytoplasmic




14123-34_3 : Platelet receptor Gi24




4324-33_2 : Cystatin-SA







4903-72_1 : Calcineurin




4562-1_2 : Neurexophilin-1




3437-80_3 : Receptor-type tyrosine-protein kinase
FLT3




5016-61_2 : Protein deglycase DJ-1




3187-52_2 : Cysteine-rich secretory protein 3







5124-69_3 : Intercellular adhesion molecule 5




4721-54_2 : Trefoil factor 3




3867-49_1 : Seizure 6-like protein 2



13089-6_3 : Hypoxia-inducible factor 1-alpha




2500-2_3 : Angiopoietin-4




5106-52_3 : Neurogenic locus notch homolog


protein 2




4450-26_2 : Heterogeneous nuclear
ribonucleoprotein A/B




2696-87_2 : Persephin




4911-49_2 : Glutathione S-transferase P




5934-1_3 : Ferritin



4428-1_2 : Carbohydrate sulfotransferase 2




2943-5_2 : Cytochrome P450 3A4



3173-49_2 : N-acylethanolamine-hydrolyzing acid

amidase


5.0
4.5
4.0
3.5




Clusters

Contr T2D SAID SIDD SIRD MOD MARD


2182-54_1 : Complement C4b




4322-28_3 : Protein amnionless




3067-67_1 : Growth/differentiation factor 9







4913-78_1 : C-C motif chemokine 16




2794-60_2 : Superoxide dismutase [Cu-Zn]




2870-29_2 : Ras-related C3 botulinum toxin




5484-63_3 : 40S ribosomal protein S3a




5364-7_3 : Protein SET




2743-5_2 : Sonic hedgehog protein




13132-14_3 : Semaphorin-5A




4134-4_2 : Heparin-binding EGF-like growth factor




2753-2_2 : Complement C1q subcomponent




5036-50_1 : Tumor necrosis factor-inducible gene




2938-55_2 : Apolipoprotein E (isoform E4)




4407-10_1 : Hepatocyte growth factor-like protein



3825-18_2 : Mitogen-activated protein kinase 8




3168-8_2 : A disintegrin and metalloproteinase
with thrombospondin motifs 5




2711-6_2 : Ciliary neurotrophic factor receptor subunit alpha

3.2
3.4
3.6
3.8
4.0
4.2




Clusters


3302-58_1 : Cystatin-F




10372-18_3 : Signal transducer and activator of transcription 6




2700-56_2 : Vitamin K-dependent protein S




2768-56_2 : Hemopexin



4987-17_1 : Immunoglobulin alpha Fc receptor




3316-58_1 : Heparin cofactor 2




4569-52_2 : VPS10 domain-containing receptor

SorCS2

2.5 3.0 3.5 4.0 4.5 5.0



2967-8_1 : Vascular cell adhesion protein 1



5822-22_3 : Glial cell line-derived neurotrophic

factor

4.0

3.5

3.0

2.5

Contr

T2D

SAID


SIDD


SIRD

MOD


MARD

Clusters







2851-63_3 : C5a anaphylatoxin




3202-28_2 : Kremen protein 2




4127-75_1 : Complement component C6




2843-13_2 : Kunitz-type protease inhibitor 2




7648-9_3 : Myosin-binding protein C; slow-type




11081-1_3 : Glycerol-3-phosphate dehydrogenase
[NAD(+)]; cytoplasmic




2734-49_4 : Natural cytotoxicity triggering receptor 2




2837-3_2 : Hepatocyte growth factor receptor







11071-1_3 : Interleukin-5




5460-60_3 : ATP-dependent RNA helicase DDX19B




4304-18_2 : Ligand-dependent nuclear receptor corepressor-like protein




11516-7_3 : Fatty acid-binding protein; liver




4543-65_2 : Collagen alpha-1(XXIII) chain




2841-13_2 : Secreted frizzled-related protein 3




3445-53_2 : Interleukin-15 receptor subunit alpha




5903-91_2 : Heat shock cognate 71 kDa protein




3831-21_1 : Phosphatidylinositol
3,4,5-trisphosphate 3-phosphatase and
2,5-bisphosphate protein phosphatase PTEN4.5




5229-90_3 : Inosine-5'-monophosphate dehydrogenase 1




3357-67_2 : Cyclin-dependent kinase 2:Cyclin-A2 complex



3487-32_2 : C-X-C motif chemokine 13




2645-54_1 : Protein kinase C zeta type




4964-67_1 : Endoplasmic reticulum aminopeptidase


1




6647-55_3 : PolyUbiquitin K63-linked




2968-61_1 : Tumor necrosis factor ligand
superfamily member 15




5032-64_1 : FACT complex subunit SSRP1




3195-50_2 : Granulysin




4908-6_1 : Endoglin




2212-69_1 : Tissue-type plasminogen activator




2785-15_2 : C-C motif chemokine 8




2773-50_2 : Interleukin-10




3323-37_1 : Low-density lipoprotein receptor-related protein 8






5363-51_3 : Semaphorin-3E




3803-10_2 : Cystatin-D




3605-77_4 : Mannan-binding lectin serine protease


1




5897-58_3 : Gastrin-releasing peptide




2827-23_2 : Fractalkine




5095-21_3 : Killer cell immunoglobulin-like
receptor 2DL4




3359-11_2 : Cyclin-dependent kinase 8:Cyclin-C




3315-15_1 : Glypican-2




3420-21_2 : Carbonic anhydrase 13




5400-52_3 : Leptin receptor




14129-1_3 : Interferon alpha-7




4162-54_2 : Serotransferrin




14122-132_3 : E3 ubiquitin-protein ligase ZNRF3




3392-68_2 : RAC-alpha/beta/gamma
serine/threonine-protein kinase



5226-36_3 : Casein kinase II 2-alpha':2-beta heterotetramer





4769-10_3 : Olfactomedin-4




2633-52_2 : Interleukin-13 receptor subunit


α -1






5261-13_3 : Abelson tyrosine-protein kinase 2





2571-12_3 : Insulin-like growth factor-binding protein 3




5227-60_3 : [Pyruvate dehydrogenase (acetyl-transferring)] kinase isozyme 1; mitochondrial


3.0

3.5


4.5



3806-55_1 : Ephrin type-A receptor 5




4981-6_1 : Desmocollin-3




3358-51_2 : Cyclin-dependent kinase
5:Cyclin-dependent kinase 5 activator 1 complex


2.5 3.0 3.5 4.0




4159-130_1 : Complement factor H




6641-60_3 : PolyUbiquitin K48-linked




3034-1_2 : Glial fibrillary acidic protein




3494-71_3 : Fibroblast growth factor 17




4139-71_2 : Interleukin-6 receptor subunit alpha




3499-77_2 : Interleukin-17B




5265-12_3 : GRB2-related adapter protein 2




3620-67_2 : Interleukin-22 receptor subunit
alpha-1




4232-19_2 : Insulin-like growth factor 1 receptor




2616-23_18 : Receptor tyrosine-protein kinase
erbB-2




4959-2_1 : Anterior gradient protein 2 homolog




4126-22_1 : Bactericidal permeability-increasing protein




2969-11_1 : Serine/threonine-protein kinase
receptor R3







5107-7_2 : Neurogenic locus notch homolog protein




4910-21_1 : Phospholipase A2




3853-56_1 : Malate dehydrogenase; cytoplasmic




5315-22_3 : Troponin T; cardiac muscle




2823-7_1 : COMM domain-containing protein 7




2875-15_2 : TATA-box-binding protein




13131-5_3 : Hexokinase-1




3344-60_4 : Antithrombin-III




13103-125_3 : Chorionic somatomammotropin hormone




3037-62_1 : Interleukin-1 beta




13104-32_3 : Ephrin-B1




5249-31_3 : Serine/threonine-protein kinase 17B




3469-74_1 : Ribosomal protein S6 kinase alpha-3




4420-7_2 : Disintegrin and metalloproteinase domain-containing protein 12




3038-9_2 : C-X-C motif chemokine 11




2714-78_2 : Endothelial monocyte-activating polypeptide 2




2939-10_2 : Artemin




3132-1_1 : Vascular endothelial growth factor C




9190-7_3 : CD63 antigen




3292-75_1 : CD48 antigen




4807-13_3 : Collagen alpha-1(VIII) chain




3809-1_2 : Fibroblast growth factor receptor 3




3055-54_2 : Interleukin-4 receptor subunit alpha




4557-61_2 : Kin of IRRE-like protein 3




4254-6_2 : NudC domain-containing protein 3




3514-49_2 : Myeloblastin




5066-134_3 : CMRF35-like molecule 6




4859-6_1 : Bone morphogenetic protein receptor
type-1A




8488-33_3 : Integrin alpha-11b: beta-3 complex




4342-10_3 : Intercellular adhesion molecule 1




2741-22_2 : Sialic acid-binding Ig-like lectin 6




5491-12_3: Testican-2



4957-1_2 : 40S ribosomal protein SA




4203-50_2 : Cofilin-1




2835-1_4 : X-ray repair cross-complementing


protein 6




3364-76_2 : Cathepsin L2




5112-73_3 : OX-2 membrane glycoprotein




5340-24_3 : Caspase-10




13129-40_3 : Low-density lipoprotein receptor




3877-67_2 : Calcium/calmodulin-dependent protein kinase kinase 1




5532-53_3 : Fibroblast growth factor receptor 1




5476-66_3 : Protein kinase C gamma type




9180-6_3 : Interferon gamma receptor 2




3172-28_2 : Arylsulfatase B




5468-67_3 : Interleukin-17 receptor C




3642-4_1 : SLAM family member 5




3198-4_1 : Iduronate 2-sulfatase




5482-61_3 : Retinol-binding protein 4




4545-53_3 : Mitochondrial import inner membrane translocase subunit TIM14




11098-1_3 : Pyridoxal kinase




3612-6_4 : Ephrin type-B receptor 4




2747-3_2 : NKG2D ligand 3




3708-62_1 : Alpha-2-macroglobulin




3317-33_1 : Serine protease HTRA2; mitochondrial







2732-58_3 : Homeobox protein NANOG




2632-5_2 : Interleukin-12 receptor subunit beta-1




3497-13_2 : Interferon alpha-2




3216-2_2 : Polymeric immunoglobulin receptor




3222-11_2 : Semaphorin-3A




4135-84_2 : Immunoglobulin E




2692-74_2 : Phospholipase A2; membrane associated




2333-72_1 : Transforming growth factor beta-1




3166-92_1 : Myeloid cell surface antigen CD33




9168-31_3 : C-C motif chemokine 26




5846-24_3 : Noggin







3324-51_1 : T-lymphocyte surface antigen Ly-9




2708-54_2 : Tumor necrosis factor ligand
superfamily member 18




2623-54_4 : Protein E7_HP16




14149-9_3 : Interleukin-36 beta




2652-15_1 : Urokinase plasminogen activator surface receptor




5534-49_2 : Tumor necrosis factor receptor
superfamily member 10B




5384-67_3 : Transcription factor IIIB 90 kDa subunit




5183-53_3 : AMP Kinase (alpha1beta1gamma1)




3635-76_4 : OCIA domain-containing protein 1




9212-22_3 : Cathepsin F




3758-68_3 : Activated Protein C




5459-33_3 : Cystatin-SN




4129-72_1 : Complement factor B




3305-6_1 : Delta-like protein 4




5803-24_3 : Complement C3d fragment




3025-50_1 : Fibroblast growth factor 2




4238-4_2 : Protein lin-7 homolog B




3010-53_2 : Thymic stromal lymphopoietin




4965-27_1 : ATP synthase subunit beta;
mitochondrial







3290-50_2 : CD109 antigen




3069-52_3 : Immunoglobulin M




3179-51_2 : Lysosomal protective protein




4792-51_2 : gp41 C34 peptide; HIV




4992-49_1 : Granulins




2746-56_1 : Cytokine receptor-like factor 2




4915-64_2 : Hemoglobin




2942-50_2 : Cytochrome c




9170-24_3 : Interleukin-17A




8459-10_3 : Bone morphogenetic protein 6




3401-8_2 : Tyrosine-protein phosphatase
non-receptor type 2




5000-52_1 : Galectin-3-binding protein




9178-30_3 : Neuregulin-1




3213-65_2 : Nidogen-1




5343-74_3 : Carboxypeptidase E




2822-56_2 : CD97 antigen




2447-7_4 : Group IIE secretory phospholipase A2




10362-35_3 : Myc proto-oncogene protein




5882-34_2 : Elongation factor 1-beta




13114-50_3 : Lumican




3647-49_4 : Toll-like receptor 4:Lymphocyte antigen 96 complex




5271-5_2 : Ras-related C3 botulinum toxin substrate 3




5128-53_3 : SLAM family member 6




4997-19_1 : Eukaryotic initiation factor 4A-III







4956-2_1 : Epireguin




5437-63_3 : Fatty acid-binding protein; heart



3585-54_4 : Basigin




3310-62_1 : Low affinity immunoglobulin gamma Fc
region receptor II-b




5201-50_4 : High affinity cGMP-specific
3':5'-cyclic phosphodiesterase 9A


2.5 3.0 3.5 4.0 4.5




10366-11_3 : Platelet-derived growth factor receptor alpha




4130-71_1 : Fibroblast growth factor 6




2578-67_2 : C-C motif chemokine 2




2597-8_3 : Vascular endothelial growth factor A




3486-58_2 : Fibroblast growth factor 1




3061-61_2 : Cathepsin B




5116-62_2 : Roundabout homolog 2




4396-54_1 : Interferon lambda-1




3440-7_2 : Granzyme A




3554-24_1 : Adiponectin




5033-27_1 : Tropomyosin alpha-1 chain




8464-31_3 : R-spondin-4




3321-2_2 : Interleukin-24




14144-3_3 : Histone H2A type 3




4534-10_2 : Brain-specific serine protease 4




3423-59_2 : Chymase




5094-62_3 : Junctional adhesion molecule-like




2839-2_1 : Tumor necrosis factor ligand superfamily member 4




2775-54_2 : Interleukin-17F



5097-14_3 : Killer cell immunoglobulin-like receptor 3DS1




4184-43_3 : Eukaryotic translation initiation
factor 4E-binding protein 2




5939-42_3 : Tumor necrosis factor ligand
superfamily member 12


3.0 3.5 4.0



3418-12_2 : Calcium/calmodulin-dependent protein kinase type 1D




11094-104_3 : Galectin-10




3603-60_5 : C-type lectin domain family 7 member


A




9183-7_3 : Interferon alpha/beta receptor 1




5117-14_3 : Roundabout homolog 3




4459-68_2 : Proprotein convertase
subtilisin/kexin type 7




5111-15_3 : Neurexin-3-beta




3414-40_2 : Cytoplasmic tyrosine-protein kinase
BMX




2607-54_2 : Cytokine receptor-like factor
1:Cardiotrophin-like cytokine factor 1 Complex




2811-27_1 : Angiopoietin-1




5350-14_2 : Glypican-6




4548-4_2 : Galactoside 3(4)-L-fucosyltransferase




4540-11_2 : Chromobox protein homolog 5




3182-38_2 : Ectonucleoside triphosphate
diphosphohydrolase 1




2715-25_2 : Erythropoietin receptor




3201-49_2 : Kallikrein-5




4271-75_2 : Prefoldin subunit 5




4284-18_3 : RNA-binding protein 39



5102-55_3 : MHC class I polypeptide-related sequence B




5060-62_3 : Programmed cell death 1 ligand 1




8469-41_3 : Insulin-like growth factor-binding

protein 2


4.5
4.0
3.5
3.0
2.5




3003-29_2 : Natural cytotoxicity triggering receptor 3




3313-21_2 : Ficolin-2




4880-21_1 : Growth/differentiation factor 2




4122-12_2 : Epithelial discoidin domain-containing receptor 1




9211-19_3 : Pigment epithelium-derived factor




2987-37_3 : Histone H1.2




4914-10_1 : Human Chorionic Gonadotropin




11101-18_3: Toll-like receptor 4



3727-35_1 : Peptide YY




2859-69_2 : Histone deacetylase 8




3206-4_2 : Lymphatic vessel endothelial
hyaluronic acid receptor 1


2.0 2.5 3.0 3.5




4153-11_2 : Alpha-1-antichymotrypsin complex




3432-21_2 : Ephrin type-A receptor 3




2976-58_2 : Desmoglein-1




3644-5_4 : Dickkopf-like protein 1




5452-71_3 : Asialoglycoprotein receptor 1




5490-53_3: Testican-1




5228-25_2 : Kinesin-like protein KIF23





2761-49_2 : Fibroblast growth factor 18




5104-57_3 : Natural cytotoxicity triggering receptor 1









10361-25_3 : 2'-5'-oligoadenylate synthase 1




2683-1_2 : Complement C3b; inactivated




11102-22_3 : Regenerating islet-derived protein 4







3898-5_2 : 26S proteasome non-ATPase regulatory subunit 7




4995-16_1 : 15-hydroxyprostaglandin dehydrogenase




13116-25_3 : CD177 antigen




5125-6_3 : Sialic acid-binding Ig-like lectin 14




4916-2_1 : Immunoglobulin D




2992-59_2 : Interleukin-17 receptor A







2869-68_3 : Protein kinase C delta type




4551-72_3 : Adhesion G-protein coupled receptor
G5




5861-78_3 : 3-hydroxyanthranilate 3;4-dioxygenase




5024-67_1 : Retinoblastoma-associated protein




5337-64_3 : T-lymphocyte activation antigen CD86




4278-14_3 : Protein disulfide-isomerase




2879-9_2 : Alpha-1-antichymotrypsin




5481-16_3 : Ras GTPase-activating protein 1




4717-55_2 : Interleukin-3




14127-240_3 : Interferon beta




2505-49_3 : GDNF family receptor alpha-3




4455-89_2 : Lactadherin




4496-60_2 : Macrophage metalloelastase




2890-59_2 : C-C motif chemokine 28




3403-1_2 : Tryptase beta-2




5009-11_1 : Moesin




2762-30_2 : Fibroblast growth factor 19




4452-9_2 : Leucine-rich repeat transmembrane neuronal protein 1




2833-20_1 : Kallikrein-4




4297-62_3 : Spondin-1




3389-7_2 : Plasma serine protease inhibitor




3894-15_2 : N-acetyl-D-glucosamine kinase




3802-50_1 : Cystatin-S




3479-71_2 : Trypsin-3




3864-5_2 : 40S ribosomal protein S7




3471-49_1 : Serine/threonine-protein kinase 16




5852-6_3 : Protein S100-A12







3374-49_2 : Tyrosine-protein kinase HCK




2649-77_2 : Intercellular adhesion molecule 3




2829-19_2 : Interleukin-27




3281-19_1 : Angiopoietin-related protein 3




2844-53_2 : Tyrosine-protein kinase receptor
Tie-1; soluble




4133-54_2 : Granzyme B




4480-59_2 : Complement C3b




3352-80_3 : Carbonic anhydrase 6




3719-2_2 : Cyclin-dependent kinase inhibitor 1B




3404-51_2 : Tryptase gamma




3078-1_2 : Placenta growth factor




5509-7_3 : Epidermal growth factor




4832-75_2 : Tumor necrosis factor receptor
superfamily member 10A




6152-111_3 : Cellular tumor antigen p53




4440-15_2 : Fc receptor-like protein 3




2421-7_3 : Brain-derived neurotrophic factor




11067-13_3 : Osteocalcin







5026-66_1 : 40S ribosomal protein S3




5354-11_3 : Keratin; type I cytoskeletal 18




14135-3_3 : Relaxin receptor 1




3178-5_2 : Dipeptidyl peptidase 1




5193-51_3: GTPase KRas




9213-24_3 : Formimidoyltransferase-cyclodeaminase




4138-25_2 : Interleukin-20




7624-19_3 : Ankyrin-2




3795-6_2 : Disintegrin and metalloproteinase domain-containing protein 9




10344-334_3 : Interleukin-10 receptor subunit




9215-117_3 : Ubiquitin carboxyl-terminal
hydrolase 25




3346-72_2 : Aurora kinase B




4491-4_2 : Interleukin-5 receptor subunit alpha




5084-154_3 : Interleukin-17 receptor B







25667-5_6 : Complement factor I




4889-82_1 : Protein Wnt-7a




13111-79_3 : B-cell lymphoma 6 protein




3293-2_4 : CD5 antigen-like




2754-50_2 : Complement C3




5915-58_3 : Peroxisomal targeting signal 1




5096-51_3 : Killer cell immunoglobulin-like
receptor 3DL2




5230-99_3 : 3-hydroxy-3-methylglutaryl-coenzyme A




2780-35_2 : Lactotransferrin




4423-77_2 : Bcl-2-like protein 1




4886-3_1 : C-C motif chemokine 7




5347-59_3 : G2/mitotic-specific cyclin-B1




2640-3_2 : Macrophage-stimulating protein
receptor




5357-60_3 : Neurologin-4; X-linked




4693-72_2 : 3-hydroxyisobutyrate dehydrogenase;
mitochondrial




10337-83_3 : CCAAT/enhancer-binding protein beta




3081-70_2 : NKG2D ligand 1




3477-63_2 : High affinity nerve growth factor receptor




4703-87_2 : Lymphotoxin-alpha




2925-9_1 : Plasminogen activator inhibitor 1




5002-76_1 : Matrix metalloproteinase-14




5246-64_3 : cGMP-dependent 3':5'-cyclic phosphodiesterase




5130-67_3 : Scavenger receptor class F member 2



3821-28_1 : MAP kinase-activated protein kinase 5




5478-50_2 : Glutamate carboxypeptidase 2





4771-10_3 : Acid sphingomyelinase-like
phosphodiesterase 3a

3.5
4.0
4.5
5.0




4397-26_2 : Interferon lambda-2







5457-5_2 : Collectin-12




5129-12_3 : Scavenger receptor class F member 1




3766-51_4 : Syntaxin-1A




2982-82_2 : Galectin-4




3184-25_2 : Coagulation factor VII




14128-121_3 : Interferon alpha-10




13130-150_3 : Hexokinase-2




3427-63_2 : Casein kinase II subunit alpha




13117-232_3 : Choline/ethanolamine kinase







2624-31_2 : Protein E7_HP18




2750-3_2 : Apolipoprotein A-I




4144-13_1 : C-C motif chemokine 13




3065-65_1 : Fibroblast growth factor 5




8462-18_3 : Somatotropin




2985-35_1 : Growth-regulated alpha protein




2602-2_2 : Angiopoietin-2




3461-58_1 : Brevican core protein




5017-19_1 : Peroxiredoxin-5; mitochondrial




8480-29_3 : EGF-containing fibulin-like
extracellular matrix protein 1




2247-20_11 : Prokineticin-1




13102-1_3 : Protein FAM3D




13098-93_3 : Vascular endothelial growth factor D




4143-74_2 : Lymphotactin




9177-6_3 : Protein FAM3B




2763-66_2 : Fibroblast growth factor 20




3636-37_4 : Oxidized low-density lipoprotein receptor 1




4547-59_2 : Leucine-rich repeat transmembrane protein FLRT1




4925-54_2 : Collagenase 3




3175-51_5 : A disintegrin and metalloproteinase
with thrombospondin motifs 13




3192-3_2 : Cytosolic non-specific dipeptidase




4673-13_2 : Interleukin-6




5328-33_37 : Epidermal growth factor receptor variant III




4156-74_1 : Transforming growth factor beta-2




3889-64_2 : Lamin-B1




3594-6_5 : Cathepsin E




5089-11_3 : Interleukin-7 receptor subunit alpha




4909-68_1 : Galectin-8




4986-59_1 : Focal adhesion kinase 1




3808-76_2 : Fibroblast growth factor receptor 2




2011-27_2 : Midkine




4906-35_1 : Coagulation Factor V




3413-50_2 : Bcl-2-related protein A1




8479-4_3 : Stromelysin-2




3060-43_2 : Complement component C9




3643-90_2 : SLIT and NTRK-like protein 1




2730-58_2 : MHC class I polypeptide-related
sequence A





4786-58_3 : UMP-CMP kinase






5100-53_3 : Lysosome membrane protein 2







3387-1_2 : Serine/threonine-protein kinase PAK 3




3624-3_4 : Serine protease 27




4774-62_3 : Protein FAM107B




2705-5_2 : C-C motif chemokine 25




3390-72_2 : PIK3CA/PIK3R1




2468-62_3 : C-C motif chemokine 20




3654-27_5 : BMP-binding endothelial regulator







2658-27_1 : NT-3 growth factor receptor



5006-71_1 : Mitogen-activated protein kinase 13




5223-59_3 : Glucokinase regulatory protein




2695-25_1 : Platelet endothelial cell adhesion molecule


3.8
3.6
3.4
3.2
3.0
2.8




3022-4_2 : Cytotoxic T-lymphocyte protein 4




4862-63_1 : Bone morphogenetic protein receptor
type-2




4124-24_2 : Heat shock 70 kDa protein 1A




3221-54_1 : Secreted frizzled-related protein 1




2755-8_2 : C3a anaphylatoxin des Arginine




2474-54_5 : Serum amyloid P-component




5349-69_3 : Delta-like protein 1




2603-61_2 : T-lymphocyte activation antigen CD80




13090-17_3 : Protein S100-A6




4542-24_2 : Clusterin




3601-54_3 : Neural cell adhesion molecule L1-like




3285-23_2 : Complement C1r subcomponent




5236-2_3 : Nuclear receptor subfamily 1 group D member 1




3336-50_1 : Tissue factor pathway inhibitor




2876-74_2 : DNA topoisomerase 1




3657-74_3 : Calcineurin subunit B type 1




3633-70_5 : Nidogen-2




3450-4_2 : Kallikrein-6




5068-54_3 : Cytotoxic and regulatory T-cell molecule




2443-10_4 : Fibroblast growth factor 8 isoform B




5099-14_3 : Lymphocyte activation gene 3 protein




3681-87_3 : Kallikrein-14




14115-34_3 : Adrenomedullin




2972-57_2 : Bone morphogenetic protein 7




2017-3_2 : Tumor necrosis factor ligand
superfamily member 11




5494-52_3 : Small nuclear ribonucleoprotein F




4973-18_1 : Baculoviral IAP repeat-containing




10342-55_3 : E3 SUMO-protein ligase PIAS4




2806-49_2 : Activin receptor type-1B




9187-2_3 : Non-histone chromosomal protein HMG-14




2737-22_2 : Protein NOV homolog




2599-51_2 : Tumor necrosis factor ligand
superfamily member 9



4891-50_1 : Glucagon




2681-23_2 : Hepatocyte growth factor




3322-52_2 : Leucine-rich repeats and immunoglobulin-like domains protein 3


3.4 3.6 3.8 4.0 4.2 4.4




3054-3_2 : Haptoglobin




2579-17_5 : Matrix metalloproteinase-9




6653-58_3 : Leukocyte surface antigen CD47




3797-1_1 : Cadherin-2




5014-49_1 : Cytoplasmic protein NCK1




2764-20_2 : Fibroblast growth factor 9




5947-90_3 : Thrombopoietin




4851-25_1 : Interleukin-1 alpha




4495-33_2 : Kininogen-1




9173-21_3 : Phosphoglucomutase-1




3847-56_2 : Persulfide dioxygenase ETHE1;




2979-8_2 : C-X-C motif chemokine 5




14151-4_3 : Ubiquitin-like protein ISG15




3443-61_2 : Homeodomain-interacting protein kinase 3




9176-3_3 : Mucin-1




5440-26_3 : Troponin I; fast skeletal muscle




2994-71_2 : Interleukin-1 receptor-like 2




5355-69_3: Tumor necrosis factor ligand
superfamily member 14




3891-56_1 : Methyl-CpG-binding domain protein 4




3823-9_1 : Megakaryocyte-associated tyrosine-protein kinase




4904-7_1 : Caspase-2




3070-1_2 : Interleukin-2




5879-51_3 : Dynactin subunit 2




2952-75_2 : Insulin-like growth factor I




10356-21_3 : Transcription factor AP-1




2981-9_3 : Endothelial cell-selective adhesion molecule




3606-2_1 : Discoidin domain-containing receptor 2




4988-49_2 : Fibroblast growth factor receptor 4




5359-65_3 : Serine/threonine-protein kinase pim-1




9196-8_3 : Galectin-7




3029-52_2 : CD209 antigen




3339-33_1 : Thrombospondin-2




9191-8_3 : Trefoil factor 2




2211-9_6 : Metalloproteinase inhibitor 1




3676-15_3 : Cation-independent
mannose-6-phosphate receptor




3685-53_1 : Membrane frizzled-related protein




3600-2_3 : Chitotriosidase-1




3053-49_2 : Fms-related tyrosine kinase 3 ligand




3082-9_2 : NKG2D ligand 2




2719-3_4 : Granulocyte colony-stimulating factor receptor




13107-9_3 : Ly6/PLAUR domain-containing protein 3




8476-11_3 : Chromogranin-A




5312-49_3 : Apolipoprotein E (isoform E2)




3520-58_1 : Transforming growth factor beta-3




2704-74_1 : Tumor necrosis factor receptor
superfamily member 13B







4481-34_2 : Complement C4




4890-10_1 : Corticotropin




10367-62_3 : Interleukin-12







3710-49_2 : Angiostatin



5005-4_1 : Mitogen-activated protein kinase 12




5424-55_3 : Tumor necrosis factor receptor
superfamily member 11A




5082-51_3 : X-linked interleukin-1 receptor
accessory protein-like 2


3.0 3.5 4.0 4.5




4394-71_2 : Fibroblast growth factor 8 isoform A




3033-57_1 : Galectin-2




5854-60_3 : Microtubule-associated protein tau




3723-1_2 : Brain natriuretic peptide 32




2618-10_2 : Receptor tyrosine-protein kinase
erfB-4




3835-11_2 : Toll-like receptor 2




14120-2_3 : E3 ubiquitin-protein ligase RNF43




4392-54_2 : Fibroblast growth factor 12




5807-77_3 : CD70 antigen




5451-1_3 : CD166 antigen




5085-18_3 : Interleukin-20 receptor subunit alpha




11510-31_3 : Apolipoprotein L1




5410-53_3 : Cadherin-15




4493-92_1 : Interleukin-11




3761-4_2 : Prostaglandin G/H synthase 2




5542-22_2 : Neuropilin-1




4245-80_2 : E3 ubiquitin-protein ligase Mdm2




5792-8_2 : alpha-Fetoprotein




3583-54_4 : Arylsulfatase A




5090-49_2 : Leukocyte immunoglobulin-like
receptor subfamily B member 1




4785-30_3 : Corticosteroid-binding globulin




5204-13_3 : Proteasome activator complex subunit




3235-50_2 : WAP; Kazal; immunoglobulin; Kunitz
and NTR domain-containing protein 2




2993-1_2 : Interleukin-18 receptor accessory protein







3056-11_1 : NKG2-D type II integral membrane protein




2945-25_1 : Estrogen receptor




5308-89_2 : Neutrophil elastase




4718-5_2 : Peptidyl-prolyl cis-trans isomerase B




2857-70_2 : Glucocorticoid receptor




3800-71_2 : Creatine kinase B-type




3050-7_2 : von Willebrand factor



5301-7_3 : Eotaxin



5255-22_3 : cAMP-specific 3';5'-cyclic
phosphodiesterase 4D



10990-21_3 : Leucine-rich repeat
serine/threonine-protein kinase 2

5.0

4.5

4.0

3.5

Contr

T2D

SAID


SIDD

SIRD


MOD

MARD


Clusters




3388-58_2 : Serine/threonine-protein kinase PAK 7




3634-5_4 : Opioid-binding protein/cell adhesion molecule




5441-67_3 : Troponin I; cardiac muscle




2514-65_3 : Ephrin-B3




3217-74_2 : Glia-derived nexin




3617-80_4 : Hepatocyte growth factor activator




2809-25_2 : A disintegrin and metalloproteinase
with thrombospondin motifs 4




3828-54_2 : Platelet-derived growth factor C




3459-49_2 : Platelet-derived growth factor receptor beta




4900-8_1 : C3a anaphylatoxin



3519-3_2 : C-C motif chemokine 17




3298-52_2 : Contactin-4




5031-10_1 : Spectrin alpha chain;
non-erythrocytic 1


2.5 3.0 3.5




4971-1_1 : Cathepsin Z




3873-51_2 : Thyroid peroxidase




4449-67_3 : Gremlin-1




5028-59_1 : Scavenger receptor cysteine-rich type 1 protein M130




2620-4_2 : Interleukin-6 receptor subunit beta




13105-7_3 : Synaptosomal-associated protein 25




3360-50_4 : Serine/threonine-protein kinase Chk2




5138-50_3 : Tumor necrosis factor receptor
superfamily member 12A




3189-61_2 : Enteropeptidase




3309-2_2 : Low affinity immunoglobulin gamma Fc region receptor II-a







4464-10_2 : Sialoadhesin




3151-6_1 : Interleukin-2 receptor subunit alpha




3400-49_2 : Serine/threonine-protein kinase TBK1




13119-26_3 : Protein Z-dependent protease inhibitor




5004-69_1 : Mitogen-activated protein kinase 11




2988-57_2 : Inducible T-cell costimulator




2622-18_1 : Heme oxygenase 2




3329-14_2 : Peptidoglycan recognition protein 1




3807-1_2 : Fibroblast growth factor 23




4140-3_2 : Interleukin-7




3200-49_2 : Kallikrein-13




4123-60_2 : Fibroblast growth factor 4




3181-50_2 : Cathepsin S




4588-1_2 : Pancreatic hormone



4708-3_2 : Estradiol 17-beta-dehydrogenase 1




5526-53_3 : Tumor necrosis factor receptor
superfamily member 18




5103-30_3 : Cell surface glycoprotein CD200


receptor_1




4436-1_2 : Ectonucleoside triphosphate
diphosphohydrolase 3




5110-84_3 : Neurexin-1-beta




3728-52_2 : Secretin




2788-55_1 : Stromelysin-1




5065-8_2 : CD83 antigen




4567-82_2 : SH2 domain-containing protein 1A




3073-51_2 : Interleukin-18-binding protein




8485-7_3 : Kelch-like ECH-associated protein 1




4930-21_1 : Stanniocalcin-1







5098-79_3 : Killer cell lectin-like receptor
subfamily F member 1




9171-11_3 : Cysteine and glycine-rich protein 3




3447-64_2 : Interleukin-8






2449-1_4 : Calcium-dependent phospholipase A2




13133-73_3 : Latent-transforming growth factor
beta-binding protein 4


3.5
3.0
2.5



3365-7_2 : Dickkopf-related protein 4



3391-10_2 : Phosphatidylinositol 4,5-bisphosphate
3-kinase catalytic subunit gamma isoform



14150-7_3 : Interleukin-36 alpha

