

Supplemental Table S1: ICD-10-CA diagnostic codes

<b>AESI</b>	<b>Definitions</b>	<b>Diagnosis/ICD-10 label</b>	<b>ICD-10-CA code</b>
Bell's palsy	Bell's palsy	Bell's palsy	G51.0
	Bell's palsy, including outpatient visits	Bell's palsy	G51.0
		Bell's palsy, facial nerve disorders	OHIP code: 351
Idiopathic thrombocytopenia	Idiopathic thrombocytopenia, narrow definition	Idiopathic thrombocytopenic purpura	D69.3x
		Idiopathic thrombocytopenic purpura	D69.3x
	Idiopathic thrombocytopenia, broad definition	Other primary thrombocytopenia	D69.4
		Secondary thrombocytopenia	D69.5
		Thrombocytopenia, unspecified	D69.6
		Wiskott-Aldrich syndrome	D82.0
Thrombotic microangiopathy Includes: Thrombotic thrombocytopenic purpura	M31.1		
Febrile convulsions	Febrile convulsions	R56.0x	
Acute disseminated encephalomyelitis	Acute disseminated encephalomyelitis, narrow definition	Acute disseminated encephalomyelitis	G04.0
		Acute disseminated encephalomyelitis, broad definition	Encephalitis, myelitis, and encephalomyelitis
	Acute disseminated encephalomyelitis, broad definition	Encephalitis, myelitis, and encephalomyelitis in diseases classified elsewhere	G05.x
		Multiple sclerosis	G35
		Other acute disseminated demyelination	G36.x
		Other demyelinating diseases of central nervous system	G37.x
		Toxic encephalopathy	G92
		Encephalopathy, unspecified	G93.4
		Disorder of central nervous system, unspecified	G96.9
Myocarditis/pericarditis	Myocarditis/pericarditis	Acute pericarditis	I30.x
		Pericarditis in disease classified elsewhere	I32.x
		Acute myocarditis	I40.x
		Myocarditis in diseases classified elsewhere	I41.x
		Myocarditis, unspecified	I51.4
	Myocarditis	Acute myocarditis	I40.x
		Myocarditis in diseases classified elsewhere	I41.x
		Myocarditis, unspecified	I51.4
	Pericarditis	Acute pericarditis	I30.x
		Pericarditis in disease classified elsewhere	I32.x
Kawasaki disease	Mucocutaneous lymph node syndrome (Kawasaki)	M30.3	

Guillain-Barré syndrome	Guillain-Barré syndrome	Guillain-Barré syndrome	G61.0
Transverse myelitis	Transverse myelitis, narrow definition	Acute transverse myelitis in demyelinating disease of central nervous system	G37.3
	Transverse myelitis, broad definition	Neuromyelitis optica [Devic]	G36.0
		Diffuse sclerosis	G37.0
		Acute transverse myelitis in demyelinating disease of central nervous system	G37.3
		Other specified demyelinating diseases of central nervous system	G37.8
Demyelinating disease of central nervous system, unspecified	G37.9		

Supplemental Table S2: Annual background rates of hospitalizations and emergency department visits for Bell's palsy by age group and sex in Ontario, 2015 to 2020

Age group, years	Incidence rate per 100,000 population (95% confidence interval)					
	2015	2016	2017	2018	2019	2020
<b>Bell's palsy</b>						
<b>Both sexes</b>						
All ages	27.0 (26.1, 27.9)	27.0 (26.1, 27.9)	27.9 (27.0, 28.7)	27.9 (27.0, 28.7)	29.2 (28.3, 30.1)	31.4 (30.5, 32.3)
0–4	6.59 (4.84, 8.76)	6.13 (4.45, 8.22)	5.58 (3.99, 7.60)	5.01 (3.51, 6.93)	4.30 (2.92, 6.11)	2.63 (1.58, 4.10)
5–11	5.89 (4.51, 7.55)	8.09 (6.47, 9.99)	8.14 (6.52, 10.0)	7.24 (5.73, 9.04)	7.59 (6.04, 9.42)	5.84 (4.49, 7.47)
12–15	13.5 (10.8, 16.8)	12.8 (10.2, 16.0)	13.8 (11.0, 17.0)	13.5 (10.8, 16.7)	12.1 (9.5, 15.1)	14.5 (11.7, 17.8)
16–19	17.0 (14.1, 20.4)	14.5 (11.8, 17.7)	15.6 (12.8, 18.9)	16.1 (13.3, 19.4)	15.1 (12.4, 18.3)	16.9 (14.0, 20.2)
20–24	15.5 (13.1, 18.3)	17.9 (15.3, 20.8)	18.4 (15.8, 21.3)	16.6 (14.2, 19.3)	17.7 (15.2, 20.5)	19.8 (17.2, 22.7)
25–29	21.3 (18.4, 24.5)	22.8 (19.9, 26.1)	23.2 (20.2, 26.4)	24.5 (21.6, 27.8)	23.5 (20.6, 26.6)	22.5 (19.7, 25.5)
30–39	27.8 (25.5, 30.4)	28.9 (26.5, 31.5)	26.7 (24.4, 29.1)	28.1 (25.8, 30.6)	29.1 (26.7, 31.5)	30.3 (27.9, 32.8)
40–49	33.3 (30.7, 36.0)	30.2 (27.8, 32.8)	33.9 (31.3, 36.6)	32.0 (29.5, 34.7)	33.9 (31.3, 36.7)	37.6 (34.9, 40.5)
50–59	34.5 (32.0, 37.1)	38.1 (35.5, 40.9)	38.4 (35.7, 41.1)	35.9 (33.4, 38.6)	40.6 (37.9, 43.4)	44.9 (42.1, 47.9)
60–69	42.4 (39.2, 45.8)	39.3 (36.3, 42.5)	37.3 (34.4, 40.4)	40.1 (37.1, 43.2)	40.9 (38.0, 44.1)	43.0 (40.0, 46.2)
70–79	37.9 (34.0, 42.2)	35.6 (31.8, 39.6)	44.0 (39.9, 48.3)	42.8 (38.9, 46.9)	43.4 (39.6, 47.5)	49.4 (45.4, 53.6)
≥80	36.0 (31.3, 41.3)	34.5 (30.0, 39.6)	37.1 (32.4, 42.3)	43.4 (38.4, 48.9)	47.7 (42.5, 53.4)	51.5 (46.2, 57.3)
<b>Females</b>						
All ages	25.3 (24.2, 26.6)	24.9 (23.7, 26.1)	26.8 (25.7, 28.1)	26.3 (25.1, 27.5)	27.4 (26.2, 28.6)	29.5 (28.3, 30.8)
0–4	6.60 (4.18, 9.90)	6.55 (4.15, 9.83)	6.57 (4.17, 9.86)	4.28 (2.40, 7.06)	5.70 (3.48, 8.80)	3.12 (1.56, 5.59)
5–11	6.77 (4.72, 9.42)	7.86 (5.64, 10.7)	8.57 (6.25, 11.5)	8.90 (6.54, 11.8)	9.06 (6.68, 12.0)	7.95 (5.73, 10.7)
12–15	12.7 (9.00, 17.5)	12.6 (8.93, 17.3)	13.6 (9.73, 18.4)	13.1 (9.39, 17.9)	14.3 (10.4, 19.2)	14.1 (10.3, 18.9)
16–19	17.9 (13.6, 23.0)	15.1 (11.2, 19.9)	17.3 (13.2, 22.4)	15.9 (11.9, 20.7)	14.1 (10.4, 18.7)	14.8 (11.0, 19.5)
20–24	18.5 (14.8, 22.9)	19.7 (15.8, 24.2)	20.6 (16.7, 25.1)	19.6 (15.8, 23.9)	17.9 (14.4, 22.0)	18.7 (15.1, 23.0)
25–29	22.3 (18.2, 27.1)	26.2 (21.7, 31.3)	26.8 (22.3, 31.9)	28.9 (24.3, 34.1)	26.2 (21.9, 31.0)	22.6 (18.7, 27.1)
30–39	28.5 (25.1, 32.2)	26.6 (23.3, 30.1)	28.0 (24.7, 31.6)	26.1 (23.0, 29.5)	28.1 (24.9, 31.6)	30.3 (27.0, 33.9)
40–49	27.4 (24.1, 30.9)	25.5 (22.4, 28.9)	30.5 (27.1, 34.3)	28.2 (25.0, 31.8)	29.2 (25.9, 32.9)	32.0 (28.6, 35.9)
50–59	30.4 (27.1, 33.9)	34.5 (31.0, 38.2)	33.2 (29.8, 36.8)	30.4 (27.1, 33.9)	35.1 (31.5, 38.8)	39.9 (36.1, 43.9)
60–69	36.1 (32.1, 40.6)	33.2 (29.4, 37.4)	34.7 (30.9, 39.0)	36.3 (32.4, 40.5)	36.3 (32.4, 40.4)	37.8 (34.0, 42.1)
70–79	36.5 (31.3, 42.3)	31.7 (26.9, 37.0)	38.5 (33.4, 44.2)	38.4 (33.4, 43.9)	38.4 (33.5, 43.8)	44.7 (39.6, 50.4)
≥80	33.1 (27.4, 39.7)	29.1 (23.8, 35.2)	34.5 (28.7, 41.0)	39.9 (33.8, 46.8)	44.7 (38.3, 51.9)	52.3 (45.4, 60.0)
<b>Males</b>						

All ages	28.6 (27.4, 30.0)	29.2 (27.9, 30.5)	28.9 (27.6, 30.2)	29.5 (28.2, 30.8)	31.0 (29.7, 32.3)	33.3 (32.0, 34.7)
0–4	6.58 (4.21, 9.79)	5.72 (3.54, 8.74)	4.63 (2.70, 7.41)	5.69 (3.52, 8.70)	2.97 (1.48, 5.32)	2.16 (0.93, 4.25)
5–11	5.03 (3.32, 7.32)	8.32 (6.07, 11.1)	7.72 (5.56, 10.4)	5.65 (3.84, 8.02)	6.18 (4.28, 8.63)	3.82 (2.36, 5.84)
12–15	14.3 (10.4, 19.2)	13.0 (9.35, 17.7)	14.0 (10.2, 18.7)	13.9 (10.1, 18.6)	9.98 (6.83, 14.1)	14.8 (10.9, 19.7)
16–19	16.2 (12.3, 21.0)	13.9 (10.3, 18.4)	14.0 (10.4, 18.5)	16.3 (12.4, 21.0)	16.1 (12.2, 20.8)	18.8 (14.6, 23.93)
20–24	12.8 (9.8, 16.4)	16.3 (12.9, 20.2)	16.5 (13.2, 20.4)	13.9 (10.9, 17.4)	17.6 (14.2, 21.5)	20.8 (17.1, 25.0)
25–29	20.2 (16.4, 24.7)	19.7 (15.9, 24.0)	19.7 (16.0, 24.0)	20.4 (16.7, 24.7)	20.9 (17.3, 25.2)	22.3 (18.6, 26.6)
30–39	27.2 (23.8, 30.8)	31.4 (27.8, 35.2)	25.3 (22.2, 28.8)	30.1 (26.7, 33.8)	30.1 (26.7, 33.7)	30.3 (27.0, 33.9)
40–49	39.4 (35.4, 43.6)	35.1 (31.3, 39.1)	37.4 (33.5, 41.6)	36.0 (32.2, 40.2)	38.9 (34.9, 43.4)	43.5 (39.3, 48.0)
50–59	38.6 (34.9, 42.6)	41.8 (38.0, 46.0)	43.6 (39.7, 47.9)	41.5 (37.7, 45.7)	46.2 (42.1, 50.6)	50.0 (45.8, 54.6)
60–69	49.1 (44.2, 54.4)	45.9 (41.3, 51.0)	40.1 (35.8, 44.8)	44.2 (39.7, 49.0)	46.0 (41.5, 50.8)	48.5 (43.9, 53.4)
70–79	39.5 (33.7, 46.1)	40.1 (34.3, 46.5)	50.2 (44.0, 57.1)	47.8 (41.9, 54.4)	49.2 (43.3, 55.7)	54.6 (48.5, 61.3)
≥80	40.6 (32.7, 49.8)	43.0 (35.0, 52.2)	41.1 (33.4, 50.1)	48.7 (40.4, 58.1)	52.2 (43.7, 61.8)	50.4 (42.2, 59.8)
<b>Bell's palsy (including outpatient visits)</b>						
<b>Both sexes</b>						
All ages	71.3 (69.9, 72.8)	71.7 (70.3, 73.1)	72.0 (70.6, 73.4)	70.9 (69.6, 72.3)	70.6 (69.2, 72.0)	70.5 (69.1, 71.9)
0–4	23.1 (19.7, 26.9)	22.0 (18.7, 25.7)	22.0 (18.7, 25.8)	22.1 (18.8, 25.8)	17.5 (14.6, 20.8)	17.0 (14.1, 20.3)
5–11	15.4 (13.1, 17.9)	16.6 (14.2, 19.2)	19.6 (17.1, 22.5)	18.4 (15.9, 21.1)	16.9 (14.6, 19.6)	14.6 (12.4, 17.0)
12–15	26.4 (22.5, 30.8)	26.0 (22.1, 30.3)	30.5 (26.3, 35.1)	23.3 (19.7, 27.5)	24.5 (20.8, 28.7)	28.0 (24.0, 32.4)
16–19	34.0 (29.8, 38.7)	34.6 (30.3, 39.3)	34.1 (29.9, 38.8)	32.8 (28.7, 37.3)	31.2 (27.2, 35.7)	31.0 (27.0, 35.4)
20–24	38.2 (34.3, 42.3)	38.9 (35.0, 43.0)	38.8 (35.0, 42.9)	37.4 (33.7, 41.4)	37.1 (33.5, 41.0)	38.3 (34.6, 42.2)
25–29	49.7 (45.2, 54.4)	48.8 (44.5, 53.5)	52.5 (48.0, 57.3)	49.5 (45.2, 54.0)	46.7 (42.6, 51.0)	48.3 (44.2, 52.6)
30–39	68.8 (65.0, 72.8)	68.0 (64.2, 71.8)	67.3 (63.6, 71.1)	64.8 (61.2, 68.5)	64.6 (61.1, 68.2)	64.0 (60.6, 67.6)
40–49	85.5 (81.4, 89.8)	83.9 (79.8, 88.2)	84.8 (80.6, 89.1)	84.0 (79.9, 88.3)	81.0 (77.0, 85.2)	83.3 (79.2, 87.5)
50–59	94.9 (90.8, 99.2)	102 (97.3, 106)	99.0 (94.8, 103)	93.4 (89.3, 97.7)	101 (96.6, 105)	99.4 (95.1, 104)
60–69	111 (106, 116)	113 (107, 118)	103 (98.6, 108)	109 (104, 114)	103 (98.7, 108)	105 (101, 110)
70–79	121 (113, 128)	113 (106, 120)	122 (116, 129)	121 (115, 128)	120 (114, 127)	114 (108, 121)
≥80	108 (99.4, 117)	104 (96.2, 113)	108 (100, 117)	117 (109, 126)	121 (112, 130)	116 (108, 124)
<b>Females</b>						
All ages	74.3 (72.3, 76.4)	74.7 (72.7, 76.7)	76.3 (74.2, 78.3)	74.3 (72.3, 76.3)	74.2 (72.2, 76.2)	73.9 (72.0, 75.9)
0–4	21.5 (16.9, 27.0)	19.1 (14.8, 24.2)	24.0 (19.2, 29.7)	23.1 (18.4, 28.7)	19.4 (15.1, 24.6)	17.3 (13.3, 22.3)
5–11	16.5 (13.1, 20.3)	16.7 (13.4, 20.6)	21.1 (17.4, 25.5)	20.3 (16.6, 24.5)	18.7 (15.2, 22.8)	16.3 (13.2, 20.3)
12–15	26.1 (20.6, 32.6)	26.2 (20.8, 32.7)	32.8 (26.6, 39.9)	23.7 (18.5, 29.8)	25.3 (20.0, 31.6)	28.9 (23.2, 35.5)
16–19	32.7 (26.8, 39.5)	35.1 (29.0, 42.1)	35.6 (29.5, 42.6)	34.7 (28.7, 41.6)	29.9 (24.4, 36.3)	30.2 (24.6, 36.6)
20–24	45.0 (39.0, 51.6)	43.1 (37.3, 49.6)	44.7 (38.9, 51.2)	44.5 (38.8, 50.9)	39.6 (34.3, 45.6)	36.9 (31.7, 42.6)
25–29	54.5 (48.0, 61.8)	55.8 (49.2, 63.0)	62.7 (55.6, 70.2)	58.4 (51.8, 65.6)	52.4 (46.3, 59.0)	52.7 (46.7, 59.4)

30–39	76.5 (70.9, 82.3)	74.4 (69.0, 80.1)	77.1 (71.6, 83.0)	68.0 (62.9, 73.4)	69.9 (64.8, 75.3)	74.0 (68.8, 79.4)
40–49	87.2 (81.4, 93.3)	86.0 (80.2, 92.1)	88.6 (82.8, 94.8)	87.7 (81.8, 93.8)	85.1 (79.3, 91.2)	87.4 (81.6, 93.6)
50–59	102 (96.1, 108)	106 (99.6, 112)	103 (97.1, 110)	92.6 (86.9, 98.6)	105 (98.8, 111)	99.4 (93.4, 106)
60–69	108 (101, 115)	113 (106, 120)	101 (94.3, 108)	110 (103, 117)	105 (98.0, 112)	104 (97.7, 111)
70–79	116 (106, 126)	110 (101, 120)	122 (113, 132)	122 (113, 132)	118 (109, 127)	115 (106, 124)
≥80	99.1 (89.0, 110)	97.5 (87.6, 108)	101 (91.2, 112)	111 (101, 122)	117 (107, 129)	117 (107, 128)
<b>Males</b>						
All ages	68.3 (66.3, 70.3)	68.7 (66.7, 70.7)	67.5 (65.6, 69.5)	67.5 (65.6, 69.5)	66.9 (65.0, 68.8)	67.0 (65.1, 68.9)
0–4	24.7 (19.8, 30.3)	24.8 (20.0, 30.4)	20.2 (15.8, 25.3)	21.2 (16.7, 26.4)	15.7 (11.9, 20.3)	16.7 (12.8, 21.4)
5–11	14.4 (11.3, 17.9)	16.5 (13.2, 20.3)	18.2 (14.8, 22.2)	16.6 (13.4, 20.4)	15.3 (12.2, 18.9)	12.7 (9.92, 16.1)
12–15	26.7 (21.3, 33.1)	25.8 (20.5, 32.0)	28.2 (22.7, 34.8)	23.0 (18.1, 29.0)	23.7 (18.7, 29.7)	27.2 (21.8, 33.5)
16–19	35.3 (29.3, 42.0)	34.1 (28.3, 40.7)	32.8 (27.1, 39.3)	31.0 (25.5, 37.3)	32.5 (26.9, 38.9)	31.8 (26.2, 38.2)
20–24	31.9 (27.1, 37.3)	35.0 (30.0, 40.6)	33.4 (28.6, 38.8)	30.9 (26.4, 36.1)	34.8 (30.0, 40.1)	39.6 (34.5, 45.2)
25–29	44.9 (39.1, 51.4)	42.2 (36.6, 48.4)	42.8 (37.2, 48.9)	41.0 (35.7, 46.9)	41.3 (36.1, 47.1)	44.1 (38.7, 50.0)
30–39	60.8 (55.8, 66.2)	61.3 (56.2, 66.6)	57.2 (52.4, 62.3)	61.5 (56.6, 66.7)	59.2 (54.5, 64.2)	54.2 (49.8, 58.9)
40–49	83.8 (78.0, 89.9)	81.8 (76.0, 87.9)	80.7 (75.0, 86.8)	80.1 (74.4, 86.2)	76.7 (71.1, 82.6)	78.9 (73.2, 84.9)
50–59	87.7 (82.0, 93.6)	97.4 (91.5, 104)	94.8 (89.0, 101)	94.2 (88.4, 100)	96.7 (90.8, 103)	99.4 (93.3, 106)
60–69	114 (107, 122)	112 (105, 120)	106 (99.1, 114)	107 (100, 115)	102 (96.0, 109)	107 (100, 114)
70–79	126 (116, 138)	116 (106, 127)	123 (113, 133)	120 (111, 131)	123 (114, 133)	114 (105, 123)
≥80	121 (107, 137)	115 (101, 129)	119 (106, 134)	127 (113, 141)	126 (112, 140)	113 (101, 127)

Supplemental Table S3: Annual background rates of hospitalizations and emergency department visits for idiopathic thrombocytopenia by age group and sex in Ontario, 2015 to 2020

Age group, years	Incidence rate per 100,000 population (95% confidence interval)					
	2015	2016	2017	2018	2019	2020
<b>Idiopathic thrombocytopenia, narrow definition</b>						
<b>Both sexes</b>						
0–4	11.9 (9.51, 14.7)	12.4 (9.95, 15.3)	12.8 (10.3, 15.7)	11.5 (9.19, 14.3)	9.16 (7.08, 11.7)	4.56 (3.14, 6.41)
5–11	6.65 (5.18, 8.40)	4.33 (3.17, 5.77)	6.27 (4.86, 7.96)	4.09 (2.97, 5.49)	4.81 (3.60, 6.31)	2.87 (1.95, 4.08)
12–15	2.77 (1.61, 4.44)	4.22 (2.76, 6.19)	4.70 (3.15, 6.75)	4.99 (3.39, 7.08)	5.25 (3.61, 7.37)	3.62 (2.29, 5.43)
16–19	4.25 (2.85, 6.11)	3.95 (2.61, 5.75)	3.33 (2.11, 4.99)	2.71 (1.63, 4.23)	3.99 (2.65, 5.77)	2.59 (1.54, 4.10)
20–24	4.65 (3.38, 6.24)	2.51 (1.61, 3.74)	3.07 (2.07, 4.39)	2.08 (1.29, 3.19)	3.00 (2.04, 4.26)	2.31 (1.48, 3.43)
25–29	3.13 (2.10, 4.50)	3.59 (2.49, 5.02)	2.68 (1.75, 3.92)	2.67 (1.76, 3.89)	2.67 (1.78, 3.86)	2.97 (2.03, 4.19)
<b>Females</b>						
0–4	10.9 (7.71, 15.0)	7.69 (5.07, 11.2)	11.7 (8.41, 15.9)	8.56 (5.78, 12.2)	7.70 (5.07, 11.2)	5.11 (3.03, 8.08)
5–11	5.61 (3.76, 8.06)	4.79 (3.10, 7.07)	4.95 (3.24, 7.26)	4.16 (2.61, 6.30)	4.34 (2.75, 6.51)	3.22 (1.87, 5.15)
12–15	3.68 (1.84, 6.59)	5.64 (3.29, 9.04)	4.30 (2.29, 7.35)	4.60 (2.51, 7.72)	4.87 (2.72, 8.02)	4.49 (2.45, 7.53)
16–19	4.24 (2.32, 7.11)	5.14 (2.99, 8.23)	4.48 (2.51, 7.39)	3.24 (1.62, 5.79)	5.28 (3.13, 8.35)	3.55 (1.83, 6.20)
20–24	6.39 (4.28, 9.18)	2.41 (1.20, 4.31)	3.21 (1.80, 5.30)	2.70 (1.44, 4.62)	4.07 (2.48, 6.28)	3.63 (2.15, 5.73)
25–29	4.60 (2.85, 7.03)	4.97 (3.15, 7.46)	3.38 (1.93, 5.48)	3.26 (1.86, 5.29)	3.94 (2.40, 6.08)	3.84 (2.34, 5.92)
<b>Males</b>						
0–4	12.9 (9.46, 17.1)	16.9 (13.0, 21.7)	13.9 (10.3, 18.3)	14.4 (10.8, 18.8)	10.5 (7.50, 14.4)	4.04 (2.26, 6.67)
5–11	7.64 (5.48, 10.4)	3.88 (2.40, 5.94)	7.53 (5.41, 10.2)	4.01 (2.51, 6.07)	5.27 (3.53, 7.57)	2.55 (1.39, 4.27)
12–15	1.91 (0.70, 4.15)	2.86 (1.31, 5.43)	5.08 (2.90, 8.25)	5.36 (3.12, 8.58)	5.62 (3.33, 8.88)	2.78 (1.27, 5.28)
16–19	4.26 (2.39, 7.03)	2.84 (1.36, 5.22)	2.24 (0.97, 4.41)	2.21 (0.95, 4.36)	2.78 (1.33, 5.11)	1.69 (0.62, 3.67)
20–24	3.05 (1.71, 5.03)	2.61 (1.39, 4.47)	2.95 (1.65, 4.86)	1.52 (0.66, 2.99)	2.03 (1.02, 3.64)	1.10 (0.41, 2.40)
25–29	1.70 (0.74, 3.36)	2.28 (1.14, 4.07)	2.01 (0.96, 3.69)	2.12 (1.06, 3.79)	1.48 (0.64, 2.92)	2.16 (1.12, 3.77)
<b>Idiopathic thrombocytopenia, broad definition</b>						
<b>Both sexes</b>						
All ages	40.5 (39.4, 41.5)	43.5 (42.4, 44.6)	44.8 (43.7, 45.9)	44.9 (43.8, 46.0)	45.8 (44.8, 47.0)	46.5 (45.4, 47.6)
0–4	31.7 (27.7, 36.1)	29.1 (25.3, 33.3)	34.5 (30.3, 39.0)	31.1 (27.0, 35.5)	30.0 (26.1, 34.3)	26.3 (22.7, 30.3)
5–11	16.2 (13.9, 18.9)	12.3 (10.3, 14.6)	13.8 (11.7, 16.3)	12.4 (10.4, 14.7)	13.1 (11.0, 15.4)	10.2 (8.38, 12.3)
12–15	11.4 (8.90, 14.4)	10.9 (8.43, 13.8)	14.4 (11.6, 17.7)	14.2 (11.4, 17.5)	13.0 (10.4, 16.2)	12.1 (9.56, 15.1)
16–19	13.8 (11.1, 16.9)	12.6 (10.1, 15.6)	13.3 (10.7, 16.3)	10.7 (8.41, 13.4)	14.8 (12.0, 17.8)	11.1 (8.76, 13.9)
20–24	13.0 (10.8, 15.5)	9.43 (7.58, 11.6)	11.5 (9.45, 13.8)	9.53 (7.72, 11.6)	10.1 (8.23, 12.2)	8.85 (7.13, 10.9)
25–29	13.2 (10.9, 15.7)	14.5 (12.2, 17.1)	13.0 (10.8, 15.4)	13.0 (10.8, 15.4)	13.9 (11.8, 16.4)	14.9 (12.7, 17.4)
30–39	15.1 (13.4, 17.0)	18.1 (16.2, 20.1)	18.0 (16.1, 20.0)	19.6 (17.7, 21.7)	19.1 (17.2, 21.1)	19.7 (17.8, 21.7)

40–49	23.0 (20.9, 25.3)	24.2 (22.0, 26.5)	24.9 (22.7, 27.3)	25.6 (23.4, 28.0)	26.4 (24.1, 28.8)	24.0 (21.8, 26.4)
50–59	40.6 (37.9, 43.4)	45.3 (42.5, 48.3)	43.8 (41.0, 46.7)	42.8 (40.1, 45.7)	45.6 (42.7, 48.6)	47.8 (44.9, 50.9)
60–69	64.6 (60.6, 68.7)	73.0 (68.8, 77.3)	73.7 (69.6, 78.0)	73.3 (69.2, 77.5)	73.5 (69.5, 77.7)	79.1 (75.0, 83.3)
70–79	118 (111, 125)	127 (120, 135)	125 (118, 132)	128 (121, 135)	135.0 (128, 142)	129 (123, 136)
≥80	198 (186, 210)	208 (197, 220)	221 (210, 233)	221 (210, 233)	209 (198, 220)	221 (210, 233)
<b>Females</b>						
All ages	34.9 (33.5, 36.3)	37.7 (36.3, 39.2)	39.4 (37.9, 40.9)	38.5 (37.1, 40.0)	39.8 (38.3, 41.2)	39.3 (37.9, 40.8)
0–4	26.1 (21.0, 32.0)	19.9 (15.6, 25.2)	32.0 (26.4, 38.5)	25.1 (20.1, 30.9)	26.5 (21.4, 32.5)	27.8 (22.6, 33.9)
5–11	13.7 (10.3, 17.3)	11.3 (8.61, 14.6)	10.1 (7.56, 13.2)	12.3 (9.49, 15.7)	11.7 (8.97, 15.0)	10.2 (7.68, 13.3)
12–15	11.4 (7.88, 15.9)	12.0 (8.37, 16.6)	13.6 (9.73, 18.4)	11.2 (7.74, 15.6)	14.3 (10.4, 19.2)	14.4 (10.5, 19.3)
16–19	15.7 (11.8, 20.6)	15.4 (11.5, 20.3)	13.2 (9.56, 17.7)	11.2 (7.91, 15.4)	17.0 (12.9, 22.0)	11.8 (8.45, 16.1)
20–24	15.0 (11.6, 19.0)	11.6 (8.69, 15.2)	12.8 (9.80, 16.5)	10.6 (7.90, 14.0)	11.4 (8.60, 14.8)	9.87 (7.30, 13.1)
25–29	16.2 (12.7, 20.4)	17.7 (14.1, 22.0)	15.4 (12.1, 19.4)	12.6 (9.67, 16.2)	19.5 (15.8, 23.7)	17.6 (14.2, 21.6)
30–39	17.4 (14.1, 20.1)	19.9 (17.1, 23.0)	20.7 (17.9, 23.8)	22.0 (19.2, 25.2)	21.4 (18.6, 24.5)	20.6 (17.9, 23.6)
40–49	21.7 (18.9, 24.9)	22.3 (19.4, 25.5)	24.6 (21.6, 28.0)	22.1 (19.2, 25.3)	23.6 (20.6, 26.9)	19.9 (17.1, 22.9)
50–59	33.5 (30.1, 37.2)	38.7 (35.0, 42.6)	37.8 (34.2, 41.7)	35.2 (31.7, 39.0)	37.2 (33.6, 41.1)	38.8 (35.1, 42.8)
60–69	50.9 (46.0, 56.0)	57.4 (52.3, 62.8)	57.3 (52.3, 62.6)	60.1 (55.0, 65.5)	59.1 (54.2, 64.4)	62.7 (57.7, 68.1)
70–79	84.1 (76.1, 92.7)	102.6 (93.9, 112)	94.7 (86.6, 103)	92.6 (84.7, 101)	102 (94.0, 111)	95.1 (87.5, 103)
≥80	144 (132, 157)	144 (132, 157)	167 (154, 181)	168 (155, 182)	150 (138, 162)	155 (143, 168)
<b>Males</b>						
All ages	46.2 (44.6, 47.9)	49.4 (47.7, 51.1)	50.4 (48.8, 52.1)	51.3 (49.7, 53.0)	52.1 (50.4, 53.8)	53.8 (52.1, 55.5)
0–4	37.0 (31.0, 43.8)	37.9 (31.8, 44.7)	36.8 (30.8, 43.5)	36.9 (30.9, 43.6)	33.3 (27.6, 39.7)	24.8 (20.0, 30.4)
5–11	18.6 (15.2, 22.7)	13.3 (10.4, 16.8)	17.5 (14.1, 21.3)	12.6 (9.79, 15.9)	14.4 (11.4, 17.9)	10.2 (7.69, 13.2)
12–15	11.5 (8.02, 15.9)	9.85 (6.70, 14.0)	15.2 (11.2, 20.2)	17.0 (12.8, 22.2)	11.9 (8.39, 16.3)	9.88 (6.76, 14.0)
16–19	11.9 (8.60, 16.1)	9.94 (6.92, 13.8)	13.4 (9.91, 17.8)	10.2 (7.20, 14.1)	12.5 (9.11, 16.7)	10.4 (7.33, 14.3)
20–24	11.2 (8.42, 14.5)	7.44 (5.24, 10.3)	10.2 (7.63, 13.4)	8.54 (6.23, 11.4)	8.87 (6.54, 11.8)	7.92 (5.73, 10.7)
25–29	10.2 (7.54, 13.6)	11.4 (8.57, 14.8)	10.7 (7.97, 13.9)	13.3 (10.3, 16.8)	8.71 (6.40, 11.6)	12.4 (9.66, 15.7)
30–39	12.7 (10.4, 15.3)	16.2 (13.7, 19.0)	15.2 (12.7, 17.9)	17.1 (14.6, 20.0)	16.8 (14.3, 19.5)	18.7 (16.2, 21.6)
40–49	24.4 (21.3, 27.8)	26.2 (23.0, 29.7)	25.2 (22.0, 28.7)	29.3 (25.9, 33.0)	29.3 (25.9, 33.1)	28.4 (25.0, 32.1)
50–59	47.7 (43.6, 52.1)	52.1 (47.8, 56.7)	49.8 (45.6, 54.3)	50.6 (46.3, 55.1)	54.1 (49.7, 58.8)	57.1 (52.5, 61.9)
60–69	79.3 (73.0, 86.0)	89.8 (83.2, 96.8)	91.4 (84.8, 98.3)	87.5 (81.1, 94.2)	88.9 (82.6, 95.5)	96.5 (90.1, 103)
70–79	157 (145, 169)	156 (144, 168)	159.6 (148.3, 172)	168 (156, 180)	173 (161, 185)	169 (158, 180)
≥80	282 (261, 305)	308 (286, 332)	304 (282, 327)	302 (281, 324)	298 (277, 320)	320 (299, 342)

Supplemental Table S4: Annual background rates of hospitalizations and emergency department visits for febrile convulsions by age group and sex in Ontario, 2015 to 2020

Age group, years	Incidence rate per 100,000 population (95% confidence interval)					
	2015	2016	2017	2018	2019	2020
<b>Both sexes</b>						
All ages	23.5 (22.7, 24.3)	28.6 (27.7, 29.5)	23.7 (22.9, 24.5)	25.5 (24.6, 26.3)	24.0 (23.2, 24.8)	13.5 (12.9, 14.1)
0–4	418 (403, 434)	504 (487, 520)	428 (413, 444)	468 (452, 484)	449 (433, 464)	250 (239, 262)
5–11	17.5 (15.0, 20.2)	25.0 (22.1, 28.2)	17.9 (15.4, 20.6)	21.0 (18.3, 23.9)	19.2 (16.6, 22.0)	11.7 (9.73, 13.9)
12–15	1.63 (0.78, 3.00)	2.92 (1.73, 4.62)	0.49 (0.10, 1.42)	0.80 (0.26, 1.88)	0.95 (0.35, 2.08)	0.31 (0.04, 1.14)
16–19	0.73 (0.24, 1.71)	1.03 (0.41, 2.11)	0.58 (0.16, 1.48)	0.57 (0.16, 1.46)	0.43 (0.09, 1.25)	0.43 (0.09, 1.26)
20–24	0.21 (0.03, 0.76)	0.52 (0.17, 1.22)	0.72 (0.29, 1.48)	0.20 (0.02, 0.72)	0.29 (0.06, 0.85)	0.19 (0.02, 0.69)
25–29	0.11 (0.00, 0.60)	0.42 (0.12, 1.08)	0.51 (0.17, 1.20)	0.49 (0.16, 1.15)	0.19 (0.02, 0.69)	0.09 (0.00, 0.52)
30–39	0.22 (0.06, 0.57)	0.49 (0.23, 0.94)	0.27 (0.09, 0.63)	0.26 (0.09, 0.61)	0.20 (0.06, 0.52)	0.34 (0.14, 0.71)
40–49	0.16 (0.03, 0.47)	0.27 (0.09, 0.62)	0.48 (0.22, 0.92)	0.49 (0.22, 0.92)	0.27 (0.09, 0.63)	0.27 (0.09, 0.63)
50–59	0.39 (0.17, 0.76)	0.43 (0.20, 0.82)	0.53 (0.26, 0.95)	0.24 (0.08, 0.56)	0.39 (0.17, 0.77)	0.44 (0.20, 0.84)
60–69	0.32 (0.10, 0.75)	0.69 (0.34, 1.23)	0.55 (0.25, 1.05)	0.24 (0.07, 0.61)	0.58 (0.28, 1.07)	0.68 (0.35, 1.19)
70–79	0.34 (0.07, 0.98)	0.75 (0.30, 1.55)	1.01 (0.49, 1.86)	0.48 (0.16, 1.12)	0.46 (0.15, 1.07)	0.26 (0.05, 0.77)
≥80	1.21 (0.49, 2.50)	0.84 (0.27, 1.97)	1.64 (0.79, 3.02)	0.96 (0.35, 2.09)	1.25 (0.54, 2.46)	0.91 (0.34, 1.99)
<b>Females</b>						
All ages	20.2 (19.2, 21.3)	24.3 (23.2, 25.5)	20.7 (19.6, 21.8)	21.9 (20.9, 23.0)	20.1 (19.1, 21.2)	12.5 (11.7, 13.3)
0–4	377 (357, 398)	450 (428, 473)	391 (371, 412)	420 (399, 442)	393 (372, 414)	239 (223, 255)
5–11	13.2 (10.2, 16.7)	18.2 (14.7, 22.3)	13.3 (10.4, 16.9)	18.0 (14.6, 22.0)	14.0 (11.0, 17.5)	11.5 (8.83, 14.8)
12–15	1.34 (0.36, 3.43)	2.99 (1.37, 5.67)	0.00 (0.00, 0.00)	0.66 (0.08, 2.37)	0.32 (0.01, 1.81)	0.00 (0.00, 0.00)
16–19	0.30 (0.01, 1.69)	0.60 (0.07, 2.18)	0.30 (0.01, 1.67)	0.59 (0.07, 2.13)	0.29 (0.01, 1.64)	0.89 (0.18, 2.59)
20–24	0.22 (0.01, 1.23)	0.44 (0.05, 1.58)	1.28 (0.47, 2.80)	0.00 (0.00, 0.00)	0.00 (0.00, 0.00)	0.00 (0.00, 0.00)
25–29	0.22 (0.01, 1.22)	0.65 (0.13, 1.90)	0.63 (0.13, 1.85)	0.41 (0.05, 1.47)	0.20 (0.00, 1.10)	0.19 (0.00, 1.07)
30–39	0.43 (0.12, 1.11)	0.54 (0.17, 1.25)	0.11 (0.00, 0.59)	0.21 (0.03, 0.75)	0.20 (0.02, 0.73)	0.59 (0.22, 1.29)
40–49	0.10 (0.00, 0.58)	0.31 (0.06, 0.92)	0.42 (0.11, 1.08)	0.53 (0.17, 1.23)	0.32 (0.07, 0.92)	0.32 (0.06, 0.92)
50–59	0.29 (0.06, 0.84)	0.38 (0.10, 0.98)	0.57 (0.21, 1.25)	0.10 (0.00, 0.53)	0.48 (0.16, 1.12)	0.49 (0.16, 1.13)
60–69	0.37 (0.08, 1.09)	0.24 (0.03, 0.87)	0.35 (0.07, 1.04)	0.12 (0.00, 0.64)	0.56 (0.18, 1.31)	0.44 (0.12, 1.12)
70–79	0.21 (0.01, 1.16)	0.81 (0.22, 2.07)	0.95 (0.31, 2.21)	0.54 (0.11, 1.58)	0.34 (0.04, 1.24)	0.17 (0.00, 0.92)
≥80	1.42 (0.46, 3.30)	0.55 (0.07, 2.00)	1.90 (0.76, 3.92)	0.53 (0.06, 1.92)	1.82 (0.73, 3.75)	1.02 (0.28, 2.61)
<b>Males</b>						



All ages	26.8 (25.6, 28.1)	32.9 (31.6, 34.3)	26.8 (25.6, 28.1)	29.1 (27.8, 30.4)	28.1 (26.8, 29.3)	14.5 (13.6, 15.4)
0–4	457 (436, 480)	555 (531, 579)	463 (442, 486)	513 (490, 537)	502 (479, 525)	261 (244, 278)
5–11	21.6 (17.9, 25.9)	31.6 (27.1, 36.7)	22.2 (18.5, 26.6)	23.9 (20.0, 28.4)	24.2 (20.2, 28.6)	11.8 (9.12, 15.1)
12–15	1.91 (0.70, 4.15)	2.86 (1.31, 5.43)	0.95 (0.20, 2.78)	0.95 (0.20, 2.77)	1.56 (0.51, 3.64)	0.62 (0.07, 2.23)
16–19	1.14 (0.31, 2.91)	1.42 (0.46, 3.31)	0.84 (0.17, 2.46)	0.55 (0.07, 2.00)	0.56 (0.07, 2.01)	0.00 (0.00, 0.00)
20–24	0.20 (0.01, 1.13)	0.60 (0.12, 1.76)	0.20 (0.00, 1.09)	0.38 (0.05, 1.37)	0.55 (0.11, 1.62)	0.37 (0.04, 1.33)
25–29	0.00 (0.00, 0.00)	0.21 (0.01, 1.15)	0.40 (0.05, 1.45)	0.58 (0.12, 1.69)	0.19 (0.00, 1.03)	0.00 (0.00, 0.00)
30–39	0.00 (0.00, 0.00)	0.45 (0.12, 1.14)	0.44 (0.12, 1.12)	0.32 (0.07, 0.93)	0.20 (0.02, 0.73)	0.10 (0.00, 0.55)
40–49	0.22 (0.03, 0.78)	0.22 (0.03, 0.79)	0.55 (0.18, 1.28)	0.44 (0.12, 1.13)	0.22 (0.03, 0.80)	0.22 (0.03, 0.80)
50–59	0.49 (0.16, 1.13)	0.48 (0.16, 1.13)	0.48 (0.16, 1.13)	0.39 (0.11, 1.00)	0.29 (0.06, 0.86)	0.40 (0.11, 1.01)
60–69	0.27 (0.03, 0.97)	1.17 (0.54, 2.22)	0.76 (0.28, 1.66)	0.37 (0.08, 1.09)	0.60 (0.20, 1.41)	0.94 (0.40, 1.85)
70–79	0.48 (0.06, 1.74)	0.69 (0.14, 2.03)	1.09 (0.35, 2.54)	0.41 (0.05, 1.49)	0.59 (0.12, 1.73)	0.38 (0.05, 1.37)
≥80	0.89 (0.11, 3.22)	1.29 (0.27, 3.77)	1.25 (0.26, 3.64)	1.61 (0.44, 4.12)	0.39 (0.01, 2.17)	0.76 (0.09, 2.74)

Supplemental Table S5: Annual background rates of hospitalizations and emergency department visits for acute disseminated encephalomyelitis by age group and sex in Ontario, 2015 to 2020

Age group, years	Incidence rate per 100,000 population (95% confidence interval)					
	2015	2016	2017	2018	2019	2020
<b>Acute disseminated encephalomyelitis, narrow definition*</b>						
<b>Both sexes</b>						
All ages	0.16 (0.10, 0.24)	0.22 (0.15, 0.31)	0.22 (0.15, 0.31)	0.20 (0.13, 0.28)	0.14 (0.09, 0.22)	0.10 (0.06, 0.17)
0–4	0.56 (0.15, 1.44)	0.42 (0.09, 1.22)	0.28 (0.03, 1.01)	0.14 (0.00, 0.77)	1.11 (0.48, 2.19)	0.41 (0.09, 1.21)
5–11	0.66 (0.27, 1.37)	0.47 (0.15, 1.10)	0.75 (0.32, 1.47)	0.09 (0.00, 0.52)	0.19 (0.02, 0.67)	0.00 (0.00, 0.00)
12–15	0.16 (0.00, 0.91)	0.32 (0.04, 1.17)	0.32 (0.04, 1.17)	0.32 (0.04, 1.16)	0.16 (0.00, 0.89)	0.00 (0.00, 0.00)
16–19	0.29 (0.04, 1.06)	0.29 (0.04, 1.06)	0.29 (0.04, 1.04)	0.29 (0.03, 1.03)	0.00 (0.00, 0.00)	0.00 (0.00, 0.00)
20–24	0.00 (0.00, 0.00)	0.00 (0.00, 0.00)	0.31 (0.06, 0.90)	0.20 (0.02, 0.72)	0.19 (0.02, 0.70)	0.00 (0.00, 0.00)
25–29	0.00 (0.00, 0.00)	0.53 (0.17, 1.23)	0.10 (0.00, 0.57)	0.00 (0.00, 0.00)	0.10 (0.00, 0.53)	0.09 (0.00, 0.52)
30–39	0.06 (0.00, 0.31)	0.11 (0.01, 0.40)	0.11 (0.01, 0.39)	0.21 (0.06, 0.54)	0.00 (0.00, 0.00)	0.15 (0.03, 0.43)
40–49	0.11 (0.01, 0.38)	0.11 (0.01, 0.39)	0.05 (0.00, 0.30)	0.16 (0.03, 0.47)	0.05 (0.00, 0.30)	0.05 (0.00, 0.30)
50–59	0.14 (0.03, 0.42)	0.29 (0.11, 0.63)	0.19 (0.05, 0.49)	0.05 (0.00, 0.27)	0.15 (0.03, 0.43)	0.15 (0.03, 0.43)
60–69	0.06 (0.00, 0.36)	0.06 (0.00, 0.35)	0.37 (0.13, 0.80)	0.48 (0.21, 0.94)	0.00 (0.00, 0.00)	0.11 (0.01, 0.41)
70–79	0.11 (0.00, 0.62)	0.22 (0.03, 0.78)	0.00 (0.00, 0.00)	0.10 (0.00, 0.54)	0.28 (0.06, 0.81)	0.18 (0.02, 0.64)
≥80	0.00 (0.00, 0.00)	0.00 (0.00, 0.00)	0.00 (0.00, 0.00)	0.48 (0.10, 1.40)	0.00 (0.00, 0.00)	0.00 (0.00, 0.00)
<b>Acute disseminated encephalomyelitis, broad definition</b>						
<b>Both sexes</b>						
All ages	21.8 (21.1, 22.6)	23.0 (22.2, 23.8)	23.2 (22.4, 24.0)	23.0 (22.2, 23.8)	22.9 (22.1, 23.7)	20.1 (19.4, 20.8)
0–4	8.97 (6.91, 11.5)	7.38 (5.53, 9.65)	7.53 (5.66, 9.83)	9.0 (6.97, 11.5)	11.0 (8.68, 13.7)	8.99 (6.94, 11.5)
5–11	4.46 (3.28, 5.93)	3.01 (2.06, 4.25)	4.30 (3.15, 5.74)	3.90 (2.81, 5.27)	4.63 (3.44, 6.10)	3.52 (2.49, 4.84)
12–15	4.57 (3.03, 6.60)	4.87 (3.29, 6.96)	4.21 (2.75, 6.17)	4.99 (3.39, 7.08)	4.93 (3.35, 7.00)	5.98 (4.23, 8.20)
16–19	5.28 (3.70, 7.31)	7.18 (5.31, 9.49)	6.36 (4.62, 8.54)	5.84 (4.19, 7.93)	8.27 (6.28, 10.7)	5.33 (3.76, 7.35)
20–24	7.19 (5.58, 9.11)	8.07 (6.37, 10.1)	9.32 (7.51, 11.5)	8.54 (6.83, 10.5)	7.46 (5.88, 9.32)	7.02 (5.50, 8.83)
25–29	13.1 (10.8, 15.6)	13.7 (11.5, 16.3)	14.1 (11.8, 16.7)	13.4 (11.2, 15.8)	13.1 (11.0, 15.5)	9.93 (8.14, 12.0)
30–39	19.6 (17.6, 21.8)	19.7 (17.7, 21.8)	19.0 (17.1, 21.1)	19.3 (17.4, 21.4)	20.8 (18.8, 22.9)	17.3 (15.5, 19.2)
40–49	23.1 (21.0, 25.4)	25.4 (23.2, 27.8)	25.3 (23.1, 27.7)	27.2 (24.9, 29.7)	25.0 (22.8, 27.4)	22.9 (20.8, 25.2)
50–59	32.7 (30.3, 35.2)	35.9 (33.3, 38.5)	32.1 (29.7, 34.6)	31.9 (29.5, 34.4)	33.8 (31.4, 36.4)	27.7 (25.5, 30.1)
60–69	38.5 (35.5, 41.7)	39.7 (36.7, 42.9)	41.7 (38.7, 45.0)	39.9 (36.9, 43.1)	38.2 (35.3, 41.2)	34.7 (32.0, 37.5)
70–79	41.9 (37.8, 46.4)	43.8 (39.6, 48.2)	46.2 (42.1, 50.6)	44.8 (40.8, 49.1)	41.1 (37.4, 45.1)	38.9 (35.3, 42.7)
≥80	33.3 (28.7, 38.3)	34.0 (29.5, 39.1)	39.4 (34.6, 44.7)	36.2 (31.6, 41.2)	35.1 (30.7, 40.0)	31.7 (27.6, 36.3)
<b>Females</b>						

All ages	25.9 (24.7, 27.1)	27.3 (26.1, 28.6)	27.0 (25.8, 28.2)	26.4 (25.3, 27.7)	26.6 (25.5, 27.9)	22.7 (21.7, 23.8)
0–4	9.75 (6.75, 13.6)	7.98 (5.30, 11.5)	7.43 (4.85, 10.9)	7.99 (5.31, 11.6)	9.69 (6.71, 13.5)	7.10 (4.60, 10.5)
5–11	4.06 (2.52, 6.21)	3.07 (1.75, 4.98)	3.81 (2.33, 5.88)	4.73 (3.06, 6.98)	4.53 (2.90, 6.74)	3.03 (1.73, 4.92)
12–15	5.35 (3.06, 8.69)	5.64 (3.29, 9.04)	3.97 (2.05, 6.93)	5.26 (3.00, 8.54)	4.87 (2.72, 8.02)	6.41 (3.92, 9.90)
16–19	6.36 (3.93, 9.72)	10.3 (7.12, 14.4)	7.77 (5.08, 11.4)	6.18 (3.83, 9.45)	11.4 (8.14, 15.7)	6.80 (4.31, 10.2)
20–24	10.4 (7.61, 13.8)	10.3 (7.56, 13.7)	11.1 (8.31, 14.6)	12.5 (9.53, 16.1)	10.4 (7.72, 13.6)	8.86 (6.44, 11.9)
25–29	16.2 (12.7, 20.4)	20.8 (16.8, 25.3)	20.1 (16.2, 24.5)	18.1 (14.5, 22.3)	16.9 (13.5, 20.9)	13.2 (10.3, 16.8)
30–39	26.0 (22.8, 29.5)	25.9 (22.7, 29.4)	24.5 (21.5, 27.9)	24.3 (21.3, 27.7)	25.8 (22.8, 29.2)	20.7 (18.0, 23.7)
40–49	28.8 (25.5, 32.4)	31.9 (28.4, 35.7)	31.2 (27.7, 34.9)	34.5 (30.8, 38.4)	32.5 (29.0, 36.3)	29.6 (26.3, 33.3)
50–59	38.9 (35.2, 42.9)	43.3 (39.4, 47.5)	38.4 (34.7, 42.4)	35.0 (31.5, 38.8)	40.1 (36.3, 44.1)	31.0 (27.7, 34.5)
60–69	42.4 (38.0, 47.1)	44.7 (40.3, 49.5)	45.4 (41.0, 50.2)	43.7 (39.4, 48.3)	41.1 (37.0, 45.5)	37.3 (33.4, 41.5)
70–79	47.6 (41.6, 54.2)	42.5 (37.0, 48.7)	46.5 (40.9, 52.7)	45.6 (40.1, 51.5)	43.2 (38.0, 48.9)	37.8 (33.1, 43.0)
≥80	28.3 (23.0, 34.4)	29.1 (23.8, 35.2)	36.7 (30.3, 43.4)	31.9 (26.5, 38.2)	30.2 (24.9, 36.2)	29.8 (24.7, 35.8)
<b>Males</b>						
All ages	17.6 (16.7, 18.7)	18.6 (17.6, 19.6)	19.4 (18.4, 20.4)	19.5 (18.5, 20.6)	19.1 (18.1, 20.1)	17.4 (16.5, 18.4)
0–4	8.22 (5.55, 11.7)	6.81 (4.41, 10.1)	7.63 (5.07, 11.0)	10.0 (7.06, 13.8)	12.2 (8.9, 16.3)	10.8 (7.70, 14.7)
5–11	4.85 (3.17, 7.10)	2.96 (1.69, 4.81)	4.78 (3.12, 7.00)	3.10 (1.81, 4.96)	4.72 (3.09, 6.92)	4.00 (2.51, 6.06)
12–15	3.82 (1.97, 6.67)	4.13 (2.20, 7.07)	4.44 (2.43, 7.45)	4.73 (2.65, 7.80)	4.99 (2.85, 8.11)	5.56 (3.29, 8.79)
16–19	4.26 (2.39, 7.03)	4.26 (2.38, 7.03)	5.04 (2.99, 7.97)	5.53 (3.38, 8.54)	5.28 (3.18, 8.24)	3.94 (2.15, 6.61)
20–24	4.27 (2.64, 6.52)	6.03 (4.07, 8.61)	7.66 (5.45, 10.5)	4.94 (3.22, 7.23)	4.81 (3.14, 7.04)	5.34 (3.58, 7.67)
25–29	10.0 (7.35, 13.3)	7.03 (4.87, 9.83)	8.44 (6.08, 11.4)	8.85 (6.48, 11.8)	9.45 (7.04, 12.4)	6.84 (4.84, 9.38)
30–39	12.9 (10.6, 15.5)	13.2 (10.9, 15.8)	13.3 (11.1, 15.9)	14.3 (12.0, 16.9)	15.8 (13.4, 18.4)	13.8 (11.6, 16.3)
40–49	17.3 (14.7, 20.1)	18.7 (16.0, 21.7)	19.3 (16.5, 22.3)	19.7 (16.9, 22.8)	17.2 (14.6, 20.1)	15.8 (13.3, 18.6)
50–59	26.3 (23.3, 29.7)	28.3 (25.2, 31.7)	25.7 (22.7, 29.0)	28.7 (25.5, 32.2)	27.5 (24.4, 30.9)	24.4 (21.5, 27.7)
60–69	34.4 (30.3, 38.8)	34.4 (30.3, 38.8)	37.8 (33.6, 42.4)	35.9 (31.8, 40.2)	35.1 (31.2, 39.4)	31.9 (28.2, 35.9)
70–79	35.4 (29.9, 41.6)	45.2 (39.0, 52.0)	45.9 (39.9, 52.5)	43.9 (38.2, 50.2)	38.8 (33.6, 44.6)	40.1 (34.9, 45.9)
≥80	41.0 (33.1, 50.3)	41.7 (33.8, 50.8)	43.6 (35.7, 52.8)	42.6 (34.9, 51.6)	42.4 (34.9, 51.2)	34.5 (27.8, 42.4)

\* Separate rates for females and males could not be generated for the narrow definition because of small counts.

Supplemental Table S6: Annual background rates of hospitalizations and emergency department visits for myocarditis and pericarditis by age group and sex in Ontario, 2015 to 2020

Age group, years	Incidence rate per 100,000 population (95% confidence interval)					
	2015	2016	2017	2018	2019	2020
<b>Myocarditis/pericarditis</b>						
<b>Both sexes</b>						
All ages	9.82 (9.30, 10.4)	10.2 (9.69, 10.8)	12.4 (11.8, 13.0)	11.9 (11.3, 12.4)	12.0 (11.4, 12.6)	10.7 (10.2, 11.2)
0–4	0.56 (0.15, 1.44)	1.67 (0.86, 2.92)	1.12 (0.48, 2.20)	1.53 (0.76, 2.74)	1.25 (0.57, 2.37)	0.55 (0.15, 1.42)
5–11	0.76 (0.33, 1.50)	1.22 (0.65, 2.09)	0.94 (0.45, 1.72)	0.74 (0.32, 1.46)	0.46 (0.15, 1.08)	0.74 (0.32, 1.46)
12–15	0.98 (0.36, 2.13)	2.76 (1.61, 4.42)	3.40 (2.11, 5.20)	2.74 (1.59, 4.38)	2.07 (1.10, 3.54)	2.36 (1.32, 3.89)
16–19	9.68 (7.48, 12.3)	9.08 (6.96, 11.6)	16.1 (13.2, 19.3)	11.4 (9.04, 14.2)	13.4 (10.8, 16.4)	7.50 (5.60, 9.83)
20–24	12.6 (10.4, 15.1)	11.8 (9.76, 14.2)	13.2 (11.0, 15.7)	12.4 (10.3, 14.8)	12.9 (10.8, 15.6)	8.95 (7.22, 11.0)
25–29	8.85 (7.04, 11.0)	11.0 (8.98, 13.3)	13.0 (10.8, 15.4)	11.7 (9.66, 14.0)	11.3 (9.32, 13.5)	9.28 (7.55, 11.3)
30–39	11.1 (9.60, 12.7)	10.9 (9.43, 12.5)	11.7 (10.2, 13.3)	12.2 (10.6, 13.8)	12.0 (10.5, 13.6)	11.0 (9.61, 12.6)
40–49	9.92 (8.55, 11.5)	10.8 (9.37, 12.4)	12.8 (11.2, 14.5)	12.8 (11.3, 14.6)	11.8 (10.3, 13.4)	11.1 (9.60, 12.7)
50–59	11.5 (10.1, 13.1)	12.2 (10.7, 13.8)	13.8 (12.3, 15.5)	13.4 (11.9, 15.1)	12.9 (11.4, 14.6)	12.7 (11.2, 14.4)
60–69	13.1 (11.4, 15.1)	13.3 (11.6, 15.2)	16.5 (14.6, 18.6)	16.2 (14.3, 18.3)	17.0 (15.1, 19.0)	15.6 (13.8, 17.5)
70–79	15.2 (12.8, 18.0)	16.1 (13.6, 18.9)	21.6 (18.8, 24.7)	19.9 (17.3, 22.8)	21.4 (18.7, 24.3)	18.3 (15.9, 21.0)
≥80	16.8 (13.6, 20.5)	13.6 (10.8, 17.0)	18.7 (15.4, 22.5)	17.9 (14.8, 21.6)	19.7 (16.4, 23.4)	20.0 (16.7, 23.7)
<b>Females</b>						
All ages	6.80 (6.20, 7.44)	7.02 (6.41, 7.66)	8.97 (8.29, 9.69)	8.71 (8.04, 9.41)	8.65 (8.00, 9.35)	8.44 (7.79, 9.12)
0–4	0.29 (0.01, 1.60)	1.99 (0.80, 4.11)	1.43 (0.46, 3.34)	1.43 (0.46, 3.33)	1.71 (0.63, 3.72)	0.57 (0.07, 2.05)
5–11	0.77 (0.21, 1.98)	1.34 (0.54, 2.76)	0.95 (0.31, 2.22)	0.57 (0.12, 1.66)	0.57 (0.12, 1.65)	0.19 (0.00, 1.05)
12–15	0.33 (0.01, 1.86)	0.33 (0.01, 1.85)	1.98 (0.73, 4.32)	1.97 (0.72, 4.29)	1.30 (0.35, 3.32)	0.96 (0.20, 2.81)
16–19	3.03 (1.45, 5.57)	3.33 (1.66, 5.95)	4.78 (2.73, 7.77)	5.30 (3.14, 8.37)	3.81 (2.03, 6.52)	3.55 (1.83, 6.20)
20–24	5.95 (3.92, 8.66)	5.25 (3.37, 7.82)	6.42 (4.33, 9.17)	6.45 (4.38, 9.15)	6.30 (4.28, 8.95)	4.63 (2.94, 6.95)
25–29	4.38 (2.68, 6.77)	6.48 (4.38, 9.26)	7.18 (4.97, 10.0)	5.49 (3.62, 7.99)	7.09 (4.96, 9.81)	6.33 (4.36, 8.89)
30–39	6.09 (4.60, 7.91)	6.77 (5.20, 8.66)	6.37 (4.86, 8.19)	6.96 (5.40, 8.84)	7.70 (6.06, 9.63)	8.08 (6.43, 10.0)
40–49	5.43 (4.05, 7.12)	6.19 (4.72, 7.99)	9.58 (7.71, 11.8)	9.80 (7.91, 12.0)	8.31 (6.58, 10.4)	9.04 (7.23, 11.2)
50–59	9.40 (7.63, 11.5)	9.26 (7.51, 11.3)	9.55 (7.77, 11.6)	10.5 (8.67, 12.7)	10.7 (8.79, 12.9)	10.6 (8.68, 12.8)
60–69	11.2 (9.02, 13.8)	10.4 (8.31, 12.8)	14.3 (11.9, 17.1)	13.8 (11.4, 16.5)	14.0 (11.6, 16.7)	13.1 (10.8, 15.6)
70–79	13.4 (10.3, 17.1)	13.3 (10.3, 16.9)	19.7 (16.1, 23.9)	17.1 (13.8, 20.9)	16.9 (13.7, 20.6)	15.4 (12.4, 18.8)
≥80	14.2 (10.5, 18.7)	11.9 (8.62, 16.1)	18.5 (14.3, 23.4)	15.2 (11.5, 19.7)	14.6 (11.0, 18.9)	16.8 (13.0, 21.4)
<b>Males</b>						

All ages	12.9 (12.1, 13.8)	13.5 (12.7, 14.4)	15.9 (15.0, 16.9)	15.1 (14.2, 16.0)	15.4 (14.5, 16.3)	13.0 (12.2, 13.9)
0–4	0.82 (0.17, 2.40)	1.36 (0.44, 3.18)	0.82 (0.17, 2.39)	1.63 (0.60, 3.54)	0.81 (0.17, 2.37)	0.54 (0.07, 1.95)
5–11	0.75 (0.20, 1.91)	1.11 (0.41, 2.42)	0.92 (0.30, 2.14)	0.91 (0.30, 2.13)	0.36 (0.04, 1.31)	1.27 (0.51, 2.62)
12–15	1.59 (0.52, 3.71)	5.09 (2.91, 8.26)	4.76 (2.66, 7.85)	3.47 (1.73, 6.21)	2.81 (1.28, 5.33)	3.71 (1.91, 6.47)
16–19	15.9 (12.0, 20.7)	14.5 (10.8, 19.0)	26.6 (21.5, 32.5)	17.1 (13.1, 22.0)	22.5 (17.9, 28.0)	11.3 (8.04, 15.3)
20–24	18.7 (15.1, 22.9)	17.9 (14.4, 22.0)	19.5 (15.8, 23.7)	17.8 (14.4, 21.8)	18.9 (15.4, 22.9)	12.9 (10.1, 16.3)
25–29	13.2 (10.1, 16.9)	15.3 (12.0, 19.2)	18.5 (14.9, 22.7)	17.5 (14.1, 21.5)	15.2 (12.1, 18.9)	12.1 (9.34, 15.3)
30–39	16.3 (13.8, 19.2)	15.2 (12.7, 18.0)	17.1 (14.6, 20.0)	17.4 (14.9, 20.3)	16.3 (13.8, 19.0)	13.9 (11.7, 16.4)
40–49	14.6 (12.2, 17.2)	15.6 (13.2, 18.4)	16.2 (13.7, 19.0)	16.0 (13.5, 18.9)	15.4 (12.9, 18.2)	13.2 (10.9, 15.8)
50–59	13.7 (11.5, 16.2)	15.2 (12.9, 17.7)	18.2 (15.7, 21.0)	16.3 (14.0, 19.0)	15.2 (12.9, 17.8)	14.9 (12.6, 17.5)
60–69	15.2 (12.5, 18.2)	16.4 (13.7, 19.5)	19.0 (16.0, 22.3)	18.9 (16.0, 22.1)	20.1 (17.2, 23.4)	18.3 (15.5, 21.4)
70–79	17.3 (13.6, 21.8)	19.2 (15.3, 23.8)	23.7 (19.5, 28.6)	23.1 (19.0, 27.8)	26.6 (22.3, 31.5)	21.7 (18.0, 26.1)
≥80	21.0 (15.4, 27.9)	16.3 (11.6, 22.4)	19.1 (14.0, 25.5)	22.1 (16.7, 28.8)	27.3 (21.3, 34.4)	24.6 (19.0, 31.4)
<b>Myocarditis</b>						
<b>Both sexes</b>						
All ages	2.54 (2.28, 2.82)	2.88 (2.60, 3.17)	3.38 (3.08, 3.69)	2.58 (2.32, 2.86)	2.93 (2.66, 3.22)	2.42 (2.18, 2.69)
0–4	0.56 (0.15, 1.44)	1.25 (0.57, 2.38)	0.70 (0.23, 1.63)	1.11 (0.48, 2.19)	0.83 (0.31, 1.81)	0.55 (0.15, 1.42)
5–11	0.38 (0.10, 0.97)	0.94 (0.45, 1.73)	0.28 (0.06, 0.82)	0.46 (0.15, 1.08)	0.19 (0.02, 0.67)	0.19 (0.02, 0.67)
12–15	0.16 (0.00, 0.91)	1.30 (0.56, 2.56)	0.97 (0.36, 2.12)	0.64 (0.18, 1.65)	0.64 (0.17, 1.63)	1.10 (0.44, 2.27)
16–19	4.25 (2.85, 6.11)	4.10 (2.72, 5.93)	7.52 (5.61, 9.86)	4.28 (2.88, 6.10)	5.56 (3.96, 7.61)	3.46 (2.22, 5.15)
20–24	5.71 (4.29, 7.45)	4.09 (2.91, 5.59)	4.61 (3.36, 6.17)	3.97 (2.84, 5.41)	4.26 (3.10, 5.72)	2.89 (1.95, 4.12)
25–29	2.81 (1.83, 4.11)	4.97 (3.65, 6.61)	4.43 (3.20, 5.96)	3.96 (2.83, 5.39)	4.01 (2.89, 5.42)	2.32 (1.50, 3.43)
30–39	4.12 (3.24, 5.17)	3.67 (2.84, 4.66)	3.60 (2.79, 4.58)	3.14 (2.40, 4.05)	3.20 (2.46, 4.09)	3.44 (2.68, 4.35)
40–49	2.55 (1.88, 3.38)	3.10 (2.36, 4.01)	4.73 (3.80, 5.83)	2.86 (2.14, 3.74)	3.40 (2.61, 4.35)	2.43 (1.77, 3.25)
50–59	1.98 (1.42, 2.68)	2.98 (2.28, 3.82)	3.41 (2.67, 4.30)	2.12 (1.54, 2.85)	2.62 (1.97, 3.42)	2.45 (1.82, 3.23)
60–69	2.00 (1.36, 2.84)	2.57 (1.84, 3.48)	2.82 (2.06, 3.76)	2.39 (1.71, 3.26)	3.32 (2.51, 4.30)	2.49 (1.81, 3.35)
70–79	2.12 (1.28, 3.32)	2.16 (1.32, 3.33)	2.94 (1.97, 4.22)	2.98 (2.02, 4.23)	3.03 (2.09, 4.26)	3.17 (2.22, 4.39)
≥80	2.94 (1.71, 4.71)	1.68 (0.81, 3.10)	3.28 (2.01, 5.07)	2.24 (1.23, 3.76)	2.96 (1.78, 4.63)	3.05 (1.86, 4.71)
<b>Females</b>						
All ages	1.64 (1.35, 1.97)	1.99 (1.67, 2.35)	2.31 (1.97, 2.69)	1.79 (1.50, 2.13)	1.98 (1.67, 2.33)	1.66 (1.38, 1.98)
0–4	0.29 (0.01, 1.60)	1.42 (0.46, 3.32)	0.57 (0.07, 2.07)	0.86 (0.18, 2.50)	1.43 (0.46, 3.33)	0.57 (0.07, 2.05)
5–11	0.19 (0.00, 1.08)	1.15 (0.42, 2.50)	0.19 (0.00, 1.06)	0.19 (0.00, 1.05)	0.38 (0.05, 1.36)	0.00 (0.00, 0.00)
12–15	0.00 (0.00, 0.00)	0.33 (0.01, 1.85)	0.33 (0.01, 1.84)	0.33 (0.01, 1.83)	0.65 (0.08, 2.34)	0.00 (0.00, 0.00)
16–19	1.51 (0.49, 3.53)	1.81 (0.67, 3.95)	1.79 (0.66, 3.90)	1.77 (0.65, 3.84)	1.17 (0.32, 3.01)	1.18 (0.32, 3.03)
20–24	2.42 (1.21, 4.34)	1.97 (0.90, 3.74)	1.50 (0.60, 3.09)	1.46 (0.59, 3.00)	1.83 (0.84, 3.47)	1.41 (0.57, 2.91)
25–29	0.88 (0.24, 2.24)	2.81 (1.50, 4.81)	3.38 (1.93, 5.48)	1.42 (0.57, 2.93)	1.97 (0.94, 3.62)	1.34 (0.54, 2.77)

30–39	2.07 (1.24, 3.23)	2.36 (1.48, 3.58)	1.80 (1.05, 2.89)	1.56 (0.87, 2.57)	1.01 (0.49, 1.86)	2.17 (1.36, 3.28)
40–49	1.25 (0.65, 2.19)	1.99 (1.20, 3.11)	3.05 (2.04, 4.38)	1.69 (0.96, 2.74)	2.63 (1.70, 3.88)	1.89 (1.12, 2.99)
50–59	2.30 (1.47, 3.42)	2.20 (1.39, 3.29)	2.39 (1.55, 3.53)	2.01 (1.25, 3.08)	2.21 (1.40, 3.32)	2.04 (1.26, 3.11)
60–69	2.24 (1.33, 3.55)	2.42 (1.48, 3.73)	3.66 (2.49, 5.20)	3.00 (1.96, 4.40)	3.04 (2.00, 4.42)	2.41 (1.51, 3.65)
70–79	2.50 (1.29, 4.37)	2.02 (0.97, 3.71)	3.23 (1.88, 5.16)	3.60 (2.20, 5.56)	2.75 (1.57, 4.47)	1.98 (1.02, 3.46)
≥80	1.98 (0.80, 4.08)	1.66 (0.61, 3.62)	3.53 (1.88, 6.03)	1.86 (0.75, 3.84)	3.38 (1.80, 5.78)	2.30 (1.05, 4.36)
<b>Males</b>						
All ages	3.47 (3.04, 3.94)	3.79 (3.34, 4.28)	4.47 (3.99, 5.00)	3.38 (2.97, 3.84)	3.90 (3.45, 4.38)	3.20 (2.80, 3.64)
0–4	0.82 (0.17, 2.40)	1.09 (0.30, 2.79)	0.82 (0.17, 2.39)	1.36 (0.44, 3.16)	0.27 (0.01, 1.51)	0.54 (0.07, 1.95)
5–11	0.56 (0.12, 1.63)	0.74 (0.20, 1.89)	0.37 (0.04, 1.33)	0.73 (0.20, 1.87)	0.00 (0.00, 0.00)	0.36 (0.04, 1.31)
12–15	0.32 (0.01, 1.77)	2.23 (0.89, 4.58)	1.59 (0.52, 3.70)	0.95 (0.20, 2.77)	0.62 (0.08, 2.25)	2.16 (0.87, 4.45)
16–19	6.82 (4.37, 10.2)	6.25 (3.91, 9.46)	12.9 (9.43, 17.2)	6.63 (4.25, 9.87)	9.72 (6.77, 13.5)	5.62 (3.44, 8.69)
20–24	8.74 (6.32, 11.8)	6.03 (4.07, 8.61)	7.47 (5.28, 10.3)	6.26 (4.31, 8.80)	6.47 (4.51, 9.00)	4.23 (2.68, 6.35)
25–29	4.69 (2.94, 7.09)	7.03 (4.87, 9.83)	5.42 (3.57, 7.89)	6.35 (4.37, 8.92)	5.93 (4.06, 8.37)	3.24 (1.92, 5.12)
30–39	6.28 (4.73, 8.17)	5.02 (3.66, 6.72)	5.45 (4.05, 7.19)	4.75 (3.47, 6.36)	5.38 (4.03, 7.04)	4.70 (3.47, 6.24)
40–49	3.88 (2.72, 5.37)	4.26 (3.03, 5.82)	6.49 (4.94, 8.37)	4.09 (2.88, 5.64)	4.21 (2.98, 5.77)	2.99 (1.97, 4.36)
50–59	1.65 (0.96, 2.65)	3.77 (2.68, 5.15)	4.45 (3.26, 5.94)	2.24 (1.42, 3.36)	3.03 (2.06, 4.31)	2.87 (1.92, 4.12)
60–69	1.74 (0.93, 2.98)	2.73 (1.69, 4.18)	1.91 (1.07, 3.15)	1.74 (0.95, 2.91)	3.62 (2.44, 5.17)	2.58 (1.62, 3.90)
70–79	1.69 (0.68, 3.47)	2.32 (1.11, 4.26)	2.61 (1.35, 4.56)	2.27 (1.13, 4.06)	3.35 (1.95, 5.36)	4.54 (2.91, 6.75)
≥80	4.46 (2.14, 8.20)	1.72 (0.47, 4.40)	2.91 (1.17, 5.99)	2.81 (1.13, 5.80)	2.34 (0.86, 5.08)	4.17 (2.08, 7.46)
<b>Pericarditis</b>						
<b>Both sexes</b>						
All ages	7.53 (7.08, 8.00)	7.64 (7.19, 8.11)	9.35 (8.85, 9.87)	9.44 (8.94, 9.96)	9.24 (8.75, 9.75)	8.44 (7.97, 8.92)
0–4	0.00 (0.00, 0.00)	0.42 (0.09, 1.22)	0.56 (0.15, 1.43)	0.42 (0.09, 1.22)	0.42 (0.09, 1.22)	0.00 (0.00, 0.00)
5–11	0.57 (0.21, 1.24)	0.38 (0.10, 0.96)	0.65 (0.26, 1.35)	0.28 (0.06, 0.81)	0.28 (0.06, 0.81)	0.56 (0.20, 1.21)
12–15	0.98 (0.36, 2.13)	1.79 (0.89, 3.20)	2.59 (1.48, 4.21)	2.25 (1.23, 3.78)	1.43 (0.65, 2.72)	1.26 (0.54, 2.48)
16–19	6.16 (4.44, 8.32)	5.86 (4.18, 7.98)	9.98 (7.76, 12.6)	7.70 (5.78, 10.0)	8.85 (6.78, 11.3)	4.32 (2.92, 6.17)
20–24	7.50 (5.86, 9.47)	8.70 (6.93, 10.8)	9.22 (7.41, 11.3)	8.73 (7.01, 10.8)	9.00 (7.27, 11.0)	6.35 (4.91, 8.08)
25–29	6.37 (4.85, 8.22)	6.34 (4.84, 8.16)	8.95 (7.17, 11.0)	8.11 (6.45, 10.1)	7.73 (6.14, 9.61)	7.15 (5.64, 8.93)
30–39	7.46 (6.25, 8.84)	7.39 (6.20, 8.75)	8.50 (7.22, 9.93)	9.32 (8.00, 10.8)	8.98 (7.70, 10.4)	7.81 (6.65, 9.13)
40–49	7.48 (6.30, 8.82)	8.03 (6.79, 9.42)	8.39 (7.13, 9.82)	10.1 (8.74, 11.7)	8.52 (7.25, 9.96)	8.74 (7.45, 10.2)
50–59	9.70 (8.41, 11.1)	9.51 (8.23, 10.9)	10.6 (9.22, 12.1)	11.4 (9.99, 12.9)	10.4 (9.04, 11.9)	10.5 (9.17, 12.0)
60–69	11.2 (9.57, 13.0)	10.9 (9.34, 12.6)	13.9 (12.2, 15.8)	13.8 (12.1, 15.7)	13.6 (11.9, 15.5)	13.3 (11.7, 15.1)
70–79	13.2 (10.9, 15.8)	14.0 (11.7, 16.6)	18.7 (16.1, 21.7)	16.9 (14.5, 19.6)	18.6 (16.2, 21.4)	15.3 (13.1, 17.8)
≥80	14.0 (11.1, 17.4)	12.1 (9.49, 15.3)	15.8 (12.8, 19.3)	15.7 (12.7, 19.1)	16.7 (13.7, 20.2)	16.9 (13.9, 20.4)
<b>Females</b>						

All ages	5.24 (4.72, 5.81)	5.20 (4.68, 5.76)	6.81 (6.22, 7.45)	7.00 (6.40, 7.63)	6.70 (6.12, 7.32)	6.88 (6.30, 7.50)
0–4	0.00 (0.00, 0.00)	0.57 (0.07, 2.06)	0.86 (0.18, 2.51)	0.57 (0.07, 2.06)	0.29 (0.01, 1.59)	0.00 (0.00, 0.00)
5–11	0.58 (0.12, 1.70)	0.38 (0.05, 1.38)	0.76 (0.21, 1.95)	0.38 (0.05, 1.37)	0.19 (0.00, 1.05)	0.19 (0.00, 1.05)
12–15	0.33 (0.01, 1.86)	0.33 (0.01, 1.85)	1.65 (0.54, 3.86)	1.64 (0.53, 3.83)	0.65 (0.08, 2.34)	0.96 (0.20, 2.81)
16–19	1.82 (0.67, 3.95)	2.12 (0.85, 4.36)	3.29 (1.64, 5.88)	3.53 (1.82, 6.17)	2.64 (1.21, 5.01)	2.37 (1.02, 4.66)
20–24	3.75 (2.18, 6.00)	3.72 (2.17, 5.96)	4.92 (3.12, 7.39)	5.20 (3.37, 7.68)	4.47 (2.80, 6.77)	3.42 (1.99, 5.48)
25–29	3.50 (2.00, 5.69)	3.67 (2.14, 5.88)	4.01 (2.41, 6.26)	4.48 (2.81, 6.78)	5.12 (3.34, 7.50)	4.99 (3.26, 7.31)
30–39	4.24 (3.02, 5.80)	4.41 (3.16, 5.98)	4.67 (3.39, 6.27)	5.51 (4.13, 7.21)	6.68 (5.17, 8.50)	6.01 (4.60, 7.73)
40–49	4.18 (2.98, 5.69)	4.30 (3.09, 5.84)	6.63 (5.10, 8.49)	8.22 (6.50, 10.3)	5.68 (4.27, 7.41)	7.14 (5.55, 9.06)
50–59	7.10 (5.57, 8.91)	7.35 (5.80, 9.19)	7.36 (5.80, 9.19)	8.63 (6.94, 10.6)	8.57 (6.88, 10.6)	8.83 (7.11, 10.8)
60–69	9.10 (7.13, 11.4)	8.09 (6.27, 10.3)	10.9 (8.76, 13.3)	10.8 (8.67, 13.2)	10.9 (8.86, 13.3)	10.9 (8.83, 13.2)
70–79	10.9 (8.10, 14.2)	11.5 (8.70, 14.9)	16.7 (13.4, 20.6)	13.5 (10.6, 16.9)	14.3 (11.4, 17.7)	13.5 (10.8, 16.8)
≥80	12.5 (9.05, 16.7)	10.3 (7.22, 14.1)	15.5 (11.7, 20.1)	13.3 (9.87, 17.5)	11.2 (8.09, 15.1)	14.5 (11.0, 18.8)
<b>Males</b>						
All ages	9.89 (9.15, 10.7)	10.2 (9.41, 10.9)	12.0 (11.2, 12.8)	12.0 (11.2, 12.8)	11.8 (11.1, 12.7)	10.0 (9.31, 10.8)
0–4	0.00 (0.00, 0.00)	0.27 (0.01, 1.52)	0.27 (0.01, 1.52)	0.27 (0.01, 1.51)	0.54 (0.07, 1.95)	0.00 (0.00, 0.00)
5–11	0.56 (0.12, 1.63)	0.37 (0.04, 1.34)	0.55 (0.11, 1.61)	0.18 (0.00, 1.02)	0.36 (0.04, 1.31)	0.91 (0.30, 2.12)
12–15	1.59 (0.52, 3.71)	3.18 (1.52, 5.85)	3.49 (1.74, 6.25)	2.84 (1.30, 5.39)	2.18 (0.88, 4.50)	1.54 (0.50, 3.60)
16–19	10.2 (7.17, 14.2)	9.37 (6.45, 13.2)	16.2 (12.3, 21.0)	11.6 (8.37, 15.7)	14.7 (11.0, 19.3)	6.19 (3.88, 9.37)
20–24	11.0 (8.24, 14.3)	13.3 (10.3, 16.9)	13.2 (10.2, 16.7)	12.0 (9.19, 15.3)	13.1 (10.3, 16.6)	9.02 (6.67, 11.9)
25–29	9.16 (6.63, 12.3)	8.89 (6.44, 12.0)	13.7 (10.6, 17.3)	11.6 (8.81, 14.9)	10.2 (7.68, 13.3)	9.17 (6.83, 12.1)
30–39	10.8 (8.77, 13.3)	10.5 (8.48, 12.8)	12.4 (10.3, 14.9)	13.2 (11.0, 15.7)	11.3 (9.28, 13.6)	9.60 (7.80, 11.7)
40–49	10.9 (8.87, 13.2)	11.9 (9.77, 14.4)	10.2 (8.26, 12.5)	12.2 (9.99, 14.7)	11.5 (9.41, 14.0)	10.4 (8.43, 12.8)
50–59	12.3 (10.3, 14.7)	11.7 (9.70, 14.0)	13.8 (11.7, 16.3)	14.2 (12.0, 16.7)	12.2 (10.2, 14.6)	12.3 (10.2, 14.6)
60–69	13.4 (10.9, 16.3)	13.9 (11.4, 16.8)	17.2 (14.4, 20.3)	17.1 (14.4, 20.2)	16.5 (13.9, 19.5)	15.9 (13.4, 18.9)
70–79	15.9 (12.3, 20.2)	16.9 (13.3, 21.3)	21.1 (17.1, 25.7)	20.8 (17.0, 25.3)	23.6 (19.6, 28.3)	17.4 (14.0, 21.3)
≥80	16.5 (11.6, 22.7)	15.0 (10.5, 20.9)	16.2 (11.5, 22.2)	19.3 (14.2, 25.6)	24.9 (19.2, 31.8)	20.5 (15.4, 26.7)

Supplemental Table S7: Annual background rates of hospitalizations and emergency department visits for Kawasaki disease by age group and sex in Ontario, 2015 to 2020

Age group, years	Incidence rate per 100,000 population (95% confidence interval)					
	2015	2016	2017	2018	2019	2020
<b>Both sexes</b>						
All ages	1.96 (1.73, 2.21)	2.00 (1.77, 2.25)	2.03 (1.80, 2.27)	2.15 (1.92, 2.41)	1.71 (1.51, 1.94)	1.55 (1.35, 1.76)
0–4	25.2 (21.7, 29.2)	26.3 (22.7, 30.4)	25.9 (22.4, 30.0)	28.9 (25.1, 33.1)	23.2 (19.8, 27.0)	21.4 (18.2, 25.1)
5–11	7.50 (5.94, 9.35)	7.34 (5.80, 9.16)	7.48 (5.93, 9.31)	8.08 (6.47, 9.97)	6.20 (4.81, 7.88)	5.28 (4.00, 6.85)
12–15	0.82 (0.26, 1.90)	0.97 (0.36, 2.12)	1.94 (1.00, 3.39)	0.80 (0.26, 1.88)	1.43 (0.65, 2.72)	1.89 (0.98, 3.30)
16–19	0.44 (0.09, 1.29)	0.00 (0.00, 0.00)	0.58 (0.16, 1.48)	0.14 (0.00, 0.79)	0.14 (0.00, 0.79)	0.14 (0.00, 0.80)
20–24	0.00 (0.00, 0.00)	0.10 (0.00, 0.58)	0.10 (0.00, 0.57)	0.40 (0.11, 1.02)	0.29 (0.06, 0.85)	0.00 (0.00, 0.00)
25–29	0.00 (0.00, 0.00)	0.00 (0.00, 0.00)	0.00 (0.00, 0.00)	0.10 (0.00, 0.55)	0.10 (0.00, 0.53)	0.00 (0.00, 0.00)
30–39	0.00 (0.00, 0.00)	0.00 (0.00, 0.00)	0.11 (0.01, 0.39)	0.10 (0.01, 0.38)	0.00 (0.00, 0.00)	0.00 (0.00, 0.00)
40–49	0.05 (0.00, 0.30)	0.05 (0.00, 0.30)	0.00 (0.00, 0.00)	0.00 (0.00, 0.00)	0.00 (0.00, 0.00)	0.00 (0.00, 0.00)
50–59	0.00 (0.00, 0.00)	0.05 (0.00, 0.27)	0.00 (0.00, 0.00)	0.00 (0.00, 0.00)	0.05 (0.00, 0.27)	0.05 (0.00, 0.27)
60–69	0.06 (0.00, 0.36)	0.06 (0.00, 0.35)	0.00 (0.00, 0.00)	0.00 (0.00, 0.00)	0.00 (0.00, 0.00)	0.00 (0.00, 0.00)
70–79	0.00 (0.00, 0.00)	0.00 (0.00, 0.00)	0.00 (0.00, 0.00)	0.00 (0.00, 0.00)	0.00 (0.00, 0.00)	0.18 (0.02, 0.64)
≥80	0.00 (0.00, 0.00)	0.00 (0.00, 0.00)	0.00 (0.00, 0.00)	0.00 (0.00, 0.00)	0.00 (0.00, 0.00)	0.00 (0.00, 0.00)
<b>Females</b>						
All ages	1.68 (1.39, 2.01)	1.58 (1.30, 1.90)	1.39 (1.13, 1.69)	1.71 (1.42, 2.04)	1.51 (1.24, 1.82)	1.26 (1.02, 1.54)
0–4	24.4 (19.5, 30.1)	22.8 (18.1, 28.4)	17.4 (13.3, 22.4)	21.1 (16.6, 26.5)	23.9 (19.1, 29.7)	18.2 (14.0, 23.2)
5–11	5.23 (3.44, 7.60)	5.56 (3.72, 7.98)	6.10 (4.17, 8.61)	8.71 (6.37, 11.6)	4.34 (2.75, 6.51)	5.11 (3.37, 7.43)
12–15	1.00 (0.21, 2.93)	0.33 (0.01, 1.85)	0.99 (0.20, 2.90)	0.33 (0.01, 1.83)	0.32 (0.01, 1.81)	0.64 (0.08, 2.32)
16–19	0.00 (0.00, 0.00)	0.00 (0.00, 0.00)	0.90 (0.18, 2.62)	0.00 (0.00, 0.00)	0.00 (0.00, 0.00)	0.00 (0.00, 0.00)
20–24	0.00 (0.00, 0.00)	0.00 (0.00, 0.00)	0.00 (0.00, 0.00)	0.62 (0.13, 1.82)	0.20 (0.01, 1.13)	0.00 (0.00, 0.00)
25–29	0.00 (0.00, 0.00)	0.00 (0.00, 0.00)	0.00 (0.00, 0.00)	0.00 (0.00, 0.00)	0.20 (0.00, 1.10)	0.00 (0.00, 0.00)
30–39	0.00 (0.00, 0.00)	0.00 (0.00, 0.00)	0.00 (0.00, 0.00)	0.00 (0.00, 0.00)	0.00 (0.00, 0.00)	0.00 (0.00, 0.00)
40–49	0.10 (0.00, 0.58)	0.00 (0.00, 0.00)	0.00 (0.00, 0.00)	0.00 (0.00, 0.00)	0.00 (0.00, 0.00)	0.00 (0.00, 0.00)
50–59	0.00 (0.00, 0.00)	0.10 (0.00, 0.53)	0.00 (0.00, 0.00)	0.00 (0.00, 0.00)	0.10 (0.00, 0.54)	0.00 (0.00, 0.00)
60–69	0.12 (0.00, 0.69)	0.00 (0.00, 0.00)	0.00 (0.00, 0.00)	0.00 (0.00, 0.00)	0.00 (0.00, 0.00)	0.00 (0.00, 0.00)
70–79	0.00 (0.00, 0.00)	0.00 (0.00, 0.00)	0.00 (0.00, 0.00)	0.00 (0.00, 0.00)	0.00 (0.00, 0.00)	0.17 (0.00, 0.92)
≥80	0.00 (0.00, 0.00)	0.00 (0.00, 0.00)	0.00 (0.00, 0.00)	0.00 (0.00, 0.00)	0.00 (0.00, 0.00)	0.00 (0.00, 0.00)
<b>Males</b>						
All ages	2.25 (1.91, 2.64)	2.43 (2.07, 2.83)	2.68 (2.31, 3.10)	2.61 (2.24, 3.01)	1.92 (1.61, 2.27)	1.84 (1.54, 2.18)



0-4	9.69 (7.24, 12.7)	9.06 (6.70, 12.0)	8.82 (6.50, 11.7)	7.48 (5.37, 10.1)	8.00 (5.81, 10.7)	5.45 (3.68, 7.79)
5-11	0.64 (0.08, 2.30)	1.59 (0.52, 3.71)	2.86 (1.31, 5.42)	1.26 (0.34, 3.23)	2.50 (1.08, 4.92)	3.09 (1.48, 5.68)
12-15	0.85 (0.18, 2.49)	0.00 (0.00, 0.00)	0.28 (0.01, 1.56)	0.28 (0.01, 1.54)	0.28 (0.01, 1.55)	0.28 (0.01, 1.57)
16-19	0.00 (0.00, 0.00)	0.20 (0.01, 1.12)	0.20 (0.00, 1.09)	0.19 (0.00, 1.06)	0.37 (0.04, 1.34)	0.00 (0.00, 0.00)
20-24	0.00 (0.00, 0.00)	0.00 (0.00, 0.00)	0.00 (0.00, 0.00)	0.19 (0.00, 1.07)	0.00 (0.00, 0.00)	0.00 (0.00, 0.00)
25-29	0.00 (0.00, 0.00)	0.00 (0.00, 0.00)	0.22 (0.03, 0.79)	0.21 (0.03, 0.76)	0.00 (0.00, 0.00)	0.00 (0.00, 0.00)
30-39	0.00 (0.00, 0.00)	0.11 (0.00, 0.61)	0.00 (0.00, 0.00)	0.00 (0.00, 0.00)	0.00 (0.00, 0.00)	0.00 (0.00, 0.00)
40-49	0.00 (0.00, 0.00)	0.00 (0.00, 0.00)	0.00 (0.00, 0.00)	0.00 (0.00, 0.00)	0.00 (0.00, 0.00)	0.10 (0.00, 0.55)
50-59	0.00 (0.00, 0.00)	0.13 (0.00, 0.73)	0.00 (0.00, 0.00)	0.00 (0.00, 0.00)	0.00 (0.00, 0.00)	0.00 (0.00, 0.00)
60-69	0.00 (0.00, 0.00)	0.00 (0.00, 0.00)	0.00 (0.00, 0.00)	0.00 (0.00, 0.00)	0.00 (0.00, 0.00)	0.19 (0.00, 1.05)
70-79	0.00 (0.00, 0.00)	0.00 (0.00, 0.00)	0.00 (0.00, 0.00)	0.00 (0.00, 0.00)	0.00 (0.00, 0.00)	0.00 (0.00, 0.00)
≥80	9.69 (7.24, 12.7)	9.06 (6.70, 12.0)	8.82 (6.50, 11.7)	7.48 (5.37, 10.1)	8.00 (5.81, 10.73)	5.45 (3.68, 7.79)

Supplemental Table S8: Annual background rates of hospitalizations and emergency department visits for Guillain-Barré Syndrome by age group and sex in Ontario, 2015 to 2020

Age group, years	Incidence rate per 100,000 population (95% confidence interval)					
	2015	2016	2017	2018	2019	2020
<b>Both sexes</b>						
All ages	1.83 (1.61, 2.07)	1.94 (1.71, 2.18)	1.83 (1.61, 2.06)	1.88 (1.66, 2.12)	1.82 (1.60, 2.05)	1.34 (1.16, 1.54)
0–4	0.84 (0.31, 1.83)	0.56 (0.15, 1.43)	1.12 (0.48, 2.20)	0.83 (0.31, 1.82)	0.28 (0.03, 1.00)	0.83 (0.30, 1.81)
5–11	0.66 (0.27, 1.37)	0.94 (0.45, 1.73)	0.47 (0.15, 1.09)	0.46 (0.15, 1.08)	0.28 (0.06, 0.81)	0.19 (0.02, 0.67)
12–15	0.82 (0.26, 1.90)	0.49 (0.10, 1.42)	0.16 (0.00, 0.90)	0.64 (0.18, 1.65)	0.48 (0.10, 1.39)	0.16 (0.00, 0.88)
16–19	0.88 (0.32, 1.91)	1.03 (0.41, 2.11)	1.01 (0.41, 2.09)	1.14 (0.49, 2.25)	0.86 (0.31, 1.86)	0.29 (0.03, 1.04)
20–24	0.63 (0.23, 1.38)	1.05 (0.50, 1.93)	1.13 (0.56, 2.02)	0.79 (0.34, 1.56)	0.77 (0.33, 1.53)	0.48 (0.16, 1.12)
25–29	1.40 (0.75, 2.40)	1.27 (0.66, 2.22)	0.93 (0.42, 1.76)	1.29 (0.68, 2.20)	1.05 (0.52, 1.88)	0.93 (0.45, 1.71)
30–39	1.50 (0.99, 2.19)	1.92 (1.33, 2.67)	1.45 (0.96, 2.11)	1.73 (1.19, 2.43)	1.78 (1.24, 2.47)	0.79 (0.45, 1.28)
40–49	1.70 (1.16, 2.40)	1.45 (0.95, 2.10)	1.56 (1.04, 2.24)	1.35 (0.87, 1.99)	1.78 (1.23, 2.50)	1.51 (1.00, 2.18)
50–59	1.79 (1.26, 2.46)	2.45 (1.82, 3.22)	2.69 (2.03, 3.50)	2.08 (1.50, 2.80)	2.28 (1.68, 3.03)	1.57 (1.07, 2.21)
60–69	3.49 (2.62, 4.55)	3.57 (2.70, 4.63)	3.19 (2.38, 4.18)	3.53 (2.69, 4.55)	3.73 (2.87, 4.76)	2.32 (1.67, 3.15)
70–79	4.14 (2.91, 5.70)	4.31 (3.08, 5.87)	3.44 (2.39, 4.81)	3.84 (2.75, 5.24)	3.21 (2.24, 4.47)	3.61 (2.59, 4.90)
≥80	3.64 (2.25, 5.56)	2.19 (1.17, 3.74)	2.96 (1.75, 4.67)	4.00 (2.59, 5.91)	2.65 (1.54, 4.24)	1.98 (1.06, 3.39)
<b>Females</b>						
All ages	1.59 (1.31, 1.92)	1.73 (1.44, 2.07)	1.44 (1.18, 1.75)	1.46 (1.20, 1.77)	1.64 (1.36, 1.96)	1.06 (0.84, 1.32)
0–4	0.86 (0.18, 2.51)	0.57 (0.07, 2.06)	0.57 (0.07, 2.07)	0.86 (0.18, 2.50)	0.29 (0.01, 1.59)	1.14 (0.31, 2.91)
5–11	0.97 (0.31, 2.26)	0.77 (0.21, 1.96)	0.38 (0.05, 1.38)	0.00 (0.00, 0.00)	0.19 (0.00, 1.05)	0.38 (0.05, 1.37)
12–15	0.33 (0.01, 1.86)	0.66 (0.08, 2.40)	0.00 (0.00, 0.00)	0.66 (0.08, 2.37)	0.00 (0.00, 0.00)	0.00 (0.00, 0.00)
16–19	0.61 (0.07, 2.19)	0.91 (0.19, 2.65)	0.60 (0.07, 2.16)	0.59 (0.07, 2.13)	0.59 (0.07, 2.12)	0.30 (0.01, 1.65)
20–24	0.66 (0.14, 1.93)	1.31 (0.48, 2.86)	1.28 (0.47, 2.80)	0.42 (0.05, 1.50)	1.02 (0.33, 2.37)	0.81 (0.22, 2.06)
25–29	0.88 (0.24, 2.24)	1.08 (0.35, 2.52)	0.63 (0.13, 1.85)	1.63 (0.70, 3.21)	0.59 (0.12, 1.73)	1.15 (0.42, 2.50)
30–39	1.09 (0.52, 2.00)	1.40 (0.74, 2.39)	1.06 (0.51, 1.95)	0.73 (0.29, 1.50)	1.82 (1.08, 2.88)	0.69 (0.28, 1.42)
40–49	1.57 (0.88, 2.58)	1.15 (0.58, 2.07)	0.95 (0.43, 1.80)	1.26 (0.65, 2.21)	1.58 (0.88, 2.60)	1.26 (0.65, 2.20)
50–59	1.63 (0.95, 2.61)	2.58 (1.70, 3.75)	2.87 (1.93, 4.09)	1.92 (1.17, 2.96)	1.93 (1.18, 2.97)	0.97 (0.47, 1.78)
60–69	2.62 (1.62, 4.00)	3.02 (1.95, 4.46)	2.01 (1.17, 3.22)	3.00 (1.96, 4.40)	4.17 (2.93, 5.74)	1.10 (0.53, 2.02)
70–79	3.13 (1.75, 5.16)	3.63 (2.15, 5.74)	2.66 (1.45, 4.46)	2.70 (1.51, 4.45)	2.41 (1.32, 4.04)	3.30 (2.02, 5.10)
≥80	4.25 (2.38, 7.01)	1.66 (0.61, 3.62)	2.17 (0.94, 4.28)	2.39 (1.09, 4.55)	1.30 (0.42, 3.03)	0.77 (0.16, 2.24)
<b>Males</b>						
All ages	2.08 (1.75, 2.45)	2.15 (1.82, 2.53)	2.22 (1.88, 2.60)	2.31 (1.97, 2.69)	1.99 (1.68, 2.34)	1.62 (1.34, 1.94)

0-4	0.82 (0.17, 2.40)	0.54 (0.07, 1.97)	1.63 (0.60, 3.56)	0.81 (0.17, 2.38)	0.27 (0.01, 1.51)	0.54 (0.07, 1.95)
5-11	0.37 (0.05, 1.35)	1.11 (0.41, 2.42)	0.55 (0.11, 1.61)	0.91 (0.30, 2.13)	0.36 (0.04, 1.31)	0.00 (0.00, 0.00)
12-15	1.27 (0.35, 3.26)	0.32 (0.01, 1.77)	0.32 (0.01, 1.77)	0.63 (0.08, 2.28)	0.94 (0.19, 2.74)	0.31 (0.01, 1.72)
16-19	1.14 (0.31, 2.91)	1.14 (0.31, 2.91)	1.40 (0.45, 3.27)	1.66 (0.61, 3.61)	1.11 (0.30, 2.84)	0.28 (0.01, 1.57)
20-24	0.61 (0.13, 1.78)	0.80 (0.22, 2.06)	0.98 (0.32, 2.29)	1.14 (0.42, 2.48)	0.55 (0.11, 1.62)	0.18 (0.00, 1.03)
25-29	1.92 (0.88, 3.64)	1.45 (0.58, 2.98)	1.21 (0.44, 2.62)	0.96 (0.31, 2.25)	1.48 (0.64, 2.92)	0.72 (0.20, 1.84)
30-39	1.94 (1.13, 3.11)	2.45 (1.54, 3.72)	1.85 (1.08, 2.97)	2.75 (1.79, 4.02)	1.73 (1.01, 2.77)	0.88 (0.40, 1.67)
40-49	1.83 (1.07, 2.94)	1.75 (1.00, 2.84)	2.20 (1.34, 3.40)	1.44 (0.76, 2.46)	1.99 (1.18, 3.15)	1.77 (1.01, 2.88)
50-59	1.94 (1.19, 3.00)	2.32 (1.49, 3.45)	2.52 (1.64, 3.69)	2.24 (1.42, 3.36)	2.64 (1.74, 3.84)	2.18 (1.36, 3.29)
60-69	4.43 (3.05, 6.22)	4.16 (2.85, 5.88)	4.45 (3.10, 6.19)	4.09 (2.82, 5.75)	3.26 (2.15, 4.74)	3.63 (2.47, 5.16)
70-79	5.30 (3.32, 8.02)	5.09 (3.19, 7.71)	4.35 (2.66, 6.72)	5.15 (3.34, 7.61)	4.14 (2.56, 6.32)	3.97 (2.46, 6.07)
≥80	2.67 (0.98, 5.82)	3.01 (1.21, 6.19)	4.16 (1.99, 7.64)	6.43 (3.68, 10.45)	4.67 (2.41, 8.16)	3.79 (1.82, 6.97)

Supplemental Table S9: Annual background rates of hospitalizations and emergency department visits for transverse myelitis by age group and sex in Ontario, 2015 to 2020

Age group, years	Incidence rate per 100,000 population (95% confidence interval)					
	2015	2016	2017	2018	2019	2020
<b>Transverse myelitis, narrow definition</b>						
<b>Both sexes</b>						
All ages	0.61 (0.49, 0.76)	0.90 (0.75, 1.07)	0.73 (0.60, 0.89)	0.85 (0.71, 1.02)	0.87 (0.73, 1.04)	0.83 (0.69, 1.00)
0–4	0.28 (0.03, 1.01)	0.28 (0.03, 1.01)	0.28 (0.03, 1.01)	0.56 (0.15, 1.42)	0.28 (0.03, 1.00)	0.14 (0.00, 0.77)
5–11	0.28 (0.06, 0.83)	0.19 (0.02, 0.68)	0.09 (0.00, 0.52)	0.28 (0.06, 0.81)	0.46 (0.15, 1.08)	0.19 (0.02, 0.67)
12–15	0.16 (0.00, 0.91)	0.65 (0.18, 1.66)	0.49 (0.10, 1.42)	0.00 (0.00, 0.00)	0.00 (0.00, 0.00)	0.16 (0.00, 0.88)
16–19	0.29 (0.04, 1.06)	0.44 (0.09, 1.28)	0.72 (0.23, 1.69)	0.86 (0.31, 1.86)	1.00 (0.40, 2.06)	0.29 (0.03, 1.04)
20–24	0.21 (0.03, 0.76)	0.63 (0.23, 1.37)	0.20 (0.02, 0.74)	0.79 (0.34, 1.56)	0.48 (0.16, 1.13)	0.48 (0.16, 1.12)
25–29	0.22 (0.03, 0.78)	1.27 (0.66, 2.22)	0.93 (0.42, 1.76)	0.89 (0.41, 1.69)	0.29 (0.06, 0.84)	0.65 (0.26, 1.34)
30–39	0.67 (0.35, 1.17)	1.15 (0.71, 1.76)	0.48 (0.22, 0.92)	0.73 (0.40, 1.23)	0.96 (0.58, 1.50)	1.23 (0.80, 1.81)
40–49	1.01 (0.61, 1.57)	0.86 (0.49, 1.39)	1.02 (0.62, 1.60)	1.35 (0.87, 1.99)	0.81 (0.45, 1.33)	0.97 (0.58, 1.53)
50–59	0.72 (0.41, 1.19)	1.20 (0.78, 1.77)	1.20 (0.78, 1.77)	1.01 (0.63, 1.55)	0.92 (0.56, 1.44)	0.93 (0.56, 1.45)
60–69	0.65 (0.31, 1.19)	0.75 (0.39, 1.31)	0.86 (0.47, 1.44)	1.02 (0.59, 1.63)	1.05 (0.62, 1.66)	0.96 (0.56, 1.54)
70–79	0.78 (0.31, 1.61)	1.83 (1.07, 2.93)	0.91 (0.42, 1.73)	0.87 (0.40, 1.64)	2.20 (1.41, 3.28)	1.06 (0.55, 1.85)
≥80	1.56 (0.71, 2.96)	0.84 (0.27, 1.97)	0.82 (0.27, 1.92)	0.96 (0.35, 2.09)	1.56 (0.75, 2.87)	2.13 (1.17, 3.58)
<b>Females</b>						
All ages	0.76 (0.57, 1.00)	1.18 (0.94, 1.46)	0.93 (0.72, 1.18)	1.15 (0.91, 1.42)	0.94 (0.73, 1.19)	0.89 (0.68, 1.13)
0–4	0.29 (0.01, 1.60)	0.00 (0.00, 0.00)	0.29 (0.01, 1.59)	0.57 (0.07, 2.06)	0.00 (0.00, 0.00)	0.28 (0.01, 1.58)
5–11	0.19 (0.00, 1.08)	0.19 (0.00, 1.07)	0.00 (0.00, 0.00)	0.38 (0.05, 1.37)	0.00 (0.00, 0.00)	0.00 (0.00, 0.00)
12–15	0.00 (0.00, 0.00)	1.00 (0.21, 2.91)	0.99 (0.20, 2.90)	0.00 (0.00, 0.00)	0.00 (0.00, 0.00)	0.00 (0.00, 0.00)
16–19	0.61 (0.07, 2.19)	0.60 (0.07, 2.18)	0.90 (0.18, 2.62)	0.88 (0.18, 2.58)	2.05 (0.83, 4.23)	0.59 (0.07, 2.14)
20–24	0.22 (0.01, 1.23)	0.66 (0.14, 1.92)	0.21 (0.01, 1.19)	1.66 (0.72, 3.28)	0.61 (0.13, 1.78)	0.40 (0.05, 1.46)
25–29	0.44 (0.05, 1.58)	2.16 (1.04, 3.98)	1.48 (0.59, 3.04)	1.42 (0.57, 2.93)	0.59 (0.12, 1.73)	0.96 (0.31, 2.24)
30–39	0.87 (0.38, 1.71)	1.29 (0.67, 2.25)	0.64 (0.23, 1.39)	0.94 (0.43, 1.78)	0.81 (0.35, 1.60)	1.08 (0.54, 1.94)
40–49	1.67 (0.95, 2.71)	1.26 (0.65, 2.20)	1.47 (0.81, 2.47)	2.00 (1.21, 3.13)	1.05 (0.50, 1.93)	1.58 (0.88, 2.60)
50–59	0.77 (0.33, 1.51)	1.53 (0.87, 2.48)	1.43 (0.80, 2.36)	1.34 (0.73, 2.25)	1.06 (0.53, 1.90)	0.87 (0.40, 1.66)
60–69	0.62 (0.20, 1.45)	1.21 (0.58, 2.22)	1.18 (0.57, 2.17)	1.04 (0.48, 1.97)	1.01 (0.46, 1.92)	0.66 (0.24, 1.43)
70–79	1.25 (0.46, 2.72)	2.02 (0.97, 3.71)	0.76 (0.21, 1.94)	0.90 (0.29, 2.10)	1.89 (0.94, 3.39)	1.16 (0.46, 2.38)
≥80	0.85 (0.18, 2.48)	1.11 (0.30, 2.84)	0.54 (0.07, 1.96)	1.33 (0.43, 3.10)	1.82 (0.73, 3.75)	2.04 (0.88, 4.02)
<b>Males</b>						

All ages	0.46 (0.31, 0.65)	0.61 (0.44, 0.83)	0.53 (0.38, 0.74)	0.55 (0.39, 0.75)	0.81 (0.61, 1.04)	0.78 (0.59, 1.01)
0–4	0.27 (0.01, 1.53)	0.54 (0.07, 1.97)	0.27 (0.01, 1.52)	0.54 (0.07, 1.96)	0.54 (0.07, 1.95)	0.00 (0.00, 0.00)
5–11	0.37 (0.05, 1.35)	0.18 (0.00, 1.03)	0.18 (0.00, 1.02)	0.18 (0.00, 1.02)	0.91 (0.29, 2.12)	0.36 (0.04, 1.31)
12–15	0.32 (0.01, 1.77)	0.32 (0.01, 1.77)	0.00 (0.00, 0.00)	0.00 (0.00, 0.00)	0.00 (0.00, 0.00)	0.31 (0.01, 1.72)
16–19	0.00 (0.00, 0.00)	0.28 (0.01, 1.58)	0.56 (0.07, 2.02)	0.83 (0.17, 2.42)	0.00 (0.00, 0.00)	0.00 (0.00, 0.00)
20–24	0.20 (0.01, 1.13)	0.60 (0.12, 1.76)	0.20 (0.00, 1.09)	0.00 (0.00, 0.00)	0.37 (0.04, 1.34)	0.55 (0.11, 1.61)
25–29	0.00 (0.00, 0.00)	0.41 (0.05, 1.49)	0.40 (0.05, 1.45)	0.38 (0.05, 1.39)	0.00 (0.00, 0.00)	0.36 (0.04, 1.30)
30–39	0.46 (0.12, 1.17)	1.00 (0.46, 1.91)	0.33 (0.07, 0.96)	0.53 (0.17, 1.23)	1.12 (0.56, 2.00)	1.37 (0.75, 2.30)
40–49	0.32 (0.07, 0.95)	0.44 (0.12, 1.12)	0.55 (0.18, 1.28)	0.66 (0.24, 1.44)	0.55 (0.18, 1.29)	0.33 (0.07, 0.97)
50–59	0.68 (0.27, 1.40)	0.87 (0.40, 1.65)	0.97 (0.46, 1.78)	0.68 (0.27, 1.40)	0.78 (0.34, 1.54)	0.99 (0.47, 1.82)
60–69	0.67 (0.22, 1.57)	0.26 (0.03, 0.94)	0.51 (0.14, 1.30)	0.99 (0.43, 1.96)	1.09 (0.50, 2.06)	1.29 (0.64, 2.31)
70–79	0.24 (0.01, 1.34)	1.62 (0.65, 3.34)	1.09 (0.35, 2.54)	0.82 (0.22, 2.11)	2.56 (1.36, 4.38)	0.95 (0.31, 2.21)
≥80	2.67 (0.98, 5.82)	0.43 (0.01, 2.39)	1.25 (0.26, 3.64)	0.40 (0.01, 2.24)	1.17 (0.24, 3.41)	2.27 (0.83, 4.95)
<b>Transverse myelitis, broad definition</b>						
<b>Both sexes</b>						
All ages	1.27 (1.09, 1.47)	1.84 (1.63, 2.09)	1.69 (1.48, 1.92)	1.81 (1.60, 2.04)	1.95 (1.73, 2.19)	1.93 (1.71, 2.17)
0–4	0.56 (0.15, 1.44)	0.56 (0.15, 1.43)	0.28 (0.03, 1.01)	0.83 (0.31, 1.82)	0.69 (0.23, 1.62)	0.28 (0.03, 1.00)
5–11	0.57 (0.21, 1.24)	0.56 (0.21, 1.23)	0.56 (0.21, 1.22)	0.46 (0.15, 1.08)	0.74 (0.32, 1.46)	0.56 (0.20, 1.21)
12–15	0.82 (0.26, 1.90)	0.97 (0.36, 2.12)	0.81 (0.26, 1.89)	0.64 (0.18, 1.65)	0.80 (0.26, 1.86)	1.42 (0.65, 2.69)
16–19	0.88 (0.32, 1.91)	1.76 (0.91, 3.07)	1.01 (0.41, 2.09)	1.00 (0.40, 2.06)	2.57 (1.52, 4.06)	1.01 (0.41, 2.08)
20–24	0.53 (0.17, 1.23)	1.57 (0.88, 2.59)	1.33 (0.71, 2.28)	1.29 (0.69, 2.21)	1.94 (1.18, 2.99)	1.35 (0.74, 2.26)
25–29	1.62 (0.91, 2.67)	2.11 (1.29, 3.26)	2.26 (1.42, 3.43)	2.08 (1.29, 3.18)	1.81 (1.09, 2.83)	1.76 (1.06, 2.75)
30–39	1.50 (0.99, 2.19)	2.57 (1.89, 3.42)	1.99 (1.40, 2.74)	2.30 (1.67, 3.09)	2.28 (1.66, 3.05)	2.75 (2.08, 3.57)
40–49	1.86 (1.29, 2.58)	1.82 (1.26, 2.54)	2.31 (1.67, 3.12)	2.64 (1.96, 3.49)	1.94 (1.36, 2.69)	2.64 (1.96, 3.50)
50–59	1.45 (0.98, 2.07)	2.40 (1.78, 3.16)	2.21 (1.62, 2.95)	2.46 (1.83, 3.24)	2.04 (1.47, 2.76)	2.35 (1.73, 3.12)
60–69	0.90 (0.49, 1.52)	1.69 (1.11, 2.46)	1.84 (1.24, 2.62)	1.73 (1.16, 2.49)	2.15 (1.52, 2.97)	2.04 (1.43, 2.82)
70–79	1.68 (0.94, 2.77)	2.48 (1.57, 3.72)	1.82 (1.08, 2.88)	1.92 (1.17, 2.97)	2.94 (2.01, 4.15)	2.03 (1.29, 3.04)
≥80	2.08 (1.07, 3.63)	2.02 (1.04, 3.53)	1.48 (0.68, 2.81)	1.60 (0.77, 2.94)	2.65 (1.54, 4.24)	2.29 (1.28, 3.77)
<b>Females</b>						
All ages	1.51 (1.23, 1.83)	2.39 (2.04, 2.78)	2.06 (1.74, 2.42)	2.14 (1.82, 2.50)	2.12 (1.80, 2.48)	2.23 (1.90, 2.59)
0–4	0.57 (0.07, 2.07)	0.28 (0.01, 1.59)	0.29 (0.01, 1.59)	0.86 (0.18, 2.50)	0.57 (0.07, 2.06)	0.57 (0.07, 2.05)
5–11	0.39 (0.05, 1.40)	0.57 (0.12, 1.68)	0.38 (0.05, 1.38)	0.57 (0.12, 1.66)	0.57 (0.12, 1.65)	0.38 (0.05, 1.37)
12–15	0.67 (0.08, 2.42)	1.33 (0.36, 3.40)	0.99 (0.20, 2.90)	0.99 (0.20, 2.88)	0.65 (0.08, 2.34)	1.28 (0.35, 3.28)
16–19	1.21 (0.33, 3.10)	2.42 (1.04, 4.77)	1.49 (0.49, 3.49)	0.88 (0.18, 2.58)	3.81 (2.03, 6.52)	1.77 (0.65, 3.86)
20–24	0.88 (0.24, 2.26)	1.75 (0.76, 3.45)	1.71 (0.74, 3.37)	2.08 (1.00, 3.83)	2.03 (0.97, 3.74)	1.81 (0.83, 3.44)
25–29	2.19 (1.05, 4.03)	3.24 (1.81, 5.35)	3.59 (2.09, 5.74)	2.85 (1.56, 4.78)	2.56 (1.36, 4.38)	2.30 (1.19, 4.02)

30–39	1.85 (1.08, 2.96)	3.55 (2.44, 4.98)	2.44 (1.55, 3.66)	2.81 (1.85, 4.08)	2.53 (1.64, 3.74)	3.06 (2.08, 4.34)
40–49	2.40 (1.52, 3.60)	2.73 (1.78, 4.00)	3.16 (2.13, 4.51)	3.48 (2.39, 4.88)	2.52 (1.62, 3.76)	3.78 (2.65, 5.24)
50–59	1.34 (0.73, 2.25)	2.86 (1.93, 4.09)	2.67 (1.78, 3.87)	2.68 (1.78, 3.88)	2.21 (1.40, 3.32)	2.62 (1.73, 3.81)
60–69	1.12 (0.51, 2.13)	2.29 (1.38, 3.58)	2.13 (1.26, 3.36)	1.73 (0.97, 2.86)	2.03 (1.20, 3.20)	1.76 (1.00, 2.85)
70–79	2.71 (1.44, 4.64)	2.42 (1.25, 4.23)	1.71 (0.78, 3.24)	1.62 (0.74, 3.08)	2.75 (1.57, 4.47)	2.15 (1.14, 3.67)
≥80	1.42 (0.46, 3.30)	2.49 (1.14, 4.73)	0.81 (0.17, 2.38)	1.86 (0.75, 3.84)	1.82 (0.73, 3.75)	2.04 (0.88, 4.02)
<b>Males</b>						
All ages	1.02 (0.80, 1.29)	1.29 (1.03, 1.59)	1.31 (1.06, 1.61)	1.47 (1.20, 1.78)	1.78 (1.49, 2.12)	1.62 (1.34, 1.94)
0–4	0.55 (0.07, 1.98)	0.82 (0.17, 2.39)	0.27 (0.01, 1.52)	0.81 (0.17, 2.38)	0.81 (0.17, 2.37)	0.00 (0.00, 0.00)
5–11	0.75 (0.20, 1.91)	0.55 (0.11, 1.62)	0.73 (0.20, 1.88)	0.36 (0.04, 1.32)	0.91 (0.29, 2.12)	0.73 (0.20, 1.86)
12–15	0.95 (0.20, 2.79)	0.64 (0.08, 2.30)	0.63 (0.08, 2.29)	0.32 (0.01, 1.76)	0.94 (0.19, 2.74)	1.54 (0.50, 3.60)
16–19	0.57 (0.07, 2.05)	1.14 (0.31, 2.91)	0.56 (0.07, 2.02)	1.11 (0.30, 2.83)	1.39 (0.45, 3.24)	0.28 (0.01, 1.57)
20–24	0.20 (0.01, 1.13)	1.41 (0.57, 2.90)	0.98 (0.32, 2.29)	0.57 (0.12, 1.66)	1.85 (0.89, 3.40)	0.92 (0.30, 2.15)
25–29	1.06 (0.35, 2.48)	1.03 (0.34, 2.41)	1.00 (0.33, 2.34)	1.35 (0.54, 2.78)	1.11 (0.41, 2.42)	1.26 (0.51, 2.59)
30–39	1.14 (0.55, 2.10)	1.56 (0.85, 2.62)	1.53 (0.83, 2.56)	1.80 (1.05, 2.87)	2.03 (1.24, 3.14)	2.45 (1.59, 3.62)
40–49	1.29 (0.67, 2.26)	0.87 (0.38, 1.72)	1.43 (0.76, 2.44)	1.77 (1.01, 2.87)	1.33 (0.69, 2.32)	1.44 (0.77, 2.47)
50–59	1.55 (0.89, 2.53)	1.93 (1.18, 2.98)	1.74 (1.03, 2.75)	2.24 (1.42, 3.36)	1.86 (1.12, 2.90)	2.08 (1.29, 3.17)
60–69	0.67 (0.22, 1.57)	1.04 (0.45, 2.05)	1.53 (0.79, 2.67)	1.74 (0.95, 2.91)	2.29 (1.38, 3.58)	2.34 (1.43, 3.62)
70–79	0.48 (0.06, 1.74)	2.55 (1.27, 4.56)	1.96 (0.89, 3.71)	2.27 (1.13, 4.06)	3.15 (1.80, 5.12)	1.89 (0.91, 3.48)
≥80	3.12 (1.25, 6.43)	1.29 (0.27, 3.77)	2.49 (0.92, 5.43)	1.21 (0.25, 3.53)	3.89 (1.87, 7.16)	2.65 (1.07, 5.47)