


**Supplemental Figure 1. A)**  $10^6$  PBMCs per well were cultured without peptide stimulation (NS) or stimulated with Spike peptide pools from USA-WA1/2020 for 42h, IFN- $\gamma$  response was measured by FLUORISpot. Prepandemic samples N=32, immunized samples N=326. Data presented as mean  $\pm$  standard error of the mean. Kruskal-Wallis test with Dunn's correction for multiple comparisons. **B).** Prepandemic samples showed higher IFN- $\gamma$  responses, but not IL-2 and GrB in response to USA-WA1/2020 peptide pool compared to Omicron. N=32. Data presented as mean  $\pm$  standard error of the mean. Two-tailed Wilcoxon rank test. For all statistical differences \* $p$ <0.05, \*\* $p$ <0.01, \*\*\* $p$ <0.001. \*\*\*\* $p$ <0.0001.




**Supplemental Figure 2. Reduced IL-2 responses in recipients of Pfizer mRNA SARS-Cov-2 vaccines** **A)** No difference in number of IFN- $\gamma$  SFU between recipients of Pfizer and Moderna manufactured mRNA vaccines. **B)** IL-2 SFU were reduced in recipients of Pfizer's mRNA vaccines in response to both USA-WA1/2020 and Omicron peptide pool. **C)** No difference in number of GrB SFU between groups. Pfizer n=139, Moderna n=93. Data presented as mean  $\pm$  standard error of the mean. Kruskal-Wallis test with Dunn's correction for multiple comparisons



Marker	Fluorochrome	Clone
CD16	PerCPCY5.5	3G8
CD3	AF488	UCHT1
CD4	SB550	SK3
CD8	AF700	SK1
CD45RA	BV570	HI100
CD28	PEdazzle994	CD28.2
CD95	BV421	DX2
CCR7	PECy7	G043H7
OX-40	PE	Ber-ACT35 (ACT35)
CD137	APC	4-1BB
CD57	BV605	QA17A04

**Supplemental Table 1. Antibodies used for flow cytometric staining**



A.



B.



C.



**Supplemental Figure 3. A)** Spike peptide pool induces expression of CD137 and OX-40 on T cells, n=96. Data presented as mean  $\pm$  standard error of the mean. Kruskal-Wallis test with Dunn's correction for multiple comparisons **B)** No correlation with antigen specific (CD137+OX-40+) cells and naïve phenotype of T cells or **C)** senescence marker CD57, n=96, nonparametric Spearman correlation, two tailed p-values. Data presented as individual values.