

Supplementary data

Table S1: Köppen climate symbols and description (by levels)

1st	2nd	3rd	Description
A			Tropical
	f		- Rainforest
	m		- Monsoon
	w		- Savannah
B			Arid
	W		- Desert
	S		- Steppe
		h	- Hot
		k	- Cold
C			Temperate
	s		- Dry Summer
	w		- Dry Winter
	f		- Without Dry Season
		a	- Hot Summer
		b	- Warm Summer
		c	- Cold Summer
D			Cold (Continental)
	s		- Dry Summer
	w		- Dry Winter
	f		- Without Dry Season
		a	- Hot Summer
		b	- Warm Summer
		c	- Cold Summer
E			Polar
	T		- Tundra
	F		- Frost

Adapted from: Peel, M. C., Finlayson, B. L., and McMahon, T. A.: Updated world map of the Köppen-Geiger climate classification, *Hydrol. Earth Syst. Sci.*, 11, 1633–1644, <https://doi.org/10.5194/hess-11-1633-2007>, 2007. *See reference for exact criteria.*

Table S2: Characteristics of minimal study spatial units for subgroup and meta-analyses

Study	Country	City/region	Latitude	Longitude	Köppen - Geiger climate type	Geographical location
Heaviside, et al. (2016)	Cyprus	All Cyprus	35.1	33.25	Csa	East Europe
Baccini, et al. (2008)	Greece	Athens	37.58	23.43	Csa	East Europe
Leone, et al. (2013)	Greece	Athens	37.58	23.43	Csa	East Europe
Kouis et al. (2019)	Greece	Athens	37.58	23.43	Csa	East Europe
Zafeiratou et al. (2019)	Greece	Thessaloniki	40.39	22.54	Bsk	East Europe
Peretz, et al. (2012)	Israel	Tel Aviv	32.04	34.47	Csa	MENA
Leone, et al. (2013)	Israel	Tel Aviv	32.04	34.47	Csa	MENA
Leone, et al. (2013)	Italy	Bari	41.11	16.87	Cfa	West Europe
Michelozzi, et al. (2006)	Italy	Bologna	44.3	11.21	Cfa	West Europe
Armstrong, et al. (2017)	Italy	Italy	42.2	12.29	Csa	West Europe
Michelozzi, et al. (2006)	Italy	Milan	45.28	9.11	Cfa	West Europe
Baccini, et al. (2008)	Italy	Milan	45.28	9.11	Cfa	West Europe
Muggeo, et al. (2009)	Italy	Palermo	38.07	13.22	Csa	West Europe
Leone, et al. (2013)	Italy	Palermo	38.07	13.22	Csa	West Europe
Michelozzi, et al. (2006)	Italy	Rome	41.54	12.3	Csa	West Europe
Baccini, et al. (2008)	Italy	Rome	41.54	12.3	Csa	West Europe
Leone, et al. (2013)	Italy	Rome	41.54	12.3	Csa	West Europe
Michelozzi, et al. (2006)	Italy	Turin	45.04	7.42	Cfa	West Europe
Baccini, et al. (2008)	Italy	Turin	45.04	7.42	Cfa	West Europe
Morabito, et al. (2012)	Italy	Tuscany (region)	43.77	11.24	Csa	West Europe
El Zein, et al. (2004)	Lebanon	Beirut	33.53	35.31	Csa	MENA
Almeida, et al. (2013)	Portugal	Lisbon	38.43	9.08	Csa	West Europe
Burkart, et al. (2013)	Portugal	Lisbon	38.43	9.08	Csa	West Europe
Leone, et al. (2013)	Portugal	Lisbon	38.43	9.08	Csa	West Europe
Almeida, et al. (2013)	Portugal	Porto	41.1	8.37	Csb	West Europe
Baccini, et al. (2008)	Slovenia	Ljubljana	46.03	14.31	Dfc	West Europe
McMichael, et al. (2010)	Slovenia	Ljubljana	46.03	14.31	Dfc	West Europe
Baccini, et al. (2008)	Spain	Barcelona	41.23	2.11	Csa	West Europe
Leone, et al. (2013)	Spain	Barcelona	41.23	2.11	Csa	West Europe
Gomez-Acebo, et al. (2012)	Spain	Cantabria (region)	43.18	3.98	Cfb	West Europe
Armstrong, et al. (2017)	Spain	Spain	40.23	3.43	Bsk	West Europe
Baccini, et al. (2008)	Spain	Valencia	39.28	0.23	Bsk	West Europe
Leone, et al. (2013)	Spain	Valencia	39.28	0.23	Bsk	West Europe
Leone, et al. (2013)	Tunisia	Tunis	36.48	10.11	Csa	MENA

Bettaieb et al. (2020)	Tunisia	Tunis	36.48	10.11	Csa	MENA
Leone, et al. (2013)	Turkey	Istanbul	41.01	28.57	Csa	East Europe

Table S3: Study characteristics: season, statistical model, exposure, and confounders

Author (year)	Season	Model	Lag (Days) Used	Confounders
El Zein et al. (2004)	All year	Poisson regression	lag 0	Climate: humidity Time related variables: day of the week, holidays, seasonality, year of death
Michelozzi et al. (2006)	Hot season: June to September	Poisson generalized additive model (GAM)		
Baccini et al. (2008)	Hot season: April to September	Poisson generalized estimating equation model (GEE)	lag 0-3	Air pollution: NO2 (lag0-1) Climate: barometric pressure (lag0-1), wind speed Time related variables: holidays, day of week, calendar month, long time trend
McMichael, et al. (2008)	All year	Poisson regression	lag 0-1	Air pollution: particulate concentrations (lag 0-1) Climate: humidity Time related variables: day of week, public holidays, secular trends, seasonality
Muggeo et al. (2009)	All year	Poisson generalized additive model (GAM)	lag 0	Air pollution: PM10, (lag 0-1) O3 (lag 0-1) Climate: humidity Time related variables: seasonality, long term trends, day of week, influenza
Gómez-Acebo et al. (2012)	Hot season: June to September	Poisson regression		Demography: number of inhabitants Time related variables: seasonality
Morabito et al. (2012)	All year	Poisson regression	lag 0-1	Demography: summer population decrement Time related variables: Year, season, day of week, holidays
Peretz et al. (2012)	All year	Poisson regression	lag 0-3	Air pollution: NO2 (lag 0-1) Time related variables: month, day of week
Almeida et al. (2013)	Hot season: April to September	Poisson generalized estimating equation model (GEE)	lag 0-3 (Tmax)	Air pollution: PM10, barometric pressure, wind speed Time related variables: day of the week, holidays, calendar month, long-term time trend

Burkart et al. (2013)	All year	Poisson generalized additive model (GAM)	lag 0-1	Air pollution: PM10, O3 Time related variables: trend, year, day of the week
Leone et al. (2013)	Hot season: April to September	Poisson generalized estimating equation model (GEE)	lag 0-3	Air pollution: NO2, barometric pressure, wind speed Climate: mean, maximum, minimum and standard deviation of temperature and of maximum apparent temperature, mean and standard deviation of relative humidity, latitude and longitude. Socioeconomic variables: percentage of elderly population, percentage unemployed, life expectancy at birth, infant mortality rate, population size, GDP per capita, health expenditure, hospital bed density Time related variables: holidays, day of the week, calendar month, seasonality and long time trends
Heaviside et al. (2016)	Hot season: April to September	Poisson regression, DLNM	lag 0-1	Air pollution: PM10 Climate: humidity Time related trends: seasonality and long-term trends
Armstrong et al. (2017)	All year	Poisson regression, DLNM	lag 0-21	Time related trends: seasonality, long term trend, day of week
Kouis et al. (2019)	All year	Poisson regression, DLNM	lag 0-1	Air pollution: PM10, O3 Climate: humidity Time related trends: seasonal and long-term trends
Zafeiratou et al. (2019)	Hot season: April to September	Poisson generalized estimating equation model (GEE)	lag 0-3	Sociodemographic variables: population density, green space (%), density of road network, area covered by buildings, total area, immigrant population from outside EU, unemployment rate, youth unemployment rate, long term unemployment rate, population 25-64 with low secondary/upper secondary/tertiary education, early leavers from education Climate: temperature from the E-OBS database Time related trends: day of the week, month, seasonality and long term trends
Bettaieb et al. (2020)	Hot season: May to October	Poisson generalized estimating equation model (GEE)	lag 0-3	Air pollution: NO2 (lag 0-1) Time related variables: trend, calendar month, day of the week, the Ramadan period, public holidays

In studies reporting multiple lag periods, the estimate for the shortest lag was recorded. DLNM, distributed lag nonlinear models.

* average thresholds

** pooled thresholds

Figure S8: Meta-regression of temperature-mortality associations by local threshold.

