

Index

- SFigure 1 | QQ plots of mitonuclear associations in 58C/NBS combined.
- SFigure 2 | QQ plots of mitonuclear associations in PD
- SFigure 3 | LocusZoom plot of the region containing rs11666267.
- SFigure 4 | LocusZoom plot of the region containing rs254412, rs384109 and rs441492.
- SFigure 5 | LocusZoom plot of the region containing rs1606610.
- SFigure 6 | SFigure 10 | QQ plot of PD versus controls.




SFigure 1 | QQ plots of mitonuclear associations in 58C/NBS cohorts combined.

QQplots are shown for each of the selected mtSNPs (mt.2706, mt.3010, mt.11251 and mt.11467) in combined as 58C/NBS. Note, no nSNP reached achieved a P-value of <5x10-8.




SFigure 2 | QQ plots of mitonuclear associations in PD

QQplots are shown for each of the selected mtSNPs (mt.2706, mt.3010, mt.11251 and mt.11467) in PD. Note, nSNPs achieving a P-value of <5x10-8 are highlighted.




SFigure 3 | LocusZoom plot of the region containing rs11666267.

LocusZoom plot of the region (+/- 1000KB) surrounding rs11666267 (**Table 1**). R² determined using HapMap CEU samples. FAM129C is also known as NIBAN3.




SFigure 4 | LocusZoom plot of the region containing rs254412, rs384109 and rs441492.

LocusZoom plot of the region (+/- 1000KB) surrounding rs254412, rs384109 and rs441492 (**Table 1**). R² determined using HapMap CEU samples.



SFigure 5 | LocusZoom plot of the region containing rs1606610.

LocusZoom plot of the region (+/- 1000KB) surrounding rs1606610 (Table 1). R² determined using HapMap CEU samples.



SFigure 6 | nSNPs in PD versus Controls (58CNBS).

Manhattan plot (a) and corresponding Q-Q plot (b) of the association between nSNPs in PD cases versus controls (58CNBS). The Q-Q plot shows significant (5.0x10⁻⁸) association between PD and 55 nSNPs, which is inline with previous observations.