

Supplemental Material

Supplementary Table 1. Group comparisons of regional [¹¹C]UCB-J binding potential (BP_{ND}) with partial volume correction including aggregated regions. P < 0.05 are highlighted in yellow, while p < 0.001 are highlighted in red.

	BP _{ND}				Statistical parameters			
	Mean CT	SD CT	Mean PT	SD PT	T value	Cohen's d	p	p FDR
<i>Frontal L</i>	2.87	0.22	2.22	0.33	-5.99	-2.33	0.0000	0.0001
<i>Frontal R</i>	2.90	0.21	2.28	0.31	-6.03	-2.33	0.0000	0.0001
<i>Temporal L</i>	2.57	0.24	1.96	0.30	-6.08	-2.28	0.0000	0.0001
<i>Temporal R</i>	2.62	0.22	2.03	0.32	-5.63	-2.17	0.0001	0.0002
<i>Parietal L</i>	3.04	0.24	2.54	0.29	-5.03	-1.89	0.0001	0.0003
<i>Parietal R</i>	3.01	0.22	2.53	0.31	-4.71	-1.81	0.0003	0.0004
<i>Occipital L</i>	2.90	0.28	2.56	0.33	-3.06	-1.14	0.0071	0.0075
<i>Occipital R</i>	2.89	0.25	2.51	0.35	-3.19	-1.23	0.0063	0.0071
<i>Cingulate L</i>	2.99	0.22	2.31	0.43	-4.98	-2.00	0.0003	0.0004
<i>Cingulate R</i>	2.94	0.24	2.24	0.37	-5.80	-2.26	0.0000	0.0002
<i>Insula L</i>	2.58	0.27	1.87	0.43	-5.13	-2.00	0.0002	0.0003
<i>Insula R</i>	2.69	0.26	1.79	0.39	-6.91	-2.68	0.0000	0.0001
<i>Hippocampus L</i>	1.84	0.27	1.36	0.53	-2.84	-1.14	0.0147	0.0147
<i>Hippocampus R</i>	1.84	0.28	1.17	0.39	-5.12	-1.96	0.0001	0.0003
<i>Amygdala L</i>	2.46	0.32	1.86	0.49	-3.80	-1.48	0.0020	0.0024
<i>Amygdala R</i>	2.50	0.30	1.57	0.55	-5.26	-2.09	0.0002	0.0003
<i>Thalamus L</i>	2.74	0.28	2.03	0.48	-4.57	-1.80	0.0005	0.0007
<i>Thalamus R</i>	2.86	0.31	1.86	0.79	-4.07	-1.67	0.0017	0.0022

Abbreviations: CT = controls, SD = standard deviation, PT = bvFTD patients, p = p value, FDR = false discovery rate correction, L = left, R = right.

Supplementary Table 2. Group comparisons of regional [¹¹C]UCB-J binding potential (BP_{ND}) with partial volume correction in Hammers atlas regions. P < 0.05 are highlighted in yellow, while p < 0.001 are highlighted in red.

	BP _{ND}				Statistical parameters			
	Mean CT	SD CT	Mean PT	SD PT	T value	Cohen's d	p	p FDR
<i>Hippocampus R</i>	1.84	0.28	1.17	0.39	-5.12	-1.96	0.0001	0.0005
<i>Hippocampus L</i>	1.84	0.27	1.36	0.53	-2.84	-1.14	0.0147	0.0172
<i>Amygdala R</i>	2.50	0.30	1.57	0.55	-5.26	-2.09	0.0002	0.0005
<i>Amygdala L</i>	2.46	0.32	1.86	0.49	-3.80	-1.48	0.0020	0.0030
<i>Ant_TL_med R</i>	2.22	0.20	1.27	0.61	-5.04	-2.09	0.0004	0.0009
<i>Ant_TL_med L</i>	2.19	0.21	1.35	0.59	-4.59	-1.89	0.0008	0.0013
<i>Ant_TL_inf Lat R</i>	2.50	0.23	1.79	0.62	-3.68	-1.52	0.0035	0.0050
<i>Ant_TL_inf Lat L</i>	2.51	0.29	1.65	0.62	-4.40	-1.78	0.0009	0.0015
<i>G_paraH_amb R</i>	1.72	0.25	0.98	0.40	-5.64	-2.20	0.0001	0.0004
<i>G_paraH_amb L</i>	1.52	0.24	0.97	0.59	-2.94	-1.20	0.0128	0.0154
<i>G_sup_temp_cent R</i>	2.84	0.20	2.21	0.43	-4.62	-1.86	0.0006	0.0011
<i>G_sup_temp_cent L</i>	2.76	0.29	2.19	0.30	-5.23	-1.90	0.0001	0.0004
<i>G_tem_midin R</i>	2.66	0.24	1.89	0.44	-5.50	-2.19	0.0001	0.0005
<i>G_tem_midin L</i>	2.66	0.29	1.74	0.58	-5.02	-2.02	0.0003	0.0007
<i>G_occtem La R</i>	2.43	0.28	1.55	0.53	-5.21	-2.09	0.0002	0.0006
<i>G_occtem La L</i>	2.38	0.25	1.56	0.55	-4.76	-1.93	0.0005	0.0010
<i>Insula L</i>	2.58	0.27	1.87	0.43	-5.13	-2.00	0.0002	0.0005
<i>Insula R</i>	2.69	0.26	1.79	0.39	-6.91	-2.68	0.0000	0.0002
<i>OL Rest Lat L</i>	2.74	0.27	2.16	0.41	-4.25	-1.66	0.0008	0.0014
<i>OL Rest Lat R</i>	2.71	0.24	2.22	0.40	-3.71	-1.46	0.0025	0.0037
<i>G_cing_ant_sup L</i>	2.87	0.24	1.82	0.72	-4.72	-1.95	0.0006	0.0012
<i>G_cing_ant_sup R</i>	2.82	0.27	1.85	0.55	-5.52	-2.23	0.0001	0.0005
<i>G_cing_post L</i>	3.03	0.23	2.36	0.44	-4.81	-1.92	0.0004	0.0009
<i>G_cing_post R</i>	3.01	0.24	2.27	0.44	-5.21	-2.07	0.0002	0.0006
<i>FL_mid_fr_G L</i>	2.89	0.24	1.86	0.63	-5.26	-2.16	0.0002	0.0007
<i>FL_mid_fr_G R</i>	2.93	0.24	2.06	0.46	-5.93	-2.38	0.0001	0.0004
<i>PosteriorTL L</i>	2.69	0.26	1.94	0.34	-6.49	-2.47	0.0000	0.0002
<i>PosteriorTL R</i>	2.70	0.23	2.08	0.34	-5.47	-2.12	0.0001	0.0004
<i>PL Rest L</i>	2.84	0.25	2.09	0.40	-5.77	-2.25	0.0001	0.0004
<i>PL Rest R</i>	2.80	0.23	2.17	0.37	-5.27	-2.07	0.0001	0.0005
<i>CaudateNucl L</i>	2.99	0.34	2.55	0.44	-2.94	-1.12	0.0099	0.0124
<i>CaudateNucl R</i>	2.97	0.34	3.44	3.09	0.50	0.21	0.6284	0.6284
<i>NuclAccumb L</i>	3.84	0.33	3.03	0.77	-3.31	-1.35	0.0065	0.0086
<i>NuclAccumb R</i>	3.97	0.38	3.18	1.17	-2.18	-0.91	0.0520	0.0585
<i>Putamen L</i>	3.93	0.38	3.34	0.41	-4.12	-1.51	0.0007	0.0012
<i>Putamen R</i>	3.86	0.35	3.20	0.44	-4.38	-1.66	0.0005	0.0010
<i>Thalamus L</i>	2.74	0.28	2.03	0.48	-4.57	-1.80	0.0005	0.0010
<i>Thalamus R</i>	2.86	0.31	1.86	0.79	-4.07	-1.67	0.0017	0.0027
<i>Pallidum L</i>	1.71	0.27	1.27	0.28	-4.34	-1.59	0.0004	0.0009

<i>Pallidum R</i>	1.96	0.25	1.57	0.29	-3.93	-1.46	0.0011	0.0018
<i>FL_precen_G L</i>	2.67	0.19	2.14	0.35	-4.72	-1.88	0.0004	0.0009
<i>FL_precen_G R</i>	2.67	0.19	2.20	0.29	-4.97	-1.92	0.0002	0.0006
<i>FL_strai_G L</i>	2.76	0.28	1.66	0.54	-6.38	-2.55	0.0000	0.0003
<i>FL_strai_G R</i>	2.71	0.25	1.61	0.62	-5.75	-2.35	0.0001	0.0005
<i>FL_OFC_AOG L</i>	2.73	0.23	1.98	0.54	-4.22	-1.80	0.0017	0.0027
<i>FL_OFC_AOG R</i>	2.78	0.23	2.21	0.89	-2.07	-0.87	0.0641	0.0692
<i>FL_inf_fr_G L</i>	2.82	0.24	1.81	0.59	-5.51	-2.25	0.0002	0.0005
<i>FL_inf_fr_G R</i>	2.83	0.21	1.95	0.58	-4.92	-2.03	0.0004	0.0009
<i>FL_sup_fr_G L</i>	2.84	0.25	1.93	0.49	-5.85	-2.35	0.0001	0.0004
<i>FL_sup_fr_G R</i>	2.87	0.26	2.04	0.42	-6.00	-2.36	0.0000	0.0004
<i>PL_postce_G L</i>	2.70	0.23	2.21	0.26	-5.38	-2.00	0.0001	0.0004
<i>PL_postce_G R</i>	2.68	0.22	2.21	0.25	-5.26	-1.96	0.0001	0.0004
<i>PL_sup_pa_G L</i>	3.12	0.25	2.40	0.33	-6.49	-2.46	0.0000	0.0002
<i>PL_sup_pa_G R</i>	3.08	0.23	2.45	0.29	-6.24	-2.36	0.0000	0.0002
<i>OL_Ling_G L</i>	2.84	0.35	2.49	0.38	-2.55	-0.94	0.0204	0.0233
<i>OL_Ling_G R</i>	2.96	0.30	2.55	0.38	-3.15	-1.19	0.0063	0.0085
<i>OL_cuneus L</i>	3.12	0.35	2.67	0.48	-2.77	-1.06	0.0144	0.0171
<i>OL_cuneus R</i>	3.14	0.33	2.69	0.37	-3.47	-1.29	0.0029	0.0042
<i>FL_OFC_MOG L</i>	2.63	0.28	1.62	0.62	-5.16	-2.09	0.0002	0.0007
<i>FL_OFC_MOG R</i>	2.66	0.30	1.70	0.67	-4.61	-1.87	0.0006	0.0012
<i>FL_OFC_LOG L</i>	2.32	0.25	1.72	0.59	-3.24	-1.32	0.0073	0.0094
<i>FL_OFC_LOG R</i>	2.43	0.25	1.72	0.70	-3.26	-1.34	0.0075	0.0095
<i>FL_OFC_POG L</i>	2.51	0.24	1.64	0.45	-6.10	-2.44	0.0000	0.0004
<i>FL_OFC_POG R</i>	2.53	0.23	1.55	0.61	-5.18	-2.13	0.0003	0.0007
<i>Subgen_antCing L</i>	2.73	0.31	1.57	1.13	-3.35	-1.40	0.0067	0.0088
<i>Subgen_antCing R</i>	2.57	0.38	1.52	1.01	-3.36	-1.38	0.0062	0.0085
<i>Subcall_area L</i>	3.11	0.57	1.89	3.17	-1.27	-0.54	0.2331	0.2452
<i>Subcall_area R</i>	2.92	0.59	2.20	3.68	-0.65	-0.28	0.5295	0.5429
<i>Presubgen_antCing L</i>	3.41	0.38	1.91	1.72	-2.87	-1.21	0.0159	0.0184
<i>Presubgen_antCing R</i>	3.26	0.42	2.02	1.35	-2.98	-1.24	0.0126	0.0154
<i>G_sup_temp_ant L</i>	2.25	0.26	2.03	1.31	-0.56	-0.24	0.5858	0.5931
<i>G_sup_temp_ant R</i>	2.34	0.26	1.84	0.39	-3.86	-1.50	0.0017	0.0027
<i>Brainstem_mid</i>	2.26	0.32	1.43	0.58	-4.52	-1.80	0.0006	0.0011
<i>Brainstem_pon</i>	0.96	0.15	0.75	0.17	-3.56	-1.32	0.0024	0.0035
<i>Brainstem_med</i>	0.67	0.15	0.45	0.20	-3.20	-1.22	0.0059	0.0082
<i>Cerebellum_gm R</i>	2.13	0.21	1.72	0.15	-6.63	-2.24	0.0000	0.0000
<i>Cerebellum_gm L</i>	1.44	0.73	1.71	0.19	1.73	0.51	0.0934	0.0996
<i>Cerebellum_wm R</i>	1.92	1.18	1.22	0.87	-2.00	-0.68	0.0563	0.0624
<i>Cerebellum_wm L</i>	1.67	0.74	1.86	0.82	0.68	0.25	0.5029	0.5222
<i>Cerebellum_dentate L</i>	1.05	0.16	0.87	0.28	-2.08	-0.82	0.0578	0.0633
<i>Cerebellum_dentate R</i>	1.77	0.66	0.82	0.24	-6.29	-1.91	0.0000	0.0000

Abbreviations: CT = controls, SD = standard deviation, PT = bvFTD patients, p = p value, FDR = false discovery rate correction, L = left, R = right.

Supplementary Table 3. Group comparisons of regional [¹¹C]UCB-J binding potential (BP_{ND}) without partial volume correction in Hammers atlas regions. P < 0.05 are highlighted in yellow, while p < 0.001 are highlighted in red.

	BP _{ND}				Statistical parameters			
	Mean CT	SD CT	Mean PT	SD PT	T value	Cohen's d	p	p FDR
<i>Hippocampus R</i>	1.90	0.22	1.15	0.29	-7.74	-2.94	0.0000	0.0000
<i>Hippocampus L</i>	1.89	0.21	1.27	0.36	-5.39	-2.13	0.0001	0.0002
<i>Amygdala R</i>	2.34	0.24	1.48	0.45	-6.02	-2.40	0.0000	0.0001
<i>Amygdala L</i>	2.32	0.25	1.67	0.42	-4.74	-1.87	0.0004	0.0005
<i>Ant_TL_med R</i>	1.92	0.19	1.18	0.40	-5.88	-2.38	0.0001	0.0002
<i>Ant_TL_med L</i>	1.90	0.20	1.20	0.43	-5.09	-2.06	0.0003	0.0004
<i>Ant_TL_inf Lat R</i>	2.15	0.21	1.47	0.42	-5.05	-2.03	0.0003	0.0004
<i>Ant_TL_inf Lat L</i>	2.20	0.27	1.43	0.46	-5.15	-2.03	0.0002	0.0003
<i>G_paraH_amb R</i>	1.73	0.21	1.08	0.28	-6.87	-2.63	0.0000	0.0000
<i>G_paraH_amb L</i>	1.59	0.20	1.07	0.33	-4.78	-1.88	0.0003	0.0004
<i>G_sup_temp_cent R</i>	2.03	0.17	1.48	0.24	-6.89	-2.66	0.0000	0.0000
<i>G_sup_temp_cent L</i>	1.97	0.22	1.45	0.24	-5.96	-2.20	0.0000	0.0001
<i>G_tem_midin R</i>	2.08	0.21	1.46	0.32	-5.99	-2.33	0.0000	0.0001
<i>G_tem_midin L</i>	2.06	0.24	1.36	0.40	-5.32	-2.09	0.0001	0.0002
<i>G_occtem La R</i>	2.14	0.24	1.40	0.43	-5.37	-2.13	0.0001	0.0002
<i>G_occtem La L</i>	2.11	0.21	1.41	0.42	-5.26	-2.12	0.0002	0.0003
<i>Insula L</i>	1.88	0.18	1.36	0.32	-5.05	-2.00	0.0002	0.0003
<i>Insula R</i>	2.01	0.19	1.35	0.29	-7.05	-2.75	0.0000	0.0000
<i>OL Rest Lat L</i>	1.95	0.20	1.52	0.27	-4.84	-1.85	0.0002	0.0003
<i>OL Rest Lat R</i>	1.94	0.18	1.57	0.26	-4.22	-1.63	0.0008	0.0009
<i>G_cing_ant_sup L</i>	2.16	0.21	1.33	0.47	-5.68	-2.30	0.0001	0.0002
<i>G_cing_ant_sup R</i>	2.05	0.23	1.33	0.38	-5.90	-2.32	0.0000	0.0001
<i>G_cing_post L</i>	2.32	0.21	1.67	0.36	-5.54	-2.18	0.0001	0.0002
<i>G_cing_post R</i>	2.26	0.21	1.61	0.30	-6.56	-2.53	0.0000	0.0001
<i>FL_mid_fr_G L</i>	1.48	0.17	0.88	0.31	-5.94	-2.36	0.0001	0.0001
<i>FL_mid_fr_G R</i>	1.58	0.18	1.05	0.28	-5.78	-2.26	0.0001	0.0001
<i>PosteriorTL L</i>	1.89	0.21	1.34	0.26	-6.20	-2.33	0.0000	0.0001
<i>PosteriorTL R</i>	1.92	0.19	1.46	0.24	-5.63	-2.14	0.0000	0.0001
<i>PL Rest L</i>	1.86	0.20	1.29	0.29	-5.96	-2.29	0.0000	0.0001
<i>PL Rest R</i>	1.89	0.18	1.42	0.25	-5.64	-2.17	0.0001	0.0001
<i>CaudateNucl L</i>	2.35	0.25	1.51	0.55	-4.80	-1.95	0.0005	0.0006
<i>CaudateNucl R</i>	2.30	0.26	1.44	0.49	-5.46	-2.18	0.0001	0.0002
<i>NuclAccumb L</i>	3.01	0.25	2.16	0.51	-5.27	-2.13	0.0002	0.0003
<i>NuclAccumb R</i>	3.03	0.25	2.12	0.52	-5.51	-2.22	0.0001	0.0002
<i>Putamen L</i>	3.12	0.30	2.49	0.39	-4.77	-1.81	0.0002	0.0003
<i>Putamen R</i>	3.19	0.29	2.55	0.40	-4.83	-1.85	0.0002	0.0003
<i>Thalamus L</i>	2.12	0.19	1.69	0.28	-4.70	-1.81	0.0003	0.0004
<i>Thalamus R</i>	2.11	0.19	1.67	0.24	-5.34	-2.01	0.0001	0.0001
<i>Pallidum L</i>	1.33	0.20	1.04	0.19	-4.13	-1.48	0.0005	0.0006
<i>Pallidum R</i>	1.54	0.19	1.27	0.19	-3.98	-1.43	0.0007	0.0009

<i>FL_precen_G L</i>	1.39	0.11	1.08	0.18	-5.13	-2.01	0.0002	0.0003
<i>FL_precen_G R</i>	1.43	0.12	1.15	0.16	-5.21	-2.00	0.0001	0.0002
<i>FL_strai_G L</i>	2.44	0.26	1.45	0.39	-7.57	-2.94	0.0000	0.0000
<i>FL_strai_G R</i>	2.38	0.23	1.44	0.39	-7.53	-2.97	0.0000	0.0000
<i>FL_OFC_AOG L</i>	2.00	0.18	1.40	0.32	-5.91	-2.34	0.0001	0.0001
<i>FL_OFC_AOG R</i>	2.07	0.16	1.46	0.26	-7.13	-2.79	0.0000	0.0000
<i>FL_inf_fr_G L</i>	2.09	0.20	1.32	0.34	-7.09	-2.80	0.0000	0.0000
<i>FL_inf_fr_G R</i>	2.15	0.17	1.45	0.30	-7.14	-2.82	0.0000	0.0000
<i>FL_sup_fr_G L</i>	1.76	0.19	1.14	0.31	-6.17	-2.42	0.0000	0.0001
<i>FL_sup_fr_G R</i>	1.76	0.19	1.19	0.26	-6.65	-2.54	0.0000	0.0000
<i>PL_postce_G L</i>	1.54	0.14	1.18	0.21	-5.20	-2.01	0.0001	0.0002
<i>PL_postce_G R</i>	1.54	0.14	1.22	0.17	-5.47	-2.05	0.0000	0.0001
<i>PL_sup_pa_G L</i>	1.80	0.17	1.30	0.20	-7.21	-2.70	0.0000	0.0000
<i>PL_sup_pa_G R</i>	1.81	0.16	1.34	0.19	-7.27	-2.69	0.0000	0.0000
<i>OL_Ling_G L</i>	2.42	0.25	2.01	0.34	-3.58	-1.37	0.0027	0.0030
<i>OL_Ling_G R</i>	2.43	0.23	2.03	0.32	-3.73	-1.43	0.0021	0.0023
<i>OL_cuneus L</i>	2.51	0.25	2.00	0.38	-4.04	-1.57	0.0012	0.0014
<i>OL_cuneus R</i>	2.50	0.27	2.04	0.38	-3.63	-1.40	0.0026	0.0028
<i>FL_OFC_MOG L</i>	2.05	0.20	1.38	0.32	-6.46	-2.52	0.0000	0.0001
<i>FL_OFC_MOG R</i>	2.05	0.21	1.40	0.31	-6.27	-2.42	0.0000	0.0001
<i>FL_OFC_LOG L</i>	1.91	0.20	1.39	0.28	-5.57	-2.14	0.0001	0.0001
<i>FL_OFC_LOG R</i>	1.98	0.19	1.45	0.34	-4.90	-1.94	0.0003	0.0004
<i>FL_OFC_POG L</i>	2.02	0.20	1.40	0.26	-6.99	-2.66	0.0000	0.0000
<i>FL_OFC_POG R</i>	2.07	0.18	1.36	0.33	-6.73	-2.68	0.0000	0.0001
<i>Subgen_antCing L</i>	1.90	0.26	1.19	0.39	-5.57	-2.16	0.0001	0.0001
<i>Subgen_antCing R</i>	1.65	0.24	1.03	0.37	-5.12	-1.99	0.0002	0.0002
<i>Subcall_area L</i>	2.22	0.27	1.31	0.44	-6.30	-2.47	0.0000	0.0001
<i>Subcall_area R</i>	2.24	0.28	1.29	0.48	-6.11	-2.41	0.0000	0.0001
<i>Presubgen_antCing L</i>	2.65	0.30	1.63	0.50	-6.27	-2.47	0.0000	0.0001
<i>Presubgen_antCing R</i>	2.43	0.27	1.53	0.53	-5.36	-2.15	0.0002	0.0002
<i>G_sup_temp_ant L</i>	1.99	0.23	1.36	0.37	-5.17	-2.02	0.0002	0.0002
<i>G_sup_temp_ant R</i>	2.06	0.23	1.48	0.33	-5.23	-2.02	0.0001	0.0002
<i>Brainstem_mid</i>	1.07	0.12	0.84	0.22	-3.27	-1.31	0.0063	0.0068
<i>Brainstem_pon</i>	0.91	0.14	0.73	0.15	-3.51	-1.29	0.0025	0.0027
<i>Brainstem_med</i>	0.71	0.15	0.53	0.19	-2.75	-1.05	0.0146	0.0146
<i>Cerebellum_gm R</i>	2.02	0.20	1.59	0.17	-6.55	-2.30	0.0000	0.0000
<i>Cerebellum_gm L</i>	2.00	0.21	1.58	0.20	-5.73	-2.05	0.0000	0.0001
<i>Cerebellum_wm R</i>	0.81	0.12	0.70	0.10	-2.75	-0.95	0.0111	0.0116
<i>Cerebellum_wm L</i>	0.81	0.12	0.69	0.11	-2.83	-1.02	0.0103	0.0109
<i>Cerebellum_dentate L</i>	0.99	0.13	0.81	0.20	-2.86	-1.10	0.0123	0.0126
<i>Cerebellum_dentate R</i>	0.88	0.12	0.74	0.16	-2.77	-1.06	0.0144	0.0146

Abbreviations: CT = controls, SD = standard deviation, PT = bvFTD patients, p = p value, FDR = false discovery rate correction, L = left, R = right.

Supplementary Table 4. Spearman correlations in the bvFTD group between cognitive scores and

[¹¹C]UCB-J binding potential (BP_{ND}) in aggregated cortical regions of interest. Spearman rho (r) is

reported alongside p value and Bayesian factor (BF), with * denoting a p value < 0.05.

REGION	ACE-R	ATT/OR	MEM	FLUE	LANG	VISUO	IFS	IFS WM	MMSE	FTD-RS %
Frontal L	r=-0.791 (0.002)* BF=56.2	r=0.717 (0.007)* BF=21.3	r=0.653 (0.015)* BF=7.9	r=0.954 (< .001)* BF=4720.6	r=0.795 (0.002)* BF=52.5	r=0.816 (0.001)* BF=71.4	r=0.754 (0.006)* BF=29.5	r=0.74 (0.007)* BF=23.4	r=0.736 (0.005)* BF=20.6	r=-0.055 (0.446) BF=0.4
Frontal R	r=0.118 (0.367) BF=0.4	r=0.028 (0.467) BF=0.3	r=0.027 (0.468) BF=0.4	r=0.396 (0.114) BF=1.2	r=0.354 (0.143) BF=1	r=0.06 (0.431) BF=0.3	r=0.17 (0.319) BF=0.7	r=0.177 (0.312) BF=0.7	r=0.133 (0.348) BF=0.4	r=-0.382 (0.139) BF=0.2
Temporal L	r=0.445 (0.086) BF=1.7	r=0.422 (0.098) BF=1.5	r=0.443 (0.086) BF=1.8	r=0.691 (0.009)* BF=12.8	r=0.612 (0.023)* BF=8.2	r=0.581 (0.031)* BF=4.3	r=0.547 (0.051) BF=3.4	r=0.495 (0.073) BF=2.5	r=0.382 (0.123) BF=1	r=-0.042 (0.459) BF=0.4
Temporal R	r=-0.245 (0.774) BF=0.2	r=-0.244 (0.765) BF=0.2	r=-0.174 (0.695) BF=0.2	r=0.06 (0.431) BF=0.4	r=0.032 (0.463) BF=0.4	r=-0.088 (0.601) BF=0.2	r=0.018 (0.48) BF=0.4	r=-0.012 (0.513) BF=0.4	r=-0.271 (0.79) BF=0.2	r=-0.139 (0.354) BF=0.3
Cingulate L	r=0.700 (0.008)* BF=10.7	r=0.619 (0.021)* BF=4.9	r=0.589 (0.028)* BF=3.6	r=0.82 (< .001)* BF=46.5	r=0.814 (0.001)* BF=88.9	r=0.604 (0.025)* BF=6.1	r=0.62 (0.028)* BF=2.3	r=0.581 (0.039)* BF=1.9	r=0.713 (0.007)* BF=9.1	r=-0.067 (0.432) BF=0.5
Cingulate R	r=0.073 (0.419) BF=0.5	r=0.141 (0.34) BF=0.5	r=-0.032 (0.537) BF=0.3	r=0.3 (0.185) BF=0.9	r=0.221 (0.257) BF=0.6	r=0.041 (0.452) BF=0.3	r=0.134 (0.356) BF=0.7	r=0.116 (0.375) BF=0.8	r=0.175 (0.304) BF=0.6	r=-0.115 (0.379) BF=0.4
Insula L	r=0.264 (0.217) BF=0.9	r=0.314 (0.174) BF=0.9	r=0.237 (0.241) BF=0.7	r=0.562 (0.036)* BF=4.2	r=0.446 (0.085) BF=2.4	r=0.452 (0.082) BF=1.7	r=0.48 (0.08) BF=3.8	r=0.428 (0.109) BF=2.8	r=0.257 (0.222) BF=0.7	r=-0.273 (0.224) BF=0.2
Insula R	r=-0.136 (0.663) BF=0.3	r=-0.028 (0.533) BF=0.3	r=-0.137 (0.656) BF=0.3	r=0.138 (0.343) BF=0.5	r=0.078 (0.41) BF=0.4	r=-0.065 (0.575) BF=0.3	r=0.061 (0.434) BF=0.6	r=0.037 (0.46) BF=0.6	r=-0.041 (0.548) BF=0.3	r=-0.285 (0.214) BF=0.2
Parietal L	r=0.591 (0.028)* BF=3.9	r=0.351 (0.145) BF=1.3	r=0.616 (0.022)* BF=5.7	r=0.627 (0.02)* BF=5.9	r=0.809 (0.001)* BF=30.5	r=0.461 (0.077) BF=1.9	r=0.632 (0.025)* BF=0.8	r=0.575 (0.041)* BF=0.7	r=0.377 (0.127) BF=1.2	r=-0.042 (0.459) BF=1.8
Parietal R	r=-0.109 (0.633) BF=0.3	r=-0.216 (0.738) BF=0.3	r=-0.027 (0.532) BF=0.4	r=-0.157 (0.677) BF=0.3	r=0.143 (0.338) BF=0.5	r=-0.23 (0.752) BF=0.2	r=-0.14 (0.65) BF=0.2	r=-0.22 (0.729) BF=0.2	r=-0.216 (0.738) BF=0.3	r=0.079 (0.594) BF=3
Occipital L	r=-0.255 (0.783) BF=0.2	r=-0.145 (0.665) BF=0.2	r=-0.251 (0.772) BF=0.2	r=-0.051 (0.559) BF=0.3	r=-0.299 (0.814) BF=0.2	r=0.000 (0.5) BF=0.3	r=-0.201 (0.711) BF=0.3	r=-0.196 (0.706) BF=0.3	r=-0.28 (0.798) BF=0.2	r=0.091 (0.607) BF=0.5
Occipital R	r=-0.355 (0.863) BF=0.2	r=-0.248 (0.769) BF=0.2	r=-0.315 (0.827) BF=0.2	r=-0.147 (0.667) BF=0.2	r=-0.34 (0.847) BF=0.2	r=-0.138 (0.657) BF=0.3	r=-0.292 (0.793) BF=0.2	r=-0.287 (0.79) BF=0.3	r=-0.372 (0.87) BF=0.2	r=0.236 (0.754) BF=0.6

Abbreviations: ACE-R = Addenbrooke's cognitive examination revised; ATT/OR= attention/orientation score; MEM = memory; FLUE = fluency; LANG = language; VISUO= visuospatial; IFS = INECO frontal screening; MMSE = mini-mental state examination; WM = working memory; FTD-RS = frontotemporal dementia rating scale; L = left; R = right.