Supplementary Table 2: Symptoms and admission diagnosis of controls	
Main symptom	· •
Shortness of breath	30 (31%)
Fever	28 (29%)
Cough	15 (15%)
Chest pain	4 (4.1%)
Abdominal pain	3 (3.1%)
Altered mental status	3 (3.1%)
Dizziness	3 (3.1%)
Arthralgia	1 (1.0%)
Asymptomatic	1 (1.0%)
Burn	1 (1.0%)
-all	1 (1.0%)
-atigue	1 (1.0%)
eg pain	1 (1.0%)
Myalgias	1 (1.0%)
Rhinorrhea	1 (1.0%)
Seizure	1 (1.0%)
Syncope	1 (1.0%)
Гасhycardia	1 (1.0%)
Diagnosis	
neumonia	27 (28%)
Acute coronary syndrome	5 (5.2%)
Bacteremia	5 (5.2%)
Heart failure exacerbation	5 (5.2%)
	4 (4 40()

4 (4.1%) 3 (3.1%)

3 (3.1%)

3 (3.1%)

2 (2.1%) 2 (2.1%)

2 (2.1%)

2 (2.1%)

2 (2.1%)

2 (2.1%)

1 (1.0%)

1 (1.0%)

1 (1.0%)

1 (1.0%)

1 (1.0%)

1 (1.0%)

1 (1.0%)

1 (1.0%)

1 (1.0%)

1 (1.0%)

1 (1.0%)

1 (1.0%)

1 (1.0%) 1 (1.0%)

1 (1.0%)

1 (1.0%)

1 (1.0%)

1 (1.0%)

1 (1.0%)

1 (1.0%)

1 (1.0%)

Urinary tract infection

Leukemia/Lymphoma

Neutropenic fever Pulmonary edema

Pulmonary embolism

Viral gastroenteritis

Acute limb ischemia

Alcohol withdrawal

Aortic aneurysm

Bowel obstruction

Atrioventricular block

COPD exacerbation

Diabetic ketoacidosis

Fever of unknown origin

Guillain-Barré syndrome

Intracranial hemorrhage

Deep venous thrombosis

Abnormal vaginal bleeding

Acute cocaine intoxication

Acute psychotic episode

Upper respiratory infection

Multiple myeloma/Myelodysplastic syndrome

Asthma

Serositis

Anxiety

Burn

Cellulitis

Cholecystitis

Dehydration

Fracture

1n (%)

Failure to thrive