

Supplemental Material

***In vivo* white matter microstructure in adolescents with early-onset psychosis: a multi-site mega-analysis via the ENIGMA Consortium.**

Claudia Barth^{*1,2}, Sinead Kelly³, Stener Nerland^{1,2}, Neda Jahanshad⁴, Clara Alloza⁵, Sonia Ambrogio⁶, Ole A Andreassen^{2,7}, Dimitrios Andreou^{1,8}, Celso Arango^{5,9}, Inmaculada Baeza¹⁰, Nerisa Banaj⁶, Carrie E Bearden^{11,12}, Michael Berk¹³, Hannes Bohman^{14,15}, Josefina Castro-Fornieles¹⁰, Yann Chye¹⁶, Benedicto Crespo-Facorro¹⁷, Elena de la Serna¹⁰, Covadonga M Díaz-Caneja^{5,9}, Tiril P Gurholt^{2,7}, Catherine E Hegarty¹², Anthony James^{18,19}, Joost Janssen⁵, Cecilie Johannessen², Erik G Jönsson^{2,8}, Katherine H Karlsgodt^{11,12}, Peter Kochunov²⁰, Noemi G Lois²¹, Mathias Lundberg^{15,22}, Anne M Myhre²³, Saül Pascual-Diaz²⁴, Fabrizio Piras⁶, Runar E Smelror^{1,2}, Gianfranco Spalletta^{6,25}, Therese S Stokkan^{1,2}, Gisela Sgranyes¹⁰, Chao Suo¹⁶, Sophia I Thomopoulos⁴, Diana Tordesillas-Gutiérrez^{26,27}, Daniela Vecchio⁶, Kirsten Wedervang-Resell⁷, Laura A Wortinger^{1,2}, Paul M. Thompson⁴, Ingrid Agartz^{1,2,8}

¹ Department of Psychiatric Research, Diakonhjemmet Hospital, Oslo, Norway

² Norwegian Centre for Mental Disorders Research (NORMENT), Institute of Clinical Medicine, University of Oslo, Oslo, Norway

³ Department of Psychosis Studies, King's College London, London, UK

⁴ Imaging Genetics Center, Mark & Mary Stevens Neuroimaging & Informatics Institute, Keck School of Medicine, University of Southern California, Marina del Rey, CA, USA

⁵ Department of Child and Adolescent Psychiatry, Institute of Psychiatry and Mental Health, Hospital General Universitario Gregorio Marañón, IiSGM, CIBERSAM, Madrid, Spain

⁶ Laboratory of Neuropsychiatry, Santa Lucia Foundation IRCCS, Rome, Italy

⁷ Norwegian Center for Mental Disorders Research (NORMENT), Division of Mental Health and Addiction, Oslo University Hospital, Oslo, Norway

⁸ Centre for Psychiatry Research, Department of Clinical Neuroscience, Karolinska Institutet & Stockholm Health Care Services, Stockholm Region, Stockholm, Sweden

⁹ School of Medicine, Universidad Complutense, Madrid, Spain

¹⁰ Department Child and Adolescent Psychiatry and Psychology, 2017SGR881 Institute of Neuroscience, Hospital Clinic Barcelona. CIBERSAM. August Pi i Sunyer Biomedical Research Institute (IDIBAPS), University of Barcelona, Barcelona, Spain

¹¹ Department of Psychiatry and Biobehavioral Sciences, Semel Institute for Neuroscience and Human Behavior, UCLA, Los Angeles, California, USA

¹² Department of Psychology, UCLA, Los Angeles, California, USA

¹³ Deakin University, Institute for Mental and Physical Health and Clinical Translation, School of Medicine, Barwon Health, Geelong, Australia

¹⁴ Department of Neuroscience, Child and Adolescent Psychiatry, Uppsala University, Uppsala, Sweden

¹⁵ Department of Clinical Science and Education Södersjukhuset, Karolinska Institutet, Stockholm, Sweden

¹⁶ Turner Institute for Brain and Mental Health and School of Psychological Sciences, Monash University, Melbourne, Victoria, Australia

¹⁷ Hospital Universitario Virgen del Rocío, Department of Psychiatry, Instituto de Investigación Sanitaria de Sevilla, IBiS, CIBERSAM, Sevilla, Spain

¹⁸ Highfield Unit, Warneford Hospital, Oxford, UK

¹⁹ Department of Psychiatry, University of Oxford, Oxford, UK

²⁰ Maryland Psychiatric Research Center, Department of Psychiatry, University of Maryland School of Medicine, Baltimore, Maryland, USA

²¹ Department of Child and Adolescent Psychiatry, Institute of Psychiatry and Mental Health, Hospital General Universitario Gregorio Marañón, IiSGM, Madrid, Spain

²² Department of Neuroscience, Child and Adolescent Psychiatry, Uppsala University, Uppsala, Sweden

²³ Section of Child and Adolescent Mental Health Research, Division of Mental Health and Addiction, Oslo University Hospital, Oslo, Norway

²⁴ Magnetic Resonance Imaging Core Facility, August Pi i Sunyer Biomedical Research Institute (IDIBAPS), University of Barcelona, Barcelona, Spain

²⁵ Menninger Department of Psychiatry and Behavioral Sciences, Baylor College of Medicine, Houston, TX, USA

²⁶ Department of Radiology. Marqués de Valdecilla University Hospital, Valdecilla Biomedical Research Institute IDIVAL, Spain

²⁷ Advanced Computing and e-Science, Instituto de Física de Cantabria (UC-CSIC), Santander (Cantabria), Spain

Supplemental Material

Overview

1. Notes

S1 ComBat Harmonization

S2 Meta-analysis

2. Figures

S1 Fractional anisotropy measures before and after ComBat harmonization using principal component analysis.

S2 Mean, radial and axial diffusivity measures before and after ComBat harmonization using principal component analysis.

S3 Cohen's d values for differences in fractional anisotropy (FA) between adolescents with early-onset psychosis and healthy controls, unadjusted as well as adjusted for core, periphery or average FA.

S4 Cohen's d values for differences in mean diffusivity (MD) between adolescents with early-onset psychosis and healthy controls, unadjusted as well as adjusted for core, periphery or average MD.

S5 Cohen's d values for differences in radial diffusivity (RD) between adolescents with early-onset psychosis and healthy controls, unadjusted as well as adjusted for core, periphery or average RD.

S6 Cohen's d values for differences in axial diffusivity (AD) between adolescents with early-onset psychosis and healthy controls, unadjusted as well as adjusted for core, periphery or average AD.

S7 Forest plots showing site-wise fractional anisotropy differences between early-onset psychosis patients and healthy adolescent controls – bilateral tracts.

S8 Significant associations between duration of illness and diffusion measures in patients with early-onset psychosis.

S9 Significant association between age of illness onset and mean axial diffusivity (AD) in the anterior limb of the internal capsule of patients with early-onset psychosis.

3. Tables

S1 Site overview.

S2 Site-wise inclusion and exclusion criteria.

S3 Diffusion weighted imaging acquisitions parameters, stratified by site and scanner.

S4 Demographic and clinical characteristics, stratified by site.

S5 Demographic and clinical characteristics, stratified by sex.

S6 Multiple linear regression output for case-control differences in bilateral regional diffusion measures.

S7 Multiple linear regression output for case-control differences in bilateral regional mean diffusion metrics, adjusted for average, core or periphery diffusion measures.

S8 Multiple linear regression output for case-control differences in lateralized regional diffusion measures.

S9 Multiple linear regression output for case-control differences in bilateral regional diffusion measures, stratified by sex.

S10 Multiple linear regression output for diagnostic subgroup differences relative to healthy controls in bilateral regional diffusion measures.

S11 Multiple linear regression output for sex-by-diagnostic group interactions in bilateral regional diffusion measures.

Supplemental Material

- S12** Multiple linear regression output for age-by-diagnostic group interactions in bilateral regional diffusion measures.
- S13** Multiple linear regression output for association between medication use and bilateral regional diffusion measures, in patients with early-onset psychosis.
- S14** Multiple linear regression output for association between clinical measures and bilateral regional diffusion measures, in patients with early-onset psychosis.
- S15** Meta-analytic results for fractional anisotropy differences between adolescents with early-onset psychosis and healthy controls.
- S16** Direct comparison of meta- and mega-analytically derived effect sizes for case-control FA differences between early-onset psychosis (EOP) and adult schizophrenia (SCZ)

1. Notes

S1: ComBat - Harmonization

Supplemental Material

ComBat is a batch-effect correction tool from the genomics literature, which has become increasingly popular as a harmonization procedure for multi-site neuroimaging data. It employs a Bayesian framework to estimate the additive and multiplicative effects of site, which are used to adjust for scanner-related effects. To assess the effectiveness of ComBat harmonization in our study, we performed principal component analysis (PCA) of DTI measures before and after ComBat harmonization and created scatterplots (Figure S1-S2) where the first principal component (PC1) was plotted against the second principal component (PC2). Data from each site was marked with a unique color, and their geometric means were denoted with a crossed circle. Figures S1-S2 demonstrate how the large differences in geometric means between sites were drastically reduced after ComBat harmonization, indicating that the procedure had successfully reduced site differences.

S2: Meta-analysis

A complementary random-effects inverse-variance weighted meta-analysis for the main model investigating case-control FA differences was conducted in R (metafor package) to investigate the heterogeneity between sites. In line with Kelly et al. 2018 (1), all sites with a minimum of 10 participants per diagnostic group were included. We followed a similar procedure as described in Gurholt et al. 2020 (2). Site-wise linear regression using the `lm` function was conducted for each structure with diagnosis (i.e., patient-control status) as the variable of interest, while adjusting for age, sex, and linear and nonlinear age and sex interactions (age-by-sex interaction, age^2 and age^2 -by-sex interaction) as covariates. The Cohen's d effect sizes of case-control differences and their standard errors were computed for each site (3).

For each white matter tract, we pooled the site-wise Cohen's d effect sizes and standard errors using an inverse variance-weighted random-effects model fitted by a restricted maximum-likelihood estimator, through the `rma-function/metafor` R package (version 2.0.0, (4)). This yields an estimate of the cross-site Cohen's d effect size, standard error, and 95% confidence interval of the effect size, as well as the z- and p-values. Forest plots were generated to illustrate the variability across sites, using the `forest` function from the metafor package.

Supplemental Material

2. Figures




Figure S1| Fractional anisotropy measures before and after ComBat harmonization using principal component analysis. Abbreviations: PC = principal component.

Supplemental Material




Figure S2| Mean, radial, and axial diffusivity measures before and after ComBat harmonization using principal component analysis.

Supplemental Material




Figure S3| Cohen's d values for differences in fractional anisotropy (FA) between adolescents with early-onset psychosis and healthy controls, unadjusted as well as adjusted for core, periphery, or average FA. Cohen's d values and their standard errors are displayed, sorted in increasing magnitude of effect. Stars and dashed lines indicate significant results ($p \leq 0.002$). For white matter tract abbreviations, see Table 1, main text.

Supplemental Material




Figure S4| Cohen's d values for differences in mean diffusivity (MD) between adolescents with early-onset psychosis and healthy controls, unadjusted as well as adjusted for core, periphery or average MD. Cohen's d values and their standard errors are displayed, sorted in increasing magnitude of effect. Stars and dashed lines indicate significant results ($p \leq 0.002$). For white matter tract abbreviations, see Table 1, main text.

Supplemental Material




Figure S5| Cohen's d values for differences in radial diffusivity (RD) between adolescents with early-onset psychosis and healthy controls, unadjusted as well as adjusted for core, periphery, or average RD. Cohen's d values and their standard errors are displayed, sorted in increasing magnitude of effect. Dashed line indicates significant results ($p \leq 0.002$). For white matter tract abbreviations, see Table 1, main text.

Supplemental Material






Figure S6| Cohen's d values for differences in axial diffusivity (AD) between adolescents with early-onset psychosis and healthy controls, unadjusted as well as adjusted for core, periphery, or average AD. Cohen's d values and their standard errors are displayed, sorted in increasing magnitude of effect. Stars indicate significant results ($p \leq 0.002$). For white matter tract abbreviations, see Table 1, main text.

Supplemental Material



Supplemental Material



Supplemental Material




Figure S7| Forest plots showing site-wise fractional anisotropy differences between early-onset psychosis patients and healthy adolescent controls – bilateral tracts. Output is adjusted for age, sex, and linear and nonlinear age and sex interactions (age-by-sex interaction, age^2 , and age^2 -by-sex interaction). Cohen's d effect size and 95% confidence interval are shown for each cohort. The diamond indicates the pooled effect size across cohorts.




Figure S8| Significant associations between duration of illness and diffusion measures in patients with early-onset psychosis. Raw values with regression line and standard error are displayed. Abbreviation: MD = mean diffusivity, AD = axial diffusivity.

Supplemental Material




Figure S9 | Significant association between age of illness onset and mean axial diffusivity (AD) in the anterior limb of the internal capsule of patients with early-onset psychosis. Raw values with regression line and standard error are displayed.

Supplemental Material

3. Tables

Table S1 | Site overview.

Cohort	PI	Institution*	City	Country	Years of Data Inclusion
BARCELONA	Inmaculada Baeza	University of Barcelona	Barcelona	Spain	2003 - 2020
FEMS	Michael Berk	Deakin University	Geelong	Australia	2009 - 2013
MADRID	Celso Arango	Hospital General Universitario Gregorio Marañón	Madrid	Spain	2006 - 2014
OXFORD	Anthony James	University of Oxford	Oxford	UK	2005 - 2009
PAFIP	Benedicto Crespo-Facorro	University of Sevilla	Sevilla	Spain	2008 - 2012
ROME	Gianfranco Spalletta	IRCCS Santa Lucia Foundation	Rome	Italy	2012 - present
SCAPS	Ingrid Agartz, Mathias Lundberg	Karolinska Institutet	Stockholm	Sweden	2012 - 2019
UCLA	Carrie E. Bearden	University of California	Los Angeles	USA	2011- 2015
YTOP	Ingrid Agartz	University of Oslo	Oslo	Norway	2012 - present

* More detailed affiliations can be found in the affiliation section

Supplemental Material

Table S2| Site-wise inclusion and exclusion criteria.

Site	Diagnosis	Diagnostic tool	Recruitment information	Inclusion criteria	Exclusion criteria
BARCELONA	EOP	K-SADS/ DSM-IV-TR	Referral from inpatient or outpatient units of the Department of Child and Adolescent Psychiatry and Psychology of the Hospital Clinic Barcelona	Age between 7-18 years; onset of first psychotic positive symptom within a psychotic episode before age of 18; diagnosis of a psychotic disorder per DSM-IV-TR criteria; written informed consent	Intellectual disability per DSM-IV-TR criteria (IQ < 70 & impaired functioning); pervasive developmental disorder; past history of head trauma with loss of consciousness; pregnancy
	CTR	K-SADS/ DSM-IV-TR	Local catchment area via advertisements	Age between 7-18 years; written informed consent	Past history of psychotic illness; current diagnosis of any Axis-I DSM-IV-TR disorder; intellectual disability per DSM-IV-TR criteria (IQ < 70 & impaired functioning); past history of head trauma with loss of consciousness; pregnancy
FEMS*	EOP	DSM-IV	Referral from early psychosis services within the Geelong and the Southern Health sites	Psychotic disorders included: bipolar I disorder with psychotic features. schizoaffective disorder; age between 15-25 years; written informed consent; not have had a previous treated manic episode; quetiapine and lithium therapy for at least 1 month prior to randomization	Clinically relevant systemic disorder; pregnancy; sensitivity/allergy to quetiapine/lithium or their compounds; non-fluency in English; history of epilepsy; clinically relevant biochemical or hematological abnormalities; immediate risk of self-harm or risk to others; organic mental disease; IQ < 70; uncontrolled Diabetes Mellitus; use of cytochrome P450 3A4 inhibitors and/or cytochrome P450 inducers 14 days before enrollment; absolute neutrophil count of 1.5×10^9 per liter
	CTR	NA	Local catchment area via advertisements; among	Matched to patients; age between 15-25 years; no	Clinically relevant systemic disorder; pregnancy; non-fluency

Supplemental Material

			hospital visitors (friends of patients); via Melbourne Neuropsychiatry. Parkville. Melbourne	history of mental illness; written informed consent	in English; history of epilepsy; clinically relevant biochemical or hematological abnormalities; organic mental disease; IQ < 70; uncontrolled Diabetes Mellitus; use of cytochrome P450 3A4 inhibitors and/or cytochrome P450 inducers 14 days before enrollment; absolute neutrophil count of 1.5×10^9 per liter
MADRID*	EOP	K-SADS/ DSM-IV-TR	Referral from adolescent inpatient unit (Hospital General Universitario Gregorio Marañón) or local clinical services (PIENSA program)	Age between 7-18 years; onset of first psychotic positive symptom within a psychotic episode before age of 18; diagnosis of a psychotic disorder per DSM-IV-TR criteria; written informed consent	Intellectual disability per DSM-IV-TR criteria (IQ < 70 & impaired functioning); pervasive developmental disorder; past history of head trauma with loss of consciousness; pregnancy
	CTR	K-SADS/ DSM-IV-TR	Local catchment area via advertisements	Age between 7-18 years; written informed consent	Past history of psychotic illness; current diagnosis of any Axis-I DSM-IV-TR disorder; intellectual disability per DSM-IV-TR criteria (IQ < 70 & impaired functioning); past history of head trauma with loss of consciousness; pregnancy
OXFORD*	EOP	K-SADS-PL/DSM-IV	Local adolescent psychiatric units	Psychotic disorders included: schizophrenia	Moderate mental impairment; a history of substance abuse or pervasive developmental disorder; significant head injury; neurological disorder or major medical disorder
	CTR	KSADS-PL	Local general practitioners' practice	Healthy adolescents	Any medical/emotional/behavioral disorders; moderate mental impairment; a history of substance abuse or pervasive developmental disorder; significant head injury;

Supplemental Material

					neurological disorder or major medical disorder
PAFIP	EOP	DSM-IV	Local adolescent psychiatric units or local clinical services	SCID Axis I diagnosis confirmed by an independent psychiatrist 6 months after the initial contact; written informed consent	DSM-IV criteria for (1) drug dependence (except nicotine dependence), (2) mental retardation, and when having a history of neurological disease or head injury.
	CTR	Comprehensive Assessment of Symptoms and History		Matched to patients (age, sex, laterality index, drug history, years of education); written informed consent	Current or past history of psychiatric, neurological or general medical illnesses, including substance dependence and significant loss of consciousness; presence of psychosis in first-degree relatives
ROME	EOP	DSM-V psychiatric and personality disorders using the SCID-5-RV and SCID-5-PD	Local catchment area and referral from adolescent psychiatric units	Age between 10-18 years; onset of first psychotic positive symptom within a psychotic episode before age of 18; suitability for MRI scanning; written informed consent	history of alcohol or drug abuse in the two years before the assessment; lifetime drug dependence; traumatic head injury with loss of consciousness; past or present major medical illness or neurological disorders; intellectual disability; pervasive developmental disorder
	CTR	DSM-V psychiatric and personality disorders using the SCID-5-RV and SCID-5-PD	Local catchment area via advertisements	Matched to patients; age between 10-18 years; suitability for MRI scanning; written informed consent	history of alcohol or drug abuse in the two years before the assessment; lifetime drug dependence; traumatic head injury with loss of consciousness; past or present major medical illness or neurological disorders; any psychiatric disorder or intellectual disability
SCAPS*	EOP	DSM-IV	Specialist care unit of psychosis and bipolar disorder in the	Psychotic disorders included: schizophrenia. schizoaffective disorder.	Substance-induced psychotic disorder; IQ < 70; previous

Supplemental Material

			department of Child and Adolescent Psychiatry in Stockholm. Sweden	psychotic depression; unspecified psychosis; bipolar I and II disorder; age between 12-18 years	moderate to severe head injury; organic brain disease
	CTR	NA	Invitation by letter after random draw from the Swedish National Registry	Age between 12-18 years. good command of the Swedish language to complete interview and neurocognitive tests	History of mental health issues (contact with specialist services); previous or current use of psychotropic medication; first-degree relatives with a history of psychotic disorders; IQ < 70; previous moderate to severe head injury; organic brain disease
UCLA*	EOP	DSM-IV. SCID Axis I Disorders	In-and outpatient clinics for child and adolescent mental health in the Greater Los Angeles area/website/local advertisements	Psychotic disorders included: schizophrenia spectrum disorder; age between 12-18 years; informed consent; no MRI contra-indications	Substance-induced psychotic disorder; IQ < 70; previous moderate to severe head injury; significant comorbid medical/neurological condition and/or history of head trauma with loss of consciousness
	CTR	DSM-IV. SCID Axis I Disorders	Local advertisements (online/brochures) in the Los Angeles areas	Matched to patients; age between 12-18 years; no history of major mental disorders; informed consent; no MRI contra-indications	History of mental health issues (contact with specialist services); first-degree relatives with a history of psychotic disorders; IQ < 70; significant comorbid medical/neurological condition and/or history of head trauma with loss of consciousness
YTOP*	EOP	K-SADS-PL (2009)/ DSM-IV	In-and outpatient clinics for child and adolescent mental health in the greater Oslo area	Age between 12-18 years; diagnosis of psychotic disorder; good command of the Norwegian language to complete interview and neurocognitive tests	Substance-induced psychotic disorder; IQ < 70; previous moderate to severe head injury; organic brain disease
	CTR	K-SADS-PL (2009)	Invitation by letter after random draw from the	Age between 12-18 years; good command of the Norwegian	History of mental health issues (contact with specialist services); previous or current use of

Supplemental Material

			Norwegian National Registry	language to complete interview and neurocognitive tests	psychotropic medication; first-degree relatives with a history of psychotic disorders; IQ < 70; previous moderate to severe head injury; organic brain disease
--	--	--	-----------------------------	---	--

* Gurholt et al. 2020. Human Brain Mapping; Abbreviation: EOP = early-onset psychosis; CTR = healthy controls; DSM = Structured Clinical Interview for Diagnostic and Statistical Manual of Mental Disorder; SCID = Structured Clinical Interview for DSM Disorders; K-SADS = Kiddie Schedule for Affective Disorders and Schizophrenia (PL = present and lifetime version); IQ = intelligence quotient; MRI = magnetic resonance imaging.

Supplemental Material

Table S3| Diffusion weighted imaging acquisitions parameters, stratified by site and scanner.

Site	Scanner	Field Strength (T. Tesla)	Voxel size and slice thickness	Gradient directions and b-value (mm/s ²)	b=0 scans	TR (ms)	TE (ms)	Flip Angle (°)
BARCELONA	Siemens Trio Tim	3T	2.0x2.0x2.0	30 at b = 800	1	8600	97	90
	Siemens Prisma	3T	2.0x2.0x2.0	30 at b = 800	1	8600	97	90
	GE Genesis Signa	1.5T	1.0x1.0x5.0 (n=40) 1.17x1.17x5.0 (n=6)	25 at b = 100	1	10000	[79.9 – 93.1] (mean: 86.2)	90
FEMS	Siemens TrioTim	3T	2.0x2.0x2.0	60 at b = 2000	10	8800	99	90
MADRID	Philips Intera	1.5T	2.0x2.0x2.0	32 at b = 1000	1	11888	71	30
OXFORD	Siemens Sonata	1.5T	2.5x2.5x2.5	60 at b = 1000	5	8500	89	19
PAFIP	Philips	3T	2.0x2.0x2.0	64 at b = 1300	1	9577	77	90
ROME	Philips Achieva	3T	2x2x2	128 at b = 1000	1	10000	70	90
			2x2x2	120 at b = 1000	1	10000	76	90
			2x2x2	64 at b = 1000	6	10000	76	90
SCAPS	GE Discovery MR750	3T	0.94 × 0.94 × 2.9	60 at b = 1000	10	6000	82.9	90
UCLA	Siemens TrioTim	3T	1.0x1.0x1.2	64 at b = 1000		2300	2.91	9
YTOP	GE Signa HDxt	3T	1.875x1.875x2.5	30 at b = 1000	2	15000	85	90
	GE Discovery MR750	3T	2.0x2.0x2.0	60 at b = 1000	5	8150	83	90

Abbreviations: GE = general electrics, TR = repetition time, TE = echo time.

Supplemental Material

Table S4| Demographic and clinical characteristics, stratified by site.

Cohort	Dx	N	Age (years)	Sex, Female N (%)	Hand (R/L/A)	Dx (EOS/ AFP/ OTP)	PANSS, negative	PANSS, positive	AOO (years)	DOI (years)	CPZ	AP user, N (%)	LIT user, N (%)	AD user, N (%)	AE user, N (%)
BARCELONA	CTR	84	16.6 [14.9, 17.5]	51 (60.7)	15/3/0										
	EOP	141	16.5 [15.1, 17.3]	70 (49.6)	36 /1/0	57/68/16	15.0 [11.0, 21.0]	19.0 [15.0, 24.0]	15.9 [14.6, 16.9]	0.2 [0.1, 0.5]	200.0 [150.0, 350.0]	135 (98.5)	23 (16.8)	47 (34.3)	4 (2.9)
FEMS	CTR	2	16.0 [16.0, 16.0]	1 (50.0)	2/0/0										
	EOP	5	18.0 [17.0, 18.0]	1 (20.0)	3/1/0	1/4/0			16.5 [16.3, 16.8]	0.6 [0.5, 0.7]		2 (100.0)	3 (100.0)		
MADRID	CTR	26	16.0 [13.3, 16.8]	12 (46.2)	20/2/0										
	EOP	28	16.5 [14.0, 17.0]	6 (21.4)	23/2/0	28/0/0	23.0 [16.0, 29.0]	23.5 [19.8, 30.5]	16.0 [14.8, 17.0]	0.0 [0.0, 1.0]		28 (100.0)	0 (0.0)	1 (3.6)	2 (7.1)
OXFORD	CTR	38	16.2 [14.9, 17.2]	20 (52.6)	34/4/0										
	EOP	43	16.7 [15.4, 17.0]	18 (41.9)	33/8/2	43/0/0	16.0 [13.5, 18.0]	23.0 [21.0, 24.0]	14.8 [13.6, 15.9]	1.3 [0.9, 2.2]	300.0 [200.0, 424.0]	43 (100.0)	0 (0.0)		3 (7.0)
PAFIP*	CTR	3	18.6 [18.5, 18.8]	3 (100.0)	3/0/0										
	EOP	4	17.6 [17.5, 17.9]	2 (50.0)	4/0/0	4/0/0	6.0* [3.0, 11.8]	15.0* [14.8, 16.3]	17.4 [17.3, 17.5]	0.4 [0.2, 0.7]	200.0 [170.0, 200.0]	4 (100.0)			
ROME	CTR	12	14.0 [13.0, 15.0]	8 (66.7)	10/2/0										
	EOP	19	16.0 [15.5, 18.0]	6 (31.6)	16/3/0	13/1/5	14.0 [10.5, 19.0]	15.0 [14.0, 25.5]	15.0 [14.0, 16.5]	1.0 [1.0, 1.5]	200.0 [166.7, 325.0]	19 (100.0)	1 (5.3)	3 (15.8)	4 (21.1)

Supplemental Material

SCAPS	CTR	24	16.9 [16.2, 17.7]	19 (79.2)	22/2/0									
	EOP	31	16.7 [15.7, 17.5]	17 (54.8)	7/1/0	2/20/9			15.2 [14.1, 16.6]	1.0 [0.1, 2.3]	133.0 [0.0, 241.5]			
UCLA*	CTR	7	16.0 [14.0, 16.5]	2 (28.6)	6/1/0									
	EOP	13	16.0 [14.0, 17.0]	3 (23.1)	13/0/0	12/0/1	29.0* [23.5, 31.5]	24.0* [8.0, 25.5]	14.0 [12.0, 15.0]	2.0 [1.0, 2.0]	67.0 [0.0, 133.0]	8 (61.5)	0 (0.0)	3 (25.0)
YTOP	CTR	69	16.2 [15.2, 17.4]	37 (53.6)	65/4/0									
	EOP	37	16.5 [15.9, 17.6]	26 (70.3)	31/3/0	20/2/15	20.0 [14.0, 23.0]	18.0 [15.0, 21.0]	15.3 [13.8, 16.2]	1.1 [0.6, 1.8]	25.0 [0.0, 133.5]	17 (51.5)	0 (0.0)	3 (9.4)

* These groups used SANS and SAPS scores (Scale for the Assessment of Negative/Positive Symptoms). Continuous data in median [Interquartile range] and categorical data as number (%). Abbreviations: Dx = Diagnosis, CTR = healthy controls, EOP = early-onset psychosis, R = right, L = left, A = ambidextrous, EOS = early-onset schizophrenia, AFP = affective psychosis, OTP = other psychosis, PANSS = positive and negative syndrome scale, AOO = age of onset, DOI = duration of illness, CPZ = chlorpromazine equivalent, AP = antipsychotics, LIT = lithium, AD = antidepressants, AE = antiepileptics.

Supplemental Material

Table S5| Demographic and clinical characteristics, stratified by sex.

Variables	Male		Female		p-value	test
	CTR	EOP	CTR	EOP		
N	112	172	153	149		χ^2
Age (years)*	16.19 [14.86, 17.38]	16.66 [15.45, 17.40]	16.18 [14.89, 17.27]	16.48 [15.07, 17.30]	0.259	KW
Handedness, N (%)					0.756	χ^2
Right	74 (89.2)	95 (90.5)	103 (92.0)	71 (86.6)		
Left	9 (10.8)	9 (8.6)	9 (8.0)	10 (12.2)		
Ambidextrous	0 (0.0)	1 (1.0)	0 (0.0)	1 (1.2)		
Diagnostic subgroup, N (%)					0.009	
EOS		110 (64.0)		70 (47.0)		
AFP		41 (23.8)		54 (36.2)		
OTP		21 (12.2)		25 (16.8)		
PANSS, negative*		17.00 [12.25, 22.00]		16.00 [12.00, 21.00]	0.375	KW
PANSS, positive*		22.00 [17.25, 25.00]		19.00 [15.00, 23.00]	<0.001	KW
Age of onset (years)*		15.88 [14.50, 16.91]		15.16 [13.99, 16.30]	0.009	KW
Duration of illness (years)*		0.59 [0.08, 1.08]		0.64 [0.17, 1.14]	0.144	KW
CPZ*		200.0 [133.3, 300.0]		200.0 [116.7, 374.8]	0.929	
AP user, N (%)		144 (92.9)		112 (86.2)	0.093	χ^2
Lithium user, N (%)		17 (11.3)		10 (8.1)	0.484	χ^2
AD user, N (%)		23 (18.7)		34 (32.4)	0.026	χ^2
AE user, N (%)		7 (4.7)		7 (5.7)	0.936	χ^2
Field strength, 3T, N (%)	38 (50.7)	84 (57.1)	57 (58.8)	69 (65.1)	0.272	χ^2

*Continuous data in median [Interquartile range] and categorical data as number (%). Abbreviations: CTR = healthy controls, EOP = early-onset psychosis, N = number, EOS = early-onset schizophrenia, AFP = affective psychosis, OTP = other psychosis, PANSS = positive and negative syndrome scale, CPZ = chlorpromazine equivalent, AP = antipsychotics, AD = antidepressants, AE = antiepileptics, KW = Kruskal-Wallis. Significant results are highlighted in bold.

Supplemental Material

Multiple Linear Regression Outputs

Table S6| Multiple linear regression output for case-control differences in bilateral regional diffusion measures.

Tract	metric	t-value	p-value	Cohen's <i>d</i>	S.E.
ACR	FA	-1.891	0.059	-0.158	0.083
	MD	0.508	0.612	0.046	0.089
	RD	1.421	0.156	0.127	0.089
	AD	-0.537	0.592	-0.048	0.089
ALIC	FA	-2.986	0.003	-0.249	0.083
	MD	0.042	0.966	0.004	0.089
	RD	1.762	0.079	0.158	0.089
	AD	-1.115	0.265	-0.100	0.089
Average	FA	-3.606	3.374e-04	-0.301	0.083
	MD	1.863	0.063	0.167	0.089
	RD	3.282	0.001	0.294	0.089
	AD	0.426	0.671	0.038	0.089
BCC	FA	-2.842	0.005	-0.237	0.083
	MD	0.209	0.834	0.019	0.089
	RD	2.126	0.034	0.191	0.089
	AD	-1.709	0.088	-0.153	0.089
CC	FA	-3.316	0.001	-0.277	0.083
	MD	0.130	0.897	0.012	0.089
	RD	2.470	0.014	0.221	0.089
	AD	-1.809	0.071	-0.162	0.089
CGC	FA	-2.449	0.015	-0.204	0.083
	MD	0.624	0.533	0.056	0.089
	RD	3.068	0.002	0.275	0.089
	AD	-0.998	0.319	-0.089	0.089
CGH	FA	-0.922	0.357	-0.077	0.083
	MD	-0.603	0.547	-0.054	0.089
	RD	0.286	0.775	0.026	0.089
	AD	-0.552	0.581	-0.049	0.089
CR	FA	-2.618	0.009	-0.219	0.083
	MD	1.076	0.282	0.096	0.089
	RD	2.320	0.021	0.208	0.089
	AD	-0.494	0.622	-0.044	0.089
CST	FA	-0.557	0.577	-0.047	0.083
	MD	0.249	0.803	0.022	0.089
	RD	1.129	0.259	0.101	0.089
	AD	-0.595	0.552	-0.053	0.089
EC	FA	-2.242	0.025	-0.187	0.083
	MD	1.165	0.245	0.104	0.089
	RD	2.054	0.040	0.184	0.089
	AD	0.289	0.773	0.026	0.089
FX	FA	-2.102	0.036	-0.175	0.083

Supplemental Material

	MD	3.871	1.226e-04	0.347	0.089
	RD	3.891	1.135e-04	0.349	0.089
	AD	3.751	1.964e-04	0.336	0.089
FXST	FA	-2.883	0.004	-0.241	0.083
	MD	0.243	0.808	0.022	0.089
	RD	2.082	0.038	0.187	0.089
	AD	-1.086	0.278	-0.097	0.089
GCC	FA	-3.352	0.001	-0.280	0.083
	MD	0.042	0.966	0.004	0.089
	RD	2.338	0.020	0.210	0.089
	AD	-1.729	0.084	-0.155	0.089
IC	FA	-3.501	4.999e-04	-0.292	0.083
	MD	0.086	0.932	0.008	0.089
	RD	2.106	0.036	0.189	0.089
	AD	-1.666	0.096	-0.149	0.089
IFO	FA	-1.430	0.153	-0.119	0.083
	MD	1.287	0.199	0.115	0.089
	RD	1.787	0.074	0.160	0.089
	AD	-0.248	0.804	-0.022	0.089
PCR	FA	-3.830	1.422e-04	-0.320	0.083
	MD	2.366	0.018	0.212	0.089
	RD	3.467	0.001	0.311	0.089
	AD	0.109	0.913	0.010	0.089
PLIC	FA	-2.348	0.019	-0.196	0.083
	MD	-0.405	0.686	-0.036	0.089
	RD	1.194	0.233	0.107	0.089
	AD	-1.285	0.199	-0.115	0.089
PTR	FA	-3.123	0.002	-0.261	0.083
	MD	2.164	0.031	0.194	0.089
	RD	3.088	0.002	0.277	0.089
	AD	0.165	0.869	0.015	0.089
RLIC	FA	-3.214	0.001	-0.268	0.083
	MD	0.703	0.483	0.063	0.089
	RD	2.412	0.016	0.216	0.089
	AD	-1.402	0.162	-0.126	0.089
SCC	FA	-2.458	0.014	-0.205	0.083
	MD	0.480	0.632	0.043	0.089
	RD	1.976	0.049	0.177	0.089
	AD	-0.846	0.398	-0.076	0.089
SCR	FA	-1.753	0.080	-0.146	0.083
	MD	0.805	0.421	0.072	0.089
	RD	2.047	0.041	0.183	0.089
	AD	-0.511	0.609	-0.046	0.089
SFO	FA	-3.716	2.220e-04	-0.310	0.083
	MD	0.336	0.737	0.030	0.089
	RD	2.231	0.026	0.200	0.089

Supplemental Material

SLF	AD	-1.438	0.151	-0.129	0.089
	FA	-4.426	1.150e-05	-0.370	0.083
	MD	2.113	0.035	0.189	0.089
	RD	3.975	8.071e-05	0.356	0.090
SS	AD	-0.871	0.384	-0.078	0.089
	FA	-1.755	0.080	-0.147	0.083
	MD	2.020	0.044	0.181	0.089
	RD	2.825	0.005	0.253	0.089
UNC	AD	0.386	0.700	0.035	0.089
	FA	-2.249	0.025	-0.188	0.083
	MD	3.242	0.001	0.291	0.089
	RD	3.294	0.001	0.295	0.089
	AD	2.089	0.037	0.187	0.089

Significant results are highlighted in bold ($p < 0.002$). Abbreviation: FA = fractional anisotropy, MD = mean diffusivity, RD = radial diffusivity, AD = axial diffusivity, S.E. = standard error. Abbreviations for tracts see Table 1 in main text.

Supplemental Material

Table S7| Multiple linear regression output for case-control differences in bilateral regional diffusion measures, adjusted for average, core or periphery diffusion measures.

Tract	Adjustment	metric	t-value	p-value	Cohen's <i>d</i>	S.E.
ACR	Average	FA	0.482	0.630	0.040	0.083
	Core	FA	1.759	0.079	0.147	0.083
	Periphery	FA	-0.404	0.686	-0.034	0.083
	Average	MD	-0.503	0.615	-0.045	0.089
	Core	MD	-0.909	0.364	-0.081	0.089
	Periphery	MD	-0.247	0.805	-0.022	0.089
	Average	RD	-0.555	0.579	-0.050	0.089
	Core	RD	-1.967	0.050	-0.176	0.089
	Periphery	RD	0.017	0.987	0.001	0.089
	Average	AD	-0.712	0.477	-0.064	0.089
	Core	AD	0.268	0.789	0.024	0.089
	Periphery	AD	-0.684	0.494	-0.061	0.089
ALIC	Average	FA	-1.335	0.183	-0.112	0.083
	Core	FA	-0.510	0.610	-0.043	0.083
	Periphery	FA	-1.940	0.053	-0.162	0.083
	Average	MD	-0.807	0.420	-0.072	0.089
	Core	MD	-1.241	0.215	-0.111	0.089
	Periphery	MD	-0.576	0.565	-0.052	0.089
	Average	RD	0.401	0.689	0.036	0.089
	Core	RD	-0.580	0.562	-0.052	0.089
	Periphery	RD	0.816	0.415	0.073	0.089
	Average	AD	-1.255	0.210	-0.113	0.089
	Core	AD	-0.655	0.512	-0.059	0.089
	Periphery	AD	-1.219	0.224	-0.109	0.089
Average	Core	FA	-1.005	0.315	-0.084	0.083
	Periphery	FA	-2.547	0.011	-0.213	0.083
	Core	MD	1.368	0.172	0.123	0.089
	Periphery	MD	0.335	0.738	0.030	0.089
	Core	RD	1.481	0.139	0.133	0.089
	Periphery	RD	1.844	0.066	0.165	0.089
BCC	Core	AD	1.028	0.305	0.092	0.089
	Periphery	AD	-1.254	0.210	-0.112	0.089
	Average	FA	-0.911	0.363	-0.076	0.083
	Core	FA	-0.144	0.885	-0.012	0.083
	Periphery	FA	-1.583	0.114	-0.132	0.083
	Average	MD	-0.847	0.397	-0.076	0.089
	Core	MD	-1.083	0.279	-0.097	0.089
	Periphery	MD	-0.606	0.545	-0.054	0.089
	Average	RD	0.423	0.673	0.038	0.089
	Core	RD	-0.314	0.754	-0.028	0.089

Supplemental Material

CC	Periphery	RD	0.870	0.385	0.078	0.089	
	Average	AD	-2.012	0.045	-0.181	0.089	
	Core	AD	-1.482	0.139	-0.133	0.089	
	Periphery	AD	-1.943	0.053	-0.174	0.089	
	Average	FA	-1.334	0.183	-0.111	0.083	
	Core	FA	-0.156	0.876	-0.013	0.083	
	Periphery	FA	-2.083	0.038	-0.174	0.083	
	Average	MD	-1.144	0.253	-0.103	0.089	
	Core	MD	-1.961	0.050	-0.176	0.089	
	Periphery	MD	-0.817	0.414	-0.073	0.089	
	Average	RD	0.596	0.552	0.053	0.089	
	Core	RD	-0.571	0.568	-0.051	0.089	
	Periphery	RD	1.123	0.262	0.101	0.089	
	Average	AD	-2.119	0.035	-0.190	0.089	
	Core	AD	-1.817	0.070	-0.163	0.089	
CGC	Periphery	AD	-2.026	0.043	-0.182	0.089	
	Average	FA	-0.719	0.472	-0.060	0.083	
	Core	FA	0.143	0.887	0.012	0.083	
	Periphery	FA	-1.352	0.177	-0.113	0.083	
	Average	MD	-0.439	0.661	-0.039	0.089	
	Core	MD	-0.731	0.465	-0.065	0.089	
	Periphery	MD	-0.185	0.853	-0.017	0.089	
	Average	RD	1.574	0.116	0.141	0.089	
	Core	RD	0.955	0.340	0.086	0.089	
	Periphery	RD	1.974	0.049	0.177	0.089	
	Average	AD	-1.133	0.258	-0.102	0.089	
	Core	AD	-0.528	0.598	-0.047	0.089	
	Periphery	AD	-1.104	0.270	-0.099	0.089	
	CGH	Average	FA	0.891	0.373	0.074	0.083
		Core	FA	1.087	0.277	0.091	0.083
Periphery		FA	0.387	0.699	0.032	0.083	
Average		MD	-1.508	0.132	-0.135	0.089	
Core		MD	-1.679	0.094	-0.150	0.089	
Periphery		MD	-1.311	0.191	-0.117	0.089	
Average		RD	-1.041	0.298	-0.093	0.089	
Core		RD	-1.788	0.074	-0.160	0.089	
Periphery		RD	-0.670	0.503	-0.060	0.089	
Average		AD	-0.732	0.465	-0.066	0.089	
Core		AD	-0.072	0.942	-0.006	0.089	
Periphery		AD	-0.742	0.458	-0.067	0.089	
CR		Average	FA	-0.220	0.826	-0.018	0.083
		Core	FA	1.723	0.085	0.144	0.083
		Periphery	FA	-1.171	0.242	-0.098	0.083

Supplemental Material

CST	Average	MD	-0.020	0.984	-0.002	0.089
	Core	MD	-0.240	0.810	-0.022	0.089
	Periphery	MD	0.244	0.807	0.022	0.089
	Average	RD	0.337	0.737	0.030	0.089
	Core	RD	-1.494	0.136	-0.134	0.089
	Periphery	RD	0.924	0.356	0.083	0.089
	Average	AD	-0.727	0.468	-0.065	0.089
	Core	AD	0.648	0.517	0.058	0.089
	Periphery	AD	-0.695	0.487	-0.062	0.089
	Average	FA	0.370	0.712	0.031	0.083
	Core	FA	0.769	0.442	0.064	0.083
	Periphery	FA	0.044	0.965	0.004	0.083
	Average	MD	-0.062	0.951	-0.006	0.089
	Core	MD	-0.114	0.909	-0.010	0.089
	Periphery	MD	0.013	0.990	0.001	0.089
EC	Average	RD	0.434	0.665	0.039	0.089
	Core	RD	0.057	0.955	0.005	0.089
	Periphery	RD	0.632	0.528	0.057	0.089
	Average	AD	-0.644	0.520	-0.058	0.089
	Core	AD	-0.405	0.686	-0.036	0.089
	Periphery	AD	-0.646	0.519	-0.058	0.089
	Average	FA	-0.187	0.852	-0.016	0.083
	Core	FA	0.745	0.457	0.062	0.083
	Periphery	FA	-0.924	0.356	-0.077	0.083
	Average	MD	0.196	0.845	0.018	0.089
	Core	MD	0.236	0.813	0.021	0.089
	Periphery	MD	0.406	0.685	0.036	0.089
	Average	RD	0.398	0.691	0.036	0.089
	Core	RD	-0.595	0.552	-0.053	0.089
	Periphery	RD	0.867	0.387	0.078	0.089
FX	Average	AD	0.157	0.875	0.014	0.089
	Core	AD	1.186	0.236	0.106	0.089
	Periphery	AD	0.143	0.887	0.013	0.089
	Average	FA	-1.277	0.202	-0.107	0.083
	Core	FA	-0.823	0.411	-0.069	0.083
	Periphery	FA	-1.595	0.111	-0.133	0.083
	Average	MD	3.411	0.001	0.306	0.089
	Core	MD	3.651	2.89e-04	0.327	0.089
	Periphery	MD	3.433	0.001	0.308	0.089
	Average	RD	2.838	0.005	0.255	0.089
	Core	RD	2.964	0.003	0.266	0.089
	Periphery	RD	2.998	0.003	0.269	0.089
	Average	AD	3.805	1.59e-04	0.341	0.089

Supplemental Material

FXST	Core	AD	4.097	4.88e-05	0.367	0.090
	Periphery	AD	3.722	2.20e-04	0.334	0.089
	Average	FA	-1.525	0.128	-0.127	0.083
	Core	FA	-1.066	0.287	-0.089	0.083
	Periphery	FA	-1.972	0.049	-0.165	0.083
	Average	MD	-0.702	0.483	-0.063	0.089
	Core	MD	-0.855	0.393	-0.077	0.089
	Periphery	MD	-0.493	0.623	-0.044	0.089
	Average	RD	0.665	0.507	0.060	0.089
	Core	RD	0.073	0.942	0.007	0.089
	Periphery	RD	1.034	0.302	0.093	0.089
	Average	AD	-1.241	0.215	-0.111	0.089
GCC	Core	AD	-0.687	0.493	-0.062	0.089
	Periphery	AD	-1.227	0.221	-0.110	0.089
	Average	FA	-1.623	0.105	-0.136	0.083
	Core	FA	-0.618	0.537	-0.052	0.083
	Periphery	FA	-2.282	0.023	-0.191	0.083
	Average	MD	-1.006	0.315	-0.090	0.089
	Core	MD	-1.469	0.143	-0.132	0.089
	Periphery	MD	-0.742	0.458	-0.067	0.089
	Average	RD	0.655	0.513	0.059	0.089
	Core	RD	-0.344	0.731	-0.031	0.089
	Periphery	RD	1.130	0.259	0.101	0.089
	Average	AD	-1.918	0.056	-0.172	0.089
IC	Core	AD	-1.488	0.137	-0.133	0.089
	Periphery	AD	-1.854	0.064	-0.166	0.089
	Average	FA	-1.669	0.096	-0.139	0.083
	Core	FA	-0.563	0.574	-0.047	0.083
	Periphery	FA	-2.370	0.018	-0.198	0.083
	Average	MD	-0.993	0.321	-0.089	0.089
	Core	MD	-1.900	0.058	-0.170	0.089
	Periphery	MD	-0.691	0.490	-0.062	0.089
	Average	RD	0.525	0.600	0.047	0.089
	Core	RD	-0.885	0.377	-0.079	0.089
	Periphery	RD	1.021	0.308	0.092	0.089
	Average	AD	-1.933	0.054	-0.173	0.089
IFO	Core	AD	-1.514	0.131	-0.136	0.089
	Periphery	AD	-1.852	0.065	-0.166	0.089
	Average	FA	-0.261	0.794	-0.022	0.083
	Core	FA	0.285	0.776	0.024	0.083
	Periphery	FA	-0.683	0.495	-0.057	0.083
	Average	MD	0.771	0.441	0.069	0.089
Core	MD	0.798	0.425	0.072	0.089	

Supplemental Material

PCR	Periphery	MD	0.875	0.382	0.078	0.089
	Average	RD	0.852	0.395	0.076	0.089
	Core	RD	0.354	0.724	0.032	0.089
	Periphery	RD	1.117	0.265	0.100	0.089
	Average	AD	-0.328	0.743	-0.029	0.089
	Core	AD	0.092	0.927	0.008	0.089
	Periphery	AD	-0.329	0.742	-0.030	0.089
	Average	FA	-2.109	0.035	-0.176	0.083
	Core	FA	-1.342	0.180	-0.112	0.083
	Periphery	FA	-2.725	0.007	-0.228	0.083
	Average	MD	1.595	0.111	0.143	0.089
	Core	MD	2.450	0.015	0.220	0.089
	Periphery	MD	1.720	0.086	0.154	0.089
	Average	RD	1.977	0.049	0.177	0.089
	PLIC	Core	RD	1.450	0.148	0.130
Periphery		RD	2.377	0.018	0.213	0.089
Average		AD	-0.058	0.954	-0.005	0.089
Core		AD	1.236	0.217	0.111	0.089
Periphery		AD	-0.067	0.947	-0.006	0.089
Average		FA	-0.824	0.411	-0.069	0.083
Core		FA	0.106	0.916	0.009	0.083
Periphery		FA	-1.418	0.157	-0.118	0.083
Average		MD	-1.367	0.172	-0.123	0.089
Core		MD	-1.898	0.058	-0.170	0.089
Periphery		MD	-1.112	0.267	-0.100	0.089
Average		RD	-0.196	0.845	-0.018	0.089
Core		RD	-1.189	0.235	-0.107	0.089
Periphery		RD	0.223	0.824	0.020	0.089
PTR		Average	AD	-1.448	0.148	-0.130
	Core	AD	-0.883	0.378	-0.079	0.089
	Periphery	AD	-1.415	0.158	-0.127	0.089
	Average	FA	-1.663	0.097	-0.139	0.083
	Core	FA	-0.743	0.458	-0.062	0.083
	Periphery	FA	-2.243	0.025	-0.187	0.083
	Average	MD	1.484	0.138	0.133	0.089
	Core	MD	1.783	0.075	0.160	0.089
	Periphery	MD	1.608	0.108	0.144	0.089
	Average	RD	1.847	0.065	0.166	0.089
	Core	RD	1.127	0.260	0.101	0.089
	Periphery	RD	2.220	0.027	0.199	0.089
	Average	AD	0.039	0.969	0.004	0.089
	Core	AD	0.904	0.366	0.081	0.089
	Periphery	AD	0.030	0.976	0.003	0.089

Supplemental Material

RLIC	Average	FA	-1.576	0.115	-0.132	0.083	
	Core	FA	-0.653	0.514	-0.055	0.083	
	Periphery	FA	-2.199	0.028	-0.184	0.083	
	Average	MD	-0.244	0.807	-0.022	0.089	
	Core	MD	-0.614	0.540	-0.055	0.089	
	Periphery	MD	0.002	0.998	2.17e-04	0.089	
	Average	RD	1.048	0.295	0.094	0.089	
	Core	RD	-0.103	0.918	-0.009	0.089	
	Periphery	RD	1.489	0.137	0.134	0.089	
	Average	AD	-1.652	0.099	-0.148	0.089	
	Core	AD	-1.029	0.304	-0.092	0.089	
	Periphery	AD	-1.593	0.112	-0.143	0.089	
	SCC	Average	FA	-0.862	0.389	-0.072	0.083
		Core	FA	0.285	0.776	0.024	0.083
		Periphery	FA	-1.513	0.131	-0.126	0.083
Average		MD	-0.476	0.634	-0.043	0.089	
Core		MD	-0.745	0.457	-0.067	0.089	
Periphery		MD	-0.245	0.807	-0.022	0.089	
Average		RD	0.388	0.699	0.035	0.089	
Core		RD	-0.692	0.489	-0.062	0.089	
Periphery		RD	0.853	0.394	0.076	0.089	
Average		AD	-1.011	0.312	-0.091	0.089	
Core		AD	-0.257	0.797	-0.023	0.089	
Periphery		AD	-0.979	0.328	-0.088	0.089	
SCR		Average	FA	0.130	0.896	0.011	0.083
		Core	FA	1.604	0.109	0.134	0.083
		Periphery	FA	-0.642	0.521	-0.054	0.083
	Average	MD	-0.317	0.751	-0.028	0.089	
	Core	MD	-0.625	0.533	-0.056	0.089	
	Periphery	MD	-0.049	0.961	-0.004	0.089	
	Average	RD	0.301	0.764	0.027	0.089	
	Core	RD	-1.026	0.305	-0.092	0.089	
	Periphery	RD	0.818	0.414	0.073	0.089	
	Average	AD	-0.726	0.468	-0.065	0.089	
	Core	AD	0.314	0.753	0.028	0.089	
	Periphery	AD	-0.708	0.479	-0.063	0.089	
	SFO	Average	FA	-2.330	0.020	-0.195	0.083
		Core	FA	-1.719	0.086	-0.144	0.083
		Periphery	FA	-2.825	0.005	-0.236	0.083
Average		MD	-0.440	0.660	-0.039	0.089	
Core		MD	-0.628	0.530	-0.056	0.089	
Periphery		MD	-0.252	0.801	-0.023	0.089	
Average		RD	0.959	0.338	0.086	0.089	

Supplemental Material

	Core	RD	0.180	0.857	0.016	0.089
	Periphery	RD	1.334	0.183	0.120	0.089
	Average	AD	-1.602	0.110	-0.144	0.089
	Core	AD	-1.099	0.272	-0.099	0.089
	Periphery	AD	-1.581	0.114	-0.142	0.089
SLF	Average	FA	-2.781	0.006	-0.232	0.083
	Core	FA	-2.165	0.031	-0.181	0.083
	Periphery	FA	-3.360	0.001	-0.281	0.083
	Average	MD	1.235	0.217	0.111	0.089
	Core	MD	2.146	0.032	0.192	0.089
	Periphery	MD	1.381	0.168	0.124	0.089
	Average	RD	2.514	0.012	0.226	0.089
	Core	RD	2.345	0.019	0.210	0.089
	Periphery	RD	2.880	0.004	0.258	0.089
	Average	AD	-1.174	0.241	-0.105	0.089
	Core	AD	-0.157	0.876	-0.014	0.089
	Periphery	AD	-1.133	0.258	-0.102	0.089
SS	Average	FA	0.245	0.807	0.020	0.083
	Core	FA	1.291	0.197	0.108	0.083
	Periphery	FA	-0.495	0.621	-0.041	0.083
	Average	MD	1.209	0.227	0.108	0.089
	Core	MD	1.782	0.075	0.160	0.089
	Periphery	MD	1.366	0.173	0.122	0.089
	Average	RD	1.352	0.177	0.121	0.089
	Core	RD	0.446	0.656	0.040	0.089
	Periphery	RD	1.785	0.075	0.160	0.089
	Average	AD	0.241	0.810	0.022	0.089
	Core	AD	1.558	0.120	0.140	0.089
	Periphery	AD	0.216	0.829	0.019	0.089
UNC	Average	FA	-1.204	0.229	-0.101	0.083
	Core	FA	-0.533	0.594	-0.045	0.083
	Periphery	FA	-1.630	0.104	-0.136	0.083
	Average	MD	2.688	0.007	0.241	0.089
	Core	MD	3.056	0.002	0.274	0.089
	Periphery	MD	2.745	0.006	0.246	0.089
	Average	RD	2.228	0.026	0.200	0.089
	Core	RD	1.806	0.072	0.162	0.089
	Periphery	RD	2.511	0.012	0.225	0.089
	Average	AD	2.056	0.040	0.185	0.089
	Core	AD	2.606	0.009	0.234	0.089
	Periphery	AD	1.987	0.047	0.178	0.089

Significant results are highlighted in bold ($p \leq 0.002$). Abbreviation: FA = fractional anisotropy, MD = mean diffusivity, RD = radial diffusivity, AD = axial diffusivity, S.E. = standard error. Abbreviations for tracts, see Table 1 in main text.

Supplemental Material

Table S8| Multiple linear regression output for case-control differences in lateralized regional diffusion measures.

Tract	Side	metric	t-value	p-value	Cohen's <i>d</i>	S.E.
ACR	L	FA	-1.551	0.122	-0.129	0.083
	R	FA	-1.976	0.049	-0.165	0.083
ALIC	L	FA	-2.900	0.004	-0.242	0.083
	R	FA	-2.644	0.008	-0.221	0.083
CGC	L	FA	-2.658	0.008	-0.222	0.083
	R	FA	-1.970	0.049	-0.165	0.083
CGH	L	FA	-0.290	0.772	-0.024	0.083
	R	FA	-1.338	0.181	-0.112	0.083
CR	L	FA	-2.338	0.020	-0.195	0.083
	R	FA	-2.667	0.008	-0.223	0.083
CST	L	FA	-0.307	0.759	-0.026	0.083
	R	FA	-0.742	0.459	-0.062	0.083
EC	L	FA	-2.313	0.021	-0.193	0.083
	R	FA	-1.926	0.055	-0.161	0.083
FXST	L	FA	-2.862	0.004	-0.239	0.083
	R	FA	-2.588	0.010	-0.216	0.083
IC	L	FA	-3.873	1.197e-04	-0.323	0.083
	R	FA	-2.868	0.004	-0.239	0.083
IFO	L	FA	-1.110	0.267	-0.093	0.083
	R	FA	-1.324	0.186	-0.111	0.083
PCR	L	FA	-3.497	0.001	-0.292	0.083
	R	FA	-3.775	1.768e-04	-0.315	0.083
PLIC	L	FA	-2.564	0.011	-0.214	0.083
	R	FA	-1.927	0.055	-0.161	0.083
PTR	L	FA	-3.868	1.221e-04	-0.323	0.083
	R	FA	-1.979	0.048	-0.165	0.083
RLIC	L	FA	-3.780	1.733e-04	-0.316	0.083
	R	FA	-2.315	0.021	-0.193	0.083
SCR	L	FA	-1.709	0.088	-0.143	0.083
	R	FA	-1.565	0.118	-0.131	0.083
SFO	L	FA	-3.130	0.002	-0.261	0.083
	R	FA	-3.657	2.782e-04	-0.305	0.083
SLF	L	FA	-4.039	6.083e-05	-0.337	0.083
	R	FA	-4.266	2.324e-05	-0.356	0.083
SS	L	FA	-2.471	0.014	-0.206	0.083
	R	FA	-0.802	0.423	-0.067	0.083
UNC	L	FA	-1.028	0.304	-0.086	0.083
	R	FA	-2.797	0.005	-0.234	0.083
ACR	L	MD	0.399	0.690	0.036	0.089
	R	MD	0.696	0.487	0.062	0.089
ALIC	L	MD	-0.013	0.989	-0.001	0.089
	R	MD	0.233	0.816	0.021	0.089

Supplemental Material

CGC	L	MD	0.712	0.477	0.064	0.089
	R	MD	0.581	0.561	0.052	0.089
CGH	L	MD	-0.772	0.441	-0.069	0.089
	R	MD	-0.294	0.769	-0.026	0.089
CR	L	MD	1.164	0.245	0.104	0.089
	R	MD	0.938	0.349	0.084	0.089
CST	L	MD	0.098	0.922	0.009	0.089
	R	MD	0.454	0.650	0.041	0.089
EC	L	MD	1.307	0.192	0.117	0.089
	R	MD	0.851	0.395	0.076	0.089
FXST	L	MD	-0.528	0.598	-0.047	0.089
	R	MD	1.126	0.261	0.101	0.089
IC	L	MD	-0.113	0.910	-0.010	0.089
	R	MD	0.253	0.800	0.023	0.089
IFO	L	MD	1.414	0.158	0.127	0.089
	R	MD	0.919	0.359	0.082	0.089
PCR	L	MD	2.712	0.007	0.243	0.089
	R	MD	1.898	0.058	0.170	0.089
PLIC	L	MD	-0.375	0.708	-0.034	0.089
	R	MD	-0.391	0.696	-0.035	0.089
PTR	L	MD	2.445	0.015	0.219	0.089
	R	MD	1.629	0.104	0.146	0.089
RLIC	L	MD	0.106	0.915	0.010	0.089
	R	MD	1.019	0.308	0.091	0.089
SCR	L	MD	1.003	0.316	0.090	0.089
	R	MD	0.491	0.624	0.044	0.089
SFO	L	MD	0.147	0.883	0.013	0.089
	R	MD	0.331	0.741	0.030	0.089
SLF	L	MD	2.199	0.028	0.197	0.089
	R	MD	1.719	0.086	0.154	0.089
SS	L	MD	2.160	0.031	0.194	0.089
	R	MD	1.578	0.115	0.141	0.089
UNC	L	MD	3.226	0.001	0.289	0.089
	R	MD	2.445	0.015	0.219	0.089
ACR	L	RD	1.358	0.175	0.122	0.089
	R	RD	1.451	0.147	0.130	0.089
ALIC	L	RD	1.961	0.050	0.176	0.089
	R	RD	1.370	0.171	0.123	0.089
CGC	L	RD	3.245	0.001	0.291	0.089
	R	RD	2.511	0.012	0.225	0.089
CGH	L	RD	-0.357	0.721	-0.032	0.089
	R	RD	0.749	0.454	0.067	0.089
CR	L	RD	2.400	0.017	0.215	0.089
	R	RD	2.047	0.041	0.184	0.089
CST	L	RD	0.844	0.399	0.076	0.089
	R	RD	1.372	0.171	0.123	0.089

Supplemental Material

EC	L	RD	2.296	0.022	0.206	0.089
	R	RD	1.483	0.139	0.133	0.089
FXST	L	RD	1.724	0.085	0.155	0.089
	R	RD	2.222	0.027	0.199	0.089
IC	L	RD	2.363	0.019	0.212	0.089
	R	RD	1.652	0.099	0.148	0.089
IFO	L	RD	1.734	0.084	0.155	0.089
	R	RD	1.340	0.181	0.120	0.089
PCR	L	RD	3.677	2.611e-04	0.330	0.089
	R	RD	3.038	0.003	0.272	0.089
PLIC	L	RD	1.403	0.161	0.126	0.089
	R	RD	0.883	0.378	0.079	0.089
PTR	L	RD	3.646	2.938e-04	0.327	0.089
	R	RD	2.155	0.032	0.193	0.089
RLIC	L	RD	2.490	0.013	0.223	0.089
	R	RD	1.932	0.054	0.173	0.089
SCR	L	RD	2.258	0.024	0.202	0.089
	R	RD	1.584	0.114	0.142	0.089
SFO	L	RD	1.852	0.065	0.166	0.089
	R	RD	2.145	0.032	0.192	0.089
SLF	L	RD	3.695	2.441e-04	0.331	0.089
	R	RD	3.758	1.913e-04	0.337	0.089
SS	L	RD	3.054	0.002	0.274	0.089
	R	RD	2.150	0.032	0.193	0.089
UNC	L	RD	2.699	0.007	0.242	0.089
	R	RD	3.123	0.002	0.280	0.089
ACR	L	AD	-0.465	0.642	-0.042	0.089
	R	AD	-0.504	0.615	-0.045	0.089
ALIC	L	AD	-1.483	0.139	-0.133	0.089
	R	AD	-0.533	0.594	-0.048	0.089
CGC	L	AD	-1.170	0.243	-0.105	0.089
	R	AD	-0.607	0.544	-0.054	0.089
CGH	L	AD	-0.614	0.539	-0.055	0.089
	R	AD	-0.164	0.870	-0.015	0.089
CR	L	AD	-0.434	0.664	-0.039	0.089
	R	AD	-0.480	0.631	-0.043	0.089
CST	L	AD	-0.601	0.548	-0.054	0.089
	R	AD	-0.386	0.700	-0.035	0.089
EC	L	AD	0.436	0.663	0.039	0.089
	R	AD	0.171	0.865	0.015	0.089
FXST	L	AD	-1.843	0.066	-0.165	0.089
	R	AD	-0.110	0.912	-0.010	0.089
IC	L	AD	-2.280	0.023	-0.204	0.089
	R	AD	-0.870	0.385	-0.078	0.089
IFO	L	AD	0.127	0.899	0.011	0.089
	R	AD	-0.239	0.811	-0.021	0.089

Supplemental Material

PCR	L	AD	0.463	0.644	0.042	0.089
	R	AD	-0.131	0.896	-0.012	0.089
PLIC	L	AD	-1.447	0.148	-0.130	0.089
	R	AD	-0.943	0.346	-0.085	0.089
PTR	L	AD	0.049	0.961	0.004	0.089
	R	AD	0.326	0.744	0.029	0.089
RLIC	L	AD	-2.262	0.024	-0.203	0.089
	R	AD	-0.386	0.700	-0.035	0.089
SCR	L	AD	-0.537	0.591	-0.048	0.089
	R	AD	-0.363	0.716	-0.033	0.089
SFO	L	AD	-1.258	0.209	-0.113	0.089
	R	AD	-1.365	0.173	-0.122	0.089
SLF	L	AD	-0.512	0.609	-0.046	0.089
	R	AD	-1.051	0.294	-0.094	0.089
SS	L	AD	0.226	0.821	0.020	0.089
	R	AD	0.550	0.583	0.049	0.089
UNC	L	AD	2.903	0.004	0.260	0.089
	R	AD	0.814	0.416	0.073	0.089

Significant results are highlighted in bold ($p < 0.002$). Abbreviation: L = left, R = right, FA = fractional anisotropy, MD = mean diffusivity, RD = radial diffusivity, AD = axial diffusivity, S.E. = standard error. Abbreviations for tracts, see Table 1 in main text.

Supplemental Material

Table S9 | Multiple linear regression output for case-control differences in bilateral regional diffusion measures, stratified by sex.

Tract	contrast	metric	t-value	p-value	Cohen's <i>d</i>	S.E.
ACR	Females	FA	-0.255	0.799	-0.030	0.115
	Males	FA	-2.619	0.009	-0.320	0.120
	Females	MD	-0.761	0.447	-0.094	0.124
	Males	MD	1.676	0.095	0.220	0.129
	Females	RD	-0.235	0.814	-0.029	0.124
	Males	RD	2.499	0.013	0.329	0.129
	Females	AD	-0.996	0.320	-0.124	0.124
	Males	AD	0.281	0.779	0.037	0.128
ALIC	Females	FA	-1.713	0.088	-0.198	0.116
	Males	FA	-2.535	0.012	-0.310	0.120
	Females	MD	-0.346	0.730	-0.043	0.124
	Males	MD	0.427	0.670	0.056	0.128
	Females	RD	0.982	0.327	0.122	0.124
	Males	RD	1.527	0.128	0.201	0.129
	Females	AD	-1.267	0.206	-0.157	0.124
	Males	AD	-0.265	0.791	-0.035	0.128
Average	Females	FA	-0.701	0.484	-0.081	0.116
	Males	FA	-4.577	7.096e-06	-0.560	0.121
	Females	MD	0.368	0.713	0.046	0.124
	Males	MD	2.293	0.023	0.302	0.129
	Females	RD	0.955	0.341	0.118	0.124
	Males	RD	3.760	2.135e-04	0.494	0.130
	Females	AD	0.493	0.623	0.061	0.124
	Males	AD	0.099	0.921	0.013	0.128
BCC	Females	FA	-0.812	0.418	-0.094	0.116
	Males	FA	-3.376	0.001	-0.413	0.120
	Females	MD	-0.324	0.746	-0.040	0.124
	Males	MD	0.625	0.532	0.082	0.128
	Females	RD	0.214	0.831	0.027	0.124
	Males	RD	2.930	0.004	0.385	0.129
	Females	AD	-0.135	0.893	-0.017	0.124
	Males	AD	-2.215	0.028	-0.291	0.129
CC	Females	FA	-0.841	0.401	-0.097	0.116
	Males	FA	-3.999	8.152e-05	-0.489	0.121
	Females	MD	-0.899	0.370	-0.111	0.124
	Males	MD	1.116	0.265	0.147	0.128
	Females	RD	0.064	0.949	0.008	0.124
	Males	RD	3.604	3.809e-04	0.474	0.130
	Females	AD	-0.846	0.399	-0.105	0.124
	Males	AD	-1.682	0.094	-0.221	0.129
CGC	Females	FA	-0.419	0.676	-0.049	0.115
	Males	FA	-3.264	0.001	-0.399	0.120
	Females	MD	-0.049	0.961	-0.006	0.124

Supplemental Material

	Males	MD	0.909	0.364	0.120	0.128	
	Females	RD	0.792	0.429	0.098	0.124	
	Males	RD	3.657	3.137e-04	0.481	0.130	
	Females	AD	0.012	0.990	0.002	0.124	
CGH	Males	AD	-1.405	0.161	-0.185	0.129	
	Females	FA	0.582	0.561	0.067	0.116	
	Males	FA	-1.871	0.062	-0.229	0.119	
	Females	MD	-1.510	0.132	-0.187	0.124	
	Males	MD	0.711	0.478	0.093	0.128	
	Females	RD	-1.037	0.301	-0.129	0.124	
	Males	RD	1.486	0.139	0.195	0.129	
	Females	AD	-0.647	0.518	-0.080	0.124	
	CR	Males	AD	-0.134	0.894	-0.018	0.128
		Females	FA	-0.768	0.443	-0.089	0.116
Males		FA	-3.022	0.003	-0.370	0.120	
Females		MD	-0.631	0.528	-0.078	0.124	
Males		MD	2.286	0.023	0.301	0.129	
Females		RD	0.188	0.851	0.023	0.124	
Males		RD	3.283	0.001	0.432	0.130	
Females		AD	-1.285	0.200	-0.159	0.124	
CST		Males	AD	0.589	0.556	0.077	0.128
		Females	FA	0.391	0.696	0.045	0.115
	Males	FA	-1.206	0.229	-0.147	0.119	
	Females	MD	-0.762	0.446	-0.095	0.124	
	Males	MD	1.190	0.235	0.156	0.128	
	Females	RD	-0.200	0.842	-0.025	0.124	
	Males	RD	1.880	0.061	0.247	0.129	
	Females	AD	-1.183	0.238	-0.147	0.124	
	EC	Males	AD	0.431	0.667	0.057	0.128
		Females	FA	-0.100	0.921	-0.012	0.115
Males		FA	-3.191	0.002	-0.390	0.120	
Females		MD	0.272	0.786	0.034	0.124	
Males		MD	1.394	0.165	0.183	0.129	
Females		RD	0.374	0.709	0.046	0.124	
Males		RD	2.600	0.010	0.342	0.129	
Females		AD	0.589	0.557	0.073	0.124	
FX		Males	AD	-0.191	0.849	-0.025	0.128
		Females	FA	0.247	0.805	0.029	0.115
	Males	FA	-3.242	0.001	-0.396	0.120	
	Females	MD	2.449	0.015	0.304	0.124	
	Males	MD	3.015	0.003	0.396	0.130	
	Females	RD	2.290	0.023	0.284	0.124	
	Males	RD	3.186	0.002	0.419	0.130	
	Females	AD	2.636	0.009	0.327	0.124	
	FXST	Males	AD	2.672	0.008	0.351	0.129
		Females	FA	-0.624	0.533	-0.072	0.116

Supplemental Material

	Males	FA	-3.581	4.04e-04	-0.438	0.121
	Females	MD	-1.334	0.183	-0.165	0.124
	Males	MD	1.614	0.108	0.212	0.129
	Females	RD	-0.464	0.643	-0.058	0.124
	Males	RD	3.519	0.001	0.463	0.130
	Females	AD	-0.993	0.321	-0.123	0.124
	Males	AD	-0.551	0.582	-0.072	0.128
GCC	Females	FA	-1.190	0.235	-0.138	0.116
	Males	FA	-3.709	2.507e-04	-0.454	0.121
	Females	MD	-0.899	0.369	-0.112	0.124
	Males	MD	0.975	0.331	0.128	0.128
	Females	RD	0.377	0.707	0.047	0.124
	Males	RD	3.033	0.003	0.399	0.130
	Females	AD	-1.495	0.136	-0.185	0.124
	Males	AD	-0.956	0.340	-0.126	0.128
IC	Females	FA	-2.048	0.041	-0.237	0.116
	Males	FA	-2.912	0.004	-0.356	0.120
	Females	MD	-1.032	0.303	-0.128	0.124
	Males	MD	1.195	0.233	0.157	0.129
	Females	RD	0.602	0.548	0.075	0.124
	Males	RD	2.441	0.015	0.321	0.129
	Females	AD	-2.276	0.024	-0.282	0.124
	Males	AD	-0.135	0.893	-0.018	0.128
IFO	Females	FA	0.078	0.938	0.009	0.115
	Males	FA	-2.163	0.031	-0.264	0.120
	Females	MD	0.378	0.706	0.047	0.124
	Males	MD	1.507	0.133	0.198	0.129
	Females	RD	0.332	0.740	0.041	0.124
	Males	RD	2.397	0.017	0.315	0.129
	Females	AD	0.286	0.775	0.035	0.124
	Males	AD	-0.624	0.533	-0.082	0.128
PCR	Females	FA	-2.212	0.028	-0.256	0.116
	Males	FA	-3.213	0.001	-0.393	0.120
	Females	MD	0.159	0.874	0.020	0.124
	Males	MD	3.368	0.001	0.443	0.130
	Females	RD	1.244	0.215	0.154	0.124
	Males	RD	3.758	2.149e-04	0.494	0.130
	Females	AD	-1.157	0.249	-0.143	0.124
	Males	AD	1.356	0.176	0.178	0.129
PLIC	Females	FA	-1.569	0.118	-0.182	0.116
	Males	FA	-1.754	0.081	-0.214	0.119
	Females	MD	-1.392	0.165	-0.173	0.124
	Males	MD	0.932	0.352	0.123	0.128
	Females	RD	0.274	0.784	0.034	0.124
	Males	RD	1.468	0.143	0.193	0.129
	Females	AD	-2.169	0.031	-0.269	0.124

Supplemental Material

	Males	AD	0.207	0.836	0.027	0.128
PTR	Females	FA	-1.777	0.077	-0.206	0.116
	Males	FA	-2.640	0.009	-0.323	0.120
	Females	MD	0.152	0.879	0.019	0.124
	Males	MD	3.013	0.003	0.396	0.130
	Females	RD	1.121	0.263	0.139	0.124
	Males	RD	3.312	0.001	0.435	0.130
	Females	AD	-0.975	0.330	-0.121	0.124
	Males	AD	1.274	0.204	0.167	0.129
RLIC	Females	FA	-1.639	0.102	-0.190	0.116
	Males	FA	-2.891	0.004	-0.354	0.120
	Females	MD	-0.818	0.414	-0.102	0.124
	Males	MD	1.842	0.067	0.242	0.129
	Females	RD	0.267	0.790	0.033	0.124
	Males	RD	3.167	0.002	0.416	0.130
	Females	AD	-1.567	0.118	-0.194	0.124
	Males	AD	-0.429	0.668	-0.056	0.128
SCC	Females	FA	-0.162	0.871	-0.019	0.115
	Males	FA	-3.222	0.001	-0.394	0.120
	Females	MD	-1.138	0.256	-0.141	0.124
	Males	MD	1.865	0.063	0.245	0.129
	Females	RD	-0.769	0.443	-0.095	0.124
	Males	RD	3.558	4.506e-04	0.468	0.130
	Females	AD	-0.480	0.632	-0.060	0.124
	Males	AD	-0.715	0.475	-0.094	0.128
SCR	Females	FA	-0.393	0.695	-0.046	0.115
	Males	FA	-2.088	0.038	-0.255	0.120
	Females	MD	-0.825	0.410	-0.102	0.124
	Males	MD	1.982	0.049	0.261	0.129
	Females	RD	0.032	0.975	0.004	0.124
	Males	RD	2.892	0.004	0.380	0.129
	Females	AD	-1.126	0.261	-0.140	0.124
	Males	AD	0.381	0.703	0.050	0.128
SFO	Females	FA	-1.719	0.087	-0.199	0.116
	Males	FA	-3.664	2.966e-04	-0.448	0.121
	Females	MD	-0.709	0.479	-0.088	0.124
	Males	MD	1.129	0.260	0.148	0.128
	Females	RD	0.786	0.433	0.097	0.124
	Males	RD	2.419	0.016	0.318	0.129
	Females	AD	-1.620	0.107	-0.201	0.124
	Males	AD	-0.421	0.674	-0.055	0.128
SLF	Females	FA	-1.818	0.070	-0.211	0.116
	Males	FA	-4.616	5.954e-06	-0.565	0.121
	Females	MD	0.240	0.811	0.030	0.124
	Males	MD	2.892	0.004	0.380	0.129
	Females	RD	1.408	0.160	0.175	0.124

Supplemental Material

	Males	RD	4.456	1.279e-05	0.586	0.131
	Females	AD	-1.146	0.253	-0.142	0.124
	Males	AD	-0.095	0.924	-0.013	0.128
SS	Females	FA	-0.252	0.802	-0.029	0.115
	Males	FA	-2.245	0.026	-0.274	0.120
	Females	MD	0.183	0.855	0.023	0.124
	Males	MD	2.732	0.007	0.359	0.129
	Females	RD	0.567	0.571	0.070	0.124
	Males	RD	3.560	4.469e-04	0.468	0.130
	Females	AD	-0.038	0.970	-0.005	0.124
	Males	AD	0.577	0.565	0.076	0.128
UNC	Females	FA	-0.633	0.527	-0.073	0.116
	Males	FA	-2.516	0.012	-0.308	0.120
	Females	MD	1.623	0.106	0.201	0.124
	Males	MD	3.073	0.002	0.404	0.130
	Females	RD	1.289	0.198	0.160	0.124
	Males	RD	3.457	0.001	0.455	0.130
	Females	AD	1.884	0.061	0.234	0.124
	Males	AD	1.058	0.291	0.139	0.128

Significant results are highlighted in bold ($p < 0.002$). Abbreviation: FA = fractional anisotropy, MD = mean diffusivity, RD = radial diffusivity, AD = axial diffusivity, S.E. = standard error. Abbreviations for tracts, see Table 1 in main text.

Supplemental Material

Table S10| Multiple linear regression output for diagnostic subgroup differences relative to healthy controls in bilateral regional diffusion measures.

Tract	Group	metric	t-value	p-value	Cohen's <i>d</i>	S.E.
ACR	EOS	FA	-1.895	0.059	-0.161	0.095
ALIC	EOS	FA	-3.133	0.002	-0.266	0.095
AverageFA	EOS	FA	-3.926	9.677e-05	-0.333	0.096
BCC	EOS	FA	-3.334	0.001	-0.283	0.095
CC	EOS	FA	-4.225	2.776e-05	-0.358	0.096
CGC	EOS	FA	-2.654	0.008	-0.225	0.095
CGH	EOS	FA	-1.194	0.233	-0.101	0.095
CR	EOS	FA	-3.125	0.002	-0.265	0.095
CST	EOS	FA	-0.701	0.483	-0.059	0.095
EC	EOS	FA	-2.934	0.003	-0.249	0.095
FX	EOS	FA	-2.369	0.018	-0.201	0.095
FXST	EOS	FA	-3.293	0.001	-0.279	0.095
GCC	EOS	FA	-4.025	6.448e-05	-0.341	0.096
IC	EOS	FA	-4.020	6.604e-05	-0.341	0.096
IFO	EOS	FA	-1.491	0.136	-0.126	0.095
PCR	EOS	FA	-4.413	1.215e-05	-0.374	0.096
PLIC	EOS	FA	-2.801	0.005	-0.238	0.095
PTR	EOS	FA	-3.605	3.392e-04	-0.306	0.096
RLIC	EOS	FA	-3.766	1.828e-04	-0.319	0.096
SCC	EOS	FA	-3.589	3.6e-04	-0.304	0.096
SCR	EOS	FA	-2.579	0.010	-0.219	0.095
SFO	EOS	FA	-3.638	2.999e-04	-0.309	0.096
SLF	EOS	FA	-4.753	2.535e-06	-0.403	0.096
SS	EOS	FA	-2.115	0.035	-0.179	0.095
UNC	EOS	FA	-2.608	0.009	-0.221	0.095
ACR	EOS	MD	0.777	0.437	0.072	0.105
ALIC	EOS	MD	0.710	0.478	0.066	0.105
AverageMD	EOS	MD	1.371	0.171	0.127	0.105
BCC	EOS	MD	0.124	0.902	0.011	0.105
CC	EOS	MD	0.410	0.682	0.038	0.105
CGC	EOS	MD	0.689	0.491	0.064	0.105
CGH	EOS	MD	0.143	0.886	0.013	0.105
CR	EOS	MD	1.351	0.177	0.125	0.105
CST	EOS	MD	0.710	0.478	0.066	0.105
EC	EOS	MD	1.860	0.064	0.172	0.105
FX	EOS	MD	4.152	3.88e-05	0.384	0.106
FXST	EOS	MD	0.490	0.624	0.045	0.105
GCC	EOS	MD	0.613	0.540	0.057	0.105
IC	EOS	MD	0.995	0.320	0.092	0.105
IFO	EOS	MD	1.366	0.173	0.126	0.105
PCR	EOS	MD	2.562	0.011	0.237	0.105
PLIC	EOS	MD	0.469	0.639	0.043	0.105
PTR	EOS	MD	2.613	0.009	0.242	0.105

Supplemental Material

RLIC	EOS	MD	1.616	0.107	0.150	0.105
SCC	EOS	MD	1.016	0.310	0.094	0.105
SCR	EOS	MD	1.084	0.279	0.100	0.105
SFO	EOS	MD	1.084	0.279	0.100	0.105
SLF	EOS	MD	2.633	0.009	0.244	0.105
SS	EOS	MD	2.767	0.006	0.256	0.105
UNC	EOS	MD	2.641	0.009	0.244	0.105
ACR	EOS	RD	1.464	0.144	0.135	0.105
ALIC	EOS	RD	2.103	0.036	0.195	0.105
AverageRD	EOS	RD	2.596	0.010	0.240	0.105
BCC	EOS	RD	2.465	0.014	0.228	0.105
CC	EOS	RD	3.106	0.002	0.287	0.105
CGC	EOS	RD	3.195	0.001	0.296	0.105
CGH	EOS	RD	0.822	0.412	0.076	0.105
CR	EOS	RD	2.643	0.008	0.244	0.105
CST	EOS	RD	1.340	0.181	0.124	0.105
EC	EOS	RD	2.805	0.005	0.259	0.105
FX	EOS	RD	4.231	2.769e-05	0.391	0.106
FXST	EOS	RD	2.513	0.012	0.233	0.105
GCC	EOS	RD	2.841	0.005	0.263	0.105
IC	EOS	RD	2.749	0.006	0.254	0.105
IFO	EOS	RD	1.613	0.107	0.149	0.105
PCR	EOS	RD	3.908	1.061e-04	0.361	0.105
PLIC	EOS	RD	1.719	0.086	0.159	0.105
PTR	EOS	RD	3.489	0.001	0.323	0.105
RLIC	EOS	RD	3.296	0.001	0.305	0.105
SCC	EOS	RD	2.999	0.003	0.277	0.105
SCR	EOS	RD	2.602	0.010	0.241	0.105
SFO	EOS	RD	2.462	0.014	0.228	0.105
SLF	EOS	RD	4.398	1.337e-05	0.407	0.106
SS	EOS	RD	3.311	0.001	0.306	0.105
UNC	EOS	RD	2.990	0.003	0.277	0.105
ACR	EOS	AD	-0.184	0.854	-0.017	0.105
ALIC	EOS	AD	-0.524	0.600	-0.048	0.105
AverageAD	EOS	AD	0.035	0.972	0.003	0.105
BCC	EOS	AD	-2.427	0.016	-0.225	0.105
CC	EOS	AD	-2.173	0.030	-0.201	0.105
CGC	EOS	AD	-1.069	0.285	-0.099	0.105
CGH	EOS	AD	0.154	0.878	0.014	0.105
CR	EOS	AD	-0.548	0.584	-0.051	0.105
CST	EOS	AD	0.292	0.770	0.027	0.105
EC	EOS	AD	0.337	0.736	0.031	0.105
FX	EOS	AD	3.772	1.813e-04	0.349	0.105
FXST	EOS	AD	-1.281	0.201	-0.119	0.105
GCC	EOS	AD	-1.550	0.122	-0.143	0.105
IC	EOS	AD	-0.985	0.325	-0.091	0.105

Supplemental Material

IFO	EOS	AD	0.221	0.825	0.020	0.105
PCR	EOS	AD	-0.239	0.811	-0.022	0.105
PLIC	EOS	AD	-0.786	0.432	-0.073	0.105
PTR	EOS	AD	0.371	0.711	0.034	0.105
RLIC	EOS	AD	-0.891	0.373	-0.082	0.105
SCC	EOS	AD	-0.959	0.338	-0.089	0.105
SCR	EOS	AD	-0.875	0.382	-0.081	0.105
SFO	EOS	AD	-0.732	0.464	-0.068	0.105
SLF	EOS	AD	-0.459	0.646	-0.042	0.105
SS	EOS	AD	1.040	0.299	0.096	0.105
UNC	EOS	AD	1.186	0.236	0.110	0.105
ACR	AFP	FA	-0.921	0.357	-0.087	0.106
ALIC	AFP	FA	-1.328	0.185	-0.125	0.106
AverageFA	AFP	FA	-1.826	0.068	-0.172	0.106
BCC	AFP	FA	-1.418	0.157	-0.134	0.106
CC	AFP	FA	-1.055	0.292	-0.100	0.106
CGC	AFP	FA	-1.115	0.265	-0.105	0.106
CGH	AFP	FA	-0.394	0.693	-0.037	0.106
CR	AFP	FA	-0.940	0.348	-0.089	0.106
CST	AFP	FA	0.401	0.688	0.038	0.106
EC	AFP	FA	-0.201	0.841	-0.019	0.106
FX	AFP	FA	-0.903	0.367	-0.085	0.106
FXST	AFP	FA	-1.211	0.226	-0.114	0.106
GCC	AFP	FA	-1.250	0.212	-0.118	0.106
IC	AFP	FA	-1.249	0.212	-0.118	0.106
IFO	AFP	FA	-0.620	0.535	-0.059	0.106
PCR	AFP	FA	-1.716	0.087	-0.162	0.106
PLIC	AFP	FA	-0.362	0.718	-0.034	0.106
PTR	AFP	FA	-1.283	0.200	-0.121	0.106
RLIC	AFP	FA	-1.549	0.122	-0.146	0.106
SCC	AFP	FA	-0.012	0.990	-0.001	0.106
SCR	AFP	FA	-0.220	0.826	-0.021	0.106
SFO	AFP	FA	-2.195	0.029	-0.207	0.106
SLF	AFP	FA	-2.150	0.032	-0.203	0.106
SS	AFP	FA	-0.664	0.507	-0.063	0.106
UNC	AFP	FA	-1.184	0.237	-0.112	0.106
ACR	AFP	MD	0.280	0.779	0.028	0.111
ALIC	AFP	MD	-0.612	0.541	-0.060	0.111
AverageM D	AFP	MD	2.437	0.015	0.240	0.112
BCC	AFP	MD	0.632	0.528	0.062	0.111
CC	AFP	MD	-0.029	0.977	-0.003	0.111
CGC	AFP	MD	0.167	0.868	0.016	0.111
CGH	AFP	MD	-1.245	0.214	-0.122	0.111
CR	AFP	MD	0.581	0.562	0.057	0.111
CST	AFP	MD	-0.170	0.865	-0.017	0.111

Supplemental Material

EC	AFP	MD	-0.077	0.938	-0.008	0.111
FX	AFP	MD	2.232	0.026	0.220	0.111
FXST	AFP	MD	-0.255	0.798	-0.025	0.111
GCC	AFP	MD	-0.573	0.567	-0.056	0.111
IC	AFP	MD	-0.859	0.391	-0.085	0.111
IFO	AFP	MD	0.597	0.551	0.059	0.111
PCR	AFP	MD	1.463	0.144	0.144	0.111
PLIC	AFP	MD	-1.308	0.192	-0.129	0.111
PTR	AFP	MD	0.978	0.328	0.096	0.111
RLIC	AFP	MD	-0.338	0.736	-0.033	0.111
SCC	AFP	MD	-0.617	0.538	-0.061	0.111
SCR	AFP	MD	0.376	0.707	0.037	0.111
SFO	AFP	MD	0.016	0.987	0.002	0.111
SLF	AFP	MD	0.961	0.337	0.095	0.111
SS	AFP	MD	0.503	0.615	0.050	0.111
UNC	AFP	MD	2.840	0.005	0.279	0.112
ACR	AFP	RD	0.970	0.332	0.095	0.111
ALIC	AFP	RD	0.691	0.490	0.068	0.111
AverageRD	AFP	RD	3.321	0.001	0.327	0.112
BCC	AFP	RD	1.488	0.137	0.146	0.111
CC	AFP	RD	1.196	0.232	0.118	0.111
CGC	AFP	RD	1.686	0.093	0.166	0.111
CGH	AFP	RD	-0.210	0.834	-0.021	0.111
CR	AFP	RD	1.298	0.195	0.128	0.111
CST	AFP	RD	0.519	0.604	0.051	0.111
EC	AFP	RD	0.232	0.816	0.023	0.111
FX	AFP	RD	2.160	0.031	0.213	0.111
FXST	AFP	RD	0.802	0.423	0.079	0.111
GCC	AFP	RD	1.066	0.287	0.105	0.111
IC	AFP	RD	0.558	0.577	0.055	0.111
IFO	AFP	RD	1.046	0.296	0.103	0.111
PCR	AFP	RD	2.012	0.045	0.198	0.111
PLIC	AFP	RD	-0.190	0.849	-0.019	0.111
PTR	AFP	RD	1.532	0.126	0.151	0.111
RLIC	AFP	RD	0.866	0.387	0.085	0.111
SCC	AFP	RD	-0.032	0.975	-0.003	0.111
SCR	AFP	RD	0.954	0.341	0.094	0.111
SFO	AFP	RD	1.493	0.136	0.147	0.111
SLF	AFP	RD	2.166	0.031	0.213	0.111
SS	AFP	RD	1.272	0.204	0.125	0.111
UNC	AFP	RD	2.677	0.008	0.263	0.112
ACR	AFP	AD	-0.489	0.625	-0.048	0.111
ALIC	AFP	AD	-1.228	0.220	-0.121	0.111
AverageAD	AFP	AD	1.287	0.199	0.127	0.111
BCC	AFP	AD	-0.439	0.661	-0.043	0.111
CC	AFP	AD	-1.061	0.289	-0.104	0.111

Supplemental Material

CGC	AFP	AD	-0.717	0.474	-0.071	0.111
CGH	AFP	AD	-1.504	0.133	-0.148	0.111
CR	AFP	AD	-0.230	0.818	-0.023	0.111
CST	AFP	AD	-0.990	0.323	-0.097	0.111
EC	AFP	AD	0.413	0.680	0.041	0.111
FX	AFP	AD	2.481	0.013	0.244	0.112
FXST	AFP	AD	-0.786	0.432	-0.077	0.111
GCC	AFP	AD	-1.459	0.145	-0.144	0.111
IC	AFP	AD	-1.691	0.091	-0.166	0.111
IFO	AFP	AD	-0.394	0.693	-0.039	0.111
PCR	AFP	AD	0.218	0.828	0.021	0.111
PLIC	AFP	AD	-1.166	0.244	-0.115	0.111
PTR	AFP	AD	0.020	0.984	0.002	0.111
RLIC	AFP	AD	-1.580	0.115	-0.156	0.111
SCC	AFP	AD	-0.950	0.343	-0.094	0.111
SCR	AFP	AD	-0.057	0.955	-0.006	0.111
SFO	AFP	AD	-1.272	0.204	-0.125	0.111
SLF	AFP	AD	-0.847	0.398	-0.083	0.111
SS	AFP	AD	-0.541	0.589	-0.053	0.111
UNC	AFP	AD	2.192	0.029	0.216	0.111
ACR	OTP	FA	-0.978	0.328	-0.115	0.114
ALIC	OTP	FA	-1.425	0.155	-0.167	0.114
AverageFA	OTP	FA	-1.056	0.291	-0.124	0.114
BCC	OTP	FA	-0.311	0.756	-0.036	0.114
CC	OTP	FA	-0.556	0.578	-0.065	0.114
CGC	OTP	FA	-0.929	0.353	-0.109	0.114
CGH	OTP	FA	0.067	0.947	0.008	0.114
CR	OTP	FA	-0.729	0.466	-0.085	0.114
CST	OTP	FA	-1.007	0.315	-0.118	0.114
EC	OTP	FA	-0.977	0.329	-0.115	0.114
FX	OTP	FA	-0.669	0.504	-0.078	0.114
FXST	OTP	FA	-0.870	0.385	-0.102	0.114
GCC	OTP	FA	-0.825	0.410	-0.097	0.114
IC	OTP	FA	-1.369	0.171	-0.161	0.114
IFO	OTP	FA	-0.723	0.470	-0.085	0.114
PCR	OTP	FA	-0.927	0.354	-0.109	0.114
PLIC	OTP	FA	-1.411	0.159	-0.166	0.114
PTR	OTP	FA	-0.905	0.366	-0.106	0.114
RLIC	OTP	FA	-0.455	0.649	-0.053	0.114
SCC	OTP	FA	-0.556	0.578	-0.065	0.114
SCR	OTP	FA	0.000	1.000	0.000	0.114
SFO	OTP	FA	-1.529	0.127	-0.179	0.114
SLF	OTP	FA	-1.600	0.110	-0.188	0.114
SS	OTP	FA	-0.383	0.702	-0.045	0.114
UNC	OTP	FA	-0.214	0.831	-0.025	0.114
ACR	OTP	MD	-0.273	0.785	-0.033	0.121

Supplemental Material

ALIC	OTP	MD	-0.298	0.766	-0.036	0.121
AverageMD	OTP	MD	-0.278	0.781	-0.033	0.121
BCC	OTP	MD	-0.535	0.593	-0.064	0.121
CC	OTP	MD	-0.328	0.743	-0.039	0.121
CGC	OTP	MD	0.464	0.643	0.056	0.121
CGH	OTP	MD	-0.345	0.730	-0.042	0.121
CR	OTP	MD	0.022	0.982	0.003	0.121
CST	OTP	MD	-0.300	0.764	-0.036	0.121
EC	OTP	MD	0.357	0.721	0.043	0.121
FX	OTP	MD	1.282	0.200	0.154	0.121
FXST	OTP	MD	0.247	0.805	0.030	0.121
GCC	OTP	MD	-0.169	0.866	-0.020	0.121
IC	OTP	MD	-0.326	0.744	-0.039	0.121
IFO	OTP	MD	0.670	0.503	0.080	0.121
PCR	OTP	MD	0.568	0.571	0.068	0.121
PLIC	OTP	MD	-0.230	0.818	-0.028	0.121
PTR	OTP	MD	0.556	0.578	0.067	0.121
RLIC	OTP	MD	-0.301	0.763	-0.036	0.121
SCC	OTP	MD	0.569	0.570	0.068	0.121
SCR	OTP	MD	-0.036	0.971	-0.004	0.121
SFO	OTP	MD	-1.036	0.301	-0.125	0.121
SLF	OTP	MD	0.376	0.707	0.045	0.121
SS	OTP	MD	0.529	0.597	0.064	0.121
UNC	OTP	MD	1.175	0.241	0.141	0.121
ACR	OTP	RD	0.339	0.735	0.041	0.121
ALIC	OTP	RD	0.662	0.509	0.080	0.121
AverageRD	OTP	RD	0.663	0.508	0.080	0.121
BCC	OTP	RD	-0.072	0.942	-0.009	0.121
CC	OTP	RD	0.284	0.776	0.034	0.121
CGC	OTP	RD	1.318	0.188	0.158	0.121
CGH	OTP	RD	-0.334	0.738	-0.040	0.121
CR	OTP	RD	0.516	0.606	0.062	0.121
CST	OTP	RD	0.320	0.749	0.038	0.121
EC	OTP	RD	0.996	0.320	0.120	0.121
FX	OTP	RD	1.307	0.192	0.157	0.121
FXST	OTP	RD	0.754	0.451	0.091	0.121
GCC	OTP	RD	0.555	0.579	0.067	0.121
IC	OTP	RD	0.762	0.447	0.092	0.121
IFO	OTP	RD	1.150	0.251	0.138	0.121
PCR	OTP	RD	0.765	0.445	0.092	0.121
PLIC	OTP	RD	0.905	0.366	0.109	0.121
PTR	OTP	RD	1.060	0.290	0.127	0.121
RLIC	OTP	RD	0.242	0.809	0.029	0.121
SCC	OTP	RD	0.779	0.436	0.094	0.121
SCR	OTP	RD	0.230	0.818	0.028	0.121

Supplemental Material

SFO	OTP	RD	0.268	0.789	0.032	0.121
SLF	OTP	RD	1.260	0.208	0.151	0.121
SS	OTP	RD	0.940	0.348	0.113	0.121
UNC	OTP	RD	0.920	0.358	0.111	0.121
ACR	OTP	AD	-0.663	0.508	-0.080	0.121
ALIC	OTP	AD	-0.766	0.444	-0.092	0.121
AverageAD	OTP	AD	-0.663	0.508	-0.080	0.121
BCC	OTP	AD	-0.252	0.801	-0.030	0.121
CC	OTP	AD	-0.103	0.918	-0.012	0.121
CGC	OTP	AD	-0.102	0.919	-0.012	0.121
CGH	OTP	AD	0.209	0.834	0.025	0.121
CR	OTP	AD	-0.207	0.836	-0.025	0.121
CST	OTP	AD	-1.015	0.311	-0.122	0.121
EC	OTP	AD	-0.346	0.729	-0.042	0.121
FX	OTP	AD	1.223	0.222	0.147	0.121
FXST	OTP	AD	0.129	0.898	0.015	0.121
GCC	OTP	AD	-0.432	0.666	-0.052	0.121
IC	OTP	AD	-0.971	0.332	-0.117	0.121
IFO	OTP	AD	-0.647	0.518	-0.078	0.121
PCR	OTP	AD	0.492	0.623	0.059	0.121
PLIC	OTP	AD	-0.914	0.361	-0.110	0.121
PTR	OTP	AD	-0.211	0.833	-0.025	0.121
RLIC	OTP	AD	-0.448	0.654	-0.054	0.121
SCC	OTP	AD	0.548	0.584	0.066	0.121
SCR	OTP	AD	0.106	0.915	0.013	0.121
SFO	OTP	AD	-1.367	0.172	-0.164	0.121
SLF	OTP	AD	-0.676	0.499	-0.081	0.121
SS	OTP	AD	0.090	0.929	0.011	0.121
UNC	OTP	AD	1.207	0.228	0.145	0.121

Significant results are highlighted in bold ($p < 0.002$). Abbreviation: FA = fractional anisotropy, MD = mean diffusivity, RD = radial diffusivity, AD = axial diffusivity, S.E. = standard error, EOS = early-onset schizophrenia, AFP = affective psychosis, OTP = other psychosis. Abbreviations for tracts, see Table 1 in main text.

Supplemental Material

Table S11| Multiple linear regression output for sex-by-diagnostic group interactions in bilateral regional diffusion measures.

Tract	metric	t-value	p-value	Cohen's <i>d</i>	S.E.
ACR	FA	1.605	0.109	0.134	0.083
	MD	-1.704	0.089	-0.153	0.089
	RD	-1.878	0.061	-0.169	0.089
	AD	-0.888	0.375	-0.080	0.089
ALIC	FA	0.644	0.520	0.054	0.083
	MD	-0.548	0.584	-0.049	0.089
	RD	-0.438	0.662	-0.039	0.089
	AD	-0.688	0.492	-0.062	0.089
Average	FA	2.792	0.005	0.233	0.083
	MD	-1.458	0.145	-0.131	0.089
	RD	-2.126	0.034	-0.191	0.089
	AD	0.262	0.793	0.024	0.089
BCC	FA	1.781	0.076	0.149	0.083
	MD	-0.684	0.494	-0.061	0.089
	RD	-1.953	0.051	-0.175	0.089
	AD	1.638	0.102	0.147	0.089
CC	FA	2.266	0.024	0.189	0.083
	MD	-1.433	0.153	-0.129	0.089
	RD	-2.549	0.011	-0.229	0.089
	AD	0.781	0.435	0.070	0.089
CGC	FA	1.952	0.051	0.163	0.083
	MD	-0.731	0.465	-0.066	0.089
	RD	-2.119	0.035	-0.190	0.089
	AD	1.079	0.281	0.097	0.089
CGH	FA	1.791	0.074	0.150	0.083
	MD	-1.549	0.122	-0.139	0.089
	RD	-1.798	0.073	-0.161	0.089
	AD	-0.328	0.743	-0.029	0.089
CR	FA	1.636	0.102	0.137	0.083
	MD	-2.082	0.038	-0.187	0.089
	RD	-2.198	0.028	-0.197	0.089
	AD	-1.297	0.195	-0.116	0.089
CST	FA	1.150	0.251	0.096	0.083
	MD	-1.386	0.166	-0.124	0.089
	RD	-1.498	0.135	-0.134	0.089
	AD	-1.135	0.257	-0.102	0.089
EC	FA	2.225	0.026	0.186	0.083
	MD	-0.849	0.396	-0.076	0.089
	RD	-1.645	0.101	-0.148	0.089
	AD	0.538	0.591	0.048	0.089
FX	FA	2.575	0.010	0.215	0.083
	MD	-0.795	0.427	-0.071	0.089
	RD	-1.072	0.284	-0.096	0.089

Supplemental Material

	AD	-0.339	0.735	-0.030	0.089
FXST	FA	2.130	0.034	0.178	0.083
	MD	-2.105	0.036	-0.189	0.089
	RD	-2.904	0.004	-0.261	0.089
GCC	AD	-0.224	0.823	-0.020	0.089
	FA	1.757	0.079	0.147	0.083
	MD	-1.329	0.184	-0.119	0.089
IC	RD	-1.943	0.053	-0.174	0.089
	AD	-0.256	0.798	-0.023	0.089
	FA	0.755	0.450	0.063	0.083
IFO	MD	-1.581	0.115	-0.142	0.089
	RD	-1.362	0.174	-0.122	0.089
	AD	-1.371	0.171	-0.123	0.089
PCR	FA	1.622	0.105	0.136	0.083
	MD	-0.804	0.422	-0.072	0.089
	RD	-1.391	0.165	-0.125	0.089
PLIC	AD	0.663	0.508	0.059	0.089
	FA	0.879	0.380	0.073	0.083
	MD	-2.292	0.022	-0.206	0.089
PTR	RD	-1.880	0.061	-0.169	0.089
	AD	-1.784	0.075	-0.160	0.089
	FA	0.202	0.840	0.017	0.083
RLIC	MD	-1.636	0.102	-0.147	0.089
	RD	-0.865	0.388	-0.078	0.089
	AD	-1.518	0.130	-0.136	0.089
SCC	FA	0.774	0.439	0.065	0.083
	MD	-2.089	0.037	-0.187	0.089
	RD	-1.664	0.097	-0.149	0.089
SCR	AD	-1.597	0.111	-0.143	0.089
	FA	1.106	0.269	0.092	0.083
	MD	-1.921	0.055	-0.172	0.089
SFO	RD	-2.197	0.028	-0.197	0.089
	AD	-0.702	0.483	-0.063	0.089
	FA	2.379	0.018	0.199	0.083
SLF	MD	-2.148	0.032	-0.193	0.089
	RD	-3.202	0.001	-0.287	0.089
	AD	0.225	0.822	0.020	0.089
SFO	FA	1.291	0.197	0.108	0.083
	MD	-2.034	0.042	-0.183	0.089
	RD	-2.141	0.033	-0.192	0.089
SLF	AD	-1.027	0.305	-0.092	0.089
	FA	1.338	0.182	0.112	0.083
	MD	-1.330	0.184	-0.119	0.089
SLF	RD	-1.231	0.219	-0.111	0.089
	AD	-0.751	0.453	-0.067	0.089
	FA	1.960	0.050	0.164	0.083

Supplemental Material

	MD	-1.898	0.058	-0.170	0.089
	RD	-2.114	0.035	-0.190	0.089
	AD	-0.682	0.496	-0.061	0.089
SS	FA	1.493	0.136	0.125	0.083
	MD	-1.891	0.059	-0.170	0.089
	RD	-2.184	0.029	-0.196	0.089
	AD	-0.463	0.643	-0.042	0.089
UNC	FA	1.496	0.135	0.125	0.083
	MD	-0.988	0.323	-0.089	0.089
	RD	-1.620	0.106	-0.145	0.089
	AD	0.482	0.630	0.043	0.089

Significant results are highlighted in bold ($p < 0.002$). Abbreviation: FA = fractional anisotropy, MD = mean diffusivity, RD = radial diffusivity, AD = axial diffusivity, S.E. = standard error. Abbreviations for tracts, see Table 1 in main text.

Supplemental Material

Table S12| Multiple linear regression output for age-by-diagnostic group interactions in bilateral regional diffusion measures.

Tract	metric	t-value	p-value	Cohen's <i>d</i>	S.E.
ACR	FA	1.293	0.197	0.108	0.083
	MD	-0.327	0.744	-0.029	0.089
	RD	-0.841	0.401	-0.075	0.089
	AD	-0.888	0.375	-0.080	0.089
ALIC	FA	0.144	0.886	0.012	0.083
	MD	0.641	0.522	0.058	0.089
	RD	-0.176	0.860	-0.016	0.089
	AD	-0.688	0.492	-0.062	0.089
Average	FA	0.981	0.327	0.082	0.083
	MD	0.028	0.978	0.002	0.089
	RD	-0.226	0.821	-0.020	0.089
	AD	0.262	0.793	0.024	0.089
BCC	FA	-0.573	0.567	-0.048	0.083
	MD	0.936	0.350	0.084	0.089
	RD	0.637	0.524	0.057	0.089
	AD	1.638	0.102	0.147	0.089
CC	FA	0.149	0.881	0.012	0.083
	MD	0.643	0.520	0.058	0.089
	RD	0.123	0.902	0.011	0.089
	AD	0.781	0.435	0.070	0.089
CGC	FA	-0.298	0.766	-0.025	0.083
	MD	-0.185	0.853	-0.017	0.089
	RD	0.418	0.676	0.038	0.089
	AD	1.079	0.281	0.097	0.089
CGH	FA	0.207	0.836	0.017	0.083
	MD	0.815	0.416	0.073	0.089
	RD	0.262	0.794	0.023	0.089
	AD	-0.328	0.743	-0.029	0.089
CR	FA	0.776	0.438	0.065	0.083
	MD	-0.226	0.821	-0.020	0.089
	RD	-0.698	0.486	-0.063	0.089
	AD	-1.297	0.195	-0.116	0.089
CST	FA	0.131	0.896	0.011	0.083
	MD	1.570	0.117	0.141	0.089
	RD	1.164	0.245	0.104	0.089
	AD	-1.135	0.257	-0.102	0.089
EC	FA	-0.096	0.923	-0.008	0.083
	MD	0.405	0.686	0.036	0.089
	RD	0.145	0.884	0.013	0.089
	AD	0.538	0.591	0.048	0.089
FX	FA	0.388	0.698	0.032	0.083
	MD	1.701	0.090	0.153	0.089
	RD	1.730	0.084	0.155	0.089

Supplemental Material

	AD	-0.339	0.735	-0.030	0.089
FXST	FA	-1.252	0.211	-0.105	0.083
	MD	0.561	0.575	0.050	0.089
	RD	0.697	0.486	0.063	0.089
GCC	AD	-0.224	0.823	-0.020	0.089
	FA	0.839	0.402	0.070	0.083
	MD	0.373	0.709	0.034	0.089
IC	RD	-0.526	0.599	-0.047	0.089
	AD	-0.256	0.798	-0.023	0.089
	FA	0.853	0.394	0.071	0.083
IFO	MD	0.083	0.934	0.007	0.089
	RD	-0.837	0.403	-0.075	0.089
	AD	-1.371	0.171	-0.123	0.089
PCR	FA	0.939	0.348	0.079	0.083
	MD	0.331	0.741	0.030	0.089
	RD	-0.550	0.582	-0.049	0.089
PLIC	AD	0.663	0.508	0.059	0.089
	FA	0.356	0.722	0.030	0.083
	MD	-0.401	0.688	-0.036	0.089
PTR	RD	-0.795	0.427	-0.071	0.089
	AD	-1.784	0.075	-0.160	0.089
	FA	1.664	0.097	0.139	0.083
RLIC	MD	-0.359	0.720	-0.032	0.089
	RD	-1.482	0.139	-0.133	0.089
	AD	-1.518	0.130	-0.136	0.089
SCC	FA	0.128	0.899	0.011	0.083
	MD	-1.115	0.265	-0.100	0.089
	RD	-0.801	0.423	-0.072	0.089
SCR	AD	-1.597	0.111	-0.143	0.089
	FA	0.177	0.860	0.015	0.083
	MD	0.063	0.950	0.006	0.089
SFO	RD	-0.268	0.789	-0.024	0.089
	AD	-0.702	0.483	-0.063	0.089
	FA	0.689	0.491	0.058	0.083
SLF	MD	0.367	0.714	0.033	0.089
	RD	-0.304	0.761	-0.027	0.089
	AD	0.225	0.822	0.020	0.089
SFO	FA	-0.114	0.909	-0.010	0.083
	MD	0.156	0.876	0.014	0.089
	RD	-0.056	0.955	-0.005	0.089
SLF	AD	-1.027	0.305	-0.092	0.089
	FA	-0.133	0.894	-0.011	0.083
	MD	0.134	0.893	0.012	0.089
SLF	RD	0.067	0.946	0.006	0.089
	AD	-0.751	0.453	-0.067	0.089
SLF	FA	1.081	0.280	0.090	0.083

Supplemental Material

	MD	-0.816	0.415	-0.073	0.089
	RD	-1.177	0.240	-0.106	0.089
	AD	-0.682	0.496	-0.061	0.089
SS	FA	-0.106	0.915	-0.009	0.083
	MD	-0.037	0.970	-0.003	0.089
	RD	-0.220	0.826	-0.020	0.089
	AD	-0.463	0.643	-0.042	0.089
UNC	FA	-0.344	0.731	-0.029	0.083
	MD	0.208	0.835	0.019	0.089
	RD	0.048	0.962	0.004	0.089
	AD	0.482	0.630	0.043	0.089

Abbreviation: FA = fractional anisotropy, MD = mean diffusivity, RD = radial diffusivity, AD = axial diffusivity, S.E. = standard error. Abbreviations for tracts, see Table 1 in main text.

Supplemental Material

Table S13| Multiple linear regression output for association between medication use and bilateral regional diffusion measures, in patients with early-onset psychosis.

Tract	metric	CPZ		AP		Lithium		AD		AE	
		t-value	p-value	t-value	p-value	t-value	p-value	t-value	p-value	t-value	p-value
AverageFA	FA	1.108	0.269	-0.190	0.850	-0.325	0.746	-0.400	0.690	0.474	0.636
ACR	FA	0.576	0.565	-0.004	0.997	0.964	0.336	0.359	0.720	-0.204	0.839
ALIC	FA	1.592	0.113	0.521	0.603	1.293	0.197	-0.384	0.701	0.229	0.819
BCC	FA	-0.523	0.602	0.701	0.484	0.843	0.400	0.040	0.968	-0.168	0.867
CC	FA	-0.793	0.429	0.417	0.677	1.255	0.211	0.295	0.768	-0.920	0.359
CGC	FA	0.889	0.375	0.602	0.547	1.210	0.227	1.125	0.262	-0.540	0.590
CGH	FA	1.088	0.278	-0.383	0.702	0.905	0.366	0.773	0.440	-0.611	0.542
CR	FA	0.626	0.532	-0.478	0.633	0.923	0.357	0.372	0.710	0.739	0.461
CST	FA	0.071	0.944	-0.878	0.381	0.143	0.886	0.838	0.403	-0.956	0.340
EC	FA	0.678	0.499	-0.202	0.840	0.278	0.781	1.013	0.312	-0.938	0.349
FX	FA	0.323	0.747	0.211	0.833	1.379	0.169	-0.073	0.942	-0.518	0.605
FXST	FA	1.157	0.249	-0.779	0.437	-0.244	0.807	0.604	0.547	0.906	0.366
GCC	FA	-0.500	0.618	-0.144	0.886	0.385	0.700	0.828	0.409	-0.651	0.516
IC	FA	0.883	0.378	-0.210	0.834	1.937	0.054	0.180	0.857	0.423	0.673
IFO	FA	0.007	0.994	0.828	0.408	0.054	0.957	1.587	0.114	-0.568	0.570
PCR	FA	-0.059	0.953	-0.449	0.654	1.700	0.090	-0.468	0.640	0.715	0.475
PLIC	FA	-0.199	0.842	-0.592	0.554	1.714	0.088	0.780	0.436	1.147	0.252
PTR	FA	0.946	0.345	-1.693	0.092	0.324	0.746	-0.118	0.906	1.457	0.146
RLIC	FA	0.838	0.403	-0.387	0.699	1.594	0.112	0.166	0.868	-0.225	0.822
SCC	FA	-1.202	0.231	0.263	0.793	1.819	0.070	0.156	0.877	-1.997	0.047
SCR	FA	0.924	0.356	-0.976	0.330	-0.042	0.967	0.892	0.373	1.814	0.071
SFO	FA	0.940	0.348	1.881	0.061	0.334	0.739	0.444	0.657	2.744	0.006
SLF	FA	0.410	0.682	-0.289	0.773	0.825	0.410	0.980	0.328	0.027	0.978
SS	FA	0.857	0.392	-1.352	0.177	-0.121	0.904	-0.040	0.968	-0.152	0.879
UNC	FA	1.003	0.317	0.310	0.757	0.050	0.960	0.119	0.906	0.482	0.630
AverageMD	MD	-0.071	0.944	1.931	0.055	0.231	0.817	1.396	0.164	0.408	0.684
ACR	MD	-0.537	0.592	0.897	0.370	0.464	0.643	-0.272	0.786	0.452	0.651
ALIC	MD	-1.247	0.214	0.367	0.714	-0.091	0.928	-1.255	0.211	-0.579	0.563
BCC	MD	0.136	0.892	0.269	0.788	0.181	0.856	-0.637	0.525	-0.386	0.700

Supplemental Material

CC	MD	0.142	0.887	0.225	0.822	-0.025	0.980	-0.885	0.377	0.029	0.977
CGC	MD	0.441	0.660	1.164	0.246	-0.475	0.635	-1.206	0.229	-1.319	0.189
CGH	MD	-0.811	0.418	-0.679	0.498	-1.036	0.301	-1.131	0.259	-0.551	0.582
CR	MD	-0.536	0.593	1.264	0.208	-0.086	0.932	-0.547	0.585	-0.212	0.832
CST	MD	-0.651	0.516	1.209	0.228	-0.052	0.959	-0.917	0.360	0.514	0.608
EC	MD	-1.083	0.280	0.492	0.623	-0.273	0.785	-0.989	0.324	0.828	0.409
FX	MD	0.528	0.598	0.512	0.609	-1.495	0.136	0.078	0.938	1.362	0.175
FXST	MD	-0.740	0.460	0.361	0.719	-1.137	0.257	1.071	0.285	-0.168	0.866
GCC	MD	0.033	0.974	0.070	0.944	0.836	0.404	-0.744	0.458	0.867	0.387
IC	MD	-0.975	0.331	0.783	0.434	-1.061	0.290	-0.946	0.345	-0.518	0.605
IFO	MD	-0.989	0.324	0.196	0.844	-0.180	0.857	-1.729	0.085	-0.072	0.943
PCR	MD	-0.437	0.662	0.924	0.357	-0.575	0.566	0.007	0.995	-1.433	0.153
PLIC	MD	-0.826	0.410	1.488	0.138	-1.453	0.148	-1.286	0.200	-0.220	0.826
PTR	MD	-0.811	0.418	1.416	0.158	0.255	0.799	0.107	0.915	-1.786	0.076
RLIC	MD	-0.370	0.712	0.279	0.781	-1.171	0.243	-0.033	0.974	-0.410	0.682
SCC	MD	0.239	0.811	0.210	0.834	-1.129	0.260	-1.074	0.284	0.035	0.972
SCR	MD	-0.394	0.694	1.715	0.088	-0.500	0.617	-1.071	0.285	-0.264	0.792
SFO	MD	-0.093	0.926	1.391	0.165	0.834	0.405	-0.999	0.319	-1.654	0.099
SLF	MD	-0.123	0.902	0.945	0.345	-0.892	0.373	-0.980	0.328	-0.774	0.440
SS	MD	-0.965	0.336	1.349	0.178	-0.739	0.460	-0.851	0.396	-0.426	0.670
UNC	MD	0.297	0.767	0.087	0.931	-0.269	0.788	0.014	0.989	-1.128	0.261
AverageRD	RD	-0.144	0.886	1.671	0.096	0.457	0.648	1.526	0.128	0.201	0.841
ACR	RD	-0.618	0.537	1.079	0.282	0.153	0.879	-0.419	0.676	0.473	0.636
ALIC	RD	-1.393	0.165	-0.187	0.852	-0.775	0.439	-0.349	0.728	-0.398	0.691
BCC	RD	0.519	0.605	-0.379	0.705	-0.238	0.812	-0.150	0.881	-0.018	0.985
CC	RD	0.644	0.521	-0.333	0.740	-0.551	0.582	-0.449	0.654	0.309	0.758
CGC	RD	-0.761	0.447	0.335	0.738	-1.212	0.227	-1.423	0.156	-0.393	0.694
CGH	RD	-0.673	0.501	-0.087	0.931	-1.070	0.286	-0.822	0.412	-0.569	0.570
CR	RD	-0.758	0.450	1.397	0.164	-0.364	0.717	-0.609	0.543	-0.608	0.544
CST	RD	-0.441	0.660	1.466	0.144	0.005	0.996	-0.892	0.373	1.010	0.313
EC	RD	-0.976	0.331	0.775	0.439	-0.367	0.714	-1.160	0.247	1.153	0.250
FX	RD	0.521	0.603	0.625	0.533	-1.581	0.115	0.153	0.879	1.400	0.163
FXST	RD	-0.726	0.469	0.574	0.567	-0.889	0.375	0.184	0.854	-0.610	0.543
GCC	RD	0.128	0.898	0.016	0.987	0.258	0.797	-0.644	0.521	0.067	0.947

Supplemental Material

IC	RD	-0.958	0.339	0.687	0.493	-1.514	0.131	-0.524	0.601	-0.742	0.459
IFO	RD	-0.963	0.337	-0.194	0.846	0.195	0.845	-1.789	0.075	0.229	0.819
PCR	RD	-0.431	0.667	1.026	0.306	-1.098	0.274	0.273	0.785	-1.625	0.106
PLIC	RD	-0.174	0.862	1.145	0.253	-1.552	0.122	-0.916	0.361	-1.221	0.223
PTR	RD	-0.763	0.446	1.582	0.115	0.173	0.863	0.011	0.991	-1.828	0.069
RLIC	RD	-0.880	0.380	0.645	0.519	-1.499	0.135	-0.165	0.869	-0.357	0.721
SCC	RD	0.986	0.326	-0.278	0.782	-1.574	0.117	-0.600	0.549	1.038	0.300
SCR	RD	-0.868	0.387	1.744	0.082	-0.305	0.761	-1.284	0.200	-1.326	0.186
SFO	RD	-1.058	0.291	-0.404	0.687	0.245	0.807	-0.948	0.344	-2.420	0.016
SLF	RD	-0.557	0.578	0.896	0.371	-0.863	0.389	-1.159	0.248	-0.964	0.336
SS	RD	-0.967	0.335	1.835	0.068	-0.044	0.965	-0.355	0.723	-0.585	0.559
UNC	RD	-0.476	0.635	-0.069	0.945	0.028	0.978	0.215	0.830	-0.783	0.434
AverageAD	AD	0.297	0.767	1.600	0.111	-0.361	0.719	0.786	0.432	0.663	0.508
ACR	AD	0.132	0.895	0.600	0.549	0.955	0.341	-0.044	0.965	0.323	0.747
ALIC	AD	-0.963	0.337	0.643	0.521	0.933	0.352	-2.056	0.041	-0.624	0.533
BCC	AD	-0.057	0.955	0.972	0.332	0.979	0.329	-1.348	0.179	-0.216	0.829
CC	AD	-0.299	0.765	0.648	0.518	0.771	0.441	-1.178	0.240	0.046	0.963
CGC	AD	1.333	0.184	0.832	0.406	0.701	0.484	-0.581	0.562	-0.996	0.320
CGH	AD	-0.225	0.822	-0.833	0.406	-0.312	0.755	-1.285	0.200	-0.166	0.868
CR	AD	0.203	0.840	0.558	0.578	0.472	0.637	-0.300	0.765	0.590	0.556
CST	AD	-0.771	0.441	0.496	0.620	-0.006	0.996	-1.167	0.244	-0.293	0.770
EC	AD	-0.927	0.355	-0.070	0.944	0.257	0.798	-0.339	0.735	0.253	0.800
FX	AD	0.514	0.608	0.525	0.600	-1.121	0.263	0.079	0.937	1.253	0.211
FXST	AD	-0.211	0.833	-0.132	0.895	-1.127	0.261	1.560	0.120	0.935	0.351
GCC	AD	-0.132	0.895	0.067	0.946	1.296	0.196	-0.582	0.561	1.356	0.176
IC	AD	-0.612	0.541	0.431	0.667	0.065	0.948	-1.355	0.177	0.183	0.855
IFO	AD	-0.331	0.741	0.774	0.440	-0.212	0.832	-0.719	0.473	-0.242	0.809
PCR	AD	-0.329	0.742	0.137	0.891	0.660	0.510	-0.470	0.639	-0.449	0.654
PLIC	AD	-1.314	0.191	1.098	0.273	-0.245	0.807	-1.267	0.206	0.963	0.337
PTR	AD	-0.326	0.745	0.283	0.777	0.322	0.748	0.314	0.754	-0.578	0.564
RLIC	AD	0.892	0.374	-0.542	0.589	-0.490	0.625	0.037	0.971	0.121	0.904
SCC	AD	-0.600	0.549	0.400	0.689	-0.292	0.771	-1.021	0.308	-0.656	0.512
SCR	AD	0.531	0.596	0.566	0.572	-0.474	0.636	-0.473	0.637	1.297	0.196
SFO	AD	0.526	0.600	2.258	0.025	1.148	0.252	-0.636	0.526	0.028	0.978

Supplemental Material

SLF	AD	0.750	0.454	0.431	0.667	-0.544	0.587	-0.608	0.544	0.103	0.918
SS	AD	-0.560	0.576	-0.391	0.696	-1.131	0.259	-1.393	0.165	0.163	0.871
UNC	AD	1.134	0.258	0.286	0.775	-0.222	0.825	-0.383	0.702	-1.239	0.217

Abbreviation: FA = fractional anisotropy, MD = mean diffusivity, RD = radial diffusivity, AD = axial diffusivity, CPZ = chlorpromazine equivalent, AP = antipsychotics, AD = antidepressants, AE = antiepileptics. Abbreviations for tracts, see Table 1 in main text.

Supplemental Material

Table S14| Multiple linear regression output for association between clinical measures and bilateral regional diffusion measures, in patients with early-onset psychosis.

Tract	metric	AOO		DOI		PANSS, negative		PANSS, positive	
		t-value	p-value	t-value	p-value	t-value	p-value	t-value	p-value
AverageFA	FA	1.532	0.127	1.096	0.274	1.224	0.222	-0.440	0.660
ACR	FA	2.160	0.032	-0.166	0.868	0.111	0.912	0.901	0.368
ALIC	FA	2.761	0.006	0.658	0.511	0.527	0.599	0.826	0.409
BCC	FA	1.058	0.291	-0.241	0.810	1.458	0.146	0.054	0.957
CC	FA	1.887	0.060	-1.047	0.296	1.372	0.171	0.188	0.851
CGC	FA	2.484	0.014	0.516	0.606	1.517	0.131	-0.196	0.845
CGH	FA	1.582	0.115	0.323	0.747	0.646	0.519	-1.201	0.231
CR	FA	1.897	0.059	-0.181	0.857	-0.014	0.989	0.027	0.979
CST	FA	1.901	0.058	-0.043	0.966	0.727	0.468	0.096	0.924
EC	FA	1.800	0.073	0.446	0.656	2.314	0.022	1.646	0.101
FX	FA	0.547	0.585	1.325	0.186	-0.957	0.339	0.065	0.949
FXST	FA	1.544	0.124	0.369	0.712	1.431	0.154	-0.933	0.352
GCC	FA	1.751	0.081	-1.073	0.284	0.793	0.428	0.353	0.725
IC	FA	2.245	0.026	0.529	0.597	0.934	0.351	0.052	0.959
IFO	FA	0.650	0.516	1.035	0.301	0.869	0.386	0.617	0.538
PCR	FA	1.582	0.115	-0.654	0.514	-1.281	0.201	-0.583	0.561
PLIC	FA	1.052	0.294	0.832	0.406	0.785	0.433	0.029	0.977
PTR	FA	1.567	0.118	-0.793	0.429	1.143	0.254	-1.585	0.114
RLIC	FA	1.604	0.110	0.062	0.950	1.006	0.316	-0.675	0.501
SCC	FA	2.433	0.016	-1.602	0.110	0.893	0.372	0.343	0.732
SCR	FA	0.788	0.431	0.377	0.706	0.684	0.495	-0.785	0.433
SFO	FA	1.092	0.276	1.325	0.186	1.581	0.115	0.018	0.986
SLF	FA	2.778	0.006	-0.370	0.712	1.321	0.188	-0.166	0.868
SS	FA	2.057	0.041	-0.239	0.811	2.228	0.027	-0.623	0.534
UNC	FA	1.495	0.136	-0.218	0.827	-0.025	0.980	-0.517	0.606
AverageMD	MD	1.515	0.131	-2.961	0.003	0.196	0.845	0.487	0.627
ACR	MD	0.185	0.853	-2.275	0.024	-0.041	0.968	1.780	0.077
ALIC	MD	1.026	0.306	-3.127	0.002	0.235	0.815	1.860	0.064
BCC	MD	1.305	0.193	-2.323	0.021	-1.594	0.113	-0.477	0.634
CC	MD	1.197	0.232	-2.628	0.009	-1.077	0.283	0.165	0.869
CGC	MD	0.024	0.981	-2.074	0.039	-0.516	0.607	1.133	0.259
CGH	MD	-0.374	0.709	-0.427	0.669	-0.185	0.853	1.164	0.246
CR	MD	0.250	0.803	-2.537	0.012	-0.040	0.968	2.165	0.032
CST	MD	-0.668	0.505	0.119	0.905	0.389	0.698	0.497	0.620
EC	MD	0.633	0.527	-2.341	0.020	-0.360	0.719	0.814	0.417
FX	MD	1.355	0.177	-0.790	0.431	0.720	0.472	0.101	0.919
FXST	MD	-0.144	0.885	-1.335	0.183	-0.185	0.853	0.051	0.959
GCC	MD	0.963	0.336	-1.942	0.053	-0.583	0.560	1.339	0.182
IC	MD	0.797	0.426	-3.116	0.002	-0.060	0.952	1.790	0.075

Supplemental Material

IFO	MD	-0.583	0.561	-0.668	0.505	-0.131	0.896	1.854	0.065
PCR	MD	-0.168	0.867	-2.015	0.045	0.876	0.382	1.983	0.049
PLIC	MD	0.777	0.438	-2.911	0.004	-0.248	0.805	2.013	0.046
PTR	MD	-1.819	0.070	-1.001	0.318	0.707	0.480	1.595	0.112
RLIC	MD	0.369	0.713	-2.428	0.016	0.013	0.989	0.849	0.397
SCC	MD	0.482	0.630	-2.021	0.044	-0.115	0.909	0.114	0.910
SCR	MD	0.564	0.573	-2.656	0.008	-0.705	0.482	2.296	0.023
SFO	MD	0.458	0.647	-2.440	0.015	-0.075	0.940	1.589	0.114
SLF	MD	-0.288	0.774	-2.323	0.021	-0.223	0.824	1.950	0.053
SS	MD	-0.920	0.359	-1.207	0.229	0.057	0.955	1.115	0.266
UNC	MD	0.215	0.830	-1.376	0.170	-0.103	0.918	0.720	0.472
AverageRD	RD	1.330	0.185	-3.144	0.002	0.107	0.915	0.202	0.840
ACR	RD	-0.485	0.628	-1.912	0.057	-0.254	0.800	0.630	0.530
ALIC	RD	-1.330	0.185	-2.136	0.034	-0.319	0.750	0.406	0.685
BCC	RD	0.037	0.970	-0.823	0.411	-1.707	0.089	-0.863	0.389
CC	RD	-0.338	0.736	-0.738	0.461	-1.318	0.189	-0.655	0.513
CGC	RD	-1.566	0.119	-1.115	0.266	-1.302	0.194	0.484	0.629
CGH	RD	-0.713	0.477	-0.843	0.400	-0.043	0.966	1.066	0.288
CR	RD	-0.410	0.682	-1.964	0.051	0.055	0.956	1.384	0.168
CST	RD	-1.314	0.190	-0.091	0.928	0.115	0.909	0.145	0.885
EC	RD	-0.275	0.783	-2.065	0.040	-1.290	0.198	-0.521	0.603
FX	RD	1.139	0.256	-0.689	0.491	0.864	0.389	-0.050	0.960
FXST	RD	-0.904	0.367	-1.353	0.177	-0.735	0.463	0.201	0.841
GCC	RD	-0.101	0.919	-0.849	0.397	-0.773	0.441	0.094	0.925
IC	RD	-0.785	0.433	-2.342	0.020	-0.500	0.618	0.617	0.538
IFO	RD	-0.178	0.859	-1.593	0.112	-0.990	0.323	0.497	0.619
PCR	RD	-0.863	0.389	-0.936	0.350	1.389	0.166	1.520	0.130
PLIC	RD	-0.229	0.819	-2.113	0.036	-0.614	0.540	0.402	0.688
PTR	RD	-1.380	0.169	-0.561	0.575	-0.170	0.865	1.225	0.222
RLIC	RD	-0.318	0.751	-1.952	0.052	-0.333	0.739	0.764	0.446
SCC	RD	-1.140	0.255	-0.129	0.897	-0.470	0.639	-0.657	0.512
SCR	RD	0.270	0.787	-2.148	0.033	-0.590	0.556	2.024	0.044
SFO	RD	-0.421	0.674	-2.073	0.039	-1.302	0.195	0.556	0.579
SLF	RD	-1.328	0.185	-1.646	0.101	-0.617	0.538	1.323	0.187
SS	RD	-1.140	0.255	-1.393	0.165	-0.901	0.369	0.917	0.360
UNC	RD	-0.248	0.805	-0.913	0.362	0.037	0.971	0.668	0.505
AverageAD	AD	1.160	0.247	-1.364	0.174	0.504	0.615	0.677	0.499
ACR	AD	1.135	0.258	-1.779	0.076	-0.047	0.962	2.815	0.005
ALIC	AD	3.095	0.002	-1.850	0.066	0.296	0.767	2.429	0.016
BCC	AD	2.660	0.008	-3.491	0.001	-0.726	0.468	0.320	0.749
CC	AD	2.622	0.009	-3.383	0.001	-0.427	0.670	1.056	0.292
CGC	AD	1.530	0.127	-0.951	0.342	0.489	0.625	1.139	0.256
CGH	AD	-0.004	0.997	0.909	0.364	-0.621	0.535	0.621	0.535

Supplemental Material

CR	AD	1.043	0.298	-2.143	0.033	-0.535	0.593	2.574	0.011
CST	AD	0.005	0.996	0.465	0.643	0.712	0.477	0.867	0.387
EC	AD	1.459	0.146	-1.160	0.247	0.881	0.379	2.534	0.012
FX	AD	1.639	0.102	-0.921	0.358	0.529	0.597	0.397	0.692
FXST	AD	0.437	0.663	-0.106	0.916	0.671	0.503	-0.713	0.477
GCC	AD	1.882	0.061	-2.058	0.041	-0.221	0.825	1.849	0.066
IC	AD	2.114	0.035	-1.975	0.049	0.119	0.906	2.434	0.016
IFO	AD	-0.528	0.598	0.752	0.453	0.709	0.479	2.177	0.031
PCR	AD	0.970	0.333	-2.175	0.031	-0.547	0.585	1.736	0.084
PLIC	AD	1.104	0.271	-1.425	0.155	-0.097	0.922	2.650	0.009
PTR	AD	-1.405	0.161	-1.014	0.311	1.588	0.114	1.027	0.306
RLIC	AD	0.981	0.328	-1.504	0.134	0.187	0.852	0.622	0.535
SCC	AD	1.795	0.074	-2.570	0.011	0.185	0.853	0.723	0.470
SCR	AD	0.509	0.611	-1.705	0.089	-0.855	0.394	1.825	0.069
SFO	AD	1.019	0.309	-1.039	0.300	1.015	0.311	1.514	0.132
SLF	AD	1.365	0.173	-2.094	0.037	0.179	0.858	2.189	0.030
SS	AD	-0.157	0.875	-0.168	0.867	1.064	0.288	0.905	0.366
UNC	AD	0.753	0.452	-1.302	0.194	-0.323	0.747	0.585	0.559

Significant results are highlighted in bold ($p < 0.002$). Abbreviation: FA = fractional anisotropy, MD = mean diffusivity, RD = radial diffusivity, AD = axial diffusivity, AOO = age of onset, DOI = duration of illness, PANSS = positive and negative syndrome scale. Abbreviations for tracts see Table 1 in main text.

Supplemental Material

Table S15| Meta-analytic results for fractional anisotropy differences between adolescents with early-onset psychosis and healthy controls.

Tract	Cohen's <i>d</i>	S.E.	ICI	uCI	z-value	p-value	I ²	H ²	Tau ²
ACR	-0.12	0.14	-0.39	0.14	-0.91	0.365	54.2	2.18	0.08
ALIC	-0.18	0.11	-0.4	0.05	-1.55	0.121	34.99	1.54	0.04
AverageFA	-0.19	0.14	-0.46	0.08	-1.4	0.162	53.92	2.17	0.08
BCC	-0.11	0.1	-0.31	0.08	-1.14	0.253	16.37	1.2	0.01
CC	-0.16	0.14	-0.43	0.11	-1.14	0.256	55.22	2.23	0.08
CGC	-0.11	0.14	-0.38	0.16	-0.81	0.418	54.97	2.22	0.08
CGH	-0.05	0.14	-0.32	0.22	-0.36	0.720	56.25	2.29	0.08
CR	-0.16	0.14	-0.42	0.11	-1.16	0.247	54.28	2.19	0.08
CST	-0.04	0.09	-0.22	0.13	-0.45	0.651	0	1	0
EC	-0.07	0.14	-0.34	0.21	-0.48	0.634	56.13	2.28	0.08
FX	-0.16	0.11	-0.37	0.06	-1.44	0.149	27.6	1.38	0.03
FXST	-0.2	0.12	-0.43	0.03	-1.7	0.090	38.9	1.64	0.04
GCC	-0.18	0.14	-0.47	0.1	-1.28	0.202	59.39	2.46	0.1
IC	-0.21	0.11	-0.43	0	-1.95	0.051	29.63	1.42	0.03
IFO	-0.14	0.1	-0.33	0.05	-1.4	0.163	13.35	1.15	0.01
PCR	-0.25	0.11	-0.48	-0.03	-2.2	0.028	35.58	1.55	0.04
PLIC	-0.15	0.09	-0.33	0.04	-1.55	0.122	8.09	1.09	0.01
PTR	-0.17	0.12	-0.41	0.07	-1.36	0.174	45.4	1.83	0.05
RLIC	-0.2	0.1	-0.39	-0.01	-2.05	0.040	13.77	1.16	0.01
SCC	-0.11	0.14	-0.38	0.17	-0.76	0.445	56.63	2.31	0.09
SCR	-0.08	0.12	-0.32	0.16	-0.67	0.502	44.17	1.79	0.05
SFO	-0.26	0.09	-0.43	-0.08	-2.86	0.004	0	1	0
SLF	-0.35	0.09	-0.53	-0.18	-3.93	8.41e-05	0	1	0
SS	-0.04	0.11	-0.25	0.18	-0.35	0.726	30.19	1.43	0.03
UNC	-0.15	0.1	-0.34	0.04	-1.5	0.133	14.03	1.16	0.01

Significant results are highlighted in bold ($p < 0.002$). Abbreviations: S.E. = standard error, ICI = lower confidence interval, uCI = upper confidence interval. Abbreviations for tracts, see Table 1 in main text.

Supplemental Material

Table S16| Direct comparison of meta- and mega-analytically derived effect sizes for case-control FA differences between early-onset psychosis (EOP) and adult schizophrenia (SCZ)

Tract	Contrast	Cohen's <i>d</i>		S.E.		Diff	S.E. _{Diff}	Z _{Diff}	p-value
		EOP	SCZ	EOP	SCZ				
ACR	MetavsMeta	-0.12	-0.40	0.14	0.05	-0.28	0.43	-0.65	0.52
	MetavsMega	-0.16	-0.40	0.08	0.05	0.24	0.36	0.68	0.50
ALIC	MetavsMeta	-0.18	-0.37	0.11	0.05	-0.19	0.39	-0.48	0.63
	MetavsMega	-0.25	-0.37	0.08	0.05	0.12	0.36	0.34	0.74
AverageFA	MetavsMeta	-0.19	-0.42	0.14	0.04	-0.23	0.43	-0.54	0.59
	MetavsMega	-0.30	-0.42	0.08	0.04	0.12	0.35	0.34	0.74
BCC	MetavsMeta	-0.11	-0.39	0.10	0.05	-0.28	0.38	-0.74	0.46
	MetavsMega	-0.24	-0.39	0.08	0.05	0.15	0.36	0.43	0.67
CC	MetavsMeta	-0.16	-0.40	0.14	0.05	-0.24	0.43	-0.56	0.58
	MetavsMega	-0.28	-0.40	0.08	0.05	0.12	0.36	0.34	0.73
CGC	MetavsMeta	-0.11	-0.27	0.14	0.05	-0.16	0.43	-0.37	0.71
	MetavsMega	-0.20	-0.27	0.08	0.05	0.07	0.36	0.18	0.85
CGH	MetavsMeta	-0.05	-0.11	0.14	0.04	-0.06	0.43	-0.14	0.89
	MetavsMega	-0.08	-0.11	0.08	0.04	0.03	0.35	0.09	0.93
CR	MetavsMeta	-0.16	-0.33	0.14	0.04	-0.17	0.42	-0.40	0.69
	MetavsMega	-0.22	-0.33	0.08	0.04	0.11	0.35	0.32	0.75
CST	MetavsMeta	-0.04	-0.04	0.09	0.04	0.00	0.36	0.00	1.00
	MetavsMega	-0.05	-0.04	0.08	0.04	-0.01	0.35	-0.02	0.98
EC	MetavsMeta	-0.07	-0.21	0.14	0.04	-0.14	0.42	-0.33	0.74
	MetavsMega	-0.19	-0.21	0.08	0.04	0.02	0.35	0.06	0.95
FX	MetavsMeta	-0.16	-0.31	0.11	0.05	-0.15	0.39	-0.38	0.70
	MetavsMega	-0.18	-0.31	0.08	0.05	0.13	0.36	0.38	0.71
FXST	MetavsMeta	-0.20	-0.32	0.12	0.04	-0.12	0.40	-0.30	0.77
	MetavsMega	-0.24	-0.32	0.08	0.04	0.08	0.35	0.22	0.82
GCC	MetavsMeta	-0.18	-0.37	0.14	0.04	-0.19	0.43	-0.45	0.66
	MetavsMega	-0.28	-0.37	0.08	0.04	0.09	0.35	0.25	0.80
IC	MetavsMeta	-0.21	-0.18	0.11	0.04	0.03	0.39	0.08	0.94
	MetavsMega	-0.29	-0.18	0.08	0.04	-0.11	0.35	-0.32	0.75
IFO	MetavsMeta	-0.14	-0.11	0.10	0.04	0.03	0.37	0.08	0.94
	MetavsMega	-0.12	-0.11	0.08	0.04	-0.01	0.35	-0.03	0.98
PCR	MetavsMeta	-0.25	-0.25	0.11	0.04	0.00	0.38	0.00	1.00
	MetavsMega	-0.32	-0.25	0.08	0.04	-0.07	0.35	-0.20	0.84
PLIC	MetavsMeta	-0.15	0.04	0.09	0.05	0.19	0.37	0.52	0.61
	MetavsMega	-0.20	0.04	0.08	0.05	-0.24	0.36	-0.66	0.51
PTR	MetavsMeta	-0.17	-0.31	0.12	0.04	-0.14	0.39	-0.36	0.72
	MetavsMega	-0.26	-0.31	0.08	0.04	0.05	0.34	0.14	0.89
RLIC	MetavsMeta	-0.20	-0.13	0.10	0.04	0.07	0.38	0.19	0.85
	MetavsMega	-0.27	-0.13	0.08	0.04	-0.14	0.35	-0.39	0.69

Supplemental Material

SCC	MetavsMeta	-0.11	-0.22	0.14	0.05	-0.11	0.43	-0.25	0.80
	MetavsMega	-0.21	-0.22	0.08	0.05	0.01	0.36	0.04	0.97
SCR	MetavsMeta	-0.08	-0.15	0.12	0.03	-0.07	0.39	-0.18	0.86
	MetavsMega	-0.15	-0.15	0.08	0.03	0.00	0.34	0.01	0.99
SFO	MetavsMeta	-0.26	-0.29	0.09	0.05	-0.03	0.38	-0.08	0.94
	MetavsMega	-0.31	-0.29	0.08	0.05	-0.02	0.37	-0.05	0.96
SLF	MetavsMeta	-0.35	-0.22	0.09	0.04	0.13	0.36	0.36	0.72
	MetavsMega	-0.37	-0.22	0.08	0.04	-0.15	0.35	-0.43	0.67
SS	MetavsMeta	-0.04	-0.30	0.11	0.04	-0.26	0.39	-0.67	0.50
	MetavsMega	-0.15	-0.30	0.08	0.04	0.15	0.35	0.44	0.66
UNC	MetavsMeta	-0.15	-0.16	0.10	0.03	-0.01	0.36	-0.03	0.98
	MetavsMega	-0.19	-0.16	0.08	0.03	-0.03	0.34	-0.08	0.93

Abbreviations: S.E. = standard error. Abbreviations for tracts see Table 1 in main text.

REFERENCE

1. Kelly S, Jahanshad N, Zalesky A, Kochunov P, Agartz I, Alloza C, et al. (2018): Widespread white matter microstructural differences in schizophrenia across 4322 individuals: results from the ENIGMA Schizophrenia DTI Working Group. *Mol Psychiatry*. 23:1261-1269.
2. Gurholt TP, Lonning V, Nerland S, Jorgensen KN, Haukvik UK, Alloza C, et al. (2020): Intracranial and subcortical volumes in adolescents with early-onset psychosis: A multisite mega-analysis from the ENIGMA consortium. *Hum Brain Mapp*.
3. Nakagawa S, Cuthill IC (2007): Effect size, confidence interval and statistical significance: a practical guide for biologists. *Biol Rev Camb Philos Soc*. 82:591-605.
4. Viechtbauer W (2010): Conducting meta-analyses in R with the metafor package. *J Stat Softw*. 36:1 - 48.