Autoantibodies linked to autoimmune diseases associate with COVID-19 outcomes

Supplementary Figures 1-9

Supplementary Tables S1-S6 provided as Supplementary Data file

group

Mild Moderate



lgG Units/ml





0.00050

0.00025



2.02.5

3.0

3.5

neuromuscular process

response to alcohol

learning or memory regulation of transmembrane transporter activity

0.0

0.1 0.2 0.3 aab target Ratio

0.3 0.4

regulation of transporter activity

Post NMDA receptoractivation events Activation of NMDA receptors and postsynaptic events Negative regulation of NMDA receptor, utilizanate binding and activation Augiocking of NMDA receptors, utilizanate binding and activation Assembly and cell surface presentation of NMDA receptors Neuronal System Transmission across Chemical Synapses Long-term potentiation and postsynaptic signal tran Neurotransmitter recept

С

е

g



Control



Mild COVID-19



Moderate COVID-19



Severe COVID-19







Mild Anosmia



Moderate Anosmia



Severe Anosmia





Moderate No Anosmia



Severe No Anosmia







Mild Anosmia



Moderate Anosmia



Severe Anosmia







Mild No Anosmia



Severe No Anosmia





IgG - 3 groups

IgA - 3 groups

**

**

**



IgG Units/ml

а

Cont. Suppl. Figure 7



tTG-3-aab

tTG-6-aab

Zonulin-aab

а

Cont. Suppl. Figure 7



b



b



