

Supplementary Materials

Alzheimer's Disease Assessments Optimised for Diagnostic Accuracy and Administration Time

Niamh McCombe¹, Xuemei Ding¹, Girijesh Prasad¹, David P. Finn², Paddy Gillespie³,
Stephen Todd⁴, Paula L. McClean⁵, KongFatt Wong-Lin^{1,*}, Alzheimer's Disease
Neuroimaging Initiative (ADNI)

*Corresponding authors: KongFatt Wong-Lin. k.wong-lin@ulster.ac.uk, Niamh McCombe
mccombe-n@ulster.ac.uk

¹Intelligent Systems Research Centre, Ulster University, Magee Campus, Derry~Londonderry, Northern Ireland, UK.

²Pharmacology and Therapeutics, School of Medicine, Galway Neuroscience Centre for Pain Research, Human Biology Building, National University of Ireland Galway, Ireland.

³Health Economic and Policy Analysis Centre, Discipline of Economics, National University of Ireland, Galway, Ireland

⁴Altnagelvin Area Hospital, Western Health and Social Care Trust, Derry~Londonderry, Northern Ireland, UK.

⁵Ulster University, Northern Ireland Centre for Stratified Medicine, Biomedical Sciences Research Institute, Clinical Translational Research and Innovation Centre, Derry~Londonderry, Northern Ireland, UK.

Contents

Supplementary Algorithm 1 3
Supplementary Algorithm 2 4
Supplementary Algorithm 3 5
Supplementary Figure 1 6
Supplementary Table 1 7
Supplementary Table 2 11
References 12

Supplementary Algorithm 1

Correlation-Based Feature Selection[1], [2]

1. Set stopping criterion n to avoid time-consuming search of the whole search space.
2. Initialise a best-first search through combinations of features with a start state – the empty set of features. Initialise an OPEN list containing the start state, a CLOSED list that is empty, and initialise the BEST combination as the start state.
3. Let S be the set of features from OPEN with the highest merit.
$$Merit = \frac{k\overline{r_{cf}}}{\sqrt{k+k(k-1)\overline{r_{ff}}}}$$
. where k is the number of features in S , $\overline{r_{cf}}$ is the mean feature-class correlation, and $\overline{r_{ff}}$ is the mean feature-feature correlation. The correlation between discrete features is measured by mutual information, and for continuous features the correlation coefficient is used.
4. Remove S from OPEN and add to CLOSED
5. Generate all the children of S by adding single features to S . Add each child of S to the OPEN list.
6. If $Merit(S) > Merit(BEST)$, then set BEST to S .
7. If BEST changed in the last n iterations, go to 2.
8. Return BEST.

Supplementary Algorithm 2

Consistency-Based Feature Selection[2], [3]

1. Discretise the features.
2. Set stopping criterion n to avoid time-consuming search of the whole search space.
3. Initialise a best-first search through combinations of features with a start state – the empty set of features. Initialise an OPEN list containing the start state, a CLOSED list that is empty, and initialise the BEST combination as the start state.
4. Let S be the set of features from OPEN with the highest consistency measure. *Consistency* is calculated using Liu's measure: **number of inconsistent examples/number of examples**. An "example" consists of the discretised features in c , plus the class value, of a single row from the dataset. An example is **inconsistent** where it has a different class value than the majority of examples with identical feature values.
5. Generate all the children of S by adding single features to S . Add each child of S to the OPEN list.
6. If $Consistency(S) > Consistency(BEST)$ then set BEST to S
7. If BEST changed in the last n iterations, go to 2.
8. Return BEST.

Supplementary Algorithm 3

Boruta Feature Selection[4]

1. Duplicate the dataset to have two copies of each feature. The copied features are called shadow features.
2. Shuffle the values in each shadow feature randomly (shuffle the column). This means the shadow features carry no information about the class.
3. Build a Random Forest model on the dataset consisting of real and shadow features and extract the feature importance of all features.
4. All real features which outperform the highest ranked shadow feature score 1 point.
5. Repeat steps 1-4 20 times and generate the distribution of points for each (real) feature. Mark features as **selected** if they are in the highest tail of the distribution, **discarded** if they are in the lowest tail, and **tentative** if they are in between.

Supplementary Figure 1

Screenshot of R Shiny Application (available at <https://mac-n.shinyapps.io/costcfs/>)

The screenshot shows the user interface of an R Shiny application. On the left, there is a control panel with a slider for 'Cost Weighting' and a checkbox for 'Perform Feature Selection on Chosen Assessment Items'. Below these is a 'Run Tests' button. To the right, there is a dropdown menu for 'Add to your choices:' set to 'Most informative items'. Below that, there are two columns of 'Assessment items': 'Available items' and 'You have chosen:'. The 'Available items' list includes AGE, APOE4, PTGENDER, PTHAND, and PTEDUCAT. The 'You have chosen:' list includes FAQBEVG, FAQEVENT, FAQFINAN, FAQFORM, and FAQGAME. At the bottom, there is a 'Show' dropdown set to 'entries' and a search box. Below these is a table with four columns: 'Item', 'Assessment Time (seconds)', 'Assessment', and 'Item Description'. The table contains four rows of data.

Item	Assessment Time (seconds)	Assessment	Item Description
19 FAQBEVG	60	Functional Assessment Questionnaire	5. Heating water, making a cup of coffee, turning off the stove.
20 FAQEVENT	60	Functional Assessment Questionnaire	7. Keeping track of current events.
21 FAQFINAN	60	Functional Assessment Questionnaire	1. Writing checks, paying bills, or balancing checkbook.
22 FAQFORM	60	Functional Assessment Questionnaire	2. Assembling tax records, business affairs, or other papers.

Supplementary Table 1

Details of all the cognitive and functional assessment (CFA) features used for feature selection

Feature	Source	Description
AGE	Demographics	Age
PTEDUCAT	Demographics	Education
i6Serial	MoCA ¹	Counting backwards
visuo	MoCA	Visual
naming	MoCA	Naming
attention	MoCA	Attention subscale
language	MoCA	Language subscale
abstraction	MoCA	abstraction Subscale
delayedRecall	MoCA	Delayed Word Recall
orientation	MoCA	Delayed Word Recall Subscale
FAQFINAN	FAQ ²	1. Writing checks, paying bills, or balancing checkbook.
FAQFORM	FAQ	2. Assembling tax records, business affairs, or other papers.
FAQSHOP	FAQ	3. Shopping alone for clothes, household necessities, or groceries.
FAQGAME	FAQ	4. Playing a game of skill such as bridge or chess, working on a hobby.
FAQBEVG	FAQ	5. Heating water, making a cup of coffee, turning off the stove.
FAQMEAL	FAQ	6. Preparing a balanced meal.
FAQEVENT	FAQ	7. Keeping track of current events.
FAQTV	FAQ	8. Paying attention to and understanding a TV program, book, or magazine.
FAQREM	FAQ	9. Remembering appointments, family occasions, holidays, medications.
FAQTRAVL	FAQ	10. Traveling out of the neighborhood, driving, or arranging to take public transportation.
MMDATE	MMSE ³⁴	1. What is today's date?
MMYEAR	MMSE	2. What is the year?
MMMONTH	MMSE	3. What is the month?
MMDAY	MMSE	4. What day of the week is today?
MMSEASON	MMSE	5. What season is it?
MMHOSPIT	MMSE	6. What is the name of this hospital (clinic, place)?
MMFLOOR	MMSE	7. What floor are we on?
MMCITY	MMSE	8. What town or city are we in?
MMAREA	MMSE	9. What county (district, borough, area) are we in?
MMSTATE	MMSE	10. What state are we in?
MMobjects	MMSE	Composite: MMBALL,MMTREE,MMFLAG, MMBALLDL,MMTREEDL,MMFLAGDL. Identify 3 pictured objects. Name them again after a delay.
MMWORLD	MMSE	Composite: MMW,MMO,MMR,MML,MMD. "Spell WORLD backwards."
MMWATCH	MMSE	22. Show the participant a wrist watch and ask "What is this?"

¹ Montreal Cognitive Assessment

² Functional Assessment Questionnaire

³ Mini Mental State Examination

⁴ Where some items from an assessment scale are not included, this is due to the quantity of missing data

Feature	Source	Description
MMPENCIL	MMSE	23. Repeat for pencil.
MMREPEAT	MMSE	24. Say, "Repeat after me: no ifs, ands, or buts."
MMHAND	MMSE	25. Takes paper in right hand.
MMFOLD	MMSE	26. Folds paper in half.
MMONFLR	MMSE	27. Puts paper on floor.
MMREAD	MMSE	28. Present the piece of paper which reads, "CLOSE YOUR EYES," and say: "Read this and do what it says."
MMWRITE	MMSE	29. Give the participant a blank piece of paper and say: "Write a sentence."
MMDRAW	MMSE	30. Present the participant with the Construction Stimulus page. Say, "Copy this design."
Q1SCORE	ADAS ⁵	Word Recall Task
Q2SCORE	ADAS	Commands (receptive speech)
Q3SCORE	ADAS	Constructional Praxis (geometric figures)
Q4SCORE	ADAS	Delayed Word Recall
Q5SCORE	ADAS	Naming Task
Q6SCORE	ADAS	Ideational Praxis (sequence of familiar actions)
Q7SCORE	ADAS	Orientation (date/place etc)
Q8SCORE	ADAS	Word Recognition
Q9SCORE	ADAS	Remembering Test Instructions
Q10SCORE	ADAS	Comprehension (of examiner's speech)
Q11SCORE	ADAS	Word Finding Difficulty (in subject's speech)
Q12SCORE	ADAS	Spoke Language Ability (clarity of communication)
Q13SCORE	ADAS	Number Cancellation
RAVLT.immediate	RAVLT ⁶	Rey Auditory Verbal Learning Test Total
AVDELTOT	RAVLT- Delayed	30 Minute Delay Total
CATANIMSC	Category Fluency	Category Fluency (Animals) - Total Correct
BNTTOTAL	Boston Naming Test	Boston Naming Test Total Score
CLOCKSCOR	Clock Drawing	Total Score
COPYSCOR	Clock Copying	Total Score
TRAASCOR	Trail Making	Part A - Time to Complete
TRABSCOR	Trail Making	Trails B
GDSATIS	GDS ⁷	1. Are you basically satisfied with your life?
GDDROP	GDS	2. Have you dropped many of your activities and interests?
GDEMPY	GDS	3. Do you feel that your life is empty?
GDBORED	GDS	4. Do you often get bored?
GDSPRIT	GDS	5. Are you in good spirits most of the time?
GDAFRAID	GDS	6. Are you afraid that something bad is going to happen to you?
GDHAPPY	GDS	7. Do you feel happy most of the time?
GDHELP	GDS	8. Do you often feel helpless?
GDHOME	GDS	9. Do you prefer to stay at home, rather than going out and doing new things?
GDMEMORY	GDS	10. Do you feel you have more problems with memory than most?

⁵ Alzheimer's Disease Assessment Scale

⁶ Rey Auditory Verbal Learning Test

⁷ Geriatric Depression Scale

Feature	Source	Description
GDALIVE	GDS	11. Do you think its wonderful to be alive now?
GDWORTH	GDS	12. Do you feel pretty worthless the way you are now?
GDENERGY	GDS	13. Do you feel full of energy?
GDHOPE	GDS	14. Do you feel that your situation is hopeless?
GDBETTER	GDS	15. Do you think that most people are better off than you are?
DIVATT1	ECog ⁸ - Patient	1. The ability to do two things at once.
DIVATT2	ECog - Patient	2. Returning to a task after being interrupted.
DIVATT3	ECog - Patient	3. The ability to concentrate on a task without being distracted by external things in the environment.
DIVATT4	ECog - Patient	4. Cooking or working and talking at the same time.
LANG1	ECog - Patient	1. Forgetting the names of objects.
LANG2	ECog - Patient	2. Verbally giving instructions to others.
LANG3	ECog - Patient	3. Finding the right words to use in conversations.
LANG4	ECog - Patient	4. Communicating thoughts in a conversation.
LANG5	ECog - Patient	5. Following a story in a book or on TV.
LANG6	ECog - Patient	6. Understanding the point of what other people are trying to say.
LANG7	ECog - Patient	7. Remembering the meaning of common words.
LANG8	ECog - Patient	8. Describing a program I have watched on TV.
LANG9	ECog - Patient	9. Understanding spoken directions or instructions.
MEMORY1	ECog - Patient	1. Remembering a few shopping items without a list.
MEMORY2	ECog - Patient	2. Remembering things that happened recently (such as recent outings, events in the news).
MEMORY3	ECog - Patient	3. Recalling conversations a few days later.
MEMORY4	ECog - Patient	4. Remembering where I have placed objects.
MEMORY5	ECog - Patient	5. Repeating stories and/or questions.
MEMORY6	ECog - Patient	6. Remembering the current date or day of the week.
MEMORY7	ECog - Patient	7. Remembering I have already told someone something.
MEMORY8	ECog - Patient	8. Remembering appointments, meetings, or engagements.
ORGAN1	ECog - Patient	1. Keeping living and work space organized.
ORGAN2	ECog - Patient	2. Balancing the checkbook without error.
ORGAN3	ECog - Patient	3. Keeping financial records organized.
ORGAN4	ECog - Patient	4. Prioritizing tasks by importance.
ORGAN5	ECog - Patient	5. Keeping mail and papers organized.
ORGAN6	ECog - Patient	6. Using an organized strategy to manage a medication schedule involving multiple medications.
PLAN1	ECog - Patient	1. Planning a sequence of stops on a shopping trip.
PLAN2	ECog - Patient	2. The ability to anticipate weather changes and plan accordingly (i.e., bring a coat or umbrella)
PLAN3	ECog - Patient	3. Developing a schedule in advance of anticipated events.
PLAN4	ECog - Patient	4. Thinking things through before acting.
PLAN5	ECog - Patient	5. Thinking ahead.
VISSPAT1	ECog - Patient	1. Following a map to find a new location.
VISSPAT2	ECog - Patient	2. Reading a map and helping with directions when someone else is driving.

⁸ Everyday Cognition

Feature	Source	Description
VISSPAT3	ECog - Patient	3. Finding my car in a parking lot.
VISSPAT4	ECog - Patient	4. Finding my way back to a meeting spot in the mall or other location.
VISSPAT6	ECog - Patient	5. Finding my way around a familiar neighborhood.
VISSPAT7	ECog - Patient	6. Finding my way around a familiar store.

Supplementary Table 2

All cognitive and functional assessment (CFA) features selected more than once by feature selection algorithms

Name	# times selected	Estimated time (sec)	Notes on time estimation
faq_FAQSHOP	14	60	FAQ - total time 10 minutes, 10 items [5]
faq_FAQREM	13	60	FAQ - total time 10 minutes, 10 items [5]
faq_FAQTRAVL	13	60	FAQ - total time 10 minutes, 10 items [5]
adas_Q4SCORE	11	600	ADAS – total time 30-40 minutes [5], 13 items but 9,10,11 are not standalone assessment items. Q4 is delayed word recall - can be included in an assessment if Q1 is also included. Time estimation includes delay.
faq_FAQEVENT	11	60	FAQ - total time 10 minutes, 10 items [5]
faq_FAQFINAN	11	60	FAQ - total time 10 minutes, 10 items [5]
faq_FAQFORM	11	60	FAQ - total time 10 minutes, 10 items [5]
gd_GDMEMORY	11	28	Geriatric Depression Scale[5]: 5-7 minutes, 15 items
faq_FAQMEAL	10	60	FAQ - total time 10 minutes, 10 items [5]
RAVLT.immediate	10	900	total time for RAVLT 10-15 minutes[6]
adas_Q1SCORE	9	200	ADAS – total time 30-40 minutes [5], 13 items but 9,10,11 are not standalone assessment items.
BNTTOTAL	9	600	Boston Naming Test. 60 item version takes 10-20 minutes [6]. This is the 30 item version.
CATANIMSC	9	150	estimation from ADNI procedures manual (adni.loni.usc.edu). Instructions, 20 second trial, further instructions, one minute for the task.
ecog_MEMORY1	9	60	Ecog - no total time available, forms mailed in advance for study ,estimated each at 60 based on FAQ
adas_Q7SCORE	8	200	ADAS – total time 30-40 minutes [5], 13 items but 9,10,11 are not standalone assessment items.
faq_FAQGAME	8	60	FAQ - total time 10 minutes, 10 items [5]
faq_FAQTV	8	60	FAQ - total time 10 minutes, 10 items [5]
AVDELTOT	7	2000	This is delayed RAVLT. 30 minute delay included in estimation
ecog_LANG9	7	60	Ecog - no total time available, forms mailed in advance for study ,estimated each at 60 based on FAQ
TRABSCOR	7	600	Trail Making Test part B. Total time for parts A and B 5-10 minutes [6]. Part B builds on part A.
mmse_objects	6	300	Composite of MMBALL, MMTREE,MMSE, MMFLAG, MMBALLDL,MMFLAGDL,MMTREEDL. 20 seconds per item. 3 minute delay as referred to in ADNI procedures manual.
adas_Q8SCORE	5	200	ADAS – total time 30-40 minutes [5], 13 items but 9,10,11 are not standalone assessment items.
ecog_PLAN3	5	60	Ecog - no total time available, forms mailed in advance for study ,estimated each at 60 based on FAQ
ecog_LANG2	4	60	Ecog - no total time available, forms mailed in advance

Name	# times selected	Estimated time (sec)	Notes on time estimation
ecog_PLAN4	4	60	for study ,estimated each at 60 based on FAQ Ecog - no total time available, forms mailed in advance for study ,estimated each at 60 based on FAQ
faq_FAQBEVG	4	60	FAQ - total time 10 minutes, 10 items [5].
mmse_MMDATE	4	20	MMSE: 10 minutes [6] 30 point scale, 20 seconds per point.
ecog_LANG7	3	60	Ecog - no total time available, forms mailed in advance for study ,estimated each at 60 based on FAQ
ecog_MEMORY2	3	60	Ecog - no total time available, forms mailed in advance for study ,estimated each at 60 based on FAQ
ecog_MEMORY3	3	60	Ecog - no total time available, forms mailed in advance for study ,estimated each at 60 based on FAQ
gd_GDENERGY	3	28	Geriatric Depression Scale [5]: 5-7 minutes, 15 items
mmse_MMDRAW	3	40	MMSE: 10 minutes [6] usually 20 seconds per point. This is the "draw a pentagon" item and 20 seconds is not realistic.
mmse_MMSEASON	3	20	MMSE: 10 minutes [6] 30 point scale, 20 seconds per point.
adas_Q10SCORE	2	1800	ADAS – total time 30-40 minutes [5], this is not a standalone assessment item but assessed throughout the entire ADAS assessment.
ecog_DIVATT4	2	60	Ecog - no total time available, forms mailed in advance for study ,estimated each at 60 based on FAQ
ecog_MEMORY4	2	60	Ecog - no total time available, forms mailed in advance for study ,estimated each at 60 based on FAQ
ecog_ORGAN6	2	60	Ecog - no total time available, forms mailed in advance for study ,estimated each at 60 based on FAQ

References

- [1] M. A. Hall, "Correlation-based Feature Selection for Machine Learning," PhD Thesis, 1999.
- [2] P. Romanski, L. K. Maintainer, and L. Kotthoff, "Package 'FSelector,'" 2018.
- [3] K. Shin and X. M. Xu, "Consistency-based feature selection," in *Lecture Notes in Computer Science (including subseries Lecture Notes in Artificial Intelligence and Lecture Notes in Bioinformatics)*, 2009, vol. 5711 LNAI, no. PART 1, pp. 342–350.
- [4] M. B. Kursu and W. R. Rudnicki, "Feature selection with the boruta package," *J. Stat. Softw.*, 2010.
- [5] B. Sheehan, "Assessment scales in dementia," *Ther. Adv. Neurol. Disord.*, vol. 5, no. 6, pp. 349–358, 2012.
- [6] E. Strauss, E. Sherman, and O. Spreen, *A compendium of neuropsychological tests*. New York: Oxford University Press, 2006.