

**Appendix H.** Total of 16 indicators with significant mean differences post hoc results for the three samples

<b>Health indicator</b>			<b>Post hoc Sig.</b>
Alcohol abuse	ResearchMatch	Clemson	0.38
	OU	ResearchMatch	0.00
	Clemson	OU	0.052
Body mass index (BMI)	ResearchMatch	Clemson	0.70
	OU	ResearchMatch	0.00
	Clemson	OU	0.01
Diet and nutrition	ResearchMatch	Clemson	0.16
	OU	ResearchMatch	0.18
	Clemson	OU	0.02
Drug or substance abuse	ResearchMatch	Clemson	0.10
	OU	ResearchMatch	0.00
	Clemson	OU	0.50
Family history of cancer	ResearchMatch	Clemson	0.01
	OU	ResearchMatch	0.00
	Clemson	OU	0.88
Physical inactivity	ResearchMatch	Clemson	0.54
	OU	ResearchMatch	0.00
	Clemson	OU	0.45
Smoking, tobacco use	ResearchMatch	Clemson	0.004
	OU	ResearchMatch	0.00
	Clemson	OU	0.74

Sun protection	ResearchMatch	Clemson	0.00
	OU	ResearchMatch	0.00
	Clemson	OU	0.73
Insurance coverage	ResearchMatch	Clemson	0.02
	OU	ResearchMatch	0.12
	Clemson	OU	0.35
Hypertension screening	ResearchMatch	Clemson	0.75
	OU	ResearchMatch	0.01
	Clemson	OU	0.56
Engagement in life	ResearchMatch	Clemson	1.00
	OU	ResearchMatch	0.00
	Clemson	OU	0.00
Major depression	ResearchMatch	Clemson	0.94
	OU	ResearchMatch	0.02
	Clemson	OU	0.46
Having a sense of purpose in one's life	ResearchMatch	Clemson	0.47
	OU	ResearchMatch	0.00
	Clemson	OU	0.00
Race and ethnicity	ResearchMatch	Clemson	0.66
	OU	ResearchMatch	0.00
	Clemson	OU	0.07
High school diploma	ResearchMatch	OU	0.00

	OU	Clemson	0.31
	Clemson	ResearchMatch	0.20
Unemployment	ResearchMatch	Clemson	0.90
	OU	ResearchMatch	0.00
	Clemson	OU	0.06

IV = the three samples, DV = Individual survey data.