

Mental Health Outcomes				
Category	Outcome	Reference	Association (with NOE)	Modulators (Barrier/Facilitator)
Psychological health	HRQoL – health-related quality of life	[131] [142]	Positive	Stressful life events (B), age (B/F), environment type (F) (131); no difference between intervention vs control (142)
	Quality of Life (QoL)	[147][164]	Positive	Changes to the built environment (improved footpaths and clearing of rubbish and vandalism) (F) (147); Environment type (F) (164)
	Wellbeing	[132][136] [141][146] [149][154] [164][165]	Positive/ Mixed effects	Positive: Environment type (F) (132); environment type (F), previous exposure to nature as child and last year (F), positive affect (F) only in green space, nature connectedness (F) in both control/intervention (136); physical activity (F), presence of others (B), stressful life events (B) (141); Interpersonal processes (F), Environmental processes (B/F – based on access, perceived aesthetics, and neighbourhood attachment) (146); Environment type (F) (164); Transportation (F), Staff knowledge (F), Group organisation (F), Biodiversity (F) (165) Air and heat-related pollution (B), Proximity (F), SES (B/F) (154); Mixed effects: study design (B); terminology for GS (B) (149);

Psychologic al health	Hedonic Wellbeing (life satisfaction)	[149]	Positive	Connectedness with nature (F), Active engagement with nature (F) (149)
	Eudaimonic wellbeing (personal flourishing)	[149]	No effect	n/a
	Perceived wellbeing	[134][151] [152][153] [161][168]	Positive	Environment type (F), physical activity (F) (134); Environment type (F), Active engagement with nature (F) Safety concerns (B), Staff attitudes and lack of staff education and awareness (B), Social prejudice and stigma (B), Limited staff and resources (B); weather (B/F); Negative self-perception and lack of confidence (B); Poor physical and visual access (B), Poor garden design (B) (i.e. benches, weather protection), Care culture NOT person-centred (B) (151); Micro-features (i.e. benches) (F) (152); Positive staff attitudes (153); Environment type (ocean > public pools) (F) (161); Access (B/F), Environment type (F), Fear and stigma (B), Lack of resources/ equipment (B) (168)
	Perceived mental health	[135]	Positive	Safety (B), accessibility (B/F), personal perceptions (B/F) (135)
	Depression	[141][142] [156][158]	Negative	Stressful life events (B), physical activity (F) (141); no difference between intervention vs control (142); Presence of caregivers (156);

				Physical activity (F), Environment type (F) (158)
Psychological health	Anxiety	[142][143] [156][158] [159][165]	Negative	No differences between intervention vs control (142); Season - Summer (F) (143); Presence of caregivers (156); Physical activity (F), Environment type (F) (158); Environment type (forests>roadside> daily activities) (F), Physical activity (F) (159); Transportation (F), Staff knowledge (F), Group organisation (F), Biodiversity (F) (165)
	Psychological Restoration	[163]	Positive	Biodiversity in urban park (F) (163)
Social health	Social isolation	[134][151] [152][153] [161][165]	Negative	Environment type (F); physical activity (F) (134); Environment type (F), Active engagement with nature (F) Safety concerns (B), Staff attitudes and lack of staff education and awareness (B), Social prejudice and stigma (B), Limited staff and resources (B); weather (B/F); Negative self-perception and lack of confidence (B); Poor physical and visual access (B), Poor garden design (B) (i.e. benches, weather protection), Care culture NOT person-centred (B) (151); Micro-features of the environment (benches) (F), Accessibility (B) (152); Positive staff attitudes (F), Presence of others (F) (153); Group membership (F), Environment type (F) (161); Transportation

				(F), Staff knowledge (F), Group organisation (F), Biodiversity (F) (165)
Social health	Social connectedness	[144][146] [156][160] [161][162] [168]	Positive	Environment type (F), Presence of animals (F) (144); Intrapersonal processes (F), Interpersonal processes (F), Environmental processes (B/F – based on access, perceived aesthetics, and neighbourhood attachment) (146); Environment type, i.e. farms (F), Harvest speed (F) (156); Lower SES (F), Environment type (F) (160); Group membership (F), Weather (F), Threatening biodiversity (F) (161); Environment type (F), Individual factors (i.e. time pressures, changing identities) (B), Presence of others (B/F) (162); Access (B/F), Fear and stigma (B), Lack of resources/ equipment (B), Environment type (F) (168)
	Social discomfort	[169]	Negative	Environment type (F/B), Ethnicity (B/F) (169)
Emotional Health	Positive Affect	[136][142] [148][151] [159][160] [161] [164] [165]	Positive	Environment type (F) (136); Environment type (F), physical activity (F), stressful life events (B) (141); Environment type (forests>roadside> daily activities) (F), Physical activity (F) (159); Environment type (ocean>pool) (F), Biodiversity – if non-threatening (F) (161); Environment type (natural>control) (F) (164) Micro-features (F), Conditions of natural environments (B/F), Perceived quality (F), Accessibility

Emotional Health				(B/F), Safety (B) (148); Environment type (F), Active engagement with nature (F) Safety concerns (B), Staff attitudes and lack of staff education and awareness (B), Social prejudice and stigma (B), Limited staff and resources (B); weather (B/F); Negative self-perception and lack of confidence (B); Poor physical and visual access (B), Poor garden design (B) (i.e. benches, weather protection), Care culture NOT person-centred (B) (151); Environment type (F), Physical activity (F) (160); Transportation (F), Staff knowledge (F), Group organisation (F), Biodiversity (F) (165)
	Positive mood state	[140][143] [157][158] [167][169]	Positive	Environment type (F) (140); Physical activity (F), Environment type (F) (158); Conservation (F), Physical activity (F), Social interaction (F) (167)
	Negative affect	[141][159] [161][164]	Negative	Stressful life events (B), physical activity (F) (141); Environment type (forests>roadside>daily activities) (F), Physical activity (F) (159); Environment type (ocean>pool) (F), Biodiversity (threatening) (B) (161); Environment type (F) (164)
	Mood disturbance	[143]	Negative	Seasons – Spring (F) (143)
	Self-esteem	[139][151] [158][162] [168]	Positive	Gender – more effect for women vs men (F), Duration of intervention (F) (139); Environment type (F), Active engagement with nature (F), Safety concerns (B), Staff

Emotional Health				attitudes and lack of staff education and awareness (B), Social prejudice and stigma (B), Limited staff and resources (B); weather (B/F); Negative self-perception and lack of confidence (B); Poor physical and visual access (B), Poor garden design (B) (i.e. benches, weather protection), Care culture NOT person-centred (B) (151); Physical activity (F), Environment type (F) (158); Environment type (F), Individual factors (i.e. time pressures, changing identities) (B), Presence of others (B/F) (162); Access (B/F), Fear and stigma (B), Lack of resources/equipment (B) (168)
	Self-confidence	[153]	Positive	Active engagement in nature (F), Presence of others (F) (153)
	Vitality	[140][144]	Positive	Environment type (F) (140); Environment type (F), Presence of animals (F) (144)
	Agitation	[151][156]	Negative	Environment type (F), Active engagement with nature (F) (151); Garden design (F), Mobility (F), Activity itself (TH) (F) (156)
Emotional Health	Behavioural Problems (i.e. inattention, hyperactivity, violence)	[150][151] [157][158]	Negative	Physical activity (F), Environment type (F) (150); Environment type (F), Active engagement with nature (F) (151); Environment type (F), Accessibility (B), Ethnicity, i.e. south Asian children (B), Deprivation (B), Quality of GS (B/F) (158); Environment type (F), Physical activity (F) (157)

Stress	Perceived restoration	[137][138] [140][143] [160][169]	Positive	Environment type (F) < perceived sound quality (F) (137); sensory qualities (F), safety (B), topography (F) (138); Environment type (F) (140); presence of water (F) (143); Environment type (F) (160); Environment type (F) (169)
	Perceived stress	[141][164] [165]	Negative	Stressful life events (B), physical activity (F) (141); Environment type (F) (164); Transportation (F), Staff knowledge (F), Group organisation (F), Biodiversity (F) (165)
	Psychological resistance	[132][134] [168]	Positive	Environment type (F) (132); Environment type (F) (134); Access (B/F), Fear and stigma (B), Lack of resources/equipment (B) (168)
	Stress reduction	[132][141] [144][151] [160][159] [161][162] [167]	Positive	Environment type (F) (132); Presence of others (B), Physical activity (F) (141); Environment type (F), Presence of animals (F) (144); Environment type (F), Active engagement with nature (F) Safety concerns (B), Staff attitudes and lack of staff education and awareness (B), Social prejudice and stigma (B), Limited staff and resources (B); weather (B/F); Negative self-perception and lack of confidence (B); Poor physical and visual access (B), Poor garden design (B) (i.e. benches, weather protection), Care culture NOT person-centred (B) (151); Environment type (forests>roadside> daily activities) (F),
Stress				

				Physical activity (F) (159); Environment type (F) (160); Activity itself – i.e. swimming in ocean (F) (161); Environment type (i.e. trees, plants, views, etc.) (F), Poor quality of GS/BS (B), Deprivation (B) (162); Conservation (F), Physical activity (F), Social interaction (F), Location of NBI (natural reserve>bog>field) (F) (167)
	Psychological distress	[158]	Negative	Environment type (F), Accessibility (B), Ethnicity, i.e. south Asian children (B), Deprivation (B) (158)

Physiological Outcomes

<i>Category</i>	<i>Outcome</i>	<i>Reference</i>	<i>Association (with NOE)</i>	<i>Modulators (Barrier/Facilitator)</i>
Cardio-vascular outcomes	Blood pressure (systolic and diastolic)	[132][140][143][145]	Negative/ No effects	NEGATIVE: Environment type (F) (132); Environment type (F), activity itself (viewing>walking) (F) (140); Environment type (urban park vs control), seasons (summer) (F/B) (143); NO EFFECTS: temperature (B), humidity (B), light spectrum (G/B ratio too high) (B) (145)
	Heart rate	[132][140][143][145][157]	Negative/ Positive	Negative: Environment type (F) (132); Environment type (F) – in favour of urban forests > urban parks, noise pollution (B), air pollution (B) (140) Features of the environment (trees species – where

				maple>oak>birch) (F) (145); Environment type (green>control) (F), Physical activity (F) (157) Positive: environment type (post-viewing nature) (F) (143);
	Heart rate variability (HRV) - SDNN	[140] [157][169]	Positive/ mixed effects	Positive: Environment type (F) – increased in green environment vs control (140); Environment type (F) (parks>urban) (169) No effects: Environment type (F), Poor study design (B) (157)
Stress	Cortisol	[140][160]	Negative	Environment type (F) – all decrease but green (forests>park) > control (140); Environment type (F) (160)

Physical Health Outcomes

<i>Category</i>	<i>Outcome</i>	<i>Reference</i>	<i>Association (with NOE or NBI)</i>	<i>Modulators (Barrier/Facilitator)</i>
	Physical activity (LTPA)	[133]	Positive	Safety concerns (B), presence of others (B/F), accessibility (F), natural environment (F), environmental design (B/F) (133)
	Physical activity – swimming	[134]	Positive	Fear and stigma on body type (B) (134)
	Physical activity – walking in nature	[138][154]	Positive	Proximity (F) (138); Air and heat-related pollution (B), Proximity (F), SES (B/F) (154)

Physical activity in GS or BS	Perceived physical health	[134][135] [146]	Positive	Physical activity in sea (F) (134); Safety (B), accessibility (B/F), personal perceptions (B/F) (135); Interpersonal processes (F), Environmental processes (B/F – based on access, perceived aesthetics, and neighbourhood attachment) (146)
	Physical activity in Urban Green Spaces (UGS)	[147][152] [160]	Positive	Changes to the built environment in parks (F), Proximity to newly built cycling/walk lanes (F) (147); Micro-features of the environment (benches) (F), Gender (F – for sedentary women), Accessibility (B) (152); Accessibility (B), Attractivity and activity in programs (B/F), Age (F) – i.e. children and young adults (160)
	Physical activity (MVPA)	[157][166]	Positive	Exposure to GS (F) (157); Duration, i.e. longer time in GS (F), Environment type (F) (166)
	Sedentary Time	[166]	Negative	Duration, i.e. longer time in GS (F), Environment type (F) (166)
	Physical fitness	[168]	Positive	Environment type (F), Intervention (i.e. surfing) (F), Access (B/F), Fear and stigma (B), Lack of resources/equipment (B) (168)
Fatigue	Post-stroke fatigue (PSF)	[142]	Negative	Intervention (F) (142)
Mortality	All-cause mortality	[148] [157]	Negative	Positive affect (F), Heat reduction (F), Environment type (F) (148); Environment type (F) (157)
General physical health	Overall health	[150][158] [165]	Positive	Physical activity (F), Environment type (F), Accessibility (F), Quality and quantity of GS (F) (150); Physical activity (F), Environment

				type (F) (158); Transportation (F), Staff knowledge (F), Group organisation (F), Biodiversity (F) (165)
Motor functioning	Mobility	[152]	Positive	Micro-features of the environment, i.e. benches (F), Injury (B), Engagement in social interactions (F), Accessibility (B) (152)
	Disability	[142]	Negative	No differences between intervention vs control – both decreased (142)
Recovery	Recovery (from mental illnesses)	[153]	Positive	Presence of others (F), Active engagement in nature (F) (153)
Obesity	Obesity	[148][154] [160][165]	No effect	Quality of study design (B) (148, 154, 160)
Sleep	Sleep (quality and quantity)	[155]	Positive	Time of day (afternoon>morning for walking) (F), Environment type (outdoors>indoors) (F), Behavioural contexts (weekdays vs weekends preferences for different GS) (F) (155)
Cognitive Outcomes				
<i>Category</i>	<i>Outcome</i>	<i>Reference</i>	<i>Association (with NOE)</i>	<i>Modulators (Barrier/Facilitator)</i>
	Science, technology, engineering, and math (STEM)-capacity	[131]	Positive	Duration of intervention (F); stressful life events (B); environment type (F) (131)

Cognition	Attention	[137][144]	No effect/	No effects poor quality of measurements (B) (137);
	Retention	[157][160]	Positive	Positive: Environment type (F), Presence of animals (F) (144); Environment type (F), Physical activity (F) (157); Poor study design (B), Environment type (F) (160)
Cognition	Attention restoration	[132][150]	Positive	Environment type (F) (132); Physical activity (F), Proximity (F), Environment type (F), Accessibility (F), Quality and quantity of GS (F) (150)
Symptom reduction	ADHD symptoms	[150]	Negative	Attention restoration (F), Spatial working memory (F), environment type (F) (150)
Memory	Spatial working memory	[150][169]	Positive/ no effects	Positive: Physical activity (F), Proximity (F), Environment type (F) (150); No effects: (169)
	Executive functioning (I.e. memory)	[156][159]	Positive/ no effects	Positive: Active engagement in activity (F) (156) No effects: Poor study design (B), Poor measurements (B) (159)