Prognostic Accuracy of qSOFA, SIRS, and EWSs in ED setting (PASSEM)

Case report form

Study ID:
Screening
Eligibility screening
1.1. Date of birth (Gregorian):/ (DD/MM/YYYY) Exclude if age <18 years
1.2. Sex Men (1) Women (2)
1.3. Pregnant Yes (1) No (0) Exclude if pregnant
1.4. Patient transferred from another hospital? Yes (1) No (0) Exclude if transferred from another hospital
1.5. Presentation to ED mostly due to infection? Yes $_{(1)}$ No $_{(0)}$ Exclude if presentation to ER was not due to infection
What is the initial Dx in ER?
1.6. Patient will be admitted to the hospital? $Yes_{(1)}$ $No_{(0)}$ Exclude if patient discharged from ED
1.7. Patient admitted to the hospital through ED? Exclude if patient electively admitted to the hospital
1.8. Code status of patient is "Do-Not-Resuscitate" (DNR)? Yes (1) No (0) Exclude if patient's code status is "DNR"
1.9. Informed consent obtained? Yes (1) No (0) Exclude if patient refused to participate in the study (ONLY if recruiting center required informed consent)
Enrolment
Demographics
2.1.1. Inclusion date:/ (DD/MM/YYYY)
2.1.2. Race Asian (1) Black (2) South Asian (3) White (4)

History
2.2.1. Patient known case of chronic respiratory diseases (e.g., asthma, COPD, ILD)? Yes (1)
2.2.2. Patient known case of myocardial infarction? Yes (1) No (0)
2.2.3. Patient known case of dementia? $\square Yes_{(1)}$ $\square No_{(0)}$
2.2.4. Patient known case of heart failure? $ extstyle extstyl$
2.2.5. Patient known case of peripheral vascular disease? $Yes_{(1)}$ $No_{(0)}$
2.2.6. Patient known case of stroke or TIA? Yes (1) No (0)
2.2.7. Patient known case of rheumatological or autoimmune diseases? Yes (1) No (0)
2.2.8. Patient known case of peptic ulcer disease? $Yes_{(1)}$ $No_{(0)}$
2.2.9. Patient known case of liver disease? No (0) Mild (1) Moderate to severe (2)
2.2.10. Patient known case of diabetes mellitus? None (0) Diet-controlled (1) Uncomplicated (2) End-organ damage (3)
2.2.11. Patient known case of hypertension or using hypertension medications? \square Yes $_{(1)}$ \square No $_{(0)}$
2.2.12. History of smoking? Yes (1) No (0)
2.2.13. Patient known case of hemiplegia/paraplegia?
2.2.14. Patient known case of chronic kidney disease (CKD)? Yes (1)
2.2.15. Patient known case of cancer (solid tumor)? No (0) Localized (1) Metastatic (2)
2.2.16. Patient known case of leukemia? Yes (1)
2.2.17. Patient known case of lymphoma? Yes (1) No (0)
2.2.18. Patient known case of AIDS? Yes (1) No (0)

Vital signs and blood tests
2.3.1. Altered mental status (GCS <15)? \square Yes $_{(1)}$ \square No $_{(0)}$
2.3.2. AVPU Score? Alert (0) Reacts to voice (1) Reacts to pain (2) Unresponsive (3)
2.3.3. Hypercapnic respiratory failure (PaCO2 >45 mmHg ± pH <7.35)?
2.3.4. Body temperature: °C
2.3.5. Heart rate: beats/minute
2.3.6. Systolic blood pressure (SBP): mmHg
2.3.7. Diastolic blood pressure (DBP): mmHg
2.3.8. Respiratory rate: breaths/minute
2.3.9. Oxygen saturation: %
2.3.10. Any supplemental oxygen? Yes (1) No (0)
2.3.11. White blood cell (WBC) count:×10³/μL
In-hospital follow-up (30-days)
Infection status
3.1.1. Was the patient discontinued from the study? $ extstyle extstyle $
If yes to question 3.1.1.: • Date of discontinuation:/ (DD/MM/YYYY) • Reason(s) for discontinuation:
3.1.2. Was the initial presentation to ED due to infection?
3.1.3. If yes, infection confirmed by: Positive body fluid(s) culture (1) Other microbiological methods (e.g., serology, PCR, etc.) (2) Radiological evidence (3) Clinical context (4)
3.1.4. If yes to 3.1.2.: What was the source of infection? COVID-19 ₍₁₎ Respiratory (except COVID-19) ₍₂₎

ognostic Accuracy of qSOFA, SIRS, and EWSs in ED setting (PASSEM)—Case report form	Version: 1
Urinary (3)	
Abdominal (4)	
Soft tissue/cutaneous (5)	
Neurological (6)	
Bone and joints (7)	
Bloodstream (8)	
Unknown (9)	
Other ₍₁₀₎ , specify please:	
In-hospital mortality (30-days)	
3.2.1. What is the status of patient by end of in-hospital follow-up?	
Died ₍₁₎	
Discharged from hospital (2)	
Transferred to another hospital (3)	
Still hospitalized (4)	
3.2.2. If died, what was the cause of death? COVID-19 ₍₁₎ Heart ds (MI, CHF, dysrhythmia, etc.) (2)	
Respiratory ds (COPD, BA, respiratory failure, etc.) (3)	
Sepsis-related (septic shock, MODS, etc.) (4)	
Cancer (Solid or hematological) (5)	
Stroke (including intracranial hemorrhage) (6)	
Other (7), specify please:	
3.2.3. If died, specify date of death: / / (DD/MM/YYYY)	
3.2.4. If discharged from hospital, specify date of discharge:// (DD/MM/YYYY)	
3.2.5. If transferred to another hospital, specify date of transfer:// (DD/MM/YYYY)	
ICU-admission (30-days)	
3.3.1. Has patient admitted to ICU? Yes (1) No (0)	
• If admitted to ICU, specify date of ICU admission:// (DD/MM/YYYY)	
3.3.2. Has patient discharged from ICU? Yes (1) NO (0)	
• If discharged from ICU, specify date of discharge from ICU:/ (DD/MM/YYYY)
Out-hospital follow-up (90-days)	
All-cause mortality (90-days)	
4.1. What is the status of patient by end of in-hospital follow-up? Died (1) Alive (2)	
4.2. If died, what was the cause of death? COVID-19 ₍₁₎	

Prognostic Accuracy of qSOFA, SIRS, and EWSs in ED setting (PASSEM)—Case report form	<u>Version:</u> 1
Heart ds (MI, CHF, dysrhythmia, etc.) (2) Respiratory ds (COPD, BA, respiratory failure, etc.) (3) Sepsis-related (septic shock, MODS, etc.) (4) Cancer (Solid or hematological) (5) Stroke (including intracranial hemorrhage) (6) Other (7); specify please:	
4.3. If died, specify date of death:/ (DD/MM/YYYY)	