


**Data and care integration for post-acute rehabilitation of stroke patients:
effectiveness assessment using a disease-matched comparator cohort**

Supplementary appendix

Figure S1. Flow-chart of the integrated care intervention




H: Hospital. **IRU:** Intensive rehabilitation unit. **SNF:** skilled nursing facility

Table S1. Social and health care expenditure after discharge


Period	Group	Health care expenditure				Total Healthcare	Social care expenditure	Total expenditure
		Outpatient resources	Inpatient resources	Pharmacy	Other			
Months 1-12	Control	117.48	398.54	110.46	29.06	655.54	145.63	801.17
	Intervention	132.94	425.88	96.19	81.00	736.01	251.01	987.02
Months 2-12	Control	112.49	248.65	110.04	29.56	500.75	156.40	657.15
	Intervention	133.10	211.90	97.87	83.77	526.64	257.95	784.58

Figure S2. Monthly use of resources within the 24 months following discharge in the integrated care (intervention) group (A) and population-based control group (B).



Domiciliary rehabilitation





Emergency hospital admissions





Admissions to the emergency department





Non-emergency medical transport rides





Visits to primary care nurse staff





Visits to primary care social worker





Hospital admissions





Primary care visits





Visits to the general practitioner



Pharmacy (dispensed packages)





Remote consultations



Visits to the primary care center



Home care (primary care team) visits



Outpatient visits

